

S. 1.

A. 39
















PROCEEDINGS

OF THE

SCIENTIFIC MEETINGS

OF THE

ZOOLOGICAL SOCIETY

OF LONDON.

INDEX.

1871 — 1880.




PRINTED FOR THE SOCIETY,
SOLD AT THEIR HOUSE IN HANOVER-SQUARE.

LONDON:
MESSRS. LONGMANS, GREEN, READER, AND DYER,
PATERNOSTER-ROW.

1882.

ALERE

FLAMMAM.



PRINTED BY TAYLOR AND FRANCIS,

RED LION COURT, FLEET STREET.

CONTENTS.



	Page
List of the Names of Contributors, from 1871 to 1880, with the Titles of and References to the several Articles con- tributed by each	1
Index of Species described and referred to, 1871 to 1880 ..	113

LIST
OF THE
CONTRIBUTORS,

FROM 1871 TO 1880,

With References to the several Articles contributed by each.

	Page
ABRAHAM, PHINEAS S., M.A., B.Sc., F.R.M.S., F.Z.S.	
Revision of the Anthobranchiate Nudibranchiate Mollusca, with Descriptions or Notices of forty-one hitherto undescribed Species	1877, 196
 ADAMS, Dr. A. LEITH, M.B., F.R.S.	
Notice of a Memoir on the Osteology of the Maltese Fossil Elephants	1873, 557
Exhibition of the Horns of, and remarks upon, a variety of the Common Goat	1874, 2
 ADAMS, HENRY, F.L.S.	
Further Descriptions of new Species of Shells collected by Robert M'Andrew, Esq., in the Red Sea.	1872, 9
Descriptions of fourteen new Species of Land and Marine Shells	1872, 12
Description of a new Species of <i>Geotrochus</i> from the Island of New Britain	1872, 614
PROC. ZOOLOG. SOC. INDEX, 1871-80.	1

	Page
ADAMS, HENRY, F.L.S. (<i>continued</i>).	
Descriptions of seventeen new Species of Land and Marine Shells	1873, 205
Descriptions of some new Species of Shells from various Localities, also of a new Genus of Bivalves from Mauritius	1874, 584
Descriptions of two new Land-Shells from Madagascar and New Guinea.	1875, 389
ADAMS, HENRY, F.L.S., and ANGAS, GEORGE FRENCH, F.L.S., C.M.Z.S.	
Descriptions of five new Species of Land-Shells from Madagascar, New Guinea, Central Australia, and the Solomon Islands	1876, 488
AGASSIZ, ALEXANDER, F.M.Z.S.	
Note on some Points in the History of the Synonymy of Echini	1880, 33
ALLMAN, Prof. GEORGE JAMES, F.R.S., C.M.Z.S.	
Notice of a Memoir on Hydroids collected during the 'Porcupine' Expeditions.	1873, 196
ALLPORT, MORTON, F.L.S., F.Z.S.	
On the Introduction of Salmon to the Waters of Tasmania	1874, 206
ALSTON, EDWARD R., F.L.S., F.Z.S.	
On a new Species of <i>Pteropus</i> from Samoa	1874, 96
On <i>Anomalurus</i> , its Structure and Position.	1875, 88
Exhibition of a rufous variety of the Murine Dormouse, <i>Graphiurus murinus</i> (Desm.)	1875, 317
On the Classification of the Order Glires.	1876, 61
On the Genus <i>Dasyprocta</i> ; with Description of a new Species	1876, 347

	Page
ALSTON, EDWARD R., F.L.S., F.Z.S. (continued).	
On two new Species of <i>Hesperomys</i>	1876, 755
On the Rodents and Marsupials collected by the Rev. G. Brown in Duke-of-York Island, New Britain, and New Ireland	1877, 123
On an undescribed Shrew from Central America. .	1877, 445
Supplementary Note on Rodents and Marsupials from Duke-of-York Island and New Ireland	1877, 743
Note on the Dentition of <i>Cuscus</i>	1878, 274
Exhibition, on behalf of Dr. Elliott Coues, C.M.Z.S., of two specimens of <i>Synaptomys cooperi</i> , Bd.	1878, 633
On the Squirrels of the Neotropical Region.	1878, 656
Supplementary Note on the Neotropical Squirrels	1878, 954
On Female Deer with Antlers	1879, 296
On the Specific Identity of the British Martens. .	1879, 468
On the <i>Acanthomys leucopus</i> of Gray	1879, 645
Exhibition of, and remarks upon, some Burmese and Afghan Mammals collected by Mr. R. G. Ward- law-Ramsay	1879, 665
Exhibition of, and remarks upon, a skull of <i>Tapirus dowi</i>	1879, 666
On a Four-horned Chamois	1879, 802
Exhibition of, and remarks upon, a drawing of <i>Tapirus dowi</i>	1880, 187
Exhibition of, and remarks upon, a remarkable and little-known Australian Marsupial (<i>Antechinomys la- nigera</i>)	1880, 187
On <i>Antechinomys</i> and its Allies.	1880, 454
 ALSTON, EDWARD R., F.L.S., F.Z.S., and BLACKMORE, HUMPHREY P., M.D.	
On Fossil <i>Arvicolidæ</i>	1874, 460

	Page
ALSTON, EDWARD R., F.L.S., F.Z.S., and DANFORD, CHARLES G., F.Z.S.	
On the Mammals of Asia Minor	1877, 270
On the Mammals of Asia Minor. Part II.	1880, 50
ANDERSON, ANDREW, F.Z.S.	
Notes on the Raptorial Birds of India	1871, 675
Notes on the Raptorial Birds of India. Part II.	1872, 68
Additional Notes on the Raptorial Birds of North- western India	1872, 619
Letter from, giving an account of the eggs and young of the Gavial (<i>Gavialis gangeticus</i>)	1875, 2
Corrections of, and Additions to "Raptorial Birds of North-western India"	1875, 16
Corrections of, and Additions to "Raptorial Birds of North-western India." Part II.	1876, 310
Exhibition of a coloured drawing of <i>Emys hamiltoni</i>	1876, 751
Corrections of, and Additions to the "Raptorial Birds of North-western India." Part III.	1876, 776
Exhibition of a spotted egg of <i>Ascalaphia coro- manda</i>	1877, 807
Exhibition of, and remarks on, the young of <i>Rhyn- chops albicollis</i> and <i>Seena aurantia</i>	1877, 807
Exhibition of, and observations upon, the skin of a pair of Grebes (<i>Podiceps cristatus</i>) from India, to- gether with two nestling birds	1877, 807
Letter from, concerning <i>Falco babylonicus</i> , figured in the Society's 'Proceedings' for 1876	1878, 2
On a new Species of Indian <i>Prinia</i>	1878, 370
Exhibition of a bamboo driving-stick taken from the nest of an Indian Eagle	1878, 393

ANDERSON, JOHN, M.D., F.L.S., F.Z.S., Director of the
Indian Museum, Calcutta.

On three new Species of Squirrels from Upper Burmah and the Kakhyen Hills, between Burmah and Yunan	1871, 139
Description of a new Cetacean from the Irrawaddy River, Burmah	1871, 142
Note on the Occurrence of <i>Sacculina</i> in the Bay of Bengal	1871, 144
On some Indian Reptiles	1871, 149
On eight new Species of Birds from Western Yunan, China.....	1871, 211
Description of a new Genus of Newts from Western Yunan.....	1871, 423
Note on <i>Testudo phayrei</i> , Blyth	1871, 425
Notes on some Rodents from Yarkand.....	1871, 559
Letter, describing a new Species of Macaque	1871, 628
Notes on <i>Rhinoceros sumatrensis</i> , Cuvier	1872, 129
On <i>Manouria</i> and <i>Scapia</i> , two Genera of Land- Tortoises.....	1872, 132
Further Remarks on the External Characters and Anatomy of <i>Macacus brunneus</i>	1872, 203
On some Persian, Himalayan, and other Reptiles	1872, 371
On a supposed new Monkey from the Sunder- bunds to the East of Calcutta	1872, 529
Notice of a Memoir on the osteology and denti- tion of <i>Hylomys</i>	1872, 683
On the Species and Dentition of the Southern Asiatic Shrews, preliminary to a Monograph of the Group	1873, 227
Note on a <i>Macacus brunneus</i>	1874, 652

	Page
ANGAS, GEORGE FRENCH, C.M.Z.S., F.L.S., F.R.G.S.	
Descriptions of thirty-four new Species of Shells from Australia	1871, 13
A List of additional Species of Marine Mollusca to be included in the Fauna of Port Jackson and the adjacent Coasts of New South Wales	1871, 87
Descriptions of ten new Species of Land and Marine Shells	1872, 610
Description of a new Species of <i>Voluta</i>	1872, 613
Descriptions of eight new Species of Land and Marine Shells from various Localities	1873, 182
Descriptions of three new Species of Shells from Australia	1875, 389
Descriptions of four new Species of <i>Helix</i> ; with some Notes on <i>Helix angasiana</i> of Pfeiffer	1876, 265
Description of a new Species of <i>Helix</i> from South Australia	1877, 33
Descriptions of two Genera and twenty Species of Marine Shells from New South Wales	1877, 34
Descriptions of a new Species of <i>Bulimus</i> from Western Australia, and of a <i>Paludinella</i> from Lake Eyre, South Australia	1877, 170
Descriptions of one Genus and twenty-five Species of Marine Shells from New South Wales	1877, 171
A further List of Additional Species of Marine Mollusca to be included in the Fauna of Port Jackson and the adjacent Coasts of New South Wales	1877, 178
Notes on a small Collection of Land and Fresh-water Shells from South-east Madagascar, with Descriptions of new Species	1877, 527
Descriptions of a new Genus of Gasteropodous Mollusca from Japan, and a new Species of <i>Bullia</i> from Kurrachi	1877, 529

ANGAS, GEORGE FRENCH, C.M.Z.S. &c. (*continued*).

Notes on the <i>Helix sepulchralis</i> of Férussac and its Allies, with Descriptions of two Species	1877, 803
Descriptions of seven new Species of Land-Shells recently collected in Costa Rica by Mr. Adolph Boucard	1878, 72
Description of a new Species of <i>Latiavis</i>	1878, 74
Description of a new Genus of Land-Shells belonging to the Family Cyclophoridae	1878, 310
Descriptions of nine new Species of Land and Marine Shells from various localities	1878, 311
Description of a new Species of <i>Tudicula</i>	1878, 610
Descriptions of six Species of Bivalve Shells in the Collection of Mr. Sylvanus Hanley, F.L.S., and of a <i>Helix</i> from the Solomon Islands	1878, 859
Descriptions of ten Species of Marine Shells from the Province of South Australia	1878, 861
A List of additional Species of Marine Mollusca to be included in the Fauna of the Province of South Australia, with Notes on their Habitats and Local Distribution	1878, 864
Descriptions of ten new Species of <i>Axincea</i> and <i>Pectunculus</i> in the collection of Mr. Sylvanus Hanley and the late Mr. T. L. Taylor	1879, 417
On the Terrestrial Mollusca collected in Costa Rica by the late Dr. W. M. Gabb, with Descriptions of new Species	1879, 475
Descriptions of two new Species of <i>Helix</i> (<i>Eury-cratera</i>) from S.E. Betsileo, Madagascar	1879, 728
Further Additions to the Marine Molluscan Fauna of South Australia, with Descriptions of new Species	1880, 415
Descriptions of three Species of Marine Shells from Port Darwin, Torres Straits, discovered by Mr. W. T. Bednall, and of a new <i>Helix</i> from Kangaroo Island, South Australia	1880, 418

ANGAS, GEORGE FRENCH, F.L.S., C.M.Z.S., and ADAMS,
HENRY, F.L.S.

Descriptions of five new Species of Land-Shells
from Madagascar, New Guinea, Central Australia,
and the Solomon Islands 1876, 488

ATKINSON, W. S., M.A., F.L.S., Director of Public
Instruction, Bengal.

Descriptions of three new Species of Diurnal
Lepidoptera from Western Yunan, collected by
Dr. Anderson in 1868 1871, 215

Description of a new Genus and Species of Papi-
lionidæ from the South-eastern Himalayas 1873, 570

Descriptions of two new Species of Butterflies
from the Andaman Islands 1873, 736

AUSTEN, Major H. H. GODWIN-, F.R.G.S., F.Z.S.,
Deputy Superintendent, Topographical Survey
of India.

See GODWIN-AUSTEN, Lieut.-Col. H. H.

BARBOZA DU BOCAGE, Professor JOSÉ VICENTE, Director
of the National Museum, Lisbon, F.M.Z.S.

Observations sur le *Bucorax* de l'Afrique australe
(*Buceros carunculatus cafer*, Schleg.) 1873, 698

Note sur l'Habitat de l'*Euprepes coctei*, Dum. et
Bibr. 1873, 703

Liste des Antilopes d'Angola 1878, 741

BARKLY, Sir HENRY, C.M.Z.S.

Letter from, respecting some animals intended for
the Society 1874, 152

BARTLETT, A. D., Superintendent of the Society's
Gardens.

Notes on the Birth of a Hippopotamus in the
Society's Gardens 1871, 255

	Page
BARTLETT, A. D., Superintendent of the Society's Gardens (<i>continued</i>).	
Additional Notes on the Breeding of the Hippopotamus in the Society's Gardens	1872, 819
On the Birth of a Sumatran Rhinoceros	1873, 104
Exhibition of a Rhinoceros-horn stated to be from Borneo	1874, 499
Description of a new Species of <i>Numida</i>	1877, 652
Letter from, relating to the alleged existence of <i>Anoa depressicornis</i> in the Philippines	1878, 882
Remarks upon the Habits and Change of Plumage of Humboldt's Penguin	1879, 6
 BARTLETT, EDWARD, Curator of the Museum and Public Library, Maidstone.	
Notes on the Monkeys of Eastern Peru. (Communicated, with Notes, by P. L. SCLATER, M.A., Ph.D.)	1871, 217
On the Birds of Eastern Peru. By P. L. SCLATER, M.A., Ph.D., F.R.S., Secretary to the Society, and OSBERT SALVIN, M.A., F.Z.S. With Notes on the Habits of the Birds, by EDWARD BARTLETT	1873, 252
Description of a new Moth, belonging to the Family Saturniidae	1873, 336
List of the Mammals and Birds collected by Mr. Thomas Waters in Madagascar	1875, 62
Remarks on the Affinities of <i>Mesites</i>	1877, 292
Second List of Mammals and Birds collected by Mr. Thomas Waters in Madagascar	1879, 767
 BARTLETT, EDWARD, and DRUCE, HERBERT, F.L.S., F.Z.S.	
List of the Butterflies of Peru, with Descriptions of new Species	1876, 205

BATES, H. W., F.L.S., F.Z.S.

On the Coleoptera collected by the Rev. G. Brown, C.M.Z.S., on Duke-of-York Island, New Ireland, and New Britain 1877, 151

On new Genera and Species of Geodephagous Coleoptera from Central America 1878, 587

On new Species of Coleopterous Insects (Geodephaga and Longicornia) taken by Dr. Stoliczka during the Forsyth Expedition to Kashgar in 1873-74 1878, 713

BEAVAN, Lieut. REGINALD, F.R.G.S., Revenue Survey Department of India.

Descriptions of two imperfectly known Species of Cyprinoid Fishes from the Punjab, India 1872, 150

Notice of a paper on Fishes met with in the river Nerbudda, Minar district of India 1873, 685

Notice of a paper on the difficulties involved in the acceptance of the Darwinian Theory of Evolution . . 1873, 686

BEDDOME, Col. R. II., C.M.Z.S.

Descriptions of some new Operculated Land-Shells from Southern India and Ceylon 1875, 442

Description of a new Species of Indian Snake of the Genus *Platyplectrurus* from the Wynad 1876, 701

Descriptions of three new Snakes of the Family Uropeltidæ from Southern India 1877, 167

Descriptions of new Reptiles from the Madras Presidency 1877, 685

Description of a new Genus of Tree-Lizards from the higher Ranges of the Anamallays 1878, 153

Descriptions of new Uropeltidæ from Southern India, with Remarks on some previously described Species 1878, 154

Description of a new Genus of Snakes of the Family Calamaridæ, from Southern India 1878, 576

BEDDOME, Col. R. H., C.M.Z.S. (*continued*).

Description of a new Batrachian from Southern India, belonging to the Family Phryniscidæ 1878, 722

Description of six new Species of Snakes of the Genus *Silybura*, Family Uropeltidæ, from the Peninsula of India 1878, 800

Description of a new Snake of the Genus *Plectrurus* from Malabar 1880, 182

BELL, F. JEFFREY, M.A., F.R.M.S., F.Z.S., Professor of Comparative Anatomy in King's College, London.

Notes on the Myology of the Limbs of *Moschus moschiferus* 1876, 182

Observations on the Characters of the Echinoidea. —I. On the Species of the Genus *Brissus*, and on the allied Forms *Meoma* and *Metalia* 1879, 249

Note on the Number of Anal Plates in *Echinocidaris* 1879, 436

Observations on the Characters of the Echinoidea. —II. On the Species of the Genus *Tripneustes*, Agassiz 1879, 655

On *Palæolampas*, a new Genus of the Echinoidea . 1880, 43

On the Names to be applied to certain Echinoidea 1880, 220

Exhibition of, and remarks upon, an immature specimen of an Echinoid 1880, 356

Observations on the Characters of the Echinoidea. —III. On some Genera and Species of the Temno-pleuridæ 1880, 422

BENNETT, DR. GEORGE, F.Z.S.

Extract of a letter from, relating to a pair of *Didunculi* and other Birds living in the Botanic Gardens, Sydney : 1872, 636

Letter from, respecting a supposed Tree-Kangaroo in Northern Queensland 1873, 518

BENNETT, DR. GEORGE, F.Z.S. (*continued*).

Exhibition of an egg of the Spotted Bowerbird, and of a photograph of the egg of Flinders's Cuckoo. . . . 1873, 518

Extract from a letter, referring to the habitat of Bennett's Cassowary 1873, 518

Extract from a letter relating to Birds forwarded to the Society 1874, 186

Letter from, concerning the occurrence of an Indian Beetle (*Chrysochroa ocellata*) in the Bay of Bengal 1875, 2

Letter from, respecting Mr. D'Albertis's proposed new expedition up the Fly River, New Guinea 1876, 519

BENNETT, GEORGE FREDERIC, C.M.Z.S.

Notes on *Ornithorhynchus paradoxus*. By George Frederic Bennett, in a Letter from Dr. George Bennett, F.L.S., F.Z.S., to Professor Owen, C.B., F.R.S., &c., with Remarks by the latter 1877, 161

BERLEPSCH, HANS, Graf von, C.M.Z.S.

Exhibition of, and remarks upon, two varieties of the Long-tailed Titmouse 1879, 552

BIDDULPH, Capt. JOHN.

Letter from, addressed to the Secretary, containing remarks on the Wild Sheep met with during his recent journey to Yarkand 1875, 157

BLACKMORE, HUMPHREY P., M.D., and ALSTON, EDWARD R., F.Z.S.

On Fossil *Arvicolidæ* 1874, 460

BLANFORD, WILLIAM T., F.R.S., F.G.S., F.Z.S. &c.

Description of a new Himalayan Finch, *Procarduelis rubescens* 1871, 693

Note on the Gazelles of India and Persia, with Description of a new Species. 1873, 313

BLANFORD, WILLIAM T., F.R.S., F.G.S., F.Z.S. (*continued*).

- Exhibition of, and remarks upon, horns of the Wild Goat of Persia (*Capra aegagrus*), and of the same animal from Sind 1874, 248
- Description of two Uromasticine Lizards from Mesopotamia and Southern Persia 1874, 656
- On two Species of *Herpestes*, and a Hare collected by Dr. F. Day in Sind 1874, 661
- Notes on the Figures of *Herpestes ferrugineus* and *Ovis polii* 1875, 540
- On some Stags' Horns from the Thian-Shan Mountains in Central Asia 1875, 637
- Note on the 'Africa-Indien' of A. von Pelzeln, and on the Mammalian Fauna of Tibet 1876, 631
- On some of the Specific Identifications in Dr. Günther's Second Report on Collections of Indian Reptiles obtained by the British Museum 1876, 635
- Remarks upon the Himalayan Marmots now living in the Society's Gardens 1880, 453
- See also HUBRECHT, A. A. W.

BLANFORD, W. T., F.R.S., F.Z.S., and DRESSER, HENRY E., F.Z.S.

- Monograph of the Genus *Saxicola*, Bechstein. 1874, 213

BLEEKER, Dr. P., F.M.Z.S.

- Notice sur l'*Elopichthys dahuricus* 1875, 534

BLYTH, EDWARD, C.M.Z.S.

- Exhibition of, and remarks upon, some Tiger-skins (*Felis tigris*) from India, Siam, and Siberia 1873, 153

BOCK, CARL, F.G.S. &c.

- Descriptions of two new Species of Shells from China and Japan 1878, 727

BOCK, CARL, F.G.S. &c. (*continued*).

Letter from, addressed to the Secretary, containing
remarks upon *Capricornis sumatrensis* 1879, 308

BOUCARD, ADOLPHE, C.M.Z.S. &c.

Monographic List of the Coleoptera of the Genus
Plusiotis of America north of Panama, with De-
scriptions of several new Species 1875, 117

On Birds collected in Costa Rica 1878, 37

Notes on some Coleoptera of the Genus *Plusiotis*,
with Descriptions of three new Species from Mexico
and Central America 1878, 293

Descriptions of two supposed new Species of
South-American Birds 1879, 178

BOULENGER, G. A., Aide-Naturaliste at the Royal Mu-
seum of Belgium.

On the Palæarctic and Æthiopian Species of *Bufo* 1880, 545

BOWERBANK, JAMES SCOTT, LL.D., F.R.S., &c.

Contributions to a General History of the Spon-
giadæ.—Part I. 1872, 115

Contributions to a General History of the Spon-
giadæ.—Part II. 1872, 196

Contributions to a General History of the Spon-
giadæ.—Part III. 1872, 626

Contributions to a General History of the Spon-
giadæ.—Part IV. 1873, 3

Report on a Collection of Sponges found at Ceylon
by E. W. H. Holdsworth, Esq. 1873, 25

Contributions to a General History of the Spon-
giadæ.—Part V. 1873, 319

Contributions to a General History of the Spon-
giadæ.—Part VI. 1874, 298

BOWERBANK, JAMES SCOTT, LL.D., F.R.S., &c. (*continued*).

- A Monograph of the Siliceo-fibrous Sponges.—
Part III. 1875, 272
- Contributions to a General History of the Spongiadae.—Part VII. 1875, 281
- A Monograph of the Siliceo-fibrous Sponges.—
Part IV. 1875, 503
- A Monograph of the Siliceo-fibrous Sponges.—
Part V. 1875, 558
- Further Observations on *Alcyonellum speciosum*,
Quoy et Gaimard, and *Hyalonema mirabilis*, Gray . . 1875, 607
- A Monograph of the Siliceo-fibrous Sponges.—
Part VI. 1876, 535
- Contributions to a General History of the Spongiadae.—Part VIII. 1876, 768
- Description of five new Species of Sponges discovered by A. B. Meyer on the Philippine Islands and New Guinea 1877, 456

BRADY, GEORGE STEWARDSON, C.M.Z.S.

- A Review of the Cypridinidæ of the European Seas, with Description of a new Species 1871, 289
- A Review of the British Marine Mites, with Descriptions of some new Species 1875, 301
- Notes on British Freshwater Mites 1877, 24
- Notice of a Memoir on the fossil Ostracoda of the Antwerp Crag. 1877, 419

BRADY, GEORGE STEWARDSON, C.M.Z.S., and ROBERTSON, DAVID, F.G.S.

- Descriptions of two new Species of British Holothuroidea 1871, 690

BRAZIER, JOHN, C.M.Z.S.

- Descriptions of two new Species of Land-Shells
from the Bellengen River, New South Wales..... 1871, 321
- Notes on recently described Shells 1871, 321
- Notes on the Localities of *Dolium melanostoma* and
other Shells found in Australia and the adjacent Is-
lands and in the Australian Seas 1871, 585
- Descriptions of eight new Australian Land-Shells 1871, 639
- Descriptions of seven new Species of the Genus
Helix and of two Fluvial Shells from Tasmania.. 1871, 696
- Remarks on previously described Species of Land-
Shells 1871, 699
- Descriptions of seven new Species of Land and
Marine Shells from the Solomon Islands, Western
Polynesia, and Australia 1872, 20
- Observations on the Habitats of certain Volutes.. 1872, 23
- A List of the Cypræidæ found on the Coast of New
South Wales 1872, 81
- Descriptions of three new Species of Marine Shells
from Australia 1872, 616
- Descriptions of six new Species of Land-Shells
from Australia and Lord Howe's Island 1882, 617
- Synonymy of, and Remarks upon, Australian and
Western Polynesian Land-Shells 1872, 805
- A List of the Species of Cassididæ found on the
Coast of New South Wales, together with Remarks
on their Habits and Distribution 1872, 837
- Exhibition of a series of eggs of Megapodes 1874, 606
- Descriptions of eleven new Species of Terrestrial
and Marine Shells from North-east Australia..... 1874, 668
- Descriptions of ten new Species of Shells from the
Collection of Mr. Charles Coxen, of Brisbane, Queens-
land..... 1875, 31

BROOKE, BASIL, F.Z.S., and BROOKE, Sir VICTOR, Bart.,
F.Z.S.

On the large Sheep of the Thian Shan, and the
other Asiatic Argali 1875, 509

BROOKE, Sir VICTOR, Bart., F.Z.S.

Exhibition of a British specimen of the Esquimaux
Curlew (*Numenius borealis*) 1871, 299

On Speke's Antelope and the allied Species of the
Genus *Tragelaphus* 1871, 482

On *Hydropotes inermis* and its Cranial Characters,
as compared with those of *Moschus moschiferus* 1872, 522

On a supposed new Species of Gazelle from Eastern
Africa 1872, 601

On the Royal Antelope, and allied Species of the
Genus *Nanotragus* 1872, 637

On a new Species of Antelope living in the Society's
Menagerie 1872, 874

On African Buffaloes 1873, 474

Exhibition of skins, skulls, and heads of *Cervus*
antisiensis 1873, 518

On the Antelopes of the Genus *Gazella*, and their
Distribution 1873, 535

On Sclater's Muntjac and other Species of the
Genus *Cervulus* 1874, 33

On a new Species of Deer from Persia 1874, 42

On a new Species of Gazelle living in the Society's
Menagerie 1874, 141

Remarks on the identity of a certain Deer in the
Society's Collection 1874, 606

Letter from, correcting an error in his paper on
Cervulus (P. Z. S. 1874, p. 41) 1875, 2

On a new Species of Deer from Mesopotamia 1875, 261

Supplementary Notes on African Buffaloes 1875, 454

	Page
BROOKE, Sir VICTOR, Bart., F.Z.S. (continued).	
Exhibition of original drawings of two species of Koodoo, <i>Tragelaphus strepsiceros</i> and <i>T. imberbis</i>	1875, 470
Supplementary Notes on <i>Cervus mesopotamicus</i>	1876, 298
On <i>Cervus schomburgki</i> (Blyth)	1876, 304
On the Deer of the Philippine Islands, with the Description of a new Species	1877, 51
On <i>Gazella granti</i>	1878, 723
On the Classification of the Cervidæ, with a Syn- opsis of the existing Species	1878, 883
On a new Species of Gazelle from Eastern Africa	1878, 929
 BROOKE, Sir VICTOR, Bart., F.Z.S., and BROOKE, BASIL, F.Z.S.	
On the large Sheep of the Thian Shan, and the other Asiatic Argali	1875, 509
 BROOKS, W. E., of Etawah.	
On the Imperial Eagles of India	1872, 502
 BROWN, ARTHUR, E.	
Letters from, relating to the birth of an Elephant in a menagerie at Philadelphia	1880, 222
 BROWN, Rev. GEORGE, C.M.Z.S.	
Letter from, on birds transmitted to the Society from Duke-of-York Island	1876, 2
Letter from, addressed to the Secretary, concern- ing the range of the Mooruk	1879, 5
 BROWN, Dr. R., of Campster, F.R.G.S.	
Extracts of a Letter from, relating to the best method of destroying Poisonous Serpents	1871, 39

	Page
BRUIJN, A. A.	
Letter from, concerning living examples of <i>Dasyptilus pesqueti</i> and of four species of Paradise-birds	1875, 30
BUCKLEY, HENRY, F.Z.S.	
On some new or rare Birds' Eggs	1872, 625
BUCKLEY, T. E., B.A., F.Z.S.	
On the past and present Geographical Distribution of the Large Mammals of South Africa	1876, 277
On the past and present Geographical Distribution of the Larger Mammals of South Africa	1877, 452
BURMEISTER, Dr. HERMANN, F.M.Z.S., Director of the National Museum, Buenos Ayres.	
Letter from, containing remarks on the <i>Cracidæ</i> in the Museum of Buenos Ayres	1871, 701
Synopsis of the Lamelliostres of the Argentine Republic	1872, 364
Description of a new Species of <i>Dolichotis</i>	1875, 634
Additional Notes on <i>Dolichotis salinicola</i>	1876, 461
Notes on <i>Conurus hilaris</i> and other Parrots of the Argentine Republic	1878, 75
BUSK, GEORGE, F.R.S., F.Z.S.	
Notice of a new Polyzoön (<i>Hippuraria egertoni</i>)	1874, 29
Note on the Cranial and Dental Characters of the Northern and Southern Tigers and Leopards of China, as affording Marks of their Specific Distinction	1874, 146
Notice of a Memoir on the ancient or quaternary Fauna of Gibraltar, to be published in the Society's 'Transactions'	1876, 415
BUTLER, ARTHUR GARDINER, F.L.S., F.Z.S., Assistant Keeper, Zoological Department, British Museum.	
Descriptions of some new Species of Exotic Lepidoptera	1871, 79

BUTLER, ARTHUR GARDINER, F.L.S., F.Z.S. (*continued*).

Descriptions of some new Species and a new Genus of <i>Pierinæ</i> , with a Monographic List of the Species of <i>Ixias</i>	1871, 250
A Monograph of the Lepidoptera hitherto included in the Genus <i>Elymnias</i>	1871, 518
A Revision of the Species formerly included in the Genus <i>Terias</i> (<i>Pierinæ</i>).	1871, 526
On a small Collection of Butterflies from Angola .	1871, 721
Description of a New Genus of Lepidoptera allied to <i>Apatura</i>	1871, 725
A Synonymic List of the Species formerly included in the Genus <i>Pieris</i> , with all others described since the subdivision of the Group by recent Authors. . . .	1872, 26
A Monographic Revision of the Genera <i>Zephronia</i> and <i>Sphærotherium</i> , with Descriptions of new Species	1873, 172
A List of the Spiders of the Genus <i>Acrosoma</i> , with Descriptions of new Species	1873, 420
Revision of the Genus <i>Protogonius</i>	1873, 772
List of the Species of <i>Fulgora</i> , with Descriptions of new Forms in the Collection of the British Museum	1874, 97
List of Diurnal Lepidoptera of the South-Sea Islands	1874, 274
Descriptions of three new Species of Homopterous Insects	1874, 672
Descriptions of thirty-three new or little-known Species of Sphingidæ in the Collection of the British Museum	1875, 3
Descriptions of four new Species of <i>Protogonius</i> ..	1875, 35
Descriptions of new Species of Sphingidæ	1875, 238
Notice of a Memoir on the Heterocerous Lepidoptera of the family Sphingidæ	1875, 269
Descriptions of several new Species of Indian Heterocerous Lepidoptera.	1875, 391

BUTLER, ARTHUR GARDINER, F.L.S., F.Z.S. (*continued*).

- On a Collection of Butterflies from the New Hebrides and Loyalty Islands, with Descriptions of new Species 1875, 610
- On a small Collection of Butterflies from Fiji .. 1875, 619
- Descriptions of several new Species of Sphingidæ 1875, 621
- Revision of the Lepidopterous Genus *Teracolus*, with Descriptions of the new Species 1876, 126
- On a small Collection of Butterflies from the New Hebrides 1876, 251
- Descriptions of Lepidoptera from the Collection of Lieut. Howland Roberts 1876, 308
- Descriptions of new Species of Lepidoptera from New Guinea, with notice of a new Genus 1876, 765
- On the Myriopoda and Arachnida collected during the visit of H.M.S. "Peterel" to the Galapagos Islands 1877, 75
- On the Lepidoptera, Orthoptera, and Hemiptera collected during the visit of H.M.S. 'Peterel' to the Galapagos Islands 1877, 86
- Descriptions of new Species of Heterocerous Lepidoptera in the Collection of the British Museum .. 1877, 168
- On the Myriopoda obtained by the Rev. G. Brown in Duke-of-York Island 1877, 282
- On two Collections of Heterocerous Lepidoptera from New Zealand, with Descriptions of new Genera and Species 1877, 379
- On a Collection of Lepidoptera from Cape York and the South-east coast of New Guinea 1877, 466
- On a Collection of Lepidoptera made in Northern Formosa by H. E. Hobson, Esq. 1877, 810
- On a small Collection of Lepidoptera obtained by the Rev. J. S. Whitmee at the Ellice Islands 1878, 296

BUTLER, ARTHUR GARDINER F.L.S., F.Z.S. (*continued*).

- Description of new Lepidoptera of the Group Bom-
bicites, in the Collection of the British Museum. . . . 1878, 381
- On a small Collection of Lepidoptera from Jamaica 1878, 480
- Description of a new Species of the Orthopterous
Genus *Phylloptera* from Madagascar 1878, 648
- Description of a Remarkable new Spider from
Madagascar. 1878, 799
- On the Heterocera in the Collection of Lepidoptera
from New Ireland obtained by the Rev. G. Brown.. 1879, 160
- On Arachnida from the Mascarene Islands and
Madagascar. 1879, 729
- On new and little-known Butterflies from India. 1880, 147
- Description of a new Species of Orthopteron of
the Genus *Anostostoma* from Madagascar 1880, 152
- On a Collection of Lepidoptera from Candahar. 1880, 403
- On a second Collection of Lepidoptera made in
Formosa by H. E. Hobson, Esq. 1880, 666

BUTLER, ARTHUR G., F.L.S., F.Z.S., &c. and DRUCE,
HERBERT, F.L.S., F.Z.S., &c.

- List of Butterflies of Costa Rica, with Descriptions
of new Species 1874, 330

BUTLER, MONTAGU RUSSELL.

- Description of a remarkable new Species of *Tanaëcia* 1873, 235
- Descriptions of three new Species of Diurnal Lepi-
doptera. 1873, 686

CALDWELL, J., C.M.Z.S.

- Notes on the Zoology of Rodriguez 1875, 644

CAMBRIDGE, REV. O. PICKARD, M.A., C.M.Z.S.

Notes on some Arachnida collected by Cuthbert Collingwood, M.D., during rambles in the China Sea, &c.	1871, 617
General List of the Spiders of Palestine and Syria, with Descriptions of numerous new Species and Characters of two new Genera	1872, 212
Descriptions of twenty-four new Species of <i>Erigone</i>	1872, 747
On some new Genera and Species of Araneidea ..	1873, 112
On the Spiders of St. Helena	1873, 210
On some new Species of Araneidea, chiefly from Oriental India	1873, 435
On some new Species of <i>Drassides</i>	1874, 370
On some new Species of <i>Erigone</i> from North America	1874, 428
On some new Species of <i>Erigone</i> .—Part I.	1875, 190
On some new Species of <i>Erigone</i> .—Part II.	1875, 323
On some new Species of <i>Erigone</i> from North America	1875, 393
On a new Order and some new Genera of Arachnida from Kerguelen's Land	1876, 258
Catalogue of a Collection of Spiders made in Egypt, with Descriptions of new Species and Characters of a new Genus	1876, 541
On some Spiders collected by the Rev. George Brown in Duke-of-York Island, New Britain, and New Ireland	1877, 283
On some new Species of Araneidea, with Characters of two new Genera, and some Remarks on the Families Podophthalmides and Dinopides	1877, 557
On a new Genus and Species of Spiders of the Family Salticides	1879, 119
On some new and little-known Species of Araneidea, with Remarks on the Genus <i>Gasteracantha</i>	1879, 279

CAMBRIDGE, Rev. O. P., M.A., C.M.Z.S. (*continued*).

- On some new and rare Spiders from New Zealand,
with Characters of four new Genera 1879, 681
- On some new and little-known Spiders of the Genus
Argyrodes, Sim. 1880, 320

CHEESEMAN, S. T., F.L.S., Curator of the Auckland Museum.

- Descriptions of three new Species of Opisthobran-
chiate Mollusca from New Zealand 1878, 275

CLARK, JOHN W., F.Z.S.

- On the Skeleton of a Narwhal (*Monodon monoceros*)
with two fully developed Tusks 1871, 42
- Notes on the Visceral Anatomy of the Hippopo-
tamus 1872, 185
- Exhibition of, and remarks upon, skulls of *Phoca*
(*Halicyon*) *richardsi* and *Phoca vitulina* 1873, 556
- On the Eared Seals of the Auckland Islands . . . 1873, 750
- On the Skull of a Marten (*Martes*, sp.?) from Bur-
well Fen, Cambridgeshire 1873, 790
- On the Eared Seals of the Islands of St. Paul and
Amsterdam, with a Description of the Fur-Seal of
New Zealand, and an attempt to distinguish and
rearrange the New-Zealand Otariidæ 1875, 650
- Notes on a Dolphin taken off the Coast of Norfolk 1876, 686
- Notes on three stuffed Specimens of the Sea-lion
of the Pribilof Islands (*Otaria ursina*) 1878, 371
- Exhibition of a drawing of a species of *Lageno-*
rhynchus lately taken off Ramsgate 1879, 311

COBBOLD, T. SPENCER, M.D., F.R.S., F.L.S., Professor
in the Royal Veterinary College.

- Notes on Entozoa.—Part I. 1873, 736
- Notes on Entozoa.—Part II. 1874, 124

COBBOLD, T. SPENCER, M.D. &c. (*continued*).

- Notes on Entozoa.—Part III. 1876, 200
 Exhibition of, and remarks upon, a parasite (*Echino-
 rhynchus*) 1876, 256
 Notes on Entozoa.—Part IV. 1876, 294

COLLETT, ROBERT, C.M.Z.S.

- On the Asymmetry of the Skull in *Strix tengmalmi* 1871, 739
 On *Phylloscopus borealis* and its occurrence in
 Norway 1877, 43
 On *Latrunculus* and *Crystallogobius*, two remarkable
 Forms of Gobioid Fishes 1878, 318
 On a new Fish of the Genus *Lycodes* from the Pacific 1879, 381

COMRIE, Dr. P.

- Exhibition of, and remarks on, zoological specimens
 collected during the Survey, by H.M.S. 'Basilisk,' of
 the S.E. coast of New Guinea 1876, 422

COOKSON, Commander W. E., R.N.

- Letter from, containing remarks on the Tortoises
 of the Galapagos 1876, 520

CORNÉLY, J. M., C.M.Z.S.

- Letter from, addressed to the Secretary, announcing
 that his female *Hydropotes inermis* had produced young 1877, 533

COUES, Dr. ELLIOTT, C.M.Z.S. (See ALSTON, EDWARD R., 1878.)

COX, JAMES C., M.D., C.M.Z.S.

- Descriptions of seven new Species of Australian
 Land-Shells 1871, 53
 Descriptions of new Species of Land and Marine
 Shells from Australia and the South-western Pacific. 1871, 323

COX, JAMES C., M.D., C.M.Z.S. (*continued*).

Description of a new Volute and twelve new
Species of Land-Shells from Australia 1871, 643

Descriptions of new Land-Shells from Australia
and the South-Sea Islands 1872, 18

Descriptions of new Land-Shells from Australia
and the Solomon Islands 1873, 146

Descriptions of new Species of Land and Marine
Shells from Australia and the Solomon and Louisiade
Islands 1873, 564

CRAVEN, ALFRED E., F.R.G.S., F.G.S., F.L.S., F.Z.S.

Description of three new Species of Land and
Freshwater Shells from Nossi-Bé Island (N.W. Coast
Madagascar) 1880, 215

On a Collection of Land and Freshwater Shells
made during a short Expedition to the Usambara
Country in Eastern Africa, with Descriptions of
seven new Species 1880, 216

On a Collection of Land and Freshwater Shells
from the Transvaal and Orange Free State in South
Africa, with Descriptions of nine new Species 1880, 614

Description of three new Species of Land-Shells
from Cape Colony and Natal 1880, 618

CUNNINGHAM, D. J., M.B., Demonstrator of Anatomy,
University of Edinburgh.

Description of a young Specimen of the *Delphinus*
albirostris 1876, 679

CUNNINGHAM, ROBERT O., M.D., F.L.S., C.M.Z.S.

Notes on some Points in the Osteology of *Rhea*
americana and *Rhea darwini* 1871, 105

Notice of a Memoir on the anatomy of the Steamer
Duck (*Micropterus cinereus*) 1871, 262

	Page
D'ALBERTIS, LUIGI MARIA, C.M.Z.S.	
Notes on Birds collected in New Guinea	1873, 557
Characters of a new Species of Kangaroo (<i>Halmaturus luctuosus</i>) from New Guinea	1874, 110
Letter from, giving some account of several excursions into Southern New Guinea	1875, 530
Letter from	1876, 519
Exhibition of some new and rare birds from the Fly River, New Guinea	1879, 218
 DALL, W. H., Smithsonian Institution.	
On the Use of the generic Name <i>Gouldia</i> in Zoology	1879, 131
 DANFORD, CHARLES G., F.Z.S.	
Notes on the Wild Goat, <i>Capra aegagrus</i> , Gm.	1875, 458
Exhibition of, and remarks upon, some antlers of Deer from Asia Minor	1879, 552
 DANFORD, CHARLES G., F.Z.S., and ALSTON, EDWARD R., F.L.S., F.Z.S.	
On the Mammals of Asia Minor	1877, 270
On the Mammals of Asia Minor.—Part II.	1880, 50
 DARWIN, FRANK, B.A., and A. H. GARROD, B.A., F.Z.S., Prosector to the Society.	
Notes on an Ostrich lately living in the Society's Collection	1872, 356
 DAVIDSON, THOMAS, F.R.S., F.G.S.	
On Japanese recent Brachiopoda	1871, 300
 DAY, FRANCIS, F.L.S., F.Z.S.	
Notes on Indian Siluroid Fishes	1871, 286

DAY, FRANCIS, F.L.S., F.Z.S. (*continued*).

Remarks on Indian Fishes	1871, 634
On the Freshwater Siluroids of India and Burmah	1871, 703
On some new or imperfectly known Fishes of India and Burmah	1873, 107
On new or imperfectly known Fishes of India ..	1873, 236
On some new or little-known Fishes of India....	1873, 704
Extracts from the late Dr. Buchanan's 'Fishes of Bengal,' with Remarks	1873, 743
On the Fishes of Yarkand.....	1876, 781
Notice of the Capture of <i>Coregonus oxyrhynchus</i> in Lincolnshire	1877, 419
Remarks on Mr. Whitmee's paper on the Mani- festation of fear and anger in fishes	1878, 214
Exhibition of, and remarks upon, three jaws of Indian Sharks.....	1878, 976
On the Identity of <i>Trigla pœcilopectera</i> and <i>T. hi- rundo</i>	1879, 179
On the Fishes of Weston-super-Mare	1879, 742
On the Fishes of Afghanistan	1880, 224
On a new Entomostrakon from Afghanistan	1880, 392

DE FOLIN, Marquis.

On the Mollusca of H.M.S. 'Challenger' Expedi- tion.—The Cæcidæ, comprising the genera <i>Parastro- phia</i> , <i>Watsonia</i> , and <i>Cœcum</i> . With a Prefatory Note by the Rev. Robert Boog Watson, B.A., F.R.S.E., F.L.S., &c.	1879, 806
---	-----------

DISTANT, W. L.

On some African Species of the Lepidopterous Genus <i>Papilio</i>	1879, 647
On some African Species of Lepidoptera belonging to the Subfamily Nymphalinae	1879, 703

DISTANT, W. L., and GODMAN, F. DuCANE, F.L.S.,
F.Z.S.

Descriptions of five new Species of Rhopalocera
from East Africa 1880, 182

DOBSON, G. E., M.A., M.B., F.L.S., C.M.Z.S.

On Secondary Sexual Characters in the Chiroptera 1873, 241

Notes on the Respiration of some Species of In-
dian Freshwater Fishes 1874, 312

On the Genus *Scotophilus*, with Description of a
new Genus and Species allied thereto 1875, 368

On the Genus *Chalinolobus*, with Descriptions of
new or little-known Species 1875, 381

Descriptions of new or little-known Species of Bats
of the Genus *Vesperugo*..... 1875, 470

A Monograph of the Genus *Taphozous*, Geoff.... 1875, 546

On *Mystacina tuberculata* 1876, 486

On peculiar Structures in the Feet of certain Spe-
cies of Mammals which enable them to walk on
smooth perpendicular surfaces 1876, 526

A Monograph of the Group *Molossi*..... 1876, 701

On a Collection of Chiroptera from Duke-of-York
Island and the adjacent Parts of New Ireland and
New Britain 1877, 114

Additional Notes on the Chiroptera of Duke-of-
York Island and the adjacent Parts of New Ireland
and New Britain 1878, 314

Notes on *Myxopoda aurita*, Milne-Edw. 1878, 871

Notes on recent Additions to the Collection of
Chiroptera in the Muséum d'Histoire Naturelle at
Paris, with Descriptions of new and rare Species.. 1878, 873

Notes on some Species of Chiroptera from Zanzibar,
with Descriptions of new and rare Species 1879, 715

DOBSON, G. E., B.A., M.B., F.L.S., C.M.Z.S. (*continued*).

- Exhibition of a new *Megaderma*, proposed to be called *M. gigas* 1880, 421
- Description of a new Species of the Genus *Natalus* (Vespertilionidæ) from Jamaica 1880, 443
- On some new or rare Species of Chiroptera in the Collection of the Göttingen Museum 1880, 461
- Exhibition of a malformed head of a Partridge .. 1880, 539

DODE, CHARLES.

- Exhibition of, and remarks upon, animals from the Amoor and Turkestan 1871, 480

DRESSER, HENRY E., F.Z.S.

- Exhibition of, and remarks upon, rare European birds' eggs 1871, 102
- Exhibition of a British specimen of the American Yellow-billed Cuckoo (*Coccyzus americanus*) 1871, 299
- Exhibition of, and remarks upon, some skins and eggs of various species of *Reguloides* and *Phylloscopus* 1872, 25
- Exhibition of some eggs of the Marbled Duck (*Querquedula marmorata*) 1872, 605
- Exhibition of, and remarks upon, skins of various Eagles (*Aquila*) 1872, 863
- Exhibition of birds from the Ural 1873, 473
- On certain Species of *Aquila* 1873, 514
- On the Nest and Eggs of *Hypolais rama* (Sykes) . 1874, 655
- Notes on the Nest and Egg of *Hypolais caligata*, and on the Egg of *Charadrius asiaticus*, Pall., together with Remarks on the latter Species and *Charadrius veredus*, Gould 1875, 97
- Notes on *Falco labradorus*, Aud., *Falco sacer*, Forster, and *Falco spadiceus*, Forster 1875, 114

DRESSER, HENRY E., F.Z.S. (*continued*).

- Remarks on a Hybrid between the Black Grouse
and the Hazel Grouse 1876, 345
- On a new Species of Broad-billed Sandpiper 1876, 674
- On a new Species of *Tetraogallus*. 1876, 675

DRESSER, HENRY E., F.Z.S., and BLANFORD, W. T.,
F.R.S., F.Z.S., &c.

- Monograph of the Genus *Saxicola*, Bechstein. . . . 1874, 213

DRESSER, HENRY E., F.Z.S., and SHARPE, RICHARD
BOWDLER, F.Z.S.

- On a new Species of Long-tailed Titmouse from
Southern Europe 1871, 312

DRUCE, HERBERT, F.L.S., F.Z.S.

- A List of the Collections of Diurnal Lepidoptera
made by Mr. Lowe in Borneo, with Descriptions of
new Species 1873, 337

- A List of Lepidopterous Insects collected by Mr.
L. Layard at Chentaboon and Nahconchaisee, Siam,
with Descriptions of new Species. 1874, 102

- A List of the Collection of Diurnal Lepidoptera
made by J. J. Monteiro, Esq., in Angola, with De-
scriptions of some new Species. 1875, 406

- A Revision of the Lepidopterous Genus *Paphia* . . 1877, 632

DRUCE, HERBERT, F.L.S., F.Z.S., and BARTLETT, ED-
WARD, Curator of the Museum and Public
Library, Maidstone.

- List of the Butterflies of Peru, with Descriptions
of new Species 1876, 205

DRUCE, HERBERT, F.L.S., F.Z.S., &c., and BUTLER,
ARTHUR G., F.L.S., F.Z.S., &c.

- List of the Butterflies of Costa Rica, with De-
scriptions of new Species 1874, 330

	Page
DRUCE, HERBERT, F.L.S., GODMAN, FREDERICK DU CANE, F.L.S., and SALVIN, OSBERT, M.A., F.R.S. Catalogue of Lepidoptera collected by Mr. S. N. Walter in the Island of Billiton	1878, 637
DRUMMOND, W. H.	
On the African Rhinoceroses	1876, 109
DUNCAN, Dr. P. MARTIN, M.B. Lond., F.R.S., F.G.S.	
Notice of a Memoir on the Madreporaria (Stony Corals) dredged up during the Expedition of H.M.S. ‘Porcupine’ in 1869-70	1871, 480
Notice of the second part of his Memoir on the Madreporaria dredged up during the Expedition of H.M.S. ‘Porcupine’ in 1869-70	1876, 424
Notices of some Deep-sea and Littoral Corals from the Atlantic Ocean, Caribbean, Indian, New-Zealand, Persian Gulf, and Japanese &c. Seas	1876, 428
DURNFORD, HENRY.	
Notes on some of the smaller Mammals of the Argentine Republic	1877, 32
ELLIOT, DANIEL G., F.R.S.E., F.L.S., F.Z.S.	
Description of a new Species of Pheasant of the Genus <i>Euplocamus</i> from Burmah, with a List of the known Species	1871, 137
Review of the Genus <i>Ptiloris</i> , Swainson	1871, 580
Description of a supposed new Species of Guinea- fowl from Ugogo, Central Africa	1871, 584
Remarks on various Species of Felidæ, with a De- scription of a Species from North-western Siberia ..	1871, 758
On <i>Felis pardinoides</i> , J. E. Gray	1872, 203
Review of the Ibirdinæ, or Subfamily of the Ibises	1877, 477
Remarks on <i>Felis tigrina</i> , Erxl., and its Synonymy	1877, 704

	Page
ELLIOT, DANIEL G., F.R.S.E., F.L.S., F.Z.S. (<i>continued</i>).	
A Study of the Pteroclidæ or Family of the Sand- Grouse	1878, 233
On the Fruit-Pigeons of the Genus <i>Ptilopus</i>	1878, 500
ELLIOT, SIR WALTER, K.C.S.I., F.R.S., F.Z.S.	
Notes on the Indian Bustard (<i>Eupodotis edwardsi</i>), with especial reference to its Gular Pouch	1880, 486
ELWES, HENRY JOHN, F.Z.S.	
On the Geographical Distribution of Asiatic Birds	1873, 645
EVERETT, A. H.	
Letter from, addressed to the Marquis of Tweed- dale, concerning the occurrence of <i>Anoa depressicornis</i> in the Philippines	1878, 792
FEILDEN, Capt. H. W., C.M.Z.S.	
On the Birds of the North Polar Basin	1877, 28
FERGUSON, WILLIAM, F.L.S.	
Description of a new Snake of the Genus <i>Aspidura</i> from Ceylon	1876, 819
FINSCH, OTTO, Ph.D., C.M.Z.S., late Director of the Zoological Museum of Bremen.	
On a new American Parrot of the Genus <i>Chry- sotis</i>	1873, 569
On <i>Lamprolia victoriae</i> , a most remarkable new Pas- serine Bird from the Feejee Islands	1873, 733
On an apparently new Species of Parrot from Eastern Peru	1874, 90
On a new Species of Fruit-Pigeon from the Pacific Island of Rapa or Opara	1874, 92
Description of a new Species of Penguin from New Zealand	1874, 207
PROC. ZOOL. SOC. INDEX, 1871-80.	3

	Page
FINSCH, Dr. OTTO, C.M.Z.S. (<i>continued</i>).	
Notes on the Fruit-Pigeons of the Genus <i>Chry-</i> <i>sena</i>	1875, 557
On a new Species of Crown-Pigeon	1875, 631
Notes on <i>Phœnicomanes iora</i> , Sharpe, and <i>Abrornis</i> <i>atricapilla</i> , Blyth	1875, 640
On <i>Pristorhamphus versteri</i> , a new Genus and Spe- cies of Bird from the Arfak Mountains, New Guinea	1875, 641
Characters of six new Polynesian Birds in the Mu- seum Godeffroy at Hamburg	1875, 642
Notes on some Fijian Birds, including Description of a new Genus and Species	1876, 19
Letter from, containing remarks on the supposed existence of the Wild Camel in Central Asia	1876, 696
On a small Collection of Birds from the Marquesas Islands	1877, 407
On a new Species of Petrel from the Feejee Islands	1877, 722
Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. IV. On the Birds of Tonga-tabu, the Fiji Islands, Api (New Hebrides), and Tahiti	1877, 723
On a Collection of Birds from Eua, Friendly Islands	1877, 770
On the Birds of the Island of Ponapé, Eastern Carolines	1877, 777
On a Collection of Birds from Niuafoou Island, in the Pacific	1877, 782
On a new Species of Finch from the Feejee Islands	1878, 440
On a new Species of Starling	1878, 712
On a Collection of Birds made by Mr. Hübner on Duke-of-York Island and New Britain	1879, 9
A List of the Birds of the Island of Ruk, in the Central Carolines	1880, 574
On two Species of Pigeons from the Caroline Islands	1880, 577

FINSCH, Dr. OTTO, C.M.Z.S., and HARTLAUB, Dr. G.,
F.M.Z.S.

- On a Collection of Birds from Savai and Rarotonga
Islands, in the Pacific 1871, 21
- On a fourth Collection of Birds from the Pelew
and Mackenzie Islands 1872, 87

FLOWER, WILLIAM HENRY, LL.D., F.R.S., F.L.S.,
President of the Society, Conservator of the
Museum of the Royal College of Surgeons, and
Hunterian Professor.

- Exhibition of a mounted skull of a Sturgeon (*Aci-
penser sturio*) 1871, 1
- On the Skeleton of the Australian Cassowary
(*Casuaris australis*) 1871, 32
- Exhibition of a mounted skeleton of a young Hip-
popotamus 1871, 329
- Notice of a Memoir on Risso's Dolphin (*Delphinus
rissoanus*) 1871, 506
- On the Occurrence of the Ringed or Marbled Seal
(*Phoca hispida*) on the coast of Norfolk, with Re-
marks on the Synonymy of the Species 1871, 506
- Remarks on a rare Australian Whale of the genus
Ziphius 1871, 631
- Notice of a Memoir on the Ziphioid Whales, and
on the skeleton of *Berardius arnouxi* 1871, 631
- Note on the Anatomy of the Two-spotted Para-
doxure (*Nandinia binotata*) 1872, 683
- On the Structure and Affinities of the Musk-Deer
(*Moschus moschiferus*, Linn.) 1875, 159
- Description of the Skull of a Species of *Xiphodon*,
Cuvier. 1876, 3
- On some Cranial and Dental Characters of the
existing Species of Rhinoceroses 1876, 443

FLOWER, Prof. WILLIAM HENRY, F.R.S. &c. (*continued*).

- Remarks upon Dr. von Haast's Communication on
Ziphius novæ-zealandiæ 1876, 477
- Remarks upon Dr. von Haast's Communication on
Mesoplodon floweri 1876, 485
- Notice of a Memoir on the existing Ziphioid
Whales, of the Genus *Mesoplodon* 1877, 684
- On the Skull of a Rhinoceros (*R. lasiotis*, Sel.?)
from India 1878, 634
- On the Common Dolphin, *Delphinus delphis*, Linn. 1879, 382
- Exhibition of, and remarks upon, a drawing of *Del-*
phinus tursio 1879, 386
- Exhibition of, and remarks upon, the skull of a
female Otaria (*Otaria gillespii*) 1879, 551
- Exhibition of, and remarks upon, the skull of a
Beluga, or White Whale (*Delphinapterus leucas*) . . 1879, 667
- On the Cæcum of the Red Wolf (*Canis jubatus*,
Desm.) 1879, 766
- Exhibition of, and remarks upon, the skull of a
two-horned Rhinoceros from Borneo 1880, 69
- On the Bush-Dog (*Icticyon venaticus*, Lund) 1880, 70
- Remarks on the exhibition in London of an exam-
ple of the Lesser Fin-Whale 1880, 358

FORBES, HENRY O., F.Z.S.

- Letters from, on the distribution of the Badger-
headed Mydaus (*Mydaus meliceps*) in Sumatra 1879, 664

FORBES, WILLIAM ALEXANDER, B.A., F.L.S., F.Z.S.,

Scholar of St. John's College, Cambridge, Pro-
sector to the Society.

- On the Bursa Fabricii in Birds 1877, 304

Reports on the Collections of Birds made during
the Voyage of H.M.S. 'Challenger.'—No. VII. On
the Birds of Cape York and the neighbouring Islands
(Raine, Wednesday, and Booby Islands) 1878, 120

	Page
FORBES, WILLIAM ALEXANDER, B.A., F.L.S. (<i>continued</i>).	
On a small Collection of Birds from the Samoan Islands and the Island of Rotumah, Central Pacific	1878, 351
On the Systematic Position of the Genus <i>Lathamus</i> of Lesson	1879, 166
A Synopsis of the Meliphagine Genus <i>Myzomela</i> , with Descriptions of two new Species	1879, 256
On the Anatomy of the African Elephant (<i>Elephas africanus</i> , Blum.)	1879, 420
On some Points in the Structure of <i>Nasiterna</i> bearing on its Affinities	1880, 76
Contributions to the Anatomy of Passerine Birds.—Part I. On the Structure of the Stomach in certain Genera of Tanagers	1880, 143
Notice of a Memoir on the male generative organs of the Sumatran Rhinoceros	1880, 188
Remarks upon the cause of death of a Leopard in the Society's Menagerie	1880, 358
Contributions to the Anatomy of Passerine Birds.—Part II. On the Syrinx and other Points in the Anatomy of the Eurylæmidæ	1880, 380
Contributions to the Anatomy of Passerine Birds.—Part III. On some Points in the Structure of <i>Philepitta</i> , and its Position amongst the Passeres	1880, 387
On the Anatomy of <i>Leptosoma discolor</i>	1880, 465
On two rare Ploceine Birds now or lately living in the Society's Menagerie	1880, 475
Note on a Specimen of Denham's Bustard (<i>Eupodotis denhami</i>)	1880, 477
Exhibition of drawings of the horns of the Prong-buck, and remarks upon the shedding of the horns of this animal	1880, 540
On the External Characters and Anatomy of the Red Uakari Monkey (<i>Brachyurus rubicundus</i>), with Remarks on the other Species of that Genus	1880, 627

FORSTH, T. D.

- Letter addressed to the President, containing an account of *Ovis poli* and other animals observed in Kashgar 1874, 324

GARRETT, ANDREW, of Tahiti.

- List of Species of Mitridæ collected at Rarotonga, Cook's Islands, with Notes, also Descriptions of new Species 1872, 839
- Description of a new Species of *Scissurella* from the Paumotu Islands 1872, 878
- Descriptions of two new Species of *Separatista* . . 1872, 878
- Descriptions of two new Species of *Cæcum* from the Viti Islands 1872, 879

GARROD, ALFRED HENRY, B.A., F.R.S., F.Z.S., Prosector to the Society.

- On the Mechanism of the Gizzard in Birds 1872, 525
- Notes on the Anatomy of the Huia Bird (*Heteralocha gouldi*) 1872, 643
- Note on the Tongue of the Psittacine genus *Nestor* 1872, 787
- Note on the Placenta of the Hippopotamus 1872, 821
- On the Value in Classification of a Peculiarity in the Anterior Margin of the Nasal Bones of certain Birds 1873, 33
- On the Visceral Anatomy of the Sumatran Rhinoceros (*Ceratorhinus sumatrensis*) 1873, 92
- Notes on the Anatomy of the Binturong (*Arctictis binturong*) 1873, 196
- On the Cause of Death in a Black-faced Kangaroo (*Macropus melanops*) 1873, 202
- On the Carotid Arteries of Birds 1873, 457
- On some Points in the Anatomy of *Steatornis* . . . 1873, 526

	Page
GARROD, ALFRED HENRY, B.A., F.R.S., &c. (<i>continued</i>).	
On certain Muscles of the Thigh of Birds, and on their value in Classification.—Part I.	1873, 626
Note on the Cæcum of <i>Canis cancrivorus</i>	1873, 748
On the Visceral Anatomy of the Ground-Rat (<i>Aulacodus swindernianus</i>).	1873, 786
On the Death of a Rhinoceros in the Society's Gardens, and on some Points in its Anatomy.	1874, 2
On certain Muscles of Birds and their Value in Classification.—Part II.	1874, 111
On some Points in the Anatomy of the Columbæ.	1874, 249
On the "Showing-off" of the Australian Buzzard (<i>Eupodotis australis</i>)	1874, 471
On Points in the Anatomy of the Parrots which bear on the Classification of the Suborder	1874, 586
Further Note on the Mechanism of the "Show-off" in the Bustards	1874, 673
On the Kangaroo called <i>Halmaturus luctuosus</i> by D'Albertis, and its Affinities.	1875, 48
On a Point in the Mechanism of the Bird's Wing	1875, 82
On the Form of the Lower Larynx in certain Species of Ducks	1875, 151
On the Form of the Trachea in certain Species of Storks and Spoonbills	1875, 297
On the Disposition of the Deep Plantar Tendons in different Birds	1875, 339
On the Hyoid Bone of the Elephant	1875, 365
Notes on two Pigeons, <i>Ianthænas leucolæma</i> and <i>Erythrænas pulcherrima</i>	1875, 367
Report on the Indian Elephant which died in the Gardens on July 7th, 1875	1875, 542
Notice of a Memoir on the structure of the Manatee	1875, 567

GARROD, ALFRED HENRY, B.A., F.R.S., &c. (*continued*).

- On the Cæcum Coli of the Capybara (*Hypochærus capybara*) 1876, 20
- On a Peculiarity in the Carotid Arteries, and other Points in the Anatomy, of the Ground-Hornbill (*Bucorvus abyssinicus*) 1876, 60
- On the Anatomy of *Chauna derbiana*, and on the Systematic Position of the Screamers (Palamedeidae). 1876, 189
- On the Anatomy of *Aramus scolopaceus* 1876, 275
- Notes on the Anatomy of *Plotus anhinga* 1876, 335
- Notes on the Anatomy of the Colies (*Colius*) 1876, 416
- On some Anatomical Characters which bear upon the Major Divisions of the Passerine Birds.—Part I. 1876, 506
- Notes on the Anatomy of certain Parrots 1876, 691
- On the Chinese Deer named *Lophotragus michianus* by Mr. Swinhoe 1876, 757
- Notes on the Visceral Anatomy and Osteology of the Ruminants, with a Suggestion regarding a Method of expressing the Relations of Species by means of Formulæ 1877, 2
- Note on the Solid-hoofed Pigs in the Society's Collection 1877, 33
- On the Mechanism of the Intervertebral Substance, and on some Effects of the Erect Position of Man. . 1877, 48
- Notes on the Anatomy of the Musk-Deer (*Moschus moschiferus*) 1877, 287
- Notes on the Anatomy and Systematic Position of the Genera *Thinocorus* and *Attagis* 1877, 413
- Notes on the Anatomy of Passerine Birds.—Part II. 1877, 447
- Notes on the Anatomy of Passerine Birds.—Part III. 1877, 523

GARROD, ALFRED HENRY, B.A., F.R.S., &c. (continued).

Notice of a Memoir on the Brain of the Sumatran Rhinoceros	1877, 533
On some Points in the Visceral Anatomy of the Rhinoceros of the Sunderbunds (<i>Rhinoceros sondaicus</i>).....	1877, 707
Note on an Anatomical Peculiarity in certain Storks	1877, 711
On the <i>Tænia</i> of the Rhinoceros of the Sunderbunds (<i>Plagiotænia gigantea</i> , Peters)	1877, 788
Notes on the Anatomy of the Chinese Water-Deer (<i>Hydropotes inermis</i>)	1877, 789
Note on the possible Cause of Death in a young Seal	1877, 792
Note on the Absence or Presence of a Gall-bladder in the Family of the Parrots	1877, 793
On the Systematic Position of the Momotidæ....	1878, 100
Note on the Gizzard and other Organs of <i>Carpophaga latrans</i>	1878, 102
Note on the Anatomy of the Binturong (<i>Arctictis binturong</i>)	1878, 142
Notes on the Anatomy of Passerine Birds.— Part IV.	1878, 143
Notes on the Anatomy of <i>Tolypeutes tricinctus</i> , with Remarks on other Armadillos	1878, 222
Notes on the Visceral Anatomy of <i>Lycæon pictus</i> , and of <i>Nyctereutes procyonides</i>	1878, 373
On the Trachea of <i>Tantalus loculator</i> and of <i>Vannellus cayennensis</i>	1878, 625
On the Anatomy of the Maleo (<i>Megacephalon maleo</i>)	1878, 629
Notes on Points in the Anatomy of Levaillant's Darter (<i>Plotus levaillanti</i>)	1878, 679
Notes on the Anatomy of <i>Indicator major</i>	1878, 930

	Page
GARROD, ALFRED HENRY, B.A., F.R.S., &c. (continued).	
Notes on Points in the Anatomy of the Hoatzin (<i>Opisthocomus cristatus</i>)	1879, 109
Notes on the Visceral Anatomy of the Tupaia of Burmah (<i>Tupaia belangeri</i>)	1879, 301
Notes on the Anatomy of <i>Helictis subaurantiaca</i>	1879, 305
On the Conformation of the Thoracic Extremity of the Trachea in the Class Aves.—Part I.—The Gal- linæ :	1879, 534
Notes on the Anatomy of <i>Gelada rueppelli</i>	1879, 451
Notice of a Memoir on the brain and other parts of the Hippopotamus	1879, 553
Note on the Mechanism of Respiration, as well as of the Retraction of the Head and Limbs, in certain Chelonia	1879, 649
 GARROD, ALFRED HENRY, B.A., F.R.S., Prosector to the Society, and FRANK DARWIN, B.A.	
Notes on an Ostrich lately living in the Society's Collection	1872, 356
 GARROD, ALFRED HENRY, B.A., F.R.S., and TURNER, WILLIAM, M.B., F.R.S.	
On the Gravid Uterus and Placenta of <i>Hyomoschus aquaticus</i>	1878, 682
 GEDDES, PATRICK.	
Notice of a Memoir on the Mechanism of the odontophore in certain Mollusca	1878, 212
 GODMAN, FREDERICK DUCANE, F.L.S., F.Z.S.	
Exhibition of, and remarks upon, a drawing of the Manatee	1879, 552

GODMAN, FREDERICK DUCANE, F.L.S., F.Z.S., and DISTANT, W. L.

Descriptions of five new Species of Rhopalocera from East Africa 1880, 182

GODMAN, FREDERICK DUCANE, F.L.S., F.Z.S., and SALVIN, OSBERT, M.A., F.R.S., F.Z.S.

Description of twelve new Species and a new Genus of Rhopalocera from Central America 1877, 60

On a Collection of Lepidoptera made by the Rev. G. Brown on Duke-of-York Island and its Neighbourhood..... 1877, 139

Descriptions of nineteen new Species of Diurnal Lepidoptera from Central America 1878, 264

Descriptions of new Species of Central-American Butterflies of the Family Erycinidæ..... 1878, 360

List of the Butterflies collected in Eastern New Guinea and some neighbouring Islands by Dr. Comrie during the Voyage of H.M.S. 'Basilisk' .. 1878, 643

Descriptions of some apparently new Species of Butterflies from New Ireland and New Britain, sent by the Rev. G. Brown 1878, 733

Descriptions of new Species of Rhopalocera from Central and South America 1879, 150

On a Collection of Diurnal Lepidoptera made by the Rev. G. Brown in New Ireland and New Britain 1879, 155

Notes on some hitherto unrecorded Diurnal Lepidoptera from Duke-of-York Island, New Ireland, with descriptions of some apparently new Species .. 1879, 652

Descriptions of some supposed new Species of Butterflies from New Guinea 1880, 609

GODMAN, FREDERICK DUCANE, SALVIN, OSBERT, M.A., F.R.S., and DRUCE, HERBERT, F.L.S.

Catalogue of Lepidoptera collected by Mr. S. N. Walter in the Island of Billiton 1878, 637

	Page
<p>GODWIN-AUSTEN, Lieut.-Col. H. H., F.R.S., F.Z.S., F.R.G.S., &c.</p>	
Exhibition of a Skin of <i>Cerionis blythii</i>	1872, 496
Descriptions of new Land and Freshwater Shells from the Khási, North Cachar, and Nágá Hills, N.E. Bengal	1872, 514
Descriptions of Ten new Birds from the Nágá Hills and Manipúr Valley, N.E. frontier of Bengal .	1874, 43
Descriptions of five new Species of <i>Helicidæ</i> of the subgenus <i>Plectopylis</i> , with Remarks on all the other known Forms	1874, 608
Supplementary Notes on the Species of <i>Helicidæ</i> of the Subgenus <i>Plectopylis</i>	1875, 43
Notes on, and Descriptions of, the Female of <i>Ceri- ornis blythii</i>	1879, 457
Note on the Female of <i>Lophophora sclateri</i> , Jerdon, from Eastern Assam	1879, 681
On the Land-Molluscan Genus <i>Girasia</i> of Gray, with Remarks on its Anatomy, and on the Form of the Capreolus of Lister (or Spermatophore), as de- veloped in Species of this Genus of Indian <i>Helicidæ</i> .	1880, 289
<p>GODWIN-AUSTEN, Lieut.-Col. H. H., F.R.S., F.Z.S., and NEVILL, G., C.M.Z.S.</p>	
Descriptions of Shells from Perak and the Nicobar Islands	1879, 734
On the Anatomy of <i>Ferussacia gronoviana</i> , Risso, from Mentone. By Lieut.-Col. H. H. GODWIN- AUSTEN. Concluding with a note on the Classifica- tion of the Genus and its Allies, by GEOFREY NEVILL	1880, 662
<p>GOODACRE, F. B., M.D., F.Z.S.</p>	
On the Question of the Identity of Species of the Common Domestic and the Chinese Goose	1879, 710

GOULD, JOHN, F.R.S., F.Z.S.

Exhibition of a skin of Lady Ross's Touraco (<i>Muscophaga rossicæ</i>)	1871, 1
Descriptions of six new Humming-Birds	1871, 503
Description of a new Species of Fruit-Pigeon from the Fiji Islands	1871, 642
Exhibition of, and Remarks on, a specimen of Ross's Gull (<i>Larus rossii</i>) in adult Summer Plumage .	1872, 1
Letter concerning the existence of a new Parrot in Queensland	1874, 499
Descriptions of three new Species of Australian Birds	1875, 314

GRAY, JOHN EDWARD, Ph.D., F.R.S., F.L.S., F.Z.S.

Description of <i>Platasterias</i> , a new Genus of Astropsectinidæ, from Mexico	1871, 136
Additional Notes on <i>Rhinoclemmys mexicana</i>	1871, 296
Additional Notes on the Genera <i>Eupleres</i> and <i>Galidia</i> , and Note on <i>Lemur ruber</i>	1871, 297
Notes on the Species of Bradypodidæ in the British Museum	1871, 428
Notes on Mr. Theobald's observations on Dr. Gray's paper on Tortoises	1871, 514
Notes on Bush-bucks (Cephalophoridæ) in the British Museum, with the Description of two new Species from Gaboon	1871, 588
Notes on the Skull of a Roebuck in the British Museum	1871, 601
Notes on a new Species of Tapir (<i>Tapirus leucogenys</i>) from the Snowy Regions of the Cordilleras of Ecuador, and on the Young Spotted Tapirs of Tropical America	1872, 483
On the Genus <i>Chelymys</i> and its Allies from Australia	1872, 504

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

On <i>Peltastes forstenii</i> , a Species of Land-Tortoise from Celebes	1872, 615
Description of a Young Tapir from the Peruvian Amazons.....	1872, 624
On the Sea-bear of New Zealand (<i>Arctocephalus cinereus</i>) and the North-Australian Sea-bear (<i>Gypsophoca tropicalis</i>).....	1872, 653
Description of the younger Skull of Steller's Sea-bear (<i>Eumetopias stelleri</i>)	1872, 737
Additional Notes on <i>Arctocephalus cinereus</i> and on <i>Gypsophoca</i>	1872, 743
Notes on Corals from the South and Antarctic Seas	1872, 744
Notes on <i>Propithecus</i> , <i>Indris</i> , and other Lemurs (Lemurina) in the British Museum	1872, 846
On the Fossane of D'Aubenton (<i>Fossa d'aubentonii</i>)	1872, 869
On the <i>Actinemys marmorata</i> of Mr. Lord from British Columbia	1872, 872
Notes on Mud-Tortoises (<i>Trionyx</i> , Geoffroy), and on the Skulls of the different kinds	1873, 38
Notice of the Skeleton of the New-Zealand Right Whale (<i>Macleayius australiensis</i>) and other Wales, and other New-Zealand Marine Mammalia.....	1873, 129
On the Genus <i>Ocadia</i>	1873, 191
On the Skull of <i>Sternothærus</i>	1873, 392
Notes on the Genera of Turtles (Oiacopodes), and especially on their Skeletons and Skulls	1873, 395
On the Skulls and Alveolar Surfaces of Land-Tortoises (Testudinata).....	1873, 722
On the Skulls of Japanese Seals, with the Description of a new Species, <i>Eumetopias elongatus</i> ..	1873, 776
On the Steppe-Cat of Bokhara (<i>Chaus caudatus</i>) .	1874, 31

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

- On *Crocodilus madagascariensis*, the Madagascar
Crocodile 1874, 145
- On *Crocodilus johnstoni*, Krefft 1874, 177
- Notice of communications on the very young of
the Jaguar, on the young of the Bosch Vark, and on
the skulls of the Leopard in the British Museum .. 1874, 206
- On the Short-tailed Armadillo (*Muletia septem-
cincta*) 1874, 244
- Notice of a communication on the species of feline
animals (Felidæ) 1874, 307
- Description of a new Species of Cat (*Felis badia*)
from Sarawak 1874, 322

GREENE, Professor J. REAY, B.A., M.D., F.L.S., F.Z.S.,
&c.

- Note on a Specimen of *Charybdea haplonema*.... 1879, 793

GRÖTE, ARTHUR, F.L.S., F.Z.S.

- Exhibition of, and remarks upon, the original draw-
ing, by Colonel Gordon, from which the plate of
Ovis polii in the 'Proceedings' (1874, plate LIII.) was
prepared 1876, 414

GRUBE, Dr. EDWARD.

- Descriptioes Annulorum novorum mare Ceylo-
nicum habitantium ab honoratissimo Holdsworth
collectorum 1874, 325

GULICK, Rev. JOHN T.

- Descriptions of new Species of Achatinellinæ. By
the Rev. JOHN T. GULICK and EDGAR A. SMITH,
F.Z.S. 1873, 73
- On the Classification of the Achatinellinæ 1873, 89

GULLIVER, GEORGE, F.R.S., F.Z.S.

On the Œsophagus of the Pied Hornbill (*Tococus melanoleucus*): being an Appendix to a Paper on the Taxonomic Character of the Muscular Sheath of that Tube as regards Sauropsida 1872, 16

On the Size of the Red Corpuscles of the Blood of the Salmonidæ and some other Vertebrates 1872, 833

Measurements of the Red Blood-corpuscles of Batrachians 1873, 162

Measurements of the Red Corpuscles of the Blood of *Hippopotamus amphibius*, *Otaria jubata*, and *Trichechus rosmarus* 1874, 579

Sketches of the Spermatozoa of *Petromyzon*. 1875, 336

Observations on the Sizes and Shapes of the Red Corpuscles of the Blood of Vertebrates, with Drawings of them to a uniform Scale, and extended and revised Tables of Measurements 1875, 474

GÜNTHER, ALBERT, M.D., Ph.D., F.R.S., F.Z.S., Keeper
of the Zoological Department, British Museum.

List of the Lizards belonging to the Family Sepidæ, with Notes on some of the Species 1871, 240

Description of a new Percoid Fish from the Macquarie River 1871, 320

Description of a new Species of *Tejus* (*T. rufescens*) from Mendoza 1871, 541

Report on Several Collections of Fishes recently obtained for the British Museum 1871, 652

Examination of certain "Remarks on Indian Fishes" made by Mr. Francis Day in the 'Proceedings of the Zoological Society' 1871, 761

On two Species of *Hydrosaurus* from the Philippine Islands 1872, 145

	Page
GÜNTHER, ALBERT, M.D., Ph.D., F.R.S. &c. (<i>continued</i>).	
On a new Genus of Characinoid Fishes from De- merara	1872, 146
On the Reptiles and Amphibians of Borneo	1872, 58
Note on <i>Hyla punctata</i> and <i>Hyla rhodoporus</i>	1872, 63
Note on the Black Snake of Robben Island, South Africa	1872, 836
Note on a hitherto unpublished Drawing in the Buchanan-Hamilton Collection, representing <i>Barbus</i> <i>beavani</i>	1872, 875
Exhibition of, and remarks upon, an Egyptian Skull	1873, 89
Notes on some Reptiles and Batrachians obtained by Dr. Adolph Bernhard Meyer in Celebes and the Philippine Islands	1873, 165
Descriptions of three new Species of Flying Squir- rels in the Collection of the British Museum	1873, 413
Notice of remarks on the introduction into this country of the Ide (<i>Leuciscus melanotus</i> , var. <i>orfus</i>)..	1874, 186
A Contribution to the Fauna of Savage Island ..	1874, 295
Description of some new or imperfectly known Species of Reptiles from the Camaroon Mountains..	1874, 442
Description of a new Species of Kangaroo	1874, 653
Notes on some Mammals from Madagascar	1875, 78
Second Report on Collections of Indian Reptiles obtained by the British Museum	1875, 224
Description of a new Species of <i>Chrysochloris</i> from South Africa	1875, 311
Third Report on Collections of Indian Reptiles obtained by the British Museum	1875, 567
Exhibition of specimens of <i>Antechinus minutissi- mus</i> , from Rockhampton, Australia	1876, 274
PROC. ZOOL. SOC. INDEX, 1871-80.	4

	Page
GÜNTHER, ALBERT, M.D., Ph.D., F.R.S., &c. (<i>continued</i>).	
Exhibition of, and observations upon, specimens of a species of <i>Palythoa</i>	1876, 274
Extract from a letter received from Commander W. E. Cookson, R. N., concerning two large Land-Tortoises from the Galapagos Islands	1876, 422
Remarks on some Indian and, more especially, Bornean Mammals.....	1876, 424
Notes on a small Collection brought by Lieut. L. Cameron, C.B., from Angola.....	1876, 678
Report on some of the Additions to the Collection of Mammalia in the British Museum	1876, 735
Description of a new Species of Lizard from Asia Minor	1876, 818
Account of the Zoological Collection made during the visit of H.M.S. 'Peterel' to the Galapagos Islands	1877, 64
On a Collection of Reptiles and Fishes from Duke-of-York Island, New Ireland, and New Britain	1877, 127
Account of the Fishes collected by Captain Feilden between 78° and 83° N. lat., during the Arctic Expedition 1875-76	1877, 293
Report on a Collection of Fishes made by Mr. C. Hart during the late Arctic Expedition	1877, 475
On Reptiles from Midian collected by Major Burton	1878, 977
List of the Mammals, Reptiles, and Batrachians sent by Mr. Everett from the Philippine Islands ..	1879, 74
On a new Rodent from Medellin	1879, 144
Description of four new Species of <i>Chamæleon</i> from Madagascar	1879, 148
Notice of a Collection of Mammals and Reptiles from Cyprus	1879, 741

	Page
GÜNTHER, ALBERT, M.D., Ph.D., F.R.S., &c. (<i>continued</i>).	
Description of two new Species of Dwarf Antelope (<i>Neotragus</i>)	1880, 17
Exhibition of a drawing of an example of <i>Holacanthus</i> <i>tricolor</i> said to have been obtained on the coast of the island of Lewes	1880, 23
Note respecting the occurrence of <i>Holacanthus tri-</i> <i>color</i> in the Western Isles.	1880, 356
Notes on some Japanese Mammalia	1880, 440
Exhibition of, and remarks upon, a series of horns of <i>Cervus equinus</i>	1880, 452
Notice of a Memoir on some rare Reptiles and Batrachians now or lately living in the Society's Me- nagerie	1880, 648
GUPPY, R. J. LECHMERE, F.L.S., F.G.S., &c.	
On the Occurrence of <i>Helix coactiliata</i> in Trinidad ; with Remarks on the Distribution of the Land and Freshwater Mollusca of that Island.	1875, 318
Note on a Variety of <i>Bulimus constrictus</i> found in Venezuelan Guiana	1875, 322
GURNEY, JOHN HENRY, F.Z.S.	
Remarks on certain Species of Abyssinian Birds.	1871, 147
Note on the Polish Swan	1877, 579
Letter on a supposed example of <i>Falco babylonicus</i>	1878, 2
Notes on a Specimen of <i>Polyborus</i> lately living in the Society's Gardens	1878, 230
Remarks upon the habits of <i>Asturina monogram-</i> <i>mica</i>	1878, 791
Note on the Immature Plumage of <i>Dryotriorchis</i> <i>spectabilis</i> (Schleg.)	1880, 621

GURNEY, J. H., JUN., F.Z.S.

- Exhibition of an example of the Lesser White-fronted Goose (*Anser erythropus*) killed in Egypt . . . 1876, 414
- Letter from, containing notes on the breeding of a pair of the Polish Swan (*Cygnus immutabilis*) 1876, 466

HAAST, Professor JULIUS JOHN FRANCIS VON, Ph.D.,
F.R.S., C.M.Z.S., Director of the Canterbury
Museum, Christchurch, New Zealand.

- On the Occurrence of a new Species of *Euphysetes* (*Euphysetes pottsii*), a remarkably small Catodont Whale, on the Coast of New Zealand 1874, 260
- Further Notes on *Oulodon*, a new Genus of Ziphioid Whales from the New-Zealand Seas 1876, 457
- Notes on the Skeleton of *Ziphius novæ-zealandiæ* . 1876, 466
- Notes on *Mesoplodon floweri* 1876, 478
- On *Ziphius novæ-zealandiæ* 1880, 232

HAMILTON, EDWARD, M.D., F.L.S., F.Z.S.

- Remarks on the prolific nature of *Hydropotes inermis* 1871, 258
- Exhibition of, and remarks upon, the skull of a Chinese Deer (*Hydropotes inermis*) 1871, 702
- Remarks on the fecundity of *Hydropotes inermis*.. 1873, 473
- Exhibition of some deformed sterna of the common Fowl 1875, 47

HANLEY, SYLVANUS.

- Description of a new Species of *Monocondylæa* . . 1871, 587
- Descriptions of new Land and Freshwater Shells from India 1875, 605

HARTING, JAMES EDMUND, F.Z.S.

- Exhibition of, and remarks upon, a specimen of the so-called Sabine's Snipe (*Scolopax sabinii*) 1871, 39
- Exhibition of a Red-breasted Goose (*Anser ruficollis*, Pallas) 1871, 102

HARTING, JAMES EDMUND, F.Z.S. (*continued*).

- Catalogue of an Arctic Collection of Birds presented by Mr. John Barron, F.R.S., to the University Museum at Oxford; with Notes on the Species 1871, 110
- Exhibition of a curious variety of the Common Partridge 1873, 729
- On a new Species of *Tringa* from Alaska 1874, 242
- On the Lapwing of Chili 1874, 449
- On the Eggs of some little-known *Limicolæ* 1874, 454
- Exhibition of, and remarks upon, a variety of the Common Snipe 1877, 533
- Exhibition of, and remarks upon, a specimen of Bartram's Sandpiper, supposed to have been killed in Lincolnshire 1880, 543

HARTLAUB, Dr. G., F.M.Z.S.

- Letter from, relating to a Finch (*Lobiospiza notabilis*) described in the Society's 'Proceedings' 1875, 269
- On a new Species of *Notauges* (*N. hildebrandti*, Cab.) 1878, 721
- On a new Species of Barn-Owl from the Island of Viti-Levu 1879, 295
- On a new Species of Heron from Mohambo in Northern Madagascar 1880, 39
- On some new Birds discovered and collected by Dr. Emin Bey in Central Africa, between 5° and 2° N. lat., and 31° and 32° E. long. 1880, 624

HARTLAUB, Dr. G., F.M.Z.S., and FINSCH, Dr. O., C.M.Z.S.

- On a Collection of Birds from Savai and Rarotonga Islands, in the Pacific 1871, 21
- On a fourth Collection of Birds from the Pelew and Mackenzie Islands 1872, 87

HECTOR, JAMES, M.D., F.R.S., C.M.Z.S., Director of
the Geological Survey of New Zealand.

- On *Cnemiornis calcitrans*, showing its Affinity to
the Natatores 1873, 763
- Extract from a letter pointing out an error in his
paper on *Cnemiornis calcitrans* 1874, 307
- Exhibition of a pelvis of *Harpagornis moorei*, from
Otago, New Zealand 1875, 470
- Exhibition of, and remarks upon, three feather
mats made by the Maoris of New Zealand 1876, 2

HEYSHAM, Col.

- Extract from a letter, addressed to the President,
containing remarks upon two cases of Elephants
breeding in captivity 1880, 23

HIGGINS, EDMUND THOMAS, F.Z.S.

- Descriptions of new Species of Shells discovered
by Mr. Clarence Buckley in Ecuador 1872, 685

HOFFMAN, WALTER J., M.D.

- Letter from, describing a horn of an American
Pronghorn with a double prong 1875, 532
- On a supposed Instance of Hybridization between
a Cat and a Lynx 1880, 380

HOLDSWORTH, E. W. H., F.L.S., F.Z.S.

- Note on a Variety of *Felis rubiginosa* from Ceylon 1871, 756
- Catalogue of Birds found in Ceylon; with some
Remarks on their Habits and Local Distribution,
and Descriptions of two new Species peculiar to the
Island 1872, 404
- Note on a Cetacean observed on the West Coast
of Ceylon 1872, 583
- Note on the Occurrence of *Xenospongia patelli-*
formis, Gray, on the Coast of Ceylon 1873, 32

	Page
HOLDSWORTH, E. W. H., F.L.S., F.Z.S. (continued).	
Exhibition of, and remarks upon, a specimen of <i>Geocichla layardi</i> obtained at Jaffna, Ceylon	1877 160
Note on the Distribution of the Crayfish (<i>Astacus</i>) in Spain	1880, 421
HOLMWOOD, F.	
Remarks upon a young specimen of Temminck's Manis (<i>Manis temmincki</i>)	1878, 632
HOSKINS, Commodore.	
Letter from, concerning the northern limit of the "Mooruk"	1879, 4
HUBRECHT, A. A. W.	
On a Collection of Reptiles and Amphibians from Baluchistan made by Dr. C. Duke in April and May, 1877. With a Note by W. T. BLANFORD, F.Z.S.	1880, 620
HUDSON, WILLIAM H., C.M.Z.S.	
Tenth Letter on the Ornithology of Buenos Ayres	1871, 4
Eleventh Letter on the Ornithology of Buenos Ayres	1871, 258
Twelfth Letter on the Ornithology of Buenos Ayres	1871, 326
On the Birds of the Rio Negro of Patagonia. With Notes by P. L. SCLATER, M.A., Ph.D., F.R.S., Secretary to the Society	1872, 534
On the Habits of the Swallows of the Genus <i>Progne</i> met with in the Argentine Republic. With Notes by P. L. SCLATER, M.A., Ph.D., F.R.S., Secretary to the Society	1872, 605
Notes on the Habits of the Churinche (<i>Pyrocephalus</i> <i>rubineus</i>)	1872, 808
On the Habits of the Vizcacha (<i>Lagostomus tricho-</i> <i>dactylus</i>)	1872, 822

	Page
HUDSON, WILLIAM H., C.M.Z.S. (<i>continued</i>).	
Further Observations on the Swallows of Buenos Ayres	1872, 844
Notes on the Habits of the Pipit of the Argentine Republic	1873, 771
Notes on the Procreant Instincts of the three Species of <i>Molothrus</i> found in Buenos Ayres	1874, 153
On the Habits of the Burrowing Owl (<i>Pholeoptyna cunicularia</i>).....	1874, 308
On the Herons of the Argentine Republic, with a Notice of a curious Instinct of <i>Ardeetta involucris</i> ..	1875, 623
Note on the Spoonbills of the Argentine Republic	1876, 15
Notes on the Rails of the Argentine Republic....	1876, 102
HUME, ALLAN OCTAVIAN, C.B., Secretary to the Government of India, Calcutta.	
Letter from, containing some criticisms on Mr. Howard Saunders's Review of the Sterninæ	1877, 683
HUTTON, Captain F. W., C.M.Z.S.	
Descriptions of some new Starfishes from New Zealand	1872, 810
HUTTON, Capt. THOMAS, C.M.Z.S.	
On the Bats of the North-western Himalayas. With Notes and Corrections in Nomenclature by Prof. W. PETERS, F.M.Z.S.	1872, 690
HUXLEY, THOMAS H., LL.D., Sec. R.S., V.P.Z.S., &c.	
On the Structure of the Skull and of the Heart of <i>Menobranchus lateralis</i>	1874, 186
Contributions to Morphology. ICHTHYOPSIDA. No. 1. On <i>Ceratodus forsteri</i> , with Observations on the Classification of Fishes	1876, 24

HUXLEY, THOMAS H., LL.D., Sec. R.S. (*continued*).

On the Position of the Anterior Nasal Apertures in <i>Lepidosiren</i>	1876, 180
On the Classification and the Distribution of the Crayfishes	1878, 752
On the Cranial and Dental Characters of the Ca- nidæ	1880, 238
On the Application of the Laws of Evolution to the Arrangement of the Vertebrata, and more parti- cularly of the Mammalia	1880, 649

IRBY, Major LEONARD HOWARD, F.Z.S.

Exhibition of an apparently new species of Raven from Tangier, Morocco	1874, 325
Exhibition of nests, eggs, and young of <i>Cypselus</i> <i>pallidus</i>	1878, 976

JACKSON, C. L.

Exhibition of a skull of a female Sea-lion (<i>Otaria</i> <i>stelleri</i> ?)	1879, 460
--	-----------

JACOBY, MARTIN.

Description of new Genera and Species of Phyto- phagous Coleoptera	1876, 807
Descriptions of new Species of Phytophagous Coleoptera	1877, 510
Descriptions of new Species of Phytophagous Co- leoptera	1878, 144
Descriptions of new Species of Phytophagous Co- leoptera from Central and South America	1878, 982
Descriptions of new Species of Coleoptera of the Family Halticidæ	1879, 439
Descriptions of new Species of Phytophagous Co- leoptera	1879, 773

JACOBY, MARTIN (*continued*).

- Descriptions of new Species of Phytophagous
Coleoptera 1880, 166
- On a Collection of Phytophagous Coleoptera made
by Mr. Buckley in Eastern Ecuador 1880, 588

JEFFREYS, J. GWYN, LL.D., F.R.S., F.Z.S.

- On the Mollusca procured during the 'Lightning'
and 'Porcupine' Expeditions, 1868-70. (Part I.) . 1878, 393
- On the Mollusca procured during the 'Lightning'
and 'Porcupine' Expeditions, 1868-70. (Part II.) . 1879, 553

KENT, W. SAVILLE, F.Z.S., of the Geological Department,
British Museum.

- On some new and little-known Species of Madre-
pores, or Stony Corals, in the British-Museum Col-
lection..... 1871, 275
- On a new Genus of Sponges from North Australia 1871, 615
- Note on a Gigantic Cephalopod from Conception
Bay, Newfoundland 1874, 178
- A further Communication upon certain Gigantic
Cephalopods recently encountered off the coast of
Newfoundland 1874, 489
- Exhibition of the plans of a Zoological Station and
Museum and Institute of Pisciculture to be established
at St. Helier's, Jersey 1877, 807

KIRK, Dr. JOHN, C.M.Z.S.

- Letter from, concerning a Koodoo (*Tragelaphus
strepsiceros?*) and other animals destined for the
Society 1873, 195

KREFFT, GERARD, C.M.Z.S.

- Letter from, containing notices of rare Australian
Whales of the genera *Dioplodon* and *Ziphius* 1871, 630

KREFFT, GERARD, C.M.Z.S. (*continued*).

Letter from, on the species of Wombat (<i>Phascolomys</i>)	1872, 795
Remarks on Australian Crocodiles, and Description of a new Species	1873, 334
Exhibition of photographs of novelties lately added to the Australian Museum	1873, 519
Letter from, concerning a young example of <i>Casuarinus australis</i> living in Sydney	1877, 28
Notice of a supposed new species of Bat from Queensland	1879, 386

LANKESTER, Prof. E. RAY, M.A., F.R.S.

Notice of a Memoir on the hearts of <i>Ceratodus</i> , <i>Protopterus</i> , and <i>Chimæra</i>	1878, 634
--	-----------

LAYARD, EDGAR LEOPOLD, F.Z.S.

Notes on Mr. E. W. H. Holdsworth's Catalogue of Ceylon Birds	1873, 203
Ornithological Notes from Fiji, with Descriptions of supposed new Species of Birds	1875, 27
Descriptions of some supposed new Species of Birds from the Fiji Islands	1875, 149
Notes on Fijian Birds	1875, 423
Description of a new Thrush from Taviuni, one of the Fiji Islands	1876, 420
Notes on the Birds of the Navigators' and Friendly Islands, with some Additions to the Ornithology of Fiji	1876, 490
Remarks on the exact Localities of some Birds from the Islands of the South Pacific	1877, 464
Note on two African Cuckoos of the Genus <i>Coccytes</i>	1877, 465

LAYARD, EDGAR LEOPOLD, F.Z.S. (*continued*).

Letter from, addressed to the Secretary, concerning
Glycyphila fasciata and *Petroeca kleinschmidti* 1878, 655

Note on the *Pachycephala icteroides* of Peale, with
Descriptions of a supposed new Species 1879, 146

Letter from, containing remarks upon Mr. D. G.
Elliot's paper on the genus *Ptilopus*. 1879, 385

Letter from, containing remarks upon the desira-
bility of the adoption by naturalists of a fixed scale
of colour in describing animals. 1879, 713

LE CONTE, JOHN L., M.D., C.M.Z.S.

On *Platypsyllidae*, a new Family of Coleoptera . . 1872, 799

LEE, HENRY, F.L.S., F.Z.S., &c.

On the Capture of a Specimen of Risso's Grampus
at Sidlesham, near Chichester 1877, 808

LEGGE, Captain W. VINCENT, R.A., F.Z.S.

On the Breeding of certain Grallatores and Nata-
tores in the S.E. of Ceylon, with Notes on the
Nesting-plumages of the same 1875, 374

Exhibition of, and remarks upon, a series of spe-
cimens of Little Ringed Plovers from Ceylon and
Central India 1880, 38

LIARDET, E.A., C.M.Z.S.

On the Land-Shells of Taviuni, Fiji Islands, with
Descriptions of new Species 1876, 99

LILFORD, THOMAS LYTTLETON, Lord, F.Z.S. &c.

Exhibition of some specimens of hybrid Pheasants 1880, 421

On the Breeding of the Flamingo in Southern
Spain 1880, 446

LOCKINGTON, W. N.

Notice of a communication from, containing notes
on the Mammals and Birds of California 1874, 129

LODER, EDMUND GILES, F.Z.S.

Exhibition of a head of a peculiar variety of *Bos*
americanus 1878, 392

LUBOMIRSKI, Prince LADISLAS.

Notice sur quelques Coquilles du Pérou 1879, 719

MACALISTER, ALEXANDER, M.B. (T.C.D.), Professor of
Zoology in the University of Dublin, President
of the Royal Geological Society of Ireland.

Notes on a Specimen of the Broad-headed Wombat
(*Phascolomys latifrons*) 1872, 497

MACDONALD, Professor.

Exhibition of specimens of the cranial bones of
Fishes 1871, 547

MACDONALD, JOHN DENIS, M.D., F.R.S., C.M.Z.S.,
Staff Surgeon R.N.

Notes of a communication on some Australian
Sharks 1873, 312

McINTOSH, W. CARMICHAEL, M.D., F.L.S., C.M.Z.S.

Notice of a Memoir on British Annelida 1874, 307
Notice of a Memoir on the Annelida collected
during the 'Porcupine' Expeditions of 1869 and
1870 1874, 307

McLACHLAN, ROBERT, F.R.S., F.L.S.

On the Neuroptera collected during the Visit of
H.M.S. 'Peterel' to the Galapagos Islands, 1877, 84

MARTENS, Dr. E. von, C.M.Z.S.

List of Land and Freshwater Shells collected by
Mr. Osbert Salvin in Guatemala in 1873-74 1875, 647

MELDOLA, RAPHAEL, F.C.S., M. Ent. Soc. Lond.

On a Certain Class of Cases of Variable Protective
Colouring in Insects. (Communicated by A. G.
BUTLER, F.L.S., F.Z.S., &c.) 1873, 153

MASON, JAMES WOOD. (See WOOD-MASON, JAMES.)

MEYER, ADOLPH BERNHARD, M.D.

Letter from, containing remarks upon a new Bird
of Paradise 1875, 30

Letter from, concerning four living species of
Birds of Paradise said to be in the possession of
Mr. Bruijn 1875, 469

Some additional Proof, if needed, of the Fact that
the Red *Eclecti* are the Females of the Green
ones 1877, 800

Letter from, addressed to the Secretary, respecting
a new Bird of Paradise 1878, 792

Letter from, concerning the supposed existence of
the Anoa (*Anoa depressicornis*) in the Philippines .. 1878, 881

Letter from, concerning the locality of *Cervus*
alfredi 1879, 666

MIERS, EDWARD J., F.L.S., F.Z.S., Assistant in the
Zoological Department, British Museum.

On the Crustacea collected during the visit of
H.M.S. 'Peterel' to the Galapagos Islands 1877, 73

On a Collection of Crustacea made by the Rev. G.
Brown, C.M.Z.S., on Duke-of-York Island 1877, 133

On a Collection of Crustacea, Decapoda and Iso-
poda, chiefly from South America, with Descriptions
of new Genera and Species 1877, 653

MIERS, EDWARD J., F.L.S., F.Z.S. (*continued*).

Notes on the *Pencæidæ* in the Collection of the British Museum, with Descriptions of some new Species 1878, 298

On a Collection of Crustacea made by Capt. H. C. St. John, R.N., in the Corean and Japanese Seas.—Part I.—Podophthalmia. With an Appendix by Capt. H. C. St. John 1879, 18

MIVART, ST. GEORGE, Ph.D., F.R.S., F.Z.S., M.R.I., &c.

On *Hemicentetes*, a new Genus of Insectivora, with some Additional Remarks on the Osteology of that Order 1871, 58

On *Lepilemur* and *Cheirogaleus*, and on the Zoological Rank of the Lemuroidea 1873, 484

Notice of a Memoir on the axial skeleton of the Struthionidæ 1874, 607

Notice of a Memoir on the axial skeleton of the Pelecanidæ 1877, 368

Notice and abstract of a Memoir on the fins of Elasmobranchs, with considerations on the nature and homologies of Vertebrate limbs 1878, 116

Exhibition of a figure of a malformed Kestrel . . 1879, 311

Note on the Discovery of Living Medusæ in the Botanical Society's Gardens, Regent's Park 1880, 454

MOORE, FREDERIC, F.Z.S.

Descriptions of new Indian Lepidoptera 1872, 555

List of Diurnal Lepidoptera collected in Cashmere Territory by Capt. R. B. Reed, 12th Regt., with Descriptions of new Species 1874, 264

MOORE, FREDERIC (*continued*).

- Descriptions of New Asiatic Lepidoptera 1874, 565
- The Lepidopterous Fauna of the Andaman and
Nicobar Islands 1877, 580
- A Revision of certain Genera of European and
Asiatic Lithosiidæ, with Characters of new Genera
and Species 1878, 3
- Descriptions of new Asiatic Hesperides 1878, 686
- List of Lepidopterous Insects collected by the late
R. Swinhoe in the Island of Hainan 1878, 695
- A List of the Lepidopterous Insects collected by
Mr. Ossian Limborg in Upper Tenasserim, with
Descriptions of new Species 1878, 821
- Descriptions of new Asiatic Diurnal Lepidoptera . 1879, 136
- Descriptions of new Genera and Species of Asiatic
Lepidoptera Heterocera 1879, 387
- Notice of a Memoir on the Indian genera and
species of the Lepidopterous subfamily Ophiderinæ.. 1880, 27

MOORE, FREDERIC, WALKER, FRANCIS, and SMITH,
FREDERICK.

- Descriptions of some new Insects collected by
Dr. Anderson during the Expedition to Yunan . . . 1871, 244

MORESBY, Captain J., R.N.

- Letter from, giving the exact locality of the young
Casuaris uniaappendiculatus presented by him to the
Society 1875, 533

MORRIS, Rev. F. O.

- Exhibition of an example of *Bombyx quercus* with
malformed antennæ 1879, 145

	Page
MOSELEY, HENRY NOTTIDGE, M.A., F.R.S.	
Exhibition of, and remarks upon, some specimens of sections of Corals	1880, 24
Description of a new Species of Simple Coral ..	1880, 41
 MOSS, EDWARD L., M.D., F.R.C.S.I., Surgeon in charge R.N. Hospital, Esquimalt.	
Description of a Virgularian Actinozoon from Bur- rard's Inlet, British Columbia	1873, 730
 MULVANY, Dr. R. N.	
Remarks upon the probability of a moulting of the horny sheath of the beak of the Penguin.....	1880, 2
 MURIE, JAMES, M.D., F.L.S., F.G.S., late Prosector to the Society.	
Additional Notice concerning the Powder-Downs of <i>Rhinochetus jubatus</i>	1871, 647
On the Skeleton of <i>Todus</i> , with Remarks as to its Allies. (Communicated by Professor NEWTON, F.R.S., V.P.Z.S.)	1872, 664
On the Indian Wild Dog	1872, 715
Observations on the Macaques.—I. The Bornean Ape	1872, 721
On the Cranial Appendages and Wattles of the Horned Tragopan	1872, 730
Observations on the Macaques.—II. Bélanger's Monkey	1872, 770
Observations on the Macaques.—III. The For- mosan or Round-faced Monkey	1872, 771
Observations on the Macaques.—IV. The Japanese Monkey	1872, 780
On the Nature of the Sacs vomited by the Horn- bills	1874, 420
PROC. ZOOL. SOC. INDEX, 1871-80.	5

- MURIE, JAMES, M.D., F.L.S., F.G.S., &c. (*continued*).
- On the Skeleton and Lineage of *Fregilupus varius* 1874, 474
- Notice of a Memoir on the Manatee 1879, 552
- MURRAY, ANDREW, F.L.S.
- Note regarding the Young Stage of the Sterlet
(*Acipenser ruthenus*) 1871, 11
- MURRAY, JOHN, F.G.S., F.R.G.S., C.M.Z.S.
- Exhibition of, and remarks upon, natural objects
dredged up during the 'Challenger' expedition 1877, 533
- NATION, Professor W., of Lima, C.M.Z.S.
- On the Birds of the Vicinity of Lima, Peru. By
P. L. SCLATER. With Notes on their Habits, by
Prof. W. NATION. (Part IV.) 1871, 496
- On the Habits of *Spermophile simplex*. 1874, 329
- NEVILL, GEOFFREY, C.M.Z.S.
- On the Land-Shells, extinct and living, of the
Neighbourhood of Menton (Alpes Maritimes); with
Descriptions of a new Genus and of several new
Species 1880, 94
- NEVILL, G., C.M.Z.S., and GODWIN-AUSTEN, Lieut.-
Col. H. H., F.Z.S.
- Descriptions of Shells from Perak and the Nicobar
Islands 1879, 734
- On the Anatomy of *Ferussacia gronoviana*, Risso,
from Mentone. By Lieut.-Col. H. H. GODWIN-
AUSTEN. Concluding with a Note on the Classifica-
tion of the Genus and its Allies, by GEOFFREY
NEVILL 1880, 662
- NEWTON, ALFRED, M.A., F.R.S., F.L.S., V.P.Z.S., Pro-
fessor of Comparative Anatomy and Zoology in
the University of Cambridge.
- On some New or rare Birds' Eggs 1871, 55

	Page
NEWTON, ALFRED, M.A., F.R.S., V.P.Z.S., &c. (<i>continued</i>).	
Exhibition of some rare European birds' eggs	1871, 546
On a remarkable Sexual Peculiarity in an Australian Species of Duck	1871, 649
Exhibition of the humerus of a Pelican from the Cambridgeshire fens	1871, 702
Exhibition of, and remarks upon, a specimen of Ross's Gull (<i>Larus rossi</i>)	1872, 1
Exhibition of an old copper-plate engraving of the "Géant" by Adrian Collaert	1873, 194
Exhibition of two letters, the property of J. B. Wilmot, Esq., M.D., referring to a live Dodo	1874, 307
On a living Dodo shipped for England in the year 1628	1874, 447
Additional Evidence as to the original Fauna of Rodriguez	1875, 39
Exhibition of two specimens of Ross's Gull, from Greenland	1875, 349
Exhibition of, and remarks upon, tracings of some unpublished sketches of the Dodo and other extinct birds of Mauritius	1875, 349
Exhibition of, and remarks upon, a book belonging to the Rev. R. Hooper, containing a notice of the Dodo	1876, 333
Note upon Canon Tristram's recent discovery of the Roebuck (<i>Cervus capreolus</i>) in Palestine	1876, 700
Exhibition of, and remarks upon, a variety of the Guillemot (<i>Alca troile</i>)	1877, 2
Exhibition of, and remarks upon, a stone supposed to be from the gizzard of <i>Pezophaps solitaria</i>	1878, 291
Exhibition of, and remarks upon, a supposed hybrid between the Red Grouse and the Ptarmigan	1878, 793
Remarks on the occasion of the death of the late President	1879, 1

	Page
NEWTON, ALFRED, M.A., F.R.S., V.P.Z.S., &c. (<i>continued</i>).	
Remarks upon the specimen of <i>Alectorœnas nitidissima</i> exhibited by Dr. Traquair	1879, 2
Exhibition of, and remarks upon, a specimen of <i>Sylvia nisoria</i> belonging to Mr. John Robinson . . .	1879, 219
Exhibition of, and remarks upon, some bird-skins obtained by Mr. E. Newton, C.M.Z.S., in Jamaica . .	1879, 552
Remarks on a specimen of the "Needle-tailed Swallow" of Latham shot near Ringwood, Hants . .	1880, 1
NEWTON, EDWARD, M.A., C.M.G., Colonial Secretary of Mauritius, F.L.S., C.M.Z.S.	
On a Collection of Birds from the Island of Anjuan	1877, 295
NICHOLSON, FRANCIS, F.Z.S.	
On a Collection of Birds from Abeokuta	1878, 128
A List of the Birds collected by Mr. E. C. Buxton at Darra-Salam, on the coast of Africa opposite Zanzibar	1878, 353
On an apparently new Species of American Pipit	1878, 390
NORMANBY, GEORGE AUGUSTUS CONSTANTINE, Marquess of, F.Z.S.	
Letter from, relating to an Australian Cassowary intended for the Society's Collection	1875, 2
O'SHAUGHNESSY, A. W. E., Assistant in the Natural-History Departments of the British Museum.	
Description of a new Species of <i>Uromastix</i>	1880, 445
Description of a new Species of <i>Anolis</i> , with Notice of some other Species of that Genus from Ecuador . .	1880, 491

OTTLEY, W., M.B., F.R.C.S., Demonstrator of Anatomy
at University College, London.

On the Attachment of the Eye-Muscles in Mammals.

—I. *Quadrumana* 1879, 121

A Description of the Vessels of the Neck and Head
in the Ground-Hornbill (*Bucorvus abyssinicus*) 1879, 461

OUSTALET, EMILE, C.M.Z.S.

Description d'une nouvelle espèce de Casoar (*Casuar-
arius edwardsi*) 1878, 389

OWEN, Prof. RICHARD, C.B., M.D., D.C.L., F.R.S.,
F.L.S., F.Z.S., Superintendent of the Natural-
History Collections, British Museum.

Notice of the second part of a Memoir on the
Dodo (*Didus ineptus*) 1871, 299

Notice of a seventeenth Memoir on *Dinornis* 1871, 506

Notice of the third of a series of Memoirs on the
osteology of the Marsupials 1871, 652

Letter from, addressed to the Secretary, concerning
the remains of *Aptornis* found in Glenmark Swamp,
New Zealand 1872, 24

Notice of his eighteenth Memoir on the extinct
birds of the genus *Dinornis* 1872, 605

Notice of his nineteenth Memoir on the extinct
birds of the genus *Dinornis* 1872, 682

Notice of his fourth Memoir on the osteology of
the Marsupialia 1872, 865

Notice of a twentieth Memoir upon the extinct
birds of the genus *Dinornis* 1873, 763

Notice of a fifth Memoir on the osteology of the
Marsupialia 1874, 325

Note on a new Locality of *Dinornithidæ* 1875, 88

Notice of the twenty-first of his series of Memoirs
on the extinct birds of the genus *Dinornis* 1875, 470

OWEN, Prof. RICHARD, M.D. &c. (*continued*).

Notice of the twenty-second of his series of
Memoirs on the extinct birds of the genus *Dinornis*. 1875, 634

Notice of a Memoir on additional evidence recently
obtained as to the occurrence of extinct gigantic birds
allied to *Dromornis* in Australia 1877, 95

Notes on *Ornithorhynchus paradoxus*. By George
Frederic Bennett, in a Letter from Dr. George
Bennett, F.L.S., F.Z.S., to Professor Owen, C.B.,
F.R.S., &c., with Remarks by the latter 1877, 161

On a new Species of *Sthenurus*, with Remarks on
the Relation of the Genus to *Dorcopsis*, Müller. 1877, 352

On the Relative Positions to their Constructors of
the Chambered Shells of Cephalopods. 1878, 955

Notice of a Memoir on a large extinct Kangaroo
of the genus *Palorchestes* 1879, 438

Notice of a Memoir on the new and little-known
species of Cephalopoda 1880, 288

On the External and Structural Characters of the
Male *Spirula australis*, Lam. 1880, 352

PAIN, Capt. HENRY.

Letter from, containing remarks on the Sea-lion
(*Otaria jubata*) and other Seals. 1872, 681

PARKER, T. JEFFERY, Assoc. R.S.M.

Remarks upon the Stridulating-organ of the
Common Rock-Lobster 1878, 292

Note on the Stridulating-organ of *Palinurus vul-*
garis 1878, 442

Notice of a Memoir on the intestinal spiral valve
in the genus *Raia*. 1879, 764

PARKER, W. K., F.R.S., F.Z.S.

Notice of a Memoir on Ægithognathous birds . . 1873, 196

PARKER, W. K., F.R.S. &c. (*continued*).

Memoir on <i>Ægithognathous</i> Birds. Part II. (Abstract)	1876, 236
Abstract of Memoir on the Structure and Develop- ment of the Skull in Sharks and Rays.....	1876, 699
Exhibition of, and remarks upon, the eggs and embryos of some Crocodiles	1880, 186
Abstract of a Memoir on the Structure of the Skull in the Chameleons	1880, 188
Abstract of a Memoir on the Development of the Skull in the Urodele Batrachians.....	1880, 544

PEASE, W. HARPER, C.M.Z.S.

Catalogue of the Land-Shells inhabiting Polynesia, with Remarks on their Synonymy, Distribution, and Variation, and Descriptions of new Genera and Species.....	1871, 449
--	-----------

PERRIN, J. BESWICK.

On the Myology of the Limbs of the Kinkajou (<i>Cercoleptes caudivolvulus</i>) &c.	1871, 547
Notice of a Memoir on the myology of <i>Opistho- comus cristatus</i>	1873, 685

PETERS, Professor WILLIAM, M.D., Ph.D., F.M.Z.S.

Note on the <i>Tenia</i> from the Rhinoceros lately de- scribed by Dr. J. Murie.....	1871, 146
On the Bats collected by Mr. F. Day in Burma ..	1871, 513
Note on a Collection of small Mammalia made by Mr. Monteiro in Angola	1872, 363
On the Bats of the North-western Himalayas. By Capt. THOMAS HUTTON, C.M.Z.S. With Notes and Corrections of Nomenclature by Prof. W. PETERS ..	1872, 690

- PETERS, PROFESSOR WILLIAM, M.D. &c. (*continued*). ago
- Extract from a letter relating to the locality of
Poriodogaster grayii 1874, 307
- Letter from, on a species of Tortoise of the genus
Sternotherus 1875, 112
- PHILIPPI, DR. R. A., C.M.Z.S., Director of the National
Museum of Santiago.
- Extract of a Letter from, relating to *Testudo chi-*
lensis of Dr. Gray 1871, 480
- PIERS, HENRY W.
- Notice of the external form of *Chimæra australis*.. 1873, 153
- Letter from, containing remarks on certain speci-
mens of Ribbonfish 1874, 668
- POWELL, WILFRED.
- Field-notes on the Morroop (*Casuaricus bennetti*) of
New Britain 1880, 493
- PRYER, W. B.
- Letter from, addressed to the Secretary, containing
remarks on the animals of Sandakan, N. Borneo.... 1880, 68
- RAMSAY, EDWARD P., C.M.Z.S.
- Extracts from a letter containing remarks on
Ceratodus forsteri 1871, 7
- Exhibition of a collection of fishes from Queens-
land 1873, 686
- Letter addressed to the Secretary concerning a
Cassowary (*Casuaricus australis*) intended for the
Society's Collection 1874, 325
- Descriptions of five new Species of Birds from
Queensland, and of the Egg of *Chlamydodera macu-*
lata 1874, 601

RAMSAY, EDWARD P., C.M.Z.S. (*continued*).

- Notes on the Original Specimen of *Ptilonorhynchus rawnsleyi* 1875, 69
- Descriptions of some rare Eggs of Australian Birds 1875, 112
- List of Birds met with in North-eastern Queensland, chiefly at Rockingham Bay 1875, 578
- Description of the Eggs and Young of *Rallina tricolor*, from Rockingham Bay, Queensland 1875, 603
- List of Birds met with in North-eastern Queensland, chiefly at Rockingham Bay. Part II. 1876, 114
- Letter from, containing notes on the habits of some living *Ceratodi* in the Australian Museum, Sydney 1876, 698
- List of Birds met with in North-eastern Queensland, chiefly at Rockingham Bay. Part III. 1877, 335

RAMSAY, R. G. WARDLAW, F.Z.S., Lieutenant 67th Regiment.

- Description of a new Species of Woodpecker from British Burmah 1874, 212
- Communication from, containing remarks upon his *Gecinus erythropygius* 1875, 317
- On an undescribed Species of Nuthatch and another Bird from Karen-nee 1876, 677
- Description of a new Oriole from N.E. Borneo . . 1879, 709
- Exhibition of, and observations upon, a specimen of *Pericrocotus flammeus* in an abnormal state of plumage 1879, 765
- Contributions to the Ornithology of Sumatra.—
Report on a Collection from the Neighbourhood of Padang 1880, 13

REED, EDWYN C., C.M.Z.S.

- On the Coleoptera Geodephaga of Chile 1874, 48

REINHARDT, Prof. J., F.M.Z.S.

Letter from, on the locality and identity of the Spider Monkey (*Ateles*) of Mexico 1872, 797

Extract of a letter from, on a new species of Curassow..... 1879, 108

RIEDEL, T. G. F., C.M.Z.S.

Letter from, addressed to Viscount Walden, with reference to the true locality of *Tanysiptera riedeli*.. 1872, 1

ROBERTSON, DAVID, F.G.S., and BRADY, GEORGE STEWARDSON.

Descriptions of two new Species of British Holothuroidea..... 1871, 690

ROWLEY, GEORGE DAWSON, M.A., F.Z.S.

Exhibition of a specimen of the North-American *Zonotrichia albicollis*, taken near Brighton 1872, 681

Exhibition of, and remarks upon, a malformed variety of the Domestic Duck 1873, 686

Exhibition of, and remarks upon, some rare birds from New Zealand..... 1874, 497

Exhibition of skins of *Nasiterna geelvinkiana* 1875, 470

Exhibition of *Machærishynchus nigrippectus* 1876, 414

Exhibition of, and remarks upon, an egg of *Pauwis galeata* 1877, 684

RUSSELL, Lord ARTHUR JOHN EDWARD, M.P., F.Z.S.

Exhibition of a scaleless specimen, and remarks upon varieties, of the Common Carp 1873, 472

ST. JOHN, CAPTAIN H. C., R.N.

See MIERS, EDWARD J.

ST. JOHN, Major OLIVER BEAUCHAMP COVENTRY, F.Z.S.

Note on the Locality of *Oryx beatrix* 1874, 95

	Page
SALVADORI, Count THOMAS, M.D., C.M.Z.S.	
Note on <i>Cerionis caboti</i>	1871, 695
Letter from, containing remarks on some birds mentioned by Signor D'Albertis as seen by him during his first excursion up the Fly River	1876, 752
Letter from, addressed to the Secretary, concerning the discovery of a supposed new species of <i>Drepanornis</i>	1876, 776
Notes on some Birds mentioned by Dr. Cabanis and Herr Reichenow as collected in Papuasias and in the Moluccas, during the Voyage of the 'Gazelle' ..	1877, 194
Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. VI. On the Birds of Ternate, Amboyna, Banda, the Ké Islands, and the Aru Islands.....	1878, 78
A few Remarks on Mr. Elliot's paper "On the Fruit-Pigeons of the Genus <i>Ptilopus</i> "	1879, 61
On <i>Acomus inornatus</i> , Salvad.	1879, 651
SALVADORI, THOMAS, M.D., C.M.Z.S., and TURATI, HERCULES, Count.	
Description of a new Trogon of the Genus <i>Pharomacrus</i>	1874, 652
SALVIN, OSBERT, M.A., F.R.S., F.Z.S.	
On the Tail-Feathers of <i>Momotus</i>	1873, 429
(See also SCLATER and SALVIN.)	
Abstract of a Memoir on the Avifauna of the Galapagos Archipelago	1875, 269
Exhibition of a portion of a trunk of a pine from Guatemala, perforated by a Woodpecker	1876, 414
Exhibition of, and remarks upon, a volume of original drawings taken by Mr. George Raper during the voyage of Captain Hunter to Australia in 1788-92	1877, 95

	Page
SALVIN, OSBERT, M.A., F.R.S., F.Z.S. (<i>continued</i>).	
Description of a new Genus and Species of Oscines from Costa Rica	1877, 367
Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. XII. The Procellariidæ	1878, 735
On some Birds transmitted from the Samoan Islands by the Rev. T. Powell	1879, 128
SALVIN, OSBERT, M.A., F.R.S., F.Z.S., and GODMAN, FREDERICK DU CANE, F.L.S., F.Z.S.	
Description of twelve new Species and a new Genus of <i>Rhopalocera</i> from Central America	1877, 60
On a Collection of Lepidoptera made by the Rev. G. Brown on Duke-of-York Island and its Neighbour- hood.....	1877, 139
Descriptions of nineteen new Species of Diurnal Lepidoptera from Central America	1878, 264
Descriptions of new Species of Central-American Butterflies of the Family Erycinidæ	1878, 360
List of the Butterflies collected in Eastern New Guinea and some neighbouring Islands by Dr. Comrie during the Voyage of H.M.S. 'Basilisk.'	1878, 643
Descriptions of some apparently new Species of Butterflies from New Ireland and New Britain, sent by the Rev. G. Brown	1878, 733
Descriptions of new Species of <i>Rhopalocera</i> from Central and South America	1879, 150
On a Collection of Diurnal Lepidoptera made by the Rev. G. Brown in New Ireland and New Britain ..	1879, 155
Notes on some hitherto unrecorded Diurnal Lepi- doptera from Duke-of-York Island, New Ireland, with Descriptions of some apparently new Species ..	1879, 652
Descriptions of some supposed new Species of Butterflies from New Guinea	1880, 609

SALVIN, OSBERT, M.A., F.R.S., GODMAN, FREDERICK DU CANE, F.L.S., and DRUCE, HERBERT, F.L.S. Catalogue of Lepidoptera collected by Mr. S. N. Walter in the Island of Billiton	1878, 637
SALVIN, OSBERT, M.A., F.R.S., and SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., &c. A Revised List of the Neotropical Laridæ	1871, 564
On Peruvian Birds collected by Mr. Whitely.— Part VIII.	1874, 677
Descriptions of some new Species of South- American Birds	1875, 37
On Venezuelan Birds collected by Mr. A. Goering. —Part V.	1875, 234
Description of two new Species of Birds from the State of Antioquia, U. S. C.	1875, 541
On Peruvian Birds collected by Mr. Whitely.— Part IX.	1876, 15
Descriptions of new Birds obtained by Mr. C. Buckley in Bolivia	1876, 253
Notes on some of the Blue Crows of America.	1876, 268
On new Species of Bolivian Birds	1876, 352
A Revision of the Neotropical Anatidæ	1876, 358
Descriptions of eight new Species of South- American Birds	1877, 18
Descriptions of six new Species of South-American Birds	1877, 521
On the Collection of Birds made by Prof. Steere in South America	1878, 135
Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. IX. On the Birds of Antarctic America.	1878, 431
Descriptions of three new Species of Birds from Ecuador	1878, 438

SALVIN, OSBERT, and SCLATER, PHILIP LUTLEY (*continued*).

Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. XI. On the Steganopodes and Impennes 1878, 650

On the Birds collected by the late Mr. T. K. Salmon in the State of Antioquia, United States of Colombia 1879, 486

On the Birds collected in Bolivia by Mr. C. Buckley 1879, 538

On new Birds collected by Mr. C. Buckley in Eastern Ecuador 1880, 155

SANDERS, ALFRED, F.Z.S.

Notes on the Myology of *Liolepis belli* 1872, 154

Notes on the Myology of the *Phrynosoma coronatum* 1874, 71

SANDWICH, THOMAS B.

Note on the occurrence of *Capra aegagrus* in Crete 1874, 90

SAUNDERS, HOWARD, F.L.S., F.Z.S., &c.

Exhibition of, and remarks on, a series of skins of Eagles 1871, 37

On a new Species of Green Woodpecker from Southern Europe 1872, 153

On the Occurrence of *Falco barbarus* and *Cypselus pallidus* on the Continent of Europe 1872, 356

On the Introduction of *Anser albatrus* of Cassin into the British Avifauna 1872, 519

Remarks on the Grey-capped Gulls, and on the Species with which they have been confounded . . . 1874, 291

Exhibition of, and remarks upon, a Gull obtained by Mr. Gervaise Mathew, R.N., at Magdalena Bay, Lower California 1875, 158

On the Stercorariinæ, or Skua Gulls 1876, 317

SAUNDERS, HOWARD, F.L.S., F.Z.S. (*continued*).

- On the Sterninæ, or Terns, with Descriptions of three new Species 1876, 638
- Exhibition of a specimen of the Panay Sooty Tern (*Sterna ancesthera*) obtained on the British coast 1877, 43
- Exhibition of birds and birds' eggs from Spain 1877, 368
- Exhibition of, and remarks upon, a skin of the Aleutian Tern (*Sterna aleutica*) 1877, 754
- Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. V. On the Laridæ collected during the expedition 1877, 794
- On the Larinæ or Gulls 1878, 155
- Exhibition of, and remarks upon, some Indian eggs 1878, 976
- On the Sea-birds obtained during the Voyage of Lord Lindsay's Yacht 'Venus' from Plymouth to Mauritius in 1874 1880, 161

SCHÄFER, EDWARD A., Assistant Professor of Physiology, and WILLIAMS, D. JAMES, Student of Medicine, in University College, London.

- On the Structure of the Mucous Membrane of the Stomach in the Kangaroos 1876, 165

SOHMIDT, Dr. MAX, Director of the Zoological Gardens, Frankfort-on-the-Main.

- On the Duration of Life of the Animals in the Zoological Garden at Frankfort-on-the-Main 1880, 299

SCHOMBURGK, Dr. ROBERT, Director of the Botanic Garden, Adelaide, South Australia, C.M.Z.S.

- Letter from, on apparently reasoning-powers exhibited by a Monkey 1872, 525
- Notice of a communication from, containing notes on the nesting-habits of the Australian Coot 1874, 129

	Page
SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., Secretary to the Society.	
Extracts from correspondence with Mr. G. W. des Vœux concerning the Rat-tailed Serpent of Santa Lucia (<i>Trigonocephalus lanceolatus</i>)	1871, 2
Exhibition of, and remarks upon, a horn of the male Indian Rhinoceros (<i>Rhinoceros unicornis</i>)	1871, 8
Report on the additions to the Society's Menagerie in December 1870, and observations on the register of "arrivals and departures" kept at the Superintendent's Office	1871, 36
Exhibition of a specimen of <i>Ateles variegatus</i>	1871, 39
Remarks on the so-called Axolotls in the Society's Gardens	1871, 41
Notes on the Types of <i>Tyrannula mexicana</i> of Kaup and <i>Tyrannula barbirostris</i> of Swainson	1871, 84
Remarks on some Species of Dendrocolaptidæ in the Collection of the Smithsonian Institution	1871, 85
Report on additions to the Society's Menagerie in January 1871	1871, 101
Announcement of the birth of a Hippopotamus in the Society's Gardens	1871, 145
Exhibition of, and remarks upon, a pair of corroded tusks of the Indian Elephant	1871, 145
Notes on the Monkeys of Eastern Peru. By EDWARD BARTLETT. (Communicated, with Notes, by P. L. SCLATER.)	1871, 217
Notes on rare or little-known Animals now or lately living in the Society's Gardens.—Part I. Mammalia	1871, 221
Report on the additions to the Society's Menagerie in February 1871	1871, 258
Exhibition of the skin of a species of <i>Prinia</i> from Ceylon	1871, 258

SCLATER, P. L., M.A. &c. (*continued*).

On the Birds of the Island of Santa Lucia, West Indies	1871, 263
Report on the additions to the Society's Menagerie in March 1871	1871, 298
Exhibition of, and remarks upon, the shell of a River-tortoise of the genus <i>Pelomedusa</i>	1871, 325
Report on the additions to the Society's Menagerie in April 1871	1871, 478
Notes on rare or little-known Animals now or lately living in the Society's Gardens.—Part II. Birds	1871, 489
On the Birds of the Vicinity of Lima, Peru. With Notes on their Habits, by Prof. W. NATION of Lima, C.M.Z.S.—Part IV.	1871, 496
On two new or little-known Parrots living in the Society's Gardens	1871, 499
Report on the additions to the Society's Menagerie in May 1871	1871, 543
Reports on the additions to the Society's Menagerie in June, July, August, and September 1871	1871, 623
Notice of the existence in Queensland of an undescribed species of Mammal	1871, 629
Additional Remarks on certain Species of Pelicans	1871, 631
Exhibition of, and remarks upon, a skin of <i>Ateles variegatus</i>	1871, 651
Description of a new Species of Dove from the Coral-reef of Aldabra	1871, 692
Report on the additions to the Society's Menagerie in October and November 1871	1871, 699
Exhibition of, and remarks upon, a skin of the Water-Opossum (<i>Chironectes variegatus</i>)	1871, 702

SCLATER, P. L., M.A. &c. (*continued*).

Notes on rare or little-known Animals now or lately living in the Society's Gardens.—Part III.

Reptiles 1871, 743

Remarks on a Collection of Birds from Oyapok.. 1871, 749

Remarks on the Species of the Genera *Myiozetetes* and *Conopias*, belonging to the family Tyrannidæ .. 1871, 751

On the *Quadrumana* found in America north of Panama 1872, 2

Report on the additions to the Society's Menagerie in December 1871 1872, 23

On Kaup's Cassowary (*Casuaris kaupi*), and on the other known Species of the Genus..... 1872, 147

Report on the additions to the Society's Menagerie in January 1872 1872, 183

Announcement of the addition to the Society's collection of a female Sumatran Rhinoceros 1872, 185

Report on the additions to the Society's Menagerie in February 1872 1872, 493

Exhibition of a skin of the Yellow-billed Cuckoo (*Coccyzus americanus*) from Buenos Ayres 1872, 496

On the Birds of the Rio Negro of Patagonia. By W. H. HUDSON, C.M.Z.S. With Notes by P. L. SCLATER, M.A., Ph.D., F.R.S., Secretary to the Society 1872, 534

Report on the additions to the Society's Menagerie in March 1872 1872, 602

Exhibition of the skull of a Hairy Tapir (*Tapirus roulini*), and remarks on its differences from that of *T. terrestris*..... 1872, 604

On the Habits of the Swallows of the Genus *Progne* met with in the Argentine Republic. By W. H. HUDSON, C.M.Z.S. With Notes by P. L. SCLATER, M.A., Ph.D., F.R.S., Secretary to the Society 1872, 605

	Page
SCLATER, P. L., M.A. &c. (<i>continued</i>).	
Report on the additions to the Society's Menagerie in April 1872	1872, 635
Observations on the Birds of St. Lucia. By the Rev. J. E. SEMPER, Colonial Chaplain. With Notes by P. L. SCLATER, M.A., Ph.D., F.R.S., Secretary to the Society	1872, 647
On the Species of <i>Quadrupana</i> collected by Mr. Buckley in Ecuador	1872, 663
Exhibition of a specimen of <i>Coccyzus erythrophthalmus</i> killed in Ireland	1872, 681
Additional Notes on rare or little-known Animals now or lately living in the Society's Gardens	1872, 618
Report on the additions to the Society's Menagerie in May 1872	1872, 728
Exhibition, for Mr. Vincent Legge, of a pair of a new Ceylonese bird, proposed to be called <i>Prionochilus vincens</i>	1872, 729
Report on the additions to the Society's Menagerie during the months of June, July, August, and September 1872	1872, 789
Announcement of the birth of a Hippopotamus in the Society's Gardens.....	1872, 795
Remarks on a Mexican Spider Monkey (<i>Ateles</i>) in the Berlin Museum	1872, 798
Remarks on the two Livingstone Expeditions into Inner Africa	1872, 819
Report on the additions to the Society's Menagerie in October and November 1872	1872, 860
Exhibition of a nest of the Tijereta (<i>Milvulus tyrannus</i>) containing eggs of <i>Molothrus bonariensis</i> ..	1872, 862
Report on the additions to the Society's Menagerie in December 1872.....	1873, 1

SCLATER, P. L., M.A. &c. (*continued*).

Exhibition of some skins of birds from New Britain and the neighbouring islands	1873,	3
Report on the additions to the Society's Menagerie in January 1873	1873,	193
Report on the additions to the Society's Menagerie in February 1873	1873,	311
Report on the additions to the Society's Menagerie in March and April 1873.....	1873,	433
Remarks on the Liberian Hippopotamus	1873,	434
Remarks on animals seen in some of the Continental Zoological Gardens	1873,	473
Report on the additions to the Society's Menagerie in May 1873	1873,	517
Exhibition of a specimen of <i>Casuarinus bicarunculatus</i>	1873,	519
Notice of a new work on American Birds, and remarks on <i>Turdus subcinereus</i> and on a supposed species of <i>Cnipolegus</i>	1873,	554
Notice of a Memoir on the Curassows now or lately living in the Society's Gardens	1873,	557
Exhibition of some birds collected in New Guinea by Signor d'Albertis, and description of a new species of Paradise-bird	1873,	557
Note on the Genus <i>Ornithion</i> of Hartlaub	1873,	576
Report on the additions to the Society's Menagerie during the months of June, July, August, and September 1873	1873,	682
Characters of new Species of Birds discovered in New Guinea by Signor d'Albertis.....	1873,	690
Exhibition of birds from Antioquia, Columbia, and descriptions of new species	1873,	728
Exhibition of a pair of horns of <i>Alcelaphus tora</i> ..	1873,	729

SCLATER, P. L., M.A. &c. (*continued*).

Report on the additions to the Society's Menagerie during the months of October and November 1873 .	1873, 761
Remarks on a fine head of <i>Alcelaphus tora</i>	1873, 762
On Peruvian Birds collected by Mr. Whitely.—	
Part VII.	1873, 779
Report on the additions to the Society's Menagerie in December 1873	1874, 1
On the Species of the Genus <i>Synallaxis</i> of the Family Dendrocolaptidæ	1874, 2
Exhibition of two skulls of Baird's Tapir (<i>Tapirus bairdi</i>) from Mexico	1874, 89
Exhibition of the horns of a male and female Arkar Sheep (<i>Ovis arkar</i>).	1874, 89
Exhibition of a specimen of the Wild Ibex of Crete	1874, 89
Report on the additions to the Society's Menagerie in January 1874.	1874, 110
Extract from a letter addressed to him by Signor Luigi M. d'Albertis, C.M.Z.S., containing an account of a new species of Kangaroo (<i>Halmaturus luctuosus</i>) from New Guinea	1874, 110
Report on the additions to the Society's Menagerie in February 1874	1874, 151
On a small Collection of Birds from Barbadoes, West Indies	1874, 174
On <i>Centropsar</i> , an apparently new form of the Family Icteridæ	1874, 175
Announcement of the arrival in the Society's Menagerie of a Javan Rhinoceros	1874, 182
Report on the additions to the Society's Menagerie in March 1874	1874, 206
Report on the additions to the Society's Menagerie in April 1874.	1874, 247

SCLATER, P. L., M.A. &c. (<i>continued</i>).	Page
Remarks on a Cassowary in the Society's Gardens, received from the Zoological Society of Amsterdam in 1871	1874, 247
Announcement of the appointment of a Naturalist to accompany the Astronomical Expedition to Kerguelen's Land.....	1874, 248
Exhibition of a skin of <i>Ciconia boyciana</i> , and remarks upon its distribution	1874, 306
Report on the additions to the Society's Menagerie in May 1874	1874, 323
Remarks upon two species of birds from New Guinea, lately described in the Society's 'Proceedings'	1874, 419
Descriptions of three new Species of the Genus <i>Synallaxis</i>	1874, 445
Report on the additions to the Society's Menagerie in June, July, August, and September 1874	1874, 494
Remarks on some visits recently made to several Zoological Gardens and Museums in France and Italy	1874, 496
Report on the additions to the Society's Menagerie in October 1874.....	1874, 605
Exhibition of an egg of <i>Pareudiastes pacificus</i>	1874, 605
On the Black Wolf of Thibet	1874, 654
Report on the additions to the Society's Menagerie in November 1874	1874, 664
Remarks upon a donation to the Society's Library of a MS. work on the birds of India, by Col. S. R. TICKELL	1874, 667
List of Humming-birds obtained by Mr. Whitely in High Peru	1874, 676
Report on the additions to the Society's Menagerie in December 1874	1875, 1

SCLATER, P. L., M.A. &c. (*continued*).

Exhibition of a skin and skull of a female Huemul (<i>Cervus chilensis</i>), and remarks on the Deer of Chili and Western Peru	1875, 44
On some rare Parrots living in the Society's Gardens	1875, 59
Report on the additions to the Society's Menagerie in January 1875, and remarks on <i>Canis chama</i>	1875, 81
Exhibition of a drawing of a supposed new Rhinoceros from the Teral of Bhootan	1875, 82
Exhibition of a living specimen of the Peguan Tree-Shrew (<i>Tupaia peguana</i>) and a Squirrel (<i>Sciurus blanfordi</i>)	1875, 82
Further Remarks on the Cassowaries living in the Society's Gardens, and on other Species of the Genus <i>Casuaris</i>	1875, 84
Report on the additions to the Society's Menagerie in February 1875	1875, 156
Report on the additions to the Society's Menagerie in March 1875	1875, 316
Report on the additions to the Society's Menagerie in April 1875	1875, 348
Exhibition of, and remarks upon, the skin of a chick of a Cassowary	1875, 349
Remarks on animals seen during visits recently made to several Zoological Gardens in Rotterdam, the Hague, Amsterdam, Antwerp, and Ghent	1875, 379
Exhibition of, and remarks upon, the typical specimen of <i>Centropsar mirus</i>	1875, 380
On several rare or little-known Mammals now or lately living in the Society's Collection	1875, 417
Report on the additions to the Society's Menagerie in May 1875	1875, 469
Notice of a Memoir on the Rhinoceroses now or lately living in the Society's Menagerie	1875, 470

SCLATER, P. L., M.A. &c. (*continued*).

Report on the additions to the Society's Menagerie in June, July, August, and September 1875	1875, 527
Report on the additions to the Society's Menagerie in October 1875	1875, 565
Exhibition of, and remarks upon, the upper horn of a two-horned Rhinoceros from the valley of the Brahmapootra	1875, 566
Remarks on the female plumage of <i>Pauxis galeata</i> .	1875, 566
Report on the additions to the Society's Menagerie in November 1875	1875, 633
Exhibition of, and remarks upon, a skin of <i>Hypoco- colius ampelinus</i> , Bp.	1875, 633
Report on the additions to the Society's Menagerie in December 1875	1876, 1
On some additional Species of Birds from St. Lucia, West Indies	1876, 13
Extract from a Report of the visit of H.M.S. 'Petrel' to the Galapagos Islands	1876, 178
Exhibition of, and remarks upon, an antler of a Rusa Deer	1876, 179
Report on the additions to the Society's Menagerie in January 1876	1876, 254
Exhibition of, and remarks upon, a new Parrot (<i>Conurus illigeri</i>) belonging to the Museum of Neuchâtel	1876, 255
Report on the additions to the Society's Menagerie in February 1876	1876, 273
Exhibition of, and remarks upon, the skin of a female of Anderson's Pheasant	1876, 274
Exhibition of, and remarks upon, a series of skins of the Parrots of the Fiji Islands, obtained by Mr. E. L. Layard, F.Z.S.	1876, 307

SCLATER, P. L., M.A. &c. (*continued*).

Report on the additions to the Society's Menagerie in March 1876	1876, 332
Report on the additions to the Society's Menagerie in April 1876, and remarks on the Cassowaries in the Society's Collection	1876, 413
Extracts from several letters addressed to him by Dr. G. Bennett, F.Z.S., referring to the proceedings of Signor L. M. D'Albertis, C.M.Z.S.	1876, 414
Exhibition of a rare Pacific Parrot, <i>Coriphilus kuhli</i> , and remarks on its habitat	1876, 421
On the Birds collected by Dr. Comrie on the South-east Coast of New Guinea during the Survey of H.M.S. 'Basilisk.'	1876, 459
Report on the additions to the Society's Menagerie in May 1876, and list of Indian animals deposited by H.R.H. the Prince of Wales	1876, 462
Exhibition of Land-Crabs from Ascension Island, presented by Dr. S. B. Drew	1876, 464.
Exhibition of, and remarks upon, the skins of a male and female Pheasant (<i>Lobiphasis bulweri</i>) . . .	1876, 465
Exhibition of a drawing of a Fruit-Pigeon living in the Society's Gardens	1876, 519
Exhibition of a collection of birds received from Signor L. M. D'Albertis, and descriptions of two new Parrots	1876, 519
Report on the additions to the Society's Menagerie in June, July, August, and September 1876	1876, 693
Report on the additions to the Society's Menagerie in October 1876	1876, 751
Exhibition of, and remarks upon, a skin of a young Rhinoceros from the Sunderbunds	1876, 751
Report on the additions to the Society's Menagerie in November 1876	1876, 775

SCLATER, P. L., M.A. &c. (*continued*).

Report on the additions to the Society's Menagerie in December 1876	1877,	1
Exhibition of, and remarks upon, a collection of Mammals, Birds, and Insects formed by the Rev. George Brown, C.M.Z.S., in Duke-of-York Island, New Britain, and New Ireland	1877,	28
Report on the additions to the Society's Menagerie in January 1877.....	1877,	42
Exhibition of, and remarks upon, the original and unique specimen of <i>Manucodia comrii</i>	1877,	43
Notice of an apparently new Species of Spur-winged Goose of the Genus <i>Plectropterus</i>	1877,	47
On the Birds collected by Mr. George Brown, C.M.Z.S., on Duke-of-York Island, and on the adjoining parts of New Ireland and New Britain ..	1877,	96
Report on the additions to the Society's Menagerie in February 1877	1877,	159
Remarks upon a two-horned Rhinoceros killed in 1876, near Comillah, in Tipperah, and on a living specimen of <i>Rhinoceros sondaicus</i> from the Sunderbans	1877,	269
Exhibition of a small living Amphisbænian (<i>Blanus cinereus</i>)	1877,	270
Report on the additions to the Society's Menagerie in March 1877	1877,	303
Exhibition of, and remarks upon, young Anacondas which had been produced dead in the Society's Menagerie.	1877,	303
Remarks upon two large photographs of the young Gorilla now living in Berlin, and on an example of the Gorilla formerly living in England	1877,	303
Report on the additions to the Society's Menagerie in April 1877.....	1877,	418

	Page
SCLATER, P. L., M.A. &c. (<i>continued</i>).	
Remarks on the Zoological Gardens of Rotterdam, Amsterdam, Antwerp, Brussels, and Ghent, which he had lately visited	1877, 419
Report on the additions to the Society's Menagerie in May 1877	1877, 530
Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. I. General Remarks on the Collections	1877, 534
Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. III. On the Birds of the Admiralty Islands	1877, 551
Report on the additions to the Society's Menagerie in June, July, August, and September 1877	1877, 679
Report on the additions to the Society's Menagerie in October 1877.....	1877, 754
Report on the additions to the Society's Menagerie in November 1877.....	1877, 805
Report on the additions to the Society's Menagerie in December 1877	1878, 1
Report on the additions to the Society's Menagerie in January 1878.....	1878, 115
Exhibition of, and remarks upon, a skin of a Cassowary in the collection of the British Museum....	1878, 212
Report on the additions to the Society's Menagerie in February 1878	1878, 289
Exhibition of, and remarks upon, a second collection of birds from Duke-of-York Island, New Britain, and New Ireland, received from the Rev. G. Brown, C.M.Z.S.....	1878, 289
Exhibition of, and remarks upon, the typical specimen of <i>Ninox solomonis</i> , Sharpe.....	1878, 290
Exhibition of a Coot, probably the typical specimen of <i>Fulica gallinuloides</i>	1878, 291

SCLATER, P. L., MA. &c. (*continued*).

Exhibition of, and remarks upon, the type specimen of <i>Dicrurus marginatus</i> of Blyth	1878, 339
Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. VIII. On the Birds of the Sandwich Islands	1878, 346
Report on the additions to the Society's Menagerie in March 1878	1878, 377
Exhibition of, and remarks upon, a typical specimen of a new Fox (<i>Vulpes cana</i>)	1878, 392
Report on the additions to the Society's Menagerie in April 1878	1878, 441
Further Remarks on <i>Fuligula nationi</i>	1878, 477
Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. X. On the Birds of the Atlantic Islands and Kerguelen's Land, and on the Miscellaneous Collections	1878, 576
Report on the additions to the Society's Menagerie in May 1878, and remarks on <i>Tapirus roulini</i>	1878, 631
Remarks upon the living examples of <i>Ciconia maguari</i> and <i>Ciconia episcopus</i> now in the Society's Gardens	1878, 633
Note on a second specimen of <i>Felis lanea</i>	1878, 655
Notice of a supplementary Memoir on the Curassows (Cracidæ)	1878, 656
On a third Collection of Birds made by the Rev. G. Brown, C.M.Z.S., in the Duke-of-York Group of Islands and its vicinity	1878, 670
Reports on the additions to the Society's Menagerie in June, July, August, September, and October 1878	1878, 788
Notice of some hybrid Monkeys lately born in the Society's Menagerie	1878, 791
Exhibition of, and remarks upon, a specimen of <i>Saxicola stapanina</i> killed in Lancashire	1878, 881

SCLATER, P. L., M.A. &c. (*continued*).

Report on the additions to the Society's Menagerie in November 1878.....	1878, 975
Further remarks on the occurrence of <i>Saxicola stapazina</i> in Lancashire	1878, 977
Notice of an error in the last Part of the Society's Proceedings	1878, 977
Report on the additions to the Society's Menagerie in December 1878	1879, 2
Report on the additions to the Society's Menagerie in January 1879.....	1879, 108
Remarks upon, and diagnosis of, <i>Mitua salvini</i> , the new Curassow	1879, 108
On the Breeding of the Argus Pheasant and other Phasianidæ in the Society's Gardens	1879, 114
Exhibition and description of a new Humming-bird, <i>Thaumasius taczanowskii</i> , from Northern Peru.	1879, 145
Exhibition of a living Amphisbænian from Monte Video	1879, 146
Report on the additions to the Society's Menagerie in February 1879	1879, 218
Exhibition of, and remarks upon, two rare Fruit-Pigeons	1879, 218
Remarks upon the Japanese Deer (<i>Cervus sika</i>)..	1879, 294
Remarks on some Parrots living in the Society's Gardens	1879, 299
Report on the additions to the Society's Menagerie in March 1879	1879, 308
Exhibition of the eggs collected by the naturalists of the 'Challenger' Expedition	1879, 309
Report on the additions to the Society's Menagerie in April 1879	1879, 384
Report on the dimensions and weights of the Indian Elephants	1879, 385

SOLATEE, P. L., M.A. &c. (*continued*).

Remarks on the Zoological Gardens of Rotterdam, Amsterdam, Cologne, Frankfort, and Antwerp 1879, 438

On a Fourth Collection of Birds made by the Rev. G. Brown, C.M.Z.S., on Duke-of-York Island and its Vicinity 1879, 446

Remarks on two volumes of original drawings of the birds of India, by Brigadier-General A. C. M'Master 1879, 460

Exhibition of, and remarks upon, a collection of birds from the Argentine Republic 1879, 460

Report on the additions to the Society's Menagerie in May 1879 1879, 550

Exhibition of, and remarks upon, a skin of *Ara glauca* 1879, 551

Report on the additions to the Society's Menagerie in June, July, August, and September 1879 1879, 663

Report on the additions to the Society's Menagerie in October 1879 1879, 713

Report on the additions to the Society's Menagerie in November 1879 1879, 763

Exhibition of, and remarks upon, a small collection of birds from the island of Montserrat, West Indies 1879, 764

Report on the additions to the Society's Menagerie in December 1879, and remarks upon two rare species of *Chrysotis* 1880, 22

Exhibition of an egg of the Mooruk 1880, 27

Remarks on some species of the genus *Tyrannus* : 1880, 28

On a Fifth Collection of Birds made by the Rev. G. Brown, C.M.Z.S., on Duke-of-York Island and its Vicinity 1880, 65

Report on the additions to the Society's Menagerie in January 1880, and exhibition of a drawing of an undescribed Parrot of the genus *Chrysotis* living in the Society's Gardens 1880, 67

	Page
SCLATER, P. L., MA. &c. (<i>continued</i>).	
Remarks upon the probable identity of <i>Colobus palliatus</i> , Peters, with <i>C. angolensis</i> , Schl.	1880, 68
Report on the additions to the Society's Menagerie in February 1880	1880, 186
Report on the additions to the Society's Menagerie in March 1880	1880, 288
Report on the additions to the Society's Menagerie in April 1880	1880, 355
Exhibition of, and remarks upon, an Ibis (<i>Geroniticus comatus</i>)	1880, 356
Remarks on animals observed in the Zoological Gardens of Berlin, Hamburg, Amsterdam, The Hague, and Antwerp	1880, 420
Exhibition of a Spider of the genus <i>Tegenaria</i> , forwarded to him from Cape Town by J. H. Payne .	1880, 421
Report on the additions to the Society's Menagerie in May 1880, and description of a new Lemur (<i>Lemur nigerrimus</i>)	1880, 450
Exhibition of, and remarks upon, an apparently new species of Antelope	1880, 452
List of the certainly known Species of Anatidæ, with Notes on such as have been introduced into the Zoological Gardens of Europe, and Remarks on their Distribution	1880, 496
Report on the additions to the Society's Menagerie in June, July, August, September, and October 1880.	1880, 537
Exhibition of, and remarks upon, a skin of <i>Numidia ellioti</i>	1880, 539
Report on the additions to the Society's Menagerie in November 1880	1880, 648
Exhibition of, and remarks upon, an example of <i>Pauxis galeata</i>	1880, 648

	Page
SCLATER, PHILIP LUTLEY, M.A., Ph.D., F.R.S., and	
SALVIN, OSBERT, M.A., F.R.S.	
A Revised List of the Neotropical Laridæ	1871, 564
On Peruvian Birds collected by Mr. Whitely.—	
Part VI.	1873, 184
On the Birds of Eastern Peru. By P. L. SCLATER, M.A., Ph.D., F.R.S., Secretary to the Society, and OSBERT SALVIN, M.A., F.Z.S. With Notes on the Habits of the Birds, by EDWARD BARTLETT	1873, 252
Notes on the Range of several American <i>Limicolæ</i>	1873, 453
On some Venezuelan Birds collected by Mr. James M. Spence	1873, 511
On Peruvian Birds collected by Mr. Whitely.—	
Part VIII.	1874, 677
Descriptions of some new Species of South-Ame- rican Birds	1875, 37
On Venezuelan Birds collected by Mr. A. Goering. Part V.	1875, 234
Description of two new Species of Birds from the State of Antioquia, U. S. C.	1875, 541
On Peruvian Birds collected by Mr. Whitely.—	
Part IX.	1876, 15
Descriptions of new Birds obtained by Mr. C. Buckley in Bolivia	1876, 253
Notes on some of the Blue Crows of America.	1876, 268
On new Species of Bolivian Birds	1876, 352
A Revision of the Neotropical Anatidæ	1876, 358
Descriptions of eight new Species of South-Ame- rican Birds	1877, 18
Descriptions of six new Species of South-Ame- rican Birds	1877, 521
On the Collection of Birds made by Prof. Steere in South America	1878, 135

SCLATER, P. L., and SALVIN, O. (*continued*).

- Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. IX. On the Birds of Antarctic America 1878, 431
- Descriptions of three new Species of Birds from Ecuador 1878, 438
- Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. XI. On the Steganopodes and Impennes 1878, 650
- On the Birds collected by the late Mr. T. K. Salmon in the State of Antioquia, United States of Colombia 1879, 486
- On the Birds collected in Bolivia by Mr. C. Buckley. 1879, 588
- On new Birds collected by Mr. C. Buckley in Eastern Ecuador 1880, 155

SCOTT, WALTER J., C.M.Z.S.

- Letter from, respecting a living specimen of the Australian Cassowary 1871, 547
- Letter from, addressed to the Secretary, respecting the supposed "Native Tiger" of Queensland 1872, 355
- Second letter from, on the existence of a "native Tiger" in Queensland 1872, 796

SEEBOHM, HENRY, F.Z.S.

- Exhibition of some rare and interesting birds and eggs from the Petchora river, North-eastern Russia. 1875, 566
- Exhibition of, and remarks upon, the rarer eggs and birds obtained on his recent visit to the arctic regions of the Yen-e-say in East Siberia 1877, 806
- Exhibition of, and remarks upon, a large series of skins of the Hooded and Carrion Crows 1878, 976
- On a new Species of *Sylvia* from Abyssinia, and on some other Abyssinian Sylvians 1878, 978
- PROC. ZOOL. SOC. INDEX, 1871-80. 7

SEEBOHM, HENRY, F.Z.S. (*continued*).

On the Identity of *Horornis fortipes*, Hodgs.,
Neornis assimilis, Gray, *Horeites robustipes*, Swinhoe,
Horeites pallidus, Brooks, and *Horeites brunnescens*,
Hume 1878, 980

Exhibition of, and remarks upon, a collection of
birds made by Captain the Hon. G. C. Napier in the
valley of the Atreck river 1879, 764

On certain obscure Species of Siberian, Indian,
and Chinese Thrushes 1879, 803

SELOUS, FREDERICK, JUN.

Exhibition of, and remarks upon, a series of horns
of African Rhinoceroses 1876, 179

SEMPER, Rev. J. E., Colonial Chaplain.

Observations on the Birds of St. Lucia. With
Notes by P. L. SCLATER, M.A., Ph.D., F.R.S., Secre-
tary to the Society 1872, 647

SHARPE, RICHARD BOWDLER, F.L.S., F.Z.S., Senior As-
sistant, Zoological Department, British Museum.

On the Birds of Angola.—Part III. 1871, 130

Contributions to the Ornithology of Madagascar.
Part II. 1871, 313

On *Machærhamphus anderssoni* 1871, 500

On the Birds of Cameroons, Western Africa 1871, 602

Exhibition of Specimens of Blue Rock-Thrushes
(*Petrocossyphus*) 1872, 496

Contributions to the Ornithology of Madagascar.
—Part III. 1872, 866

On *Falco arcticus* of Holböll, with Remarks on the
Changes of Plumage in some other Accipitrine Birds 1873, 414

On the Cuculidæ of the Ethiopian Region 1873, 578

On three new Species of Birds 1873, 625

SHARPE, R. B., F.L.S. &c. (*continued*).

On a Collection of Birds from Mombas in Eastern Africa	1873, 710
On a Collection of Birds from the River Congo ..	1873, 716
Descriptions of two new Species of Birds from Gaboon	1874, 204
On a small Collection of Birds from Bulama (one of the Bissagos Islands), West Africa	1874, 305
On a new Genus and Species of Bird from the West Indies	1874, 427
Contributions to a History of the Accipitres, or Birds of Prey. I. On the Females of the Common and South-African Kestrels	1874, 580
Exhibition of two Megapode's eggs from the southern part of New Guinea	1874, 607
A Study of the Larks of Southern Africa	1874, 614
Contributions to the Ornithology of Madagascar. Part IV.	1875, 70
On a Collection of Birds from Labuan.....	1875, 99
Contributions to a History of the Accipitres, or Birds of Prey.—II. Notes on the rarer Accipitres of Australia	1875, 337
Exhibition of a specimen of Hawk-Owl (<i>Surnia ulula</i>), killed in Great Britain	1876, 334
Description of an apparently new Species of Owl from the Solomon Islands.....	1876, 673
On new Species of Warblers in the Collection of the British Museum	1877, 22
On the Birds collected during the visit of H.M.S. 'Petrel' to the Galapagos Islands	1877, 65
Description of a new Species of <i>Lobiophasis</i> and a new Species of <i>Pitta</i> , from the Lawas River, N.W. Borneo	1877, 93

SHARPE, R. B., F.L.S. (*continued*).

- On a new Species of *Indicator*, with Remarks on other Species of the Genus 1878, 793
- A Note on *Pœoptera lugubris*, Bp. 1878, 802
- Exhibition of, and remarks upon, a series of Bulwer's Pheasants (*Lobiophasis bulweri*) from the Lawas river, N.W. Borneo 1879, 109
- A Note on *Heliodilus soumagnii*, Grandidier 1879, 175
- On a second Species of *Dromæocercus* from Madagascar 1879, 177
- On Collections of Birds from Kina Bala Mountain in North-western Borneo 1879, 245
- A Contribution to the Avifauna of the Sooloo Islands 1879, 311
- A List of the Birds of Labuan Island and its Dependencies 1879, 317

SHARPE, R. BOWDLER, and DRESSER, HENRY E.

- On a new Species of Long-tailed Titmouse from Southern Europe 1871, 312

SHARPE, R. BOWDLER, F.L.S., F.Z.S., and WHITMEE,
Rev. S. J., C.M.Z.S.

- On a small Collection of Birds from the Ellice Islands, with a Note on other Birds found there .. 1878, 271

SHAW, GEORGE A.

- A few Notes upon four Species of Lemurs, specimens of which were brought alive to England in 1878 1879, 132

SHELLEY, Captain G. E., F.Z.S.

- On a Collection of Birds from the Comoro Islands 1879, 673
- Descriptions of two new Species of African Birds. 1879, 679

SMITH, EDGAR A., F.Z.S., Zoological Department,
British Museum.

- A List of Species and Shells from West Africa,
with Descriptions of those hitherto undescribed. . . . 1871, 727
- Descriptions of new Species of Achatinellinæ. By
the Rev. JOHN T. GULICK and EDGAR A. SMITH,
F.Z.S. 1873, 73
- Description of a new Species of *Carinifera* from
California 1875, 536
- Remarks on the Genus *Alaba*, with the Description
of a new Species 1875, 537
- On the Mollusca collected during the Visit of
H.M.S. 'Peterel' to the Galapagos Islands. 1877, 69
- On the Echinodermata collected during the Visit
of H.M.S. 'Peterel' to the Galapagos Islands 1877, 91
- Note on the Echinodermata sent by the Rev. G.
Brown from Duke-of-York Island 1877, 139
- Description of new Species of South-American
Helicidæ in the British Museum 1877, 361
- On the Shells of Lake Nyassa, and on a few
Marine Species from Mozambique 1877, 712
- Description of a new Species of *Helix* from Japan 1878, 105
- Descriptions of new Land Shells from Japan and
Borneo 1878, 495
- Descriptions of five new Shells from the Island of
Formosa and the Persian Gulf, and Notes upon a
few known Species. 1878, 728
- On a Collection of Marine Shells from the Anda-
man Islands 1878, 804
- On a Collection of Mollusca from Japan. 1879, 181
- On the Shells of Lake Tanganyika and of the
Neighbourhood of Ujiji, Central Africa 1880, 344
- Descriptions of twelve new Species of Shells 1880, 478
- On the Genus *Myodora* of Gray 1880, 578

	Page
SMITH, FREDERICK, Assistant Keeper of the Zoological Department, British Museum.	
On the Hymenoptera and Diptera collected during the visit of H.M.S. 'Peterel' to the Galapagos Islands	1877, 82
Descriptions of four new Species of Ichneumonidæ in the Collection of the British Museum	1877, 410
SMITH, FREDERICK, MOORE, FREDERIC, and WALKER, FRANCIS.	
Description of some new Insects collected by Dr. Anderson during the Expedition to Yunan	1871, 244
SORBY, H. C., F.R.S., F.L.S., F.Z.S., &c., Pres. R.M.S.	
On the Colouring-matters of the Shells of Birds' Eggs	1875, 351
SOWERBY, G. B., F.L.S.	
Descriptions of five new Cones	1873, 145
SOWERBY, G. B., Jun.	
On three new Species of Land-Shells from Mada- gascar	1873, 452
Descriptions of twelve new Species of Shells	1873, 718
Descriptions of five new Species of Shells	1874, 598
Descriptions of ten new Species of Shells	1875, 125
Descriptions of six new Species of Shells from the Collections of the Marchioness Paulucci and Dr. Prevost	1876, 752
Descriptions of ten new Species of Shells	1878, 795
STEEL, JOHN HENRY, M.R.C.V.S., F.Z.S., Demonstrator of Anatomy at the Royal Veterinary College.	
Preliminary Notes on Individual Variation in <i>Equus asinus</i>	1880, 2

	Page
STOLICZKA, Dr. F., Naturalist to the Yarkund Mission.	
Description of the <i>Ovis poli</i> of Blyth	1874, 425
SUMMERHAYES, WILLIAM.	
Letter from, respecting the Curassows met with near Aroa in Venezuela	1874, 420
SUNDEVALL, Professor CARL J., F.M.Z.S.	
On Birds from the Galapagos Islands	1871, 124
SWINHOE, ROBERT, F.Z.S., H.B.M. Consular Service.	
On a new Chinese Gull	1871, 273
A Revised Catalogue of the Birds of China and its Islands, with Descriptions of new Species, Refer- ences to former Notes, and occasional Remarks . . .	1871, 337
Descriptions of two new Pheasants and a new <i>Garrulax</i> from Ningpo, China	1872, 550
Letter from, on a Deer seen in captivity in Shanghai	1872, 798
Notes on Chinese Mammalia observed near Ningpo	1872, 813
On a Scaup Duck in China	1873, 411
On the White Stork of Japan	1873, 512
Exhibition of skins of <i>Cervulus sclateri</i>	1873, 519
Letter from, containing intelligence of Père David's recent researches in China	1873, 555
On Chinese Deer, with the Description of an appa- rently new Species	1873, 572
On the Long-tailed Jay of Northern China, with further Notes on Chinese Ornithology	1873, 687
Letter from, on the White Stork of China and other Chinese birds	1873, 729
On a Black Albatross of the China Seas	1873, 784
On a small, Tufted, Hornless Deer from the Moun- tains near Ningpo	1874, 452
Letter respecting some Bats obtained in China . .	1874, 500

	Page
TACZANOWSKI, L., Conservateur du Musée de Varsovie, C.M.Z.S.	
Description des Oiseaux nouveaux du Pérou Central	1874, 129
Notice of the occurrence of <i>Oicomia boyciana</i> in Eastern Siberia	1874, 307
Description d'une nouvelle Espèce de <i>Mustela</i> du Pérou Central.....	1874, 311
Liste des Oiseaux recueillis par M. Constantin Jelski dans la partie centrale du Pérou occidental ..	1874, 501
Description d'une nouvelle Espèce de Coq de bruyère	1875, 266
Description d'un nouveau Cerf tacheté du pays d'Ussuri méridional, <i>Cervus dybowskii</i>	1876, 123
Liste des Oiseaux recueillis en 1876 au nord du Pérou occidental par MM. Jelski et Stolzmann	1877, 319
Supplément à la Liste des Oiseaux recueillis au nord du Pérou occidental par MM. Jelski et Stolz- mann	1877, 744
Liste des Oiseaux recueillis au nord du Pérou par MM. Stolzmann et Jelski en 1878	1879, 220
Description d'un nouveau Synallaxe péruvien....	1879, 670
Description d'un nouveau Tyrannide péruvien ..	1879, 670
Notice sur quelques Oiseaux du Turkestan.....	1879, 672
Liste des Oiseaux recueillis au nord du Pérou par M. Stolzmann pendant les derniers mois de 1878 et dans la première moitié de 1879	1880, 189
TEGETMEIER, WILLIAM BERNHARD, F.Z.S.	
Exhibition of a specimen of the Great Bustard (<i>Otis tarda</i>) killed in Middlesex	1871, 1
Exhibition of an Eel (<i>Anguilla cuvieri</i> , Kaup)....	1871, 102
Exhibition of, and remarks upon, two specimens of wild-bred hybrid Pheasants	1875, 317

TEGETMEIER, W. B., F.Z.S. (*continued*).

- Exhibition of a malformed sternum of the Tawny Owl 1877, 533
- Exhibition of, and remarks upon, an abnormal antler of a deer (*Cervus dama*) 1879, 713
- On the Synonymy of the Kaffir Crane 1880, 93

THOMAS, OLDFIELD, F.Z.S., Assistant in the Zoological Department, British Museum.

- Description of a new Species of *Mus* from the Fiji Islands 1880, 11
- On the *Myoxus elegans* of Temminck 1880, 40
- On Mammals from Ecuador 1880, 393
- Description of a new Species of *Reithrodon*, with Remarks on the other Species of the Genus 1880, 691

THORELL, T.

- On some Spiders from New Caledonia, Madagascar, and Réunion 1875, 130

TRAQUAIR, R. H., M.D., F.G.S.

- Exhibition of a specimen of *Alectorcenus nitidissima* 1879, 2

TRIMEN, ROLAND, F.L.S., F.Z.S., Curator of the South-African Museum, Cape Town.

- Letter from, addressed to the Secretary, containing remarks on *Canis chama*, Smith 1876, 2
- Letter from, addressed to the Secretary, concerning *Sarcidiornis* 1877, 683
- Letter from, concerning *Plectropterus niger* 1879, 5
- On a new Species of Roller (*Coracias*) from the Zambesi 1880, 30
- On an undescribed *Laniarius* from the Interior of Southern Africa 1880, 623

TRISTRAM, Rev. H. B., F.Z.S.

Note on the Discovery of the Roebuck (*Cervus capreolus*) in Palestine 1876, 420

Notes on *Eliomys melanurus* and on some other Rodents of Palestine 1877, 40

Description of a new Species of Woodpecker from the Island of Tzus Sima, near Japan 1879, 386

TURATI, Count HERCULES, and SALVADORI, THOMAS, M.D., C.M.Z.S.

Description of a new Trogon of the Genus *Pharomacrus*. 1874, 652

TURNER, WILLIAM, M.B., F.R.S., and GARROD, A. H., M.A., F.R.S.

On the Gravid Uterus and Placenta of *Hyomoschus aquaticus* 1878, 682

TWEEDDALE, ARTHUR, Marquis of, F.R.S., President of the Society (formerly WALDEN, Lord).

Descriptions of three new Species of Birds from the Indian Region 1877, 366

Notes on the Species of the Genus *Batrachostomus* inhabiting the Indian Region 1877, 420

Reports on the Collections of Birds made during the Voyage of H.M.S. 'Challenger.'—No. II. On the Birds of the Philippine Islands 1877, 535

Contributions to the Ornithology of the Philippines.—No. I. On the Collection made by Mr. A. H. Everett in the Island of Luzon. 1877, 686

Contributions to the Ornithology of the Philippines.—No. II. On the Collection made by Mr. A. H. Everett in the Island of Zebu 1877, 755

TWEEDDALE, A., Marquis of, F.R.S. &c. (*continued*).

- Contributions to the Ornithology of the Philippines.—No. III. On the Collection made by Mr. A.H. Everett in the Island of Mindanao 1877, 816
- Contributions to the Ornithology of the Philippines.—No. IV. On the Collection made by Mr. A. H. Everett in the Islands of Dinagat, Bazol, Nipah, and Sakuyok 1878, 106
- On a new Philippine Genus and Species of Bird . 1878, 114
- On a new Species of the Genus *Buceros* 1878, 277
- Contributions to the Ornithology of the Philippines.—No. V. On the Collection made by Mr. A. H. Everett in the Island of Negros 1878, 280
- Contributions to the Ornithology of the Philippines.—No. VI. On the Collection made by Mr. A. H. Everett in the Island of Leyte 1878, 339
- Contributions to the Ornithology of the Philippines.—No. VII. On the Collection made by Mr. A. H. Everett in the Island of Panaon 1878, 379
- Contributions to the Ornithology of the Philippines.—No. VIII. On some Luzon Birds in the Museum at Darmstadt 1878, 429
- Contributions to the Ornithology of the Philippines.—No. IX. On the Collection made by Mr. A. H. Everett in the Island of Palawan 1878, 611
- Contributions to the Ornithology of the Philippines.—No. X. On the Collection made by Mr. A. H. Everett in the Island of Bohol 1878, 708
- Correction of an error in his last paper on Philippine Birds 1878, 792
- Contributions to the Ornithology of the Philippines.—No. XI. On the Collection made by Mr. A. H. Everett at Zamboanga, in the Island of Mindanao 1878, 936

TWEEDDALE, A., Marquis of, F.R.S. &c. (*continued*).

Contributions to the Ornithology of the Philip-
pines.—No. XII. On the Collection made by Mr.
A. H. Everett in the Island of Basilan 1879, 68

UNWIN, W. H., Captain, Bengal Staff Corps.

On the Breeding of the Golden Eagle (*Aquila*
chrysaetos) in North-western India 1874, 208

USSHER, HERBERT TAYLOR, C.M.Z.S., Administrator
of the Government, Gold Coast.

On the Habits of the Horned-nosed Viper (*Vipera*
nasicornis) 1871, 638

VERREAUX, JULES, C.M.Z.S.

Observations on the Colouring-matter of the
Wing-feathers of Touracoes 1871, 40

Description d'une Espèce nouvelle de *Promerops*. . 1871, 135

WALDEN, ARTHUR, Viscount, F.R.S., F.L.S., President
of the Society. [See TWEEDDALE, Marquis of.]

Notice of, and introductory remarks to, a Memoir
on the birds of the island of Celebes 1871, 329

Notice of a new Species of *Polihierax* from Upper
Burmah 1871, 627

Notice of an Appendix to his Memoir on the birds
of Celebes 1872, 605

Notice of a Memoir on the birds of the Philippine
archipelago 1873, 519

WALKER, FRANCIS, MOORE, FREDERIC, and SMITH,
FREDERICK.

Descriptions of some new Insects collected by Dr.
Anderson during the Expedition to Yunan 1871, 244

WALKER, R. B. N., C.M.Z.S.

Extract from a letter respecting his endeavours to
obtain a live Gorilla for the Society 1873, 684

WALLACE, ALFRED R., F.Z.S.

- Extracts from letters addressed to him by Mr. John Wallace concerning certain Californian Reptiles..... 1871, 1
- Exhibition of some Rhinoceros-horns obtained by Mr. Everett in Borneo 1874, 498

WALSINGHAM, THOMAS, Lord, F.Z.S.

- On the Distribution of the different Species of Deer and other Ruminants in Northern California and Oregon..... 1873, 561
- On some new and little-known Species of Tineidæ . 1880, 77

WARD, EDWIN, F.Z.S.

- Exhibition of a Tiger-skin (*Felis tigris*) 1871, 102
- Exhibition of some heads of Mammals from Ladakh 1871, 145
- Exhibition of the leg-bones of *Dinornis maximus* . 1873, 210
- Description of a new Bird of Paradise of the Genus *Epimachus* 1873, 742
- Exhibition of a head of *Alcelaphus tora* 1873, 762
- Exhibition of, and remarks upon, two double hind feet of a Fallow Deer (*Cervus dama*) 1874, 90
- On a supposed new Species of Wild Sheep from Ladak 1874, 143
- Exhibition of a pair of antlers of a Deer obtained by Major Cathcart in the Crimea..... 1874, 206
- Exhibition of, and remarks upon, a pair of Hippopotamus-teeth 1875, 381

WARD, ROWLAND.

- Exhibition of a head of a Chamois (*Rupicapra tragus*) with two pairs of horns..... 1879, 666

WARDLAW-RAMSAY, R. G. (See RAMSAY, R. G. WARDLAW.)

- WATERHOUSE, CHARLES OWEN, Zoological Department,
British Museum.
- On the Coleoptera collected during the Visit of
H.M.S. 'Peterel' to the Galapagos Islands 1877, 77
- WATERHOUSE, F. H., A.L.S., Librarian to the Society.
- On the Dates of Publication of the Parts of Sir
Andrew Smith's 'Illustrations of the Zoology of
South Africa' 1880, 489
- WATSON, MORRISON, M.D., Professor of Anatomy,
Owens College, Manchester.
- On the Female Generative Organs of *Hyæna crocuta* 1877, 369
- On the Male Generative Organs of *Hyæna crocuta* 1878, 416
- On the Male Generative Organs of *Chlamydomorphus*
truncatus and *Dasypus seavinctus* 1878, 673
- Notice of a Memoir on the female organs of the
Proboscidea as observed in a specimen of the Indian
Elephant 1880, 288
- WATSON, MORRISON, M.D., and YOUNG, ALFRED H.,
M.B., of The Owens College, Manchester.
- On the Anatomy of *Hyæna crocuta* (*H. maculata*) . 1879, 79
- WATSON, REV. ROBERT BOOG, F.R.S.E., F.G.S.
- On some Marine Mollusca from Madeira, including
a new Genus of the Muricidæ, a new *Eulima*, and
the whole of the *Rissoæ* of the Group of Islands . . . 1873, 361
- On the Generic Peculiarities of the distinctively
Madeiran *Achatina* of Lowe. (Communicated by
J. GWYN JEFFREYS, Esq., LL.D.) 1875, 677
- Some Notes on the Madeiran Mollusk identified by
the Rev. R. T. Lowe as *Achatina folliculus*, Gron. . . 1877, 333
- See DE FOLIN, Marquis.
- WELLES, A.
- Letter from, addressed to the Secretary, concern-
ing the introduction of Salmon into New Zealand . . 1877, 303

WESTWOOD, Professor J. O., M.A., F.L.S., &c.

Notice of a Memoir containing a synopsis of the Uraniidæ, a family of Lepidopterous Insects, together with a complete monograph of *Coronilia*, one of the genera of which it is composed 1878, 393

A Monograph of the Sawflies composing the Australian Genus *Perga* of Leach 1880, 359

WHITE, E. W., F.Z.S., M.A., F.L.S., &c.

Notes on *Chlamydophorus truncatus* 1880, 8

WHITE, F. BUCHANAN, M.D., F.L.S.

Contributions to a Knowledge of the Hemipterous Fauna of St. Helena, and Speculations on its Origin. 1878, 444

WHITE, ROBERT B., C.M.Z.S.

Letter from, containing remarks upon the habits of a species of Ant (*Atta cephalotes*) 1879, 713

WHITELY, H., C.M.Z.S.

Notes on Humming-birds collected in High Peru . 1873, 187

Additional Notes on Humming-birds collected in High Peru 1873, 784

Further Notes on Humming-birds collected in High Peru 1874, 675

WHITMEE, Rev. S. J., C.M.Z.S.

Letter from, respecting birds intended for the Society 1873, 152

Letter relating to a *Didunculus* and two Curlews sent to the Society's Collection, and to the habits of *Pareudiastes pacificus*. 1874, 183

Letter from, concerning some birds and a pair of Bats sent to the Society from Samoa 1874, 666

Letter from, giving particulars as to the occurrence of the Palolo (*Palola viridis*) on the shores of Samoa 1875, 158

WHITMEE, Rev. S. J., C.M.Z.S. (*continued*).

- On a Change in the Habits of the *Didunculus strigirostris* 1875, 495
- On the Habits of *Palola viridis* 1875, 496
- On the Habits of the Fishes of the Genus *Antennarius* 1875, 543
- On the Manifestation of Anger, Fear, and other Passions in Fishes, and on the Use of their Spines. 1878, 132
- Reply to Mr. Day's remarks on his paper on the Manifestation of Fear and Anger in Fishes. 1878, 221

WHITMEE, Rev. S. J., C.M.Z.S., and SHARPE, R. BOWDLER, F.L.S., F.Z.S., &c.

- On a small Collection of Birds from the Ellice Islands, with a Note on other Birds found there. 1878, 271

WICKHAM, H. A.

- Letter from, respecting the range of the large blue Hyacinth Macaw 1875, 633

WILLIAMS, D. JAMES, Student of Medicine, and SCHÄFER, EDWARD A., Assistant Professor of Physiology in University College, London.

- On the Structure of the Mucous Membrane of the Stomach in the Kangaroos 1876, 165

WOOD-MASON, JAMES, F.Z.S., F.G.S.

- On new and little-known Mantidæ 1878, 580
- On the Structure and Development of the Trachea in the Indian Painted Snipe (*Rhynchæa capensis*) 1878, 745

WRIGHT, CHARLES A., C.M.Z.S.

- On the Specific Identity of the Weasel found in Malta 1875, 312

YOUNG, ALFRED H., M.B., and WATSON, MORRISON, M.D., of The Owens College, Manchester,

- On the Anatomy of *Hyæna crocuta* (*H. maculata*) 1879, 79

INDEX OF SPECIES

DESCRIBED AND REFERRED TO.

1871-80.

	Page		Page
Abdimia sphenorhyncha	1877, 711	Abramis sapa	1876, 801
	1877, 712	tæniatus	1876, 801
	1877, 307	Abornis acanthizoides	1873, 665
Abisara angulata	1878, 833		1873, 689
	1878, 855	affinis	1873, 666
bifasciata	1877, 587		1873, 689
	1877, 624	armandi	1873, 650
	1877, 631	atricapilla	1875, 640
	1878, 833		1875, 641
echerius	1873, 347	davidii	1871, 355
gerontes	1875, 413	fulvifacies	1871, 357
kausambi	1877, 587	Aburria carunculata	1874, 558
	1877, 624		1876, 696
	1878, 833		1879, 243
	1879, 137		1879, 379
neophron	1878, 833		1879, 544
	1878, 855	Acanthia lectularia	1878, 462
prunosa	1879, 137	Acanthias blainvillei	1871, 673
tantalus	1875, 413		1878, 117
Ablabes albiventer	1875, 231	vulgaris	1873, 312
baliodirus	1872, 590	Acanthion flemingii	1871, 234
collaris	1871, 151	macrourum	1876, 741
	1871, 171	Acanthobrama kuscha-	
fuscus	1872, 392	kewitschi	1876, 801
greineri	1877, 130	Acanthochoerus bartletti	1871, 234
longicaudus	1872, 590	grotei	1871, 234
melanocephalus	1872, 590	Acanthocyathus grayi	1871, 276
periops	1872, 590	hastingsæ	1871, 276
	1872, 595	spiniger	1871, 275
polyhemizona	1872, 590		1871, 276
rappii	1871, 151		1871, 285
	1871, 171	Acanthodactylus boskia-	
schlegelii	1872, 590	nus	1879, 741
Ablechrus flavipes	1877, 79	micropholis	1880, 620
Ablepharus boutonii	1874, 296		1880, 621
peronii	1874, 296	Acanthodoris globosa	1877, 228
pœcilopleurus	1874, 296		1877, 262
quinquetæniatus	1874, 296		1877, 269
Abramis brama	1876, 801	mollicella	1877, 228
chalcoides	1876, 801		1877, 262
fasciatus	1876, 801		1877, 269
iblioides	1876, 801	pilosa	1877, 228

	Page		Page
Acanthodoris subqua-		Accipiter brutus	1877, 302
drata	1877, 228	erythrocnemis	1879, 241
Acantholipes affinis	1880, 677		1880, 211
inconspicua	1880, 677	etorques	1877, 109
nigrisigna	1880, 677		1878, 92
Acanthomys leucopus	1877, 124	francesi	1872, 868
	1879, 645		1877, 296
	1879, 646	gularis	1871, 341
Acanthonyx concamerata	1877, 655		1871, 342
debilis	1877, 655	hartlaubi	1871, 613
elongatus	1877, 673		1871, 615
	1877, 679	madagascariensis	1872, 868
emarginatus	1877, 655	melanoleucus	1874, 205
lunulatus	1877, 655	minullus	1871, 134
petiverii	1877, 653	nisoides	1871, 342
	1877, 654	nisus	1871, 341
Acanthophis antarctica	1875, 531		1871, 679
Acanthopus planissimus	1879, 38		1871, 682
Acanthurus aterrimus	1871, 653		1872, 411
	1871, 660		1873, 419
Acanthylis caudacuta	1871, 345	pectoralis	1880, 155
gigantea	1872, 419	poliocephalus	1878, 91
Acarus fucorum	1875, 302	poliogaster	1879, 638
zosteræ	1875, 302	pusillus	1877, 296
Acca matuta	1872, 561		1877, 302
Accentor alpinus	1871, 360		1879, 674
	1873, 650	sphenurus	1871, 148
	1879, 384	stevensoni	1871, 341
	1879, 672		1878, 936
erythropygius	1871, 360		1878, 938
	1879, 673		1878, 939
immaculatus	1871, 360		1880, 14
	1873, 666	tinus	1879, 541
modularis	1871, 361	torquatus	1875, 579
	1875, 490	ventralis	1879, 541
	1879, 771		1879, 637
montanellus	1871, 361	virgatus	1871, 342
	1873, 555		1872, 411
	1877, 806		1875, 19
multistriatus	1871, 360		1875, 20
	1873, 555		1876, 781
	1873, 665		1878, 938
nipalensis	1871, 360		1878, 939
	1873, 659	Acestrura heliodori	1875, 235
	1873, 664	micrura	1877, 327
	1873, 666	mulstanti	1874, 544
rubeculoides	1873, 659		1874, 675
rubidus	1871, 361		1874, 676
	1873, 652		1876, 16
strophiatius	1871, 360		1879, 237
temminckii	1871, 361		1879, 529
Accipiter — ?	1871, 341		1879, 628
bicolor	1873, 303	Achæa cyllaria	1880, 678
	1877, 329	cyllota	1878, 488
	1877, 333	fusifera	1880, 678
	1879, 540	indistincta	1878, 488
	1880, 211	melicerta	1877, 609
brachydaetylus	1871, 148		1877, 629

	Page		Page
<i>Achæa melicerte</i>	1878,	<i>Achatinella colorata</i> ..	1873,
	1880,	<i>concolor</i>	1873,
<i>nubifera</i>	1877,	<i>consanguinea</i>	1873,
	1877,		1873,
	1877,	<i>curta</i>	1873,
<i>polychroma</i>	1880,		1873,
<i>signivitta</i>	1880,	<i>diluta</i>	1873,
<i>tigrina</i>	1877,		1873,
<i>Achæus japonicus</i>	1879,	<i>dimorpha</i>	1873,
<i>lacertosus</i>	1879,	<i>fulgens</i>	1873,
<i>spinus</i>	1879,	<i>fuscolineata</i>	1873,
	1879,		1873,
<i>tuberculatus</i>	1879,	<i>fuscozona</i>	1873,
	1879,		1873,
(<i>Inachus</i>) <i>lorina</i> ..	1879,	<i>johnsoni</i>	1873,
<i>Achatina acicula</i>	1875,	<i>lehuiensis</i>	1873,
	1877,		1873,
<i>acuta</i>	1877,	<i>ligata</i>	1873,
<i>casiaca</i>	1872,		1873,
<i>costellata</i>	1875,	<i>livida</i>	1873,
<i>cylindracea</i>	1879,	<i>longispira</i>	1873,
<i>dimidiata</i>	1880,		1873,
<i>folliculus</i>	1875,	<i>plumata</i>	1873,
	1877,	<i>producta</i>	1873,
	1877,	<i>pygmæa</i>	1873,
<i>heuglini</i>	1880,		1873,
<i>iota</i>	1875,	<i>rhodorhaphæ</i>	1873,
<i>isabellina</i>	1879,		1873,
<i>kirkii</i>	1880,	<i>tricolor</i>	1873,
	1880,		1873,
<i>lignaria</i>	1879,	<i>varia</i>	1873,
<i>mamillata</i>	1880,		1873,
	1880,	<i>versipellis</i>	1873,
<i>melampoides</i>	1875,	<i>vulpina</i>	1873,
<i>nilotica</i>	1880,	<i>wakefieldiæ</i>	1872,
<i>obtusa</i>	1872,	(<i>Frickella</i>) <i>jackson-</i>	807
<i>smithii</i>	1880,	<i>ensis</i>	1872,
	1880,	<i>Acherontia lethe</i>	1877,
<i>sowerbyana</i>	1879,	<i>morta</i>	1877,
<i>tornatellina</i>	1875,		1877,
<i>transvaalensis</i>	1880,	<i>satanas</i>	1877,
(<i>Glessula</i>) <i>isis</i>	1875,	<i>spei</i>	1875,
(—) <i>senator</i>	1875,	<i>Acheus ustus</i>	1871,
(<i>Limicolaria</i>) <i>mar-</i>	1875,	<i>Achlyodes busirus</i>	1876,
<i>tensiana</i>	1880,	<i>corbulo</i>	1876,
	1880,	<i>melander</i>	1876,
(—) <i>rectistrigata</i> 1880,	346	<i>nearchus</i>	1876,
	1880,	<i>obscurus</i>	1874,
<i>Achatinella adusta</i>	1873,	<i>ozema</i>	1874,
	1873,		1876,
<i>analoga</i>	1873,	<i>pausus</i>	1876,
<i>augusta</i>	1873,	<i>potrillo</i>	1878,
	1873,	<i>sempiternus</i>	1874,
<i>bellula</i>	1873,	<i>thraso</i>	1876,
	1873,	<i>thrasymbulus</i>	1876,
<i>buddii</i>	1873,	<i>vasava</i>	1880,
<i>casta</i>	1873,		152
<i>colorata</i>	1873,		

	Page		Page
Achlyodes viridiceps ..	1874, 370	Acontia meridionalis ..	1880, 677
	1876, 250	signifera.....	1877, 605
Acicula tersa	1872, 515		1877, 627
Acidalia absconditaria..	1877, 391	Acontiophis paradoxa ..	1875, 232
apparitaria	1878, 491	Acosmeryx anceus	1875, 245
attentata	1877, 622	cinerea	1875, 245
	1877, 631	sericeus	1875, 245
	1878, 852	Acraea abana.....	1876, 218
	1878, 858	abdera	1875, 407
degeneraria	1873, 155	amphiprotea	1875, 408
eulomata	1880, 687	andromacha	1874, 291
imprimata	1877, 621	anomala	1874, 267
nesciaria	1880, 687	anteas	1876, 218
perlineata	1880, 687	artifascia	1875, 407
praefectata	1877, 391	bonasia	1875, 407
pulchraria	1877, 390	buxtoni	1880, 185
remotata	1877, 622	callianira	1876, 218
	1877, 631	carmentis	1875, 407
repletaria	1880, 687	chilo	1880, 184
rubraria	1877, 390		1880, 185
schistaria	1877, 391	claudina.....	1874, 348
subtentaria	1877, 391	egina	1875, 408
tuhuata	1877, 390	eponina	1871, 723
umbilicata.....	1878, 491		1875, 407
undosata	1877, 391	erinome	1876, 218
Acilius circumscriptus..	1877, 77		1876, 222
incisus	1877, 77	euryta	1875, 407
	1877, 82	formosa	1875, 408
Acipenser ruthenus	1871, 11	griseata	1876, 218
schipa	1876, 802	horta	1880, 184
sturio	1871, 1	insignis	1880, 184
	1875, 487		1880, 185
	1879, 762	laverna	1876, 218
Aciptilus monospilalis..	1877, 407	leucomelas	1874, 352
patruelis	1877, 407	lycia	1875, 407
Aclesia glauca	1878, 277	lycoa	1875, 407
Aclis carinata	1871, 734	lygus	1875, 408
	1871, 739	metaprotea	1875, 407
Acme emaciata.....	1880, 137	monteironis	1875, 407
	1880, 142	mucia	1876, 218
foliniana	1880, 94	neobule	1875, 407
	1880, 136	nicylla	1876, 218
	1880, 137	nox	1874, 352
	1880, 138	orizava	1874, 352
	1880, 142	pseudegina	1875, 408
mentoni.....	1880, 138	pseudolycia	1875, 407
pachystoma	1880, 137	pseudoptera	1875, 408
	1880, 142		1875, 413
Acmella moreletiana ..	1879, 737	radiata	1876, 218
	1879, 740	rahvia	1875, 407
roepstorffiana	1879, 737	serena	1871, 723
	1879, 740		1875, 407
Acomus erythrophthalmus	1879, 651	terpsinae.....	1876, 218
	1879, 652	zetes	1875, 407
inornatus	1879, 651	Acredula caudata	1871, 313
	1879, 652	glaucogularis	1871, 313
Acomys dimidiatus	1877, 41	irbii	1871, 312
Acontia maculosa.....	1880, 677		1871, 313

	Page		Page
<i>Acredula rosea</i>	1871, 313	<i>Acrosoma bifurcatum</i> ..	1873, 425
<i>swinhoii</i>	1871, 313		1873, 426
<i>tephronota</i>	1871, 313	<i>bisicatum</i>	1873, 426
<i>trivirgata</i>	1871, 313	<i>bovinum</i>	1873, 422
<i>vagans</i>	1874, 581	<i>brevispinum</i>	1873, 429
<i>Acribis serrativentris</i> ..	1877, 78	<i>bullatum</i>	1873, 427
	1877, 82	<i>crassispinum</i>	1873, 424
<i>Acridium literosum</i>	1877, 88	<i>crassum</i>	1873, 425
<i>melanocerum</i>	1877, 88	<i>cyanospinum</i>	1873, 420
<i>tartaricum</i>	1876, 679	<i>defensum</i>	1873, 428
<i>Acridotheres cristatellus</i>	1871, 384	<i>de geerii</i>	1873, 425
	1877, 698	<i>difissum</i>	1873, 425
<i>ginginianus</i>	1871, 682	<i>digitatum</i>	1873, 426
	1873, 675	<i>duplicatum</i>	1873, 426
<i>philippensis</i>	1871, 384	<i>elongatum</i>	1873, 426
<i>tristis</i>	1871, 682		1873, 429
	1872, 462	<i>excavatum</i>	1873, 424
	1873, 675	<i>fissispinum</i>	1873, 426
	1874, 211		1873, 427
	1874, 479	<i>flabellatum</i>	1873, 425
	1880, 311	<i>flaveolum</i>	1873, 422
<i>Acrocephalus bistrigiceps</i>	1871, 353		1873, 423
<i>dumetorum</i>	1872, 455	<i>flavomaculatum</i> ..	1873, 422
	1872, 457	<i>forcipatum</i>	1873, 421
	1873, 473	<i>furcatum</i>	1873, 420
	1874, 656	<i>gilvulum</i>	1873, 425
<i>fasciolatus</i>	1871, 352	<i>gladiola</i>	1873, 424
	1877, 806	<i>gracile</i>	1873, 425
	1878, 430	<i>guerinii</i>	1873, 424
<i>insularis</i>	1871, 352	<i>incisum</i>	1873, 427
	1877, 806	<i>kirbyi</i>	1873, 422
	1878, 430	<i>lucasii</i>	1873, 425
<i>magnirostris</i>	1871, 352	<i>macracantha</i>	1873, 420
	1874, 656		1873, 421
<i>orientalis</i>	1879, 338	<i>mammillatum</i>	1873, 427
<i>palustris</i>	1874, 655	<i>matronale</i>	1873, 426
	1874, 656	<i>militare</i>	1873, 422
<i>schoenobaenus</i>	1877, 45		1873, 423
	1877, 47	<i>obtusospinum</i>	1873, 422
	1877, 807	<i>patruela</i>	1873, 428
<i>streperus</i>	1874, 655	<i>pentacanthum</i> ...	1873, 428
<i>Acrochordus javanicus</i> ..	1872, 591	<i>pictum</i>	1873, 425
<i>Acroleptes saturatus</i> ..	1877, 19	<i>planum</i>	1873, 424
<i>Acrophthalmia argentina</i>	1874, 285	<i>pungens</i>	1873, 423
<i>diophthalma</i>	1874, 279	<i>raceminum</i>	1873, 427
<i>Acropternis orthonyx</i> ..	1879, 528	<i>reduvianum</i>	1873, 426
<i>Acrosoma aculeatum</i> ..	1873, 421	<i>rubicundulum</i> ...	1873, 423
	1873, 424	<i>rubrocinctum</i> ...	1873, 423
<i>acuto-spinum</i>	1873, 424	<i>rufopunctatum</i> ...	1873, 423
<i>acutum</i>	1873, 422	<i>saccatum</i>	1873, 428
<i>affine</i>	1873, 428	<i>sagittatum</i>	1873, 424
<i>alatum</i>	1873, 425	<i>sexspinosa</i>	1873, 426
<i>armatum</i>	1873, 421	<i>sexspinosum</i>	1873, 422
<i>armigerum</i>	1873, 422	<i>sloanii</i>	1873, 428
	1873, 423	<i>spinosum</i>	1873, 421
<i>asciatum</i>	1873, 426		1873, 423
<i>aureolum</i>	1873, 426	<i>stellatum</i>	1873, 427
<i>bicolor</i>	1873, 423	<i>stelligerum</i>	1873, 428

	Page		Page
<i>Acrosoma swainsonii</i> ..	1873, 425	<i>Actitis hypoleuca</i>	1878, 359
<i>transitorium</i>	1873, 428	1879, 15
<i>triangulare</i>	1873, 424	<i>hypoleucos</i>	1874, 556
<i>vespoides</i>	1873, 422	1877, 301
<i>vigorsii</i>	1873, 421	1877, 338
<i>Actæa affinis</i>	1879, 31	<i>hypoleucus</i>	1872, 89
<i>granulata</i>	1879, 20	1872, 106
.....	1879, 30	1872, 474
<i>pura</i>	1879, 30	<i>incana</i>	1876, 497
<i>tomentosa</i>	1877, 134	1876, 503
.....	1879, 30	1877, 557
.....	1879, 31	1877, 775
<i>Actæodes tomentosus</i> ..	1877, 134	1877, 781
.....	1879, 20	1877, 785
.....	1879, 30	1879, 15
<i>Actenoides hombroni</i> ..	1873, 526	1879, 351
.....	1878, 944	1880, 576
<i>lindsayi</i>	1873, 526	<i>incanus</i>	1871, 27
.....	1877, 690	1871, 31
<i>Actias ignescens</i>	1877, 602	1872, 89
.....	1877, 627	1872, 106
<i>leto</i>	1877, 602	1875, 439
<i>selene</i>	1877, 602	<i>macularia</i>	1877, 330
.....	1877, 627	<i>ochropus</i>	1872, 474
<i>Actinemys marmorata</i> ..	1872, 872	<i>Actiturus bartramius</i> ..	1873, 309
.....	1872, 873	1874, 560
.....	1873, 396	1876, 104
<i>Actinobolus ajar</i>	1871, 729	1879, 547
<i>Actinocyclus fragilis</i> ..	1877, 212	1880, 543
<i>grandiflora</i>	1877, 211	1879, 547
<i>limbata</i>	1877, 243	<i>Actochelidon affinis</i>	1876, 655
<i>setigera</i>	1877, 211	<i>cantiaca</i>	1876, 653
<i>tuberculata</i>	1877, 204	<i>cantiacus</i>	1876, 653
<i>velutinus</i>	1877, 246	<i>Actodromas bairdi</i>	1871, 57
<i>verrucosus</i>	1877, 246	<i>Acupalpus bifossulatus</i> .	1874, 64
<i>vetulinus</i>	1877, 200	<i>circumdatu</i> s	1878, 593
<i>Actinodoris australis</i> ..	1877, 243	<i>flohri</i>	1878, 593
.....	1877, 263	<i>obesus</i>	1878, 593
<i>cruenta</i>	1877, 201	<i>pallidus</i>	1874, 64
<i>flammulata</i>	1877, 224	<i>pallipes</i>	1874, 63
<i>fumosa</i>	1877, 245	<i>Acus (Euryta) brazieri</i> . 1877,	185
<i>krusensternii</i>	1877, 244	(<i>Hastula</i>) <i>specta-</i>	
<i>maculosa</i>	1877, 202	<i>bilis</i>	1877, 185
<i>mauritiana</i>	1877, 245	<i>Ada nigerrima</i>	1879, 612
<i>punctata</i>	1877, 201	<i>perspicillata</i>	1879, 612
<i>scabra</i>	1877, 201	<i>Adamastor cinereus</i>	1878, 737
<i>spiraculata</i>	1877, 202	1880, 164
<i>sponsa</i>	1877, 221	<i>Addax naso-maculatus</i> .	1877, 4
<i>superba</i>	1877, 223	1877, 10
<i>tilesii</i>	1877, 244	1877, 12
<i>tuberculosa</i>	1877, 241	<i>Adela albicornis</i>	1880, 77
<i>Actinodura egertoni</i>	1874, 46	1880, 78
<i>waldeni</i>	1874, 46	<i>bella</i>	1880, 78
<i>Actinote nox</i>	1874, 352	1880, 79
<i>thalia</i>	1874, 352	<i>bellela</i>	1880, 77
<i>Actitis glareola</i>	1872, 474	1880, 78
<i>hypoleuca</i>	1874, 455	1880, 79
.....	1878, 138	<i>biviella</i>	1880, 77

	Page		Page
Adela biviella	1880, 78	Adelpha falcata	1878, 270
	1880, 79	hypsenor	1879, 151
chalybeis	1880, 78		1879, 155
	1880, 79	iphicla	1878, 270
degeerella	1880, 78		1878, 368
fasciella	1880, 78	lara	1879, 151
	1880, 79	plesasure.....	1874, 342
flamensella	1880, 78	syma	1878, 271
	1880, 79	Adena xanthialis	1877, 402
gemmella	1880, 81	Adeniophis nigro-tæni-	
	1880, 92	atus	1872, 591
griseella	1880, 82	Adeorbis angasi	1880, 417
	1880, 92	vincentiana	1880, 417
iochroa	1880, 79		1880, 420
lactimaculella	1880, 80	Admete abnormis.....	1875, 128
	1880, 92	borealis	1875, 128
natalensis	1880, 78	crispa	1875, 128
orientella	1880, 82	grandis	1875, 128
purpurea	1880, 77	tabulata.....	1875, 128
	1880, 79		1875, 129
ridingsella	1880, 78	viridula	1875, 128
	1880, 79	Adolias ambalika	1873, 345
rufimetrella	1880, 81	annamita	1879, 137
schlægeri	1880, 78	anosia	1873, 345
	1880, 79	bellata	1873, 344
septentrionella	1880, 79		1873, 360
	1880, 92	blumei	1873, 345
simpliciella	1880, 81	boisduvali.....	1878, 639
	1880, 92	cocytina	1873, 345
singulella	1880, 80	diardi	1873, 345
	1880, 92	discipilota	1878, 831
sulzella	1880, 80		1878, 854
trifasciella	1880, 78		1878, 858
trigrapha	1880, 78	dunya	1873, 345
	1880, 79	eva.....	1873, 344
	1880, 92	evelina	1879, 137
violella	1880, 81	garuda	1874, 106
(Dicte) coruscifas-		iva	1878, 831
ciella	1880, 79	jahnu	1878, 831
(Nemotois) trifasci-			1878, 854
ella.....	1880, 78	kanda	1873, 345
	1880, 79	kesaya	1878, 831
Adelarus belcheri.....	1878, 182	laverna	1873, 345
heermanni.....	1878, 183	lepidea	1874, 106
hemprichii	1878, 193		1878, 830
leucophthalmus ..	1878, 193		1878, 854
melanurus	1878, 183	lubentina	1874, 106
neptunus	1878, 184	parta	1873, 345
Adelomyia cervina	1879, 529	parvata	1878, 831
chlorospila	1873, 189		1878, 854
	1874, 677		1878, 858
inornata.....	1874, 677	puseda	1873, 235
	1879, 629	satropaces	1878, 830
melanogenys.....	1875, 235		1878, 854
	1879, 238	sedeva	1878, 831
	1880, 207	surjas.....	1873, 345
Adelpha cocala.....	1878, 368	tacta	1873, 344
diocles	1878, 270	taoana	1878, 831

	Page		Page
<i>Adolias taooana</i>	1878, 854	<i>Ægialitis cantiana</i>	1874, 559
<i>vacillaria</i>	1873, 345		1878, 624
<i>zichri</i>	1873, 345		1878, 711
<i>Aëdon leucophrys</i>	1874, 238	<i>cantianus</i>	1874, 457
<i>Æga tridens</i>	1879, 748	<i>collaris</i>	1874, 458
<i>Ægeria tipuliformis</i>	1877, 380		1874, 460
<i>Ægialites bicincta</i>	1877, 337	<i>curonica</i>	1880, 38
<i>cantianus</i>	1871, 404		1880, 39
	1872, 471	<i>dubia</i>	1878, 344
	1875, 374		1878, 711
	1875, 375		1879, 350
	1877, 817		1879, 447
	1877, 833	<i>falklandica</i>	1871, 261
<i>collaris</i>	1873, 186		1874, 457
	1873, 309		1874, 460
<i>curonica</i>	1877, 701	<i>fluviatilis</i>	1879, 244
<i>curonicus</i>	1871, 404	<i>geoffroyi</i>	1878, 82
<i>dealbatus</i>	1871, 404		1879, 350
<i>dubia</i>	1877, 701	<i>inornata</i>	1878, 121
	1877, 833		1878, 127
<i>dubius</i>	1871, 404	<i>jerdoni</i>	1880, 39
	1872, 471	<i>minor</i>	1874, 458
<i>falklandica</i>	1872, 549	<i>minuta</i>	1880, 38
<i>geoffroyi</i>	1871, 404	<i>nigrifrons</i>	1874, 457
	1872, 471		1874, 459
<i>hartingi</i>	1871, 404		1874, 460
<i>hiaticula</i>	1871, 117	<i>nivosa</i>	1874, 559
	1871, 404	<i>pecuarius</i>	1874, 457
	1877, 29		1874, 460
<i>inornata</i>	1877, 337	<i>peronii</i>	1878, 344
<i>intermedius</i>	1871, 404		1878, 711
<i>leschenaultii</i>	1871, 404		1879, 350
<i>minor</i>	1871, 117	<i>ruficapillus</i>	1874, 459
<i>minuta</i>	1877, 701		1874, 460
<i>minutus</i>	1871, 404	<i>sanctæ-helenæ</i>	1878, 445
<i>mongolicus</i>	1871, 111		1878, 460
	1871, 114	<i>semipalmata</i>	1874, 560
	1871, 404	<i>tricollaris</i>	1874, 457
	1872, 471		1874, 460
	1875, 374	<i>varius</i>	1878, 445
	1875, 375	<i>vocifera</i>	1879, 244
<i>mongolus</i>	1871, 404		1879, 547
<i>nigrifrons</i>	1877, 336	<i>Ægina rosea</i>	1879, 798
	1877, 337	<i>Æginopsis bitentaculata</i>	1879, 798
<i>peronii</i>	1877, 701	<i>laurentii</i>	1879, 798
<i>philippensis</i>	1872, 471	<i>Ægintha temporalis</i> ...	1875, 590
	1877, 701	<i>Ægiothus borealis</i>	1871, 386
<i>philippinus</i>	1871, 404	<i>canescens</i>	1871, 113
<i>pusillus</i>	1871, 404		1871, 386
<i>pyrrhothorax</i>	1871, 114	<i>Ægirus hispidus</i>	1877, 233
	1872, 471	<i>lessonii</i>	1877, 239
<i>ruficapilla</i>	1877, 337	<i>leuckartii</i>	1877, 233
<i>semipalmata</i>	1876, 14	<i>punctilucens</i>	1877, 233
<i>semipalmatus</i>	1871, 117	<i>Ægithaliscus anophrys</i> .	1871, 362
<i>tricollaris</i>	1875, 67	<i>concinus</i>	1871, 362
<i>veredus</i>	1871, 403	<i>consobrinus</i>	1871, 362
<i>wilsoniana</i>	1877, 330	<i>fuliginosus</i>	1871, 362
<i>wilsonii</i>	1871, 117	<i>Ægithalus pendulinus</i> ..	1871, 362

	Page		Page
<i>Ægithina scapularis</i> ..	1878,	<i>Æthopyga bella</i>	1877,
<i>Ægoceros musimon</i>	1880,		1878,
<i>pictus</i>	1872,		1878,
	1875,	<i>christinæ</i>	1871,
<i>sibiricus</i>	1875,		1873,
<i>Ægotheles albertisi</i>	1873,	<i>dubia</i>	1878,
	1873,		1878,
<i>wallacei</i>	1878,	<i>eupogon</i>	1879,
<i>wallacii</i>	1873,	<i>horsfieldi</i>	1873,
<i>Ælurœdus arfakianus</i> ..	1878,	<i>ignicauda</i>	1873,
<i>buccoides</i>	1873,	<i>magnifica</i>	1877,
<i>maculosus</i>	1874,		1877,
	1875,		1878,
<i>melanotis</i>	1873,	<i>shelleyi</i>	1878,
	1878,	<i>siparaja</i>	1875,
<i>smithii</i>	1874,		1879,
	1875,	<i>temminckii</i>	1873,
	1875,	(<i>Eudrepanis</i>) <i>bella</i> ..	1877,
<i>Ælurops dorthesii</i>	1876,	<i>Agalope basalis</i>	1875,
<i>Ælurus fulgens</i>	1871,		1879,
	1876,	<i>livida</i>	1879,
<i>Æmalodera centroma-</i>	255	<i>primularis</i>	1875,
<i>culata</i>	1874,	<i>Agama agilis</i>	1872,
<i>dentomaculata</i>	1874,		1874,
<i>fumosa</i>	1874,		1880,
<i>limbata</i>	1874,	<i>cornuta</i>	1874,
<i>Æmene guttulosana</i> ..	1878,	<i>lessonæ</i>	1872,
<i>maculifascia</i>	1878,	<i>mutabilis</i>	1872,
	1878,	<i>Agamura cruralis</i>	1880,
<i>modesta</i>	1878,		1880,
<i>sinuata</i>	1878,	<i>Aganisthos acheronta</i> ..	1876,
	1878,	<i>odius</i>	1874,
<i>sordida</i>	1878,	<i>orion</i>	1876,
<i>subcinerea</i>	1878,		1878,
<i>taprobanis</i>	1878,	<i>Aganopsis subquadrata</i> .	1877,
<i>tenebrosa</i>	1878,		1878,
<i>Æmona lena</i>	1871,	<i>Agape analis</i>	1879,
	1871,		1879,
	1878,	<i>chloropyga</i>	1879,
	1878,	<i>cyanopyga</i>	1879,
	1878,	<i>leonina</i>	1879,
<i>Ænidia bipartita</i>	1879,	<i>Agapornis cana</i>	1875,
<i>Æpyceros melampus</i> ..	1876,	<i>roseicapilla</i>	1874,
	1876,	<i>roseicollis</i>	1873,
	1876,		1873,
	1877,	<i>Agarista neptioides</i>	1877,
	1877,	<i>privata</i>	1879,
<i>petersi</i>	1878,	<i>tyrianthina</i>	1879,
<i>Æpyprymnus rufescens</i> .	1875,	<i>Agatha australis</i>	1871,
<i>Æsalon femoralis</i>	1874,		1871,
<i>Æsopia cornuta</i>	1873,	<i>Agathia lycenaria</i>	1879,
	1873,	<i>magnifica</i>	1879,
<i>estrelata lessoni</i>	1873,	<i>Agathodes monstralis</i> ..	1878,
<i>Æthalochroa ashmoliana</i>	1878,	<i>Agathomerus dubiosus</i>	1876,
<i>Æthedoris indica</i>	1877,		1876,
<i>Ætheria elliptica</i>	1880,	<i>rufus</i>	1876,
	1880,	<i>simplicipennis</i>	1880,
<i>estrelata lessoni</i>	1880,		1880,
<i>Æthilla lavochrea</i>	1874,		608
<i>Æthopyga abrii</i>	1871,		

	Page		Page
<i>Agelæus gubernator</i> ..	1875, 380	<i>Agraulis glycera</i>	1874, 349
<i>ludovicianus</i>	1873, 462		1876, 221
<i>phœniceus</i>	1875, 380	<i>juno</i>	1876, 221
	1880, 311	<i>lucina</i>	1876, 221
<i>Agelecyathus helenæ</i> ..	1876, 429	<i>moneta</i>	1876, 221
	1876, 430	<i>phædima</i>	1876, 221
	1876, 434	<i>pusilla</i>	1876, 221
	1876, 442	<i>thomiola</i>	1876, 221
<i>persicus</i>	1876, 429	<i>Agrias sardanapalus</i> ..	1876, 233
	1876, 430	<i>Agriomyia vagans</i>	1877, 83
	1876, 434	<i>Agriopus torvus</i>	1871, 659
	1876, 442	<i>Agriornis insolens</i>	1873, 780
<i>Agelena lepida</i>	1876, 558		1879, 610
	1876, 626	<i>leucurus</i>	1874, 531
<i>syriaca</i>	1872, 273	<i>lividus</i>	1879, 609
	1872, 348	<i>maritima</i>	1874, 531
<i>Ageronia amphinome</i> ..	1874, 347		1879, 609
	1876, 229	<i>pollens</i>	1874, 677
<i>chloë</i>	1876, 229	<i>Agrisius fuliginosus</i> ...	1872, 571
<i>ferentina</i>	1876, 229		1872, 582
<i>feronia</i>	1874, 347	<i>Agrius fallaciosus</i>	1874, 51
	1876, 229	<i>Agroeca lycosiformis</i> ..	1872, 258
<i>forax</i>	1874, 347		1872, 348
	1876, 229		1872, 354
<i>cenoë</i>	1874, 347	<i>pulcherrima</i>	1874, 414
<i>Agetocera flaviventris</i> ..	1879, 788		1874, 416
<i>Aglæactis castelnaudi</i> ..	1873, 190		1874, 417
	1874, 544		1874, 419
	1874, 676	<i>walsinghami</i>	1874, 416
	1874, 677		1874, 417
<i>caumatonota</i>	1873, 190	<i>Agroecia cooksonii</i>	1877, 87
	1874, 543	<i>Agrotis admirationis</i> ..	1877, 384
	1874, 677	<i>ashworthii</i>	1877, 383
<i>cupreipennis</i>	1880, 207	<i>cærulea</i>	1877, 383
<i>pamela</i>	1879, 628	<i>mitis</i>	1877, 383
<i>parvula</i>	1880, 207		1877, 407
	1880, 208	<i>moderata</i>	1877, 383
<i>Aglaia cyaneicollis</i>	1879, 599	<i>nullifera</i>	1877, 382
<i>cyancephala</i>	1879, 600	<i>suffusa</i>	1877, 383
<i>episcopus</i>	1879, 600	<i>Ahaetulla dorsalis</i>	1876, 679
<i>gyrola</i>	1879, 599	<i>irregularis</i>	1876, 679
<i>igniventris</i>	1879, 600	<i>Ailia bengaliensis</i>	1871, 287
<i>mexicana</i>	1879, 599		1871, 712
<i>montana</i>	1879, 600		1871, 713
<i>olivascens</i>	1879, 600	<i>Ailichthys punctata</i> ..	1871, 713
<i>schranki</i>	1879, 598	<i>Ailuropus melanoleu-</i>	
<i>striata</i>	1879, 600	<i>cos</i>	1873, 663
<i>yeni</i>	1879, 598	<i>Ailurus fulgens</i>	1875, 493
<i>Agnais australis</i>	1877, 149	<i>Aix galericulata</i>	1871, 418
<i>Agonus cataphractus</i> ..	1879, 748		1873, 467
<i>Agra chrysopteryx</i>	1878, 609		1873, 639
<i>læticolor</i>	1878, 609		1880, 513
<i>panamensis</i>	1878, 609	<i>sponsa</i>	1876, 397
<i>Agrametra æthiops</i>	1878, 462		1876, 410
	1878, 468		1876, 411
	1878, 477		1880, 318
<i>Agraulis anieta</i>	1876, 221		1880, 513
<i>elephixæa</i>	1876, 221	<i>Akysis kurzii</i>	1871, 703

	Page		Page
<i>Alaba blanfordi</i>	1875, 538	<i>Alauda ferruginea</i>	1874, 628
<i>cornea</i>	1875, 538	<i>fringillaris</i>	1874, 629
<i>felina</i>	1875, 538	<i>garrula</i>	1874, 649
<i>inflata</i>	1875, 538	<i>grayi</i>	1874, 616
<i>leucosticta</i>	1875, 538	<i>gulgula</i>	1874, 629
<i>melanura</i>	1875, 538	<i>guttata</i>	1872, 465
<i>phasianella</i>	1875, 538	<i>intermedia</i>	1874, 623
<i>puncto-striata</i>	1875, 538	<i>japonica</i>	1871, 389
<i>supralirata</i>	1875, 538	<i>lagepa</i>	1874, 623
<i>tervaricosa</i>	1875, 538	1874, 624
<i>vibex</i>	1875, 538	1874, 625
<i>zebrina</i>	1875, 538	<i>leautungensis</i>	1871, 390
<i>Alactaga decumana</i>	1877, 281	<i>magnirostris</i>	1874, 636
.....	1880, 64	<i>nævia</i>	1874, 629
<i>indica</i>	1880, 538	1874, 645
<i>Alæmon africana</i>	1874, 616	1874, 646
<i>albofasciata</i>	1874, 618	<i>nigricans</i>	1874, 651
<i>desertorum</i>	1874, 620	<i>pekinensis</i>	1871, 389
<i>nivosa</i>	1874, 620	<i>pispoletta</i>	1871, 390
.....	1874, 623	<i>planicola</i>	1874, 642
<i>rufopalliata</i>	1874, 620	<i>rufipilea</i>	1874, 641
<i>semitorquata</i>	1874, 620	<i>sabota</i>	1874, 645
<i>Alamis spoliata</i>	1877, 604	1874, 646
<i>Alata anticalis</i>	1880, 689	1874, 647
<i>Alauda africana</i>	1874, 615	<i>sala</i>	1871, 389
.....	1874, 642	<i>semitorquata</i>	1874, 620
<i>africanoides</i>	1874, 648	<i>spleniata</i>	1874, 633
<i>albescens</i>	1874, 623	1874, 634
.....	1874, 625	<i>subcoronata</i>	1874, 620
<i>apiata</i>	1874, 638	<i>wattersi</i>	1871, 389
<i>arvensis</i>	1871, 389	1878, 709
.....	1873, 462	1878, 710
.....	1874, 630	<i>Alaudula cheleënsis</i>	1871, 390
.....	1875, 490	<i>raytal</i>	1874, 630
<i>brachydactyla</i>	1871, 390	<i>Alca alle</i>	1871, 120
<i>breviunguis</i>	1874, 625	<i>arra</i>	1877, 29
.....	1874, 626	<i>cirrhatta</i>	1871, 122
<i>cantarella</i>	1871, 389	<i>cristatella</i>	1871, 121
<i>capensis</i>	1874, 615	<i>impennis</i>	1873, 34
<i>cheniana</i>	1874, 644	<i>psittacula</i>	1871, 121
<i>chuana</i>	1874, 644	<i>torda</i>	1871, 120
.....	1880, 491	1873, 470
<i>cinerea</i>	1874, 630	1873, 642
.....	1874, 633	1877, 307
<i>clamosa</i>	1874, 638	1877, 314
<i>codea</i>	1874, 623	<i>troile</i>	1877, 2
.....	1874, 624	<i>Alcedo amazona</i>	1874, 547
.....	1874, 625	1879, 632
<i>coelivox</i>	1871, 389	<i>americana</i>	1879, 632
.....	1878, 710	<i>asiatica</i>	1875, 101
<i>conirostris</i>	1874, 631	<i>beavani</i>	1875, 101
.....	1874, 632	<i>bengalensis</i>	1871, 347
<i>crassirostris</i>	1874, 636	1872, 424
<i>duponti</i>	1877, 368	1877, 690
<i>erythrochlamys</i>	1874, 628	1877, 758
<i>fasciolata</i>	1874, 641	1878, 341
<i>ferruginea</i>	1874, 627	1878, 578

	Page		Page
Alcedo bengalensis	1878, 709	Alcippe brunnea	1873, 667
	1878, 943	cinerea	1873, 666
	1879, 329		1873, 690
cabanisii	1874, 547	morrisonia	1871, 374
chloris	1877, 541		1873, 667
collaris	1877, 408	nigrifrons	1872, 405
	1877, 409		1872, 446
diops	1878, 79	nipalensis	1871, 374
gularis	1877, 541		1873, 667
ispida	1873, 464		1873, 690
	1873, 632	pœcilotis	1873, 665
	1873, 647		1873, 689
	1875, 489	Alcyoncellum speciosum	1875, 503
	1877, 105		1875, 504
ispidoides	1877, 195		1875, 506
meninting	1875, 101		1875, 507
	1879, 329		1875, 509
moluccensis	1877, 105		1875, 565
	1877, 195		1875, 607
	1878, 671		1877, 462
	1879, 10	Alcyone azurea	1875, 583
quadribrachys	1871, 603	pulchra	1875, 583
	1871, 614	pusilla	1875, 583
torquata	1879, 632		1879, 447
Alcelaphus albifrons	1876, 286		1879, 450
	1876, 292	Alethelia durvillei	1872, 103
bubalis	1873, 473	Alectroenas madagasca-	
	1873, 762	riensis	1879, 4
	1880, 307	nitidissima	1879, 2
bubalus	1872, 643		1879, 4
caama	1876, 285	pulcherrima	1879, 4
	1876, 292	sganzini	1877, 300
	1877, 454		1877, 302
	1877, 455		1879, 4
lichtensteini	1876, 285		1879, 678
	1877, 454	Alectrurus leucocephalus	1879, 611
lunatus	1876, 285	tricolor	1879, 611
	1876, 292	yetapa	1879, 611
	1876, 293	Alethe castanea	1871, 607
pygargus	1876, 292		1871, 615
tora	1873, 729	castanonota	1871, 607
	1873, 762	maculicauda	1871, 607
	1875, 529	Aletia formosana	1880, 675
Alces americanus	1878, 916	Aletis druryi	1878, 386
machlis	1876, 1	fascelis	1878, 386
	1877, 13	helcita	1878, 386
	1877, 14	libyssa	1878, 386
	1877, 289	macularia	1878, 386
	1878, 887	tenuis	1878, 385
	1878, 915	variabilis	1878, 386
	1878, 916	Alexia meridionalis	1878, 869
	1879, 298	Allochroma bimaculata	1879, 784
Alcides aurora	1877, 150	Allopora bella	1871, 278
	1877, 151	explanata	1871, 279
Alcidis aurora	1879, 165		1871, 280
orontaria	1879, 165		1871, 282
Alcippe atriceps	1872, 446		1871, 286
brunnea	1871, 374		

	Page		Page
<i>Allopora maderensis</i> ..	1871,	<i>Aluco flammeus</i>	1877,
<i>miniata</i>	1871,	<i>Alvania elegans</i>	1877,
	1871,		1877,
<i>nobilis</i>	1871,	<i>gracilis</i>	1877,
	1871,		1877,
<i>oculata</i>	1871,		1877,
	1871,	<i>olivacea</i>	1877,
<i>subviolacea</i>	1871,	<i>salebrosa</i>	1877,
	1871,	<i>Alycæus perakensis</i>	1879,
(Stylaster) <i>infundi-</i>		<i>Alysia nullifera</i>	1877,
<i>bulifera</i>	1871,	<i>specifica</i>	1877,
<i>Allotrius cenobarbus</i> ..	1873,	<i>Alytes obstetricans</i>	1880,
	1873,	<i>Amadina fasciata</i>	1875,
<i>sophiæ</i>	1873,	<i>optata</i>	1875,
<i>xanthochloris</i>	1873,	<i>punctularia</i>	1875,
<i>Aloa biguttata</i>	1879,	<i>sharpii</i>	1878,
	1879,	<i>sinensis</i>	1879,
<i>dentata</i>	1879,	<i>Amalda cingulata</i>	1871,
<i>integra</i>	1879,	<i>marginata</i>	1878,
<i>nigricans</i>	1872,	<i>Amalthea australis</i>	1878,
	1879,	<i>Amara ambigena</i>	1878,
<i>rhodophæa</i>	1878,	<i>bamidunye</i>	1878,
<i>sipahi</i>	1872,	<i>Amarobius distinctus</i> ..	1876,
	1879,	<i>Amarynthis meneria</i> ..	1876,
<i>Alompra ferruginea</i>	1872,	<i>Amastra affinis</i>	1873,
	1872,	<i>amicta</i>	1873,
<i>Alophonerpes pulveru-</i>			1873,
<i>lentus</i>	1879,	<i>carinata</i>	1873,
<i>Alosa finta</i>	1875,	<i>conicospira</i>	1873,
<i>Alpenus purus</i>	1878,		1873,
(Spilosoma) <i>maculi-</i>		<i>conifera</i>	1873,
<i>fascia</i>	1877,		1873,
<i>Alphenus biseriatus</i>	1877,	<i>decorticata</i>	1873,
	1877,		1873,
<i>Alpheus avarus</i>	1879,	<i>elliptica</i>	1873,
<i>bisincisus</i>	1879,		1873,
	1879,	<i>flavescens</i>	1873,
<i>brevirostris</i>	1879,	<i>inflata</i>	1873,
	1879,	<i>magna</i>	1873,
<i>gracilipes</i>	1879,	<i>malleata</i>	1873,
	1879,		1873,
<i>japonicus</i>	1879,	<i>nigrolabris</i>	1873,
	1879,		1873,
<i>kingsleyi</i>	1879,	<i>nucula</i>	1873,
	1879,		1873,
<i>lobidens</i>	1879,	<i>obesa</i>	1873,
	1879,	<i>peasei</i>	1873,
<i>rapax</i>	1879,		1873,
<i>strenuus</i>	1879,	<i>rubens</i>	1873,
<i>Alphobus chopi</i>	1871,	<i>rubida</i>	1873,
<i>Alseonax latirostris</i>	1872,		1873,
<i>terricolor</i>	1872,	<i>rustica</i>	1873,
	1873,		1873,
<i>Alsocomus hodgsoni</i> ..	1873,	<i>spirizona</i>	1873,
<i>hodgsoniæ</i>	1873,	<i>tenuilabris</i>	1873,
<i>punicus</i>	1872,		1873,
<i>Aluco flammea</i>	1879,		1873,
<i>flammeus</i>	1877,		1873,

	Page		Page
<i>Amastra tenuilabris</i>	1873, 89	<i>Amblychia angeronaria</i>	1877, 621
<i>Amathina tricarinata</i>	1878, 868	<i>torrida</i>	1877, 621
<i>Amathitis badiola</i>	1878, 717		1877, 631
<i>kuenlunensis</i>	1878, 717	<i>Amblygnathus obscuri-</i>	
<i>Amathusia ganescha</i>	1878, 828	<i>cornis</i>	1877, 82
<i>ottomana</i>	1873, 340	<i>Amblygoes evulsalis</i>	1880, 681
<i>phidippus</i>	1873, 340	<i>Amblynura cyanovirens</i>	1871, 23
	1874, 104		1871, 24
	1877, 583	<i>kleinschmidti</i>	1878, 440
	1877, 624	<i>Amblyopus buchanani</i>	1873, 110
	1878, 638	<i>Amblyornis inornatus</i>	1873, 679
	1878, 826	<i>Amblypneustes formo-</i>	
	1878, 854	<i>sus</i>	1880, 437
<i>Amauris damocles</i>	1871, 79		1880, 438
<i>echeria</i>	1871, 79		1880, 439
<i>egialea</i>	1871, 79	<i>griseus</i>	1880, 436
<i>hecate</i>	1871, 79		1880, 437
<i>hyalites</i>	1875, 406		1880, 440
<i>inferna</i>	1871, 79	<i>pallidus</i>	1880, 437
<i>Amaurobius crucifer</i>	1873, 211		1880, 438
	1873, 216		1880, 439
	1873, 227	<i>pentagonus</i>	1880, 435
<i>distinctus</i>	1872, 263	<i>Amblypodia</i> , sp.	1879, 158
	1872, 264	<i>abseus</i>	1873, 353
	1872, 348	<i>achelous</i>	1873, 354
<i>ferox</i>	1875, 397	<i>adatha</i>	1873, 353
<i>indistinctus</i>	1872, 264	<i>alaconia</i>	1873, 353
	1872, 348	<i>ameria</i>	1878, 703
<i>putus</i>	1872, 264	<i>amisena</i>	1873, 354
	1872, 348	<i>amphimuta</i>	1873, 354
<i>ruficeps</i>	1872, 264	<i>anarte</i>	1873, 353
	1872, 348	<i>anita</i>	1878, 835
<i>simplex</i>	1872, 262	<i>anniella</i>	1873, 353
	1872, 263	<i>anuda</i>	1873, 354
	1872, 264	<i>aphidanus</i>	1873, 353
	1872, 348	<i>araxes</i>	1879, 158
<i>Amauroopsis globulus</i>	1880, 416	<i>atosia</i>	1873, 353
	1880, 420	<i>aurea</i>	1873, 353
<i>Amauornis moluccana</i>	1879, 447	<i>centaurus</i>	1874, 107
	1879, 451	<i>darana</i>	1879, 141
	1880, 65	<i>diardi</i>	1874, 107
<i>olivacea</i>	1877, 702	<i>epimuta</i>	1878, 835
	1877, 768	<i>hypomuta</i>	1873, 354
	1878, 345		1878, 835
	1879, 451	<i>lohita</i>	1878, 702
<i>Amazilia cinnamomea</i>	1878, 71	<i>lycænaria</i>	1873, 354
<i>leucophæa</i>	1877, 327	<i>meander</i>	1874, 286
	1879, 239	<i>nakula</i>	1875, 353
	1880, 208		1877, 590
<i>pristina</i>	1871, 498		1877, 625
	1874, 543	<i>narada</i>	1878, 703
<i>riefferi</i>	1879, 530		1878, 835
<i>Ambassiss miops</i>	1871, 653	<i>naradoides</i>	1879, 141
	1871, 655	<i>narata</i>	1879, 141
<i>nama</i>	1880, 230	<i>olinda</i>	1873, 354
<i>urotrænia</i>	1871, 655		1873, 361
	1871, 656	<i>phryxus</i>	1874, 286
<i>Amblycephalus boa</i>	1872, 591	<i>quercetorum</i>	1878, 836

	Page		Page
<i>Amblypodia quercetorum</i>	1879, 142	<i>Ammonites discus</i>	1878, 956
<i>rama</i>	1874, 272	<i>falcifer</i>	1878, 962
<i>taoana</i>	1878, 835	<i>goliathus</i>	1878, 959
<i>vivarna</i>	1878, 855	<i>lingulatus</i>	1878, 960
<i>zeta</i>	1879, 142	<i>obtusus</i>	1878, 962
	1877, 590	<i>steraspis</i>	1878, 959
	1877, 625	<i>subradiatus</i>	1878, 961
	1877, 631	<i>walcotti</i>	1878, 962
<i>Amblyrhamphus holose- riceus</i>	1875, 316	<i>obtusus</i>	1878, 963
	1877, 306	<i>steraspis</i>	1878, 963
<i>Amblyrhynchus crista- tus</i>	1876, 422	<i>subradiatus</i>	1878, 963
	1876, 526	<i>walcotti</i>	1878, 960
	1877, 67	<i>Ammophorus bifoveatus</i>	1877, 81
<i>Amblystoma carolinæ</i> ..	1874, 197	<i>cooksonii</i>	1877, 80
<i>mavortium</i>	1871, 41	<i>galapagoënsis</i>	1877, 82
<i>Amblyura cyanovirens</i> ..	1875, 269	<i>obscurus</i>	1877, 80
<i>Ambulyx auripennis</i> ..	1879, 388	<i>galapagoënsis</i>	1877, 82
<i>gannascus</i>	1875, 11	<i>obscurus</i>	1877, 82
<i>lahara</i>	1875, 251	<i>Amnicola candeana</i>	1875, 322
<i>litrata</i>	1875, 250	<i>spiralis</i>	1875, 321
	1875, 251	<i>Amnosia decora</i>	1873, 343
	1875, 252	<i>Ampeliceps coronatus</i> ..	1873, 662
<i>marginata</i>	1875, 10	<i>Ampelio arcuatus</i>	1874, 540
<i>moorei</i>	1875, 10	<i>viridis</i>	1874, 540
<i>rhodoptera</i>	1875, 251	<i>Ampelion cinctus</i>	1879, 520
	1879, 388	<i>rufaxilla</i>	1879, 520
<i>rubricosa</i>	1875, 252	<i>Ampelis arcuata</i>	1879, 618
<i>sericeipennis</i>	1875, 251	<i>cayana</i>	1879, 618
	1875, 252	<i>cayennensis</i>	1879, 618
<i>strigilis</i>	1875, 10	<i>garrula</i>	1871, 374
<i>substrigilis</i>	1878, 483	<i>garrulus</i>	1875, 490
	1878, 844	<i>phoenicoptera</i>	1871, 374
<i>turbata</i>	1878, 856	<i>phoenicoptera</i>	1871, 374
<i>Ameocera schakra</i>	1875, 252	<i>rubrocristata</i>	1873, 462
<i>Amerila rhodopa</i>	1874, 265	<i>viridis</i>	1873, 374
<i>Ammocetes branchialis</i>	1875, 670	<i>Amphibulina felina</i> ...	1879, 618
	1875, 486	<i>(Omalonyx) felina</i> ..	1875, 321
	1875, 495	<i>Amphidasys arnobia</i> ..	1875, 321
<i>Ammodromus manimbe</i> ..	1874, 168	<i>Amphidetes gigas</i>	1878, 490
<i>Ammodytes lancea</i>	1872, 834	<i>Amphiesma lindmanni</i> ..	1879, 253
	1875, 486	<i>rufotorquatum</i>	1872, 590
<i>lanceolatus</i>	1879, 753	<i>Amphiglossus astrolabi</i> .	1872, 590
<i>tobianus</i>	1879, 753	<i>Amphihelia infundibuli- fera</i>	1871, 242
<i>Ammomanes crassiros- tris</i>	1874, 636	<i>fera</i>	1871, 276
<i>erythrochlamys</i> ..	1874, 626	<i>fera</i>	1871, 286
	1874, 628	<i>Amphioxus lanceolatus</i> .	1874, 665
	1874, 629	<i>Amphiperas brevis</i>	1871, 95
<i>ferruginea</i>	1874, 626	<i>bullata</i>	1871, 94
	1874, 627	<i>dentata</i>	1877, 186
<i>grayi</i>	1874, 626	<i>ovoideus</i>	1872, 10
	1874, 629	<i>ovoideus</i>	1872, 15
<i>pallida</i>	1874, 626	<i>ovum</i>	1877, 186
<i>phoenicura</i>	1873, 672	<i>pulchellus</i>	1873, 206
<i>Ammonites dilatatus</i> ..	1878, 956	<i>punctata</i>	1873, 209
		<i>Amphipnous cuchia</i>	1877, 186
		<i>Amphipnous cuchia</i>	1874, 314
		<i>Amphipnous cuchia</i>	1874, 315
		<i>Amphipnous cuchia</i>	1874, 320

	Page		Page
Amphipnous cuchia ..	1874, 321	Anabates ochrolæmus ..	1871, 86
Amphirene epaphus....	1874, 345	pulvericolor	1874, 12
superba	1874, 345	ruber	1879, 621
Amphisbæna darwini ..	1879, 146	ruficaudatus	1879, 621
Amphitape crassitibia ..	1877, 382	rufifrons	1879, 621
Amphiuma means	1871, 36	squamiger	1879, 622
tridactylum	1873, 163	striaticeps	1879, 644
	1875, 487	turdinus	1871, 86
	1875, 495	unirufus	1879, 621
Amphixestus beccarii ..	1872, 588	Anabathron contabu-	
Amphonyx antæus	1875, 11	lata	1877, 187
cluentius	1878, 483	Anabazenops cabanisi ..	1874, 501
duponchel	1875, 11		1874, 528
medor	1875, 11		1879, 231
rivularis	1875, 11	rufosuperciliatus ..	1879, 621
Ampullaria catamarcen-		subalaris	1875, 37
sis	1874, 600		1875, 38
columellaris	1874, 600	temporalis	1873, 185
effusa	1875, 320		1879, 522
fasciata	1875, 649		1879, 622
kordofana	1880, 348	variegaticeps	1878, 59
ovata	1880, 345		1879, 522
	1880, 348	Anachis virginea	1879, 209
theobaldi	1875, 605	zonata	1879, 209
zorceus	1875, 320	Anæa acidalia	1877, 639
zonata	1875, 605	halice	1877, 634
Amussium	1879, 587	Anæretes albocristatus .	1871, 498
alaskense	1879, 562		1873, 780
balloti	1877, 193		1874, 535
fenestratum	1879, 561		1879, 233
	1879, 562	fernandezianus	1878, 432
hoskyysi	1879, 555	flavirostris	1876, 355
	1879, 561		1879, 589
	1879, 562		1879, 613
lucidum	1879, 562	parulus	1872, 543
—, var. striata ..	1879, 562		1872, 549
Amycla varians	1879, 210		1874, 535
Amycle forticeps	1873, 122		1876, 355
	1873, 128		1878, 432
	1873, 129		1879, 613
Amyda javanica	1873, 67		1880, 202
mutica	1873, 62	reguloides	1874, 535
Amydrus tristrami	1873, 648	Anagnia subfasciata....	1878, 847
Amyna selenampha....	1877, 604		1878, 857
	1877, 627	Analcipus cruentus	1880, 15
Amynthia clorinde	1874, 360	Anarhinus tickelli	1873, 662
mærule	1874, 360	Anarhynchus frontalis..	1874, 459
	1878, 481		1874, 460
menippe	1876, 242	Anartia amalthea.....	1876, 223
Anabas scandens	1874, 317	fatima	1874, 346
	1874, 319	jatrophæ	1874, 346
	1874, 320		1876, 223
	1874, 321		1878, 480
	1878, 216	Anas acuta	1876, 391
Anabates auritus	1874, 528	albeola	1876, 401
gutturatus	1879, 644	albipennis	1876, 398
melanorhynchus ..	1875, 38	americana	1876, 394
montanus	1871, 86	angustirostris	1880, 520

	Page		Page
<i>Anas antarctica</i>	1876,		368
	1876,		369
<i>arborea</i>	1876,		375
	1876,		410
<i>atricapilla</i>	1872,		370
	1876,		382
<i>autumnalis</i>	1876,		373
	1876,		374
<i>bahamensis</i>	1871,		126
	1876,		393
<i>bernieri</i>	1880,		519
	1880,		534
<i>bicolor</i>	1872,		370
	1876,		373
<i>boschas</i>	1871,		417
	1871,		419
	1871,		651
	1875,		153
	1875,		528
	1876,		379
	1876,		380
	1876,		409
	1876,		410
	1877,		306
	1878,		350
	1880,		515
	1880,		516
	1880,		517
	1880,		534
<i>brachyptera</i>	1876,		402
<i>brasiliensis</i>	1876,		390
<i>cæruleata</i>	1876,		384
<i>cærulescens</i>	1876,		361
<i>canadensis</i>	1876,		362
<i>capensis</i>	1880,		526
<i>carolinensis</i>	1876,		385
<i>carunculata</i>	1876,		377
<i>caryophyllacea</i>	1874,		110
	1875,		153
<i>castanea</i>	1871,		649
	1880,		518
	1880,		519
	1880,		535
<i>caudacuta</i>	1876,		392
<i>chalcoptera</i>	1876,		380
<i>chiloënsis</i>	1876,		395
<i>chlorotis</i>	1880,		519
	1880,		535
<i>cinereus</i>	1876,		402
<i>clangula</i>	1876,		401
<i>clypeata</i>	1876,		396
<i>collaris</i>	1872,		370
	1876,		373
	1876,		400
<i>cornuta</i>	1871,		418
<i>coscoroba</i>	1876,		371
<i>creccoides</i>	1876,		386
<i>cristata</i>	1874,		554
<i>Anas cristata</i>	1876,		381
	1876,		410
	1876,		412
	1879,		310
	1880,		519
<i>cyanoptera</i>	1876,		384
<i>cyanorhyncha</i>	1872,		368
<i>discors</i>	1876,		383
<i>dominica</i>	1876,		405
<i>erythrophthalma</i> ..	1876,		399
<i>erythrorhyncha</i> ..	1880,		515
<i>falcaria</i>	1871,		419
<i>ferina</i>	1876,		399
<i>ferruginea</i>	1874,		554
<i>fimbriata</i>	1876,		393
<i>flavirostris</i>	1876,		386
	1880,		518
<i>formosa</i>	1880,		521
<i>fretensis</i>	1876,		388
<i>fulva</i>	1876,		372
<i>galericulata</i>	1873,		649
	1875,		488
<i>gibberifrons</i>	1880,		452
	1880,		519
	1880,		534
	1880,		535
<i>girra</i>	1880,		505
<i>glacialis</i>	1871,		119
	1876,		401
<i>glaucion</i>	1876,		401
<i>glocitans</i>	1871,		418
<i>gracilis</i>	1880,		519
<i>hybrida</i>	1876,		368
	1876,		369
<i>ilathera</i>	1876,		393
<i>inornatus</i>	1876,		366
	1876,		367
<i>ipicutiri</i>	1876,		391
<i>jacquini</i>	1876,		376
<i>jamaicensis</i>	1876,		404
<i>jubata</i>	1876,		369
	1880,		499
<i>leucogenys</i>	1876,		408
<i>leucophrys</i>	1872,		367
	1876,		390
<i>leucoptera</i>	1876,		363
<i>lophyra</i>	1874,		554
<i>luzonica</i>	1872,		108
	1880,		517
	1880,		534
<i>maculirostris</i>	1871,		126
	1876,		388
<i>magellanica</i>	1876,		363
	1876,		368
<i>marianæ</i>	1876,		378
<i>marila</i>	1876,		399
<i>maxima</i>	1876,		380
<i>melanocephala</i>	1872,		370

	Page		Page
<i>Anas melanocephala</i> ..	1876, 370	<i>Anas rubida</i>	1876, 403
	1876, 382	<i>rubidoptera</i>	1876, 390
<i>melanocorypha</i>	1876, 370	<i>rubrirostris</i>	1876, 393
<i>melanonota</i>	1876, 695	<i>scutulata</i>	1880, 512
<i>melleri</i>	1880, 517	<i>sibilatrix</i>	1876, 395
	1880, 534	<i>sinuata</i>	1876, 373
<i>metopias</i>	1876, 398	<i>sparsa</i>	1880, 518
<i>mollissima</i>	1871, 118		1880, 534
<i>moschata</i>	1876, 378	<i>specularis</i>	1876, 380
<i>muralis</i>	1876, 388		1876, 410
<i>nævosa</i>	1880, 513		1876, 412
<i>nigriceps</i>	1876, 382		1880, 519
<i>nigricollis</i>	1876, 370	<i>specularoides</i>	1876, 381
<i>notata</i>	1876, 391		1876, 382
<i>nyroca</i>	1876, 399	<i>spinicauda</i>	1874, 554
<i>obscura</i>	1876, 380		1876, 392
	1876, 409	<i>spinosa</i>	1876, 405
	1876, 410	<i>sponsa</i>	1876, 397
	1878, 350	<i>strepera</i>	1876, 379
	1880, 517		1876, 382
<i>oxyptera</i>	1876, 385		1876, 409
<i>oxyura</i>	1876, 392		1876, 411
	1876, 393	<i>superciliosa</i>	1872, 90
<i>parvirostris</i>	1876, 395		1872, 108
<i>paturi</i>	1876, 391		1875, 440
<i>pelewensis</i>	1872, 108		1876, 497
	1877, 737		1876, 503
	1877, 738		1877, 346
<i>peposaca</i>	1876, 398		1877, 737
	1880, 524		1877, 738
<i>perpulchra</i>	1880, 521		1877, 776
<i>perspicillata</i>	1876, 402		1877, 785
<i>picta</i>	1876, 363		1878, 350
<i>platalea</i>	1876, 396		1880, 517
<i>pœcilorhyncha</i>	1871, 417		1880, 535
	1871, 418	<i>torquata</i>	1876, 389
	1872, 479	<i>urophasianus</i>	1876, 393
	1872, 729	<i>valisneria</i>	1876, 400
	1873, 649	<i>versicolor</i>	1876, 388
	1875, 18	<i>viduata</i>	1876, 376
	1875, 528	<i>virgata</i>	1876, 373
	1880, 518	<i>wyvilliana</i>	1878, 350
	1880, 534		1880, 517
<i>puna</i>	1876, 388		1880, 535
	1876, 389	<i>xanthorhyncha</i>	1880, 518
<i>punctata</i>	1871, 649		1880, 534
	1871, 650	<i>zonorhyncha</i>	1871, 417
	1877, 346		1880, 518
	1880, 451		1880, 534
	1880, 518	<i>Anasa obscura</i>	1877, 88
	1880, 522	<i>Anastomus lamelligerus</i>	1879, 772
<i>pyrrhogaster</i>	1874, 554	<i>oscitans</i>	1872, 479
	1876, 381	<i>Anastrus obscurus</i>	1874, 370
<i>querquedula</i>	1871, 650	<i>Anatina brevis</i>	1880, 580
— <i>dominicensis</i> .	1876, 405	<i>crassa</i>	1880, 581
<i>rafflesi</i>	1876, 384	<i>ovalis</i>	1880, 581
<i>regia</i>	1876, 378	<i>pandoriformis</i>	1880, 581
<i>rhodopus</i>	1876, 390	<i>Anceryx fasciata</i>	1878, 483

	Page		Page
Anchiphlebia taygetina .	1876, 212	Anguilla cuvieri	1871, 102
Anchista migratoria ..	1878, 787	latirostris	1871, 673
Anchomenus ambiguus .	1874, 57	marmorata	1879, 760
chilensis	1874, 57	obscura	1875, 486
circumdatus	1874, 57	vulgaris	1871, 653
concisus	1878, 594	vulgaris	1871, 673
cordicollis	1874, 57	vulgaris	1872, 834
dejeanii	1874, 57	vulgaris	1875, 486
distinctus	1874, 57	vulgaris	1879, 760
gayi	1874, 57	Anguis fragilis	1872, 377
ladakensis	1878, 718	vulgaris	1875, 478
melas	1874, 57	vulgaris	1875, 480
montezumæ	1878, 593	vulgaris	1875, 487
nugax	1878, 594	vulgaris	1875, 495
politissimus	1878, 719	orientalis	1872, 376
scutifer	1878, 594	Anilocra lævis	1877, 654
simplicior	1878, 595	vulgaris	1877, 672
suffectus	1878, 594	vulgaris	1877, 679
transpunctatus	1878, 593	laticauda	1877, 673
vixstriatus	1878, 594	mexicana	1877, 673
Anchonus galapagoënsis	1877, 82	trichiura	1877, 654
Ancillaria cingulata . . .	1871, 88	vulgaris	1877, 677
inornata	1879, 217	vulgaris	1877, 679
marginata	1879, 218	Anisodactylus rotundan-	
marginata	1878, 865	gulus	1878, 589
Ancistrops lineaticeps ..	1873, 270	Anisotarsus amœnus ..	1874, 62
Ancula cristata	1877, 238	chilensis	1874, 62
fusca	1877, 239	lævis	1874, 61
sulphurea	1877, 238	punctobasis	1874, 61
Ancylus caffer	1880, 617	rufus	1874, 62
textilis	1880, 618	Anisoterma sphenopsi-	
transvaalensis	1875, 321	forme	1871, 241
transvaalensis	1880, 617	forme	1871, 242
transvaalensis	1880, 618	Anoa depressicornis	1871, 545
transvaalensis	1880, 619	vulgaris	1878, 792
Andigena cucullatus ..	1874, 548	vulgaris	1878, 881
hypoglaucus	1879, 634	vulgaris	1878, 882
nigrirostris	1873, 186	vulgaris	1878, 903
nigrirostris	1879, 537	Anodon chiquitana	1872, 687
nigrirostris	1879, 549	leotaudi	1875, 321
spilorhynchus	1879, 537	Anolis bouvieri	1880, 491
spilorhynchus	1879, 549	buckleyi	1880, 492
Androctonus americus ..	1877, 75	chrysolepis	1880, 491
Androdon æquatorialis .	1879, 528	nasicus	1880, 491
æquatorialis	1879, 549	nasicus	1880, 492
Andropadus flavescens .	1873, 712	nasicus	1880, 493
virens	1871, 609	nasicus	1880, 491
virens	1871, 615	nummifer	1880, 491
Anerastia ignobilis	1878, 494	pentaprion	1880, 491
Anesychia cirrhocnemias	1880, 88	scyphæus	1880, 491
hagenella	1880, 85	viridiæneus	1880, 491
hagenella	1880, 88	vittigerus	1880, 491
hagenella	1880, 88	vittigerus	1880, 491
multipunctella	1880, 85	(Rhinosaurus) na-	
sparsicella	1880, 85	sicus	1880, 493
sparsiciliella	1880, 85	Anomalocardia crassicos-	
Angasiella edwardsi	1877, 212	tata	1873, 209
Anguilla acutirostris ..	1879, 760	striata	1871, 729
amblyodon	1875, 486	transversalis	1872, 11
		transversalis	1872, 15

	Page		Page
Anomalocera huamel ..	1875, 46	Anous cæruleus	1878, 212
	1878, 924		1878, 271
Anomalurus beecrofti ..	1875, 91		1878, 272
	1875, 92		1878, 273
	1875, 96		1879, 129
beldeni	1875, 96	cinereus	1875, 441
derbianus	1875, 95		1876, 671
fraseri	1875, 90		1877, 776
	1875, 91		1877, 777
	1875, 92		1878, 211
	1875, 93		1878, 212
	1875, 94		1878, 272
	1875, 95	fuscatus	1876, 669
fulgens	1875, 96	gracilis	1878, 272
laniger	1875, 96	inca	1871, 567
pelii	1875, 90		1876, 667
	1875, 91	leucocapillus	1872, 114
	1875, 93		1875, 30
	1875, 94		1875, 441
	1875, 95		1876, 497
	1875, 96		1876, 498
Anomia	1879, 587		1876, 504
aculeata	1879, 554		1876, 670
caput-serpentis ..	1878, 401		1877, 683
cylindrica	1879, 554		1877, 770
decollata	1878, 409		1877, 781
detruncata	1878, 409		1878, 273
ephippium	1878, 411	l'herminieri	1876, 666
	1879, 554	melanogenys	1871, 566
glabra	1879, 554		1876, 670
patelliformis	1879, 555		1876, 671
pera	1878, 410		1877, 557
rostrum-psittaci ..	1878, 413		1877, 683
sanguinea	1871, 308		1877, 781
scobinata	1878, 410		1877, 798
striata	1879, 555		1879, 354
terebratula	1878, 407		1880, 577
truncata	1878, 411	melanops	1876, 670
turbinata	1878, 415	niger	1876, 669
vitrea	1878, 403	parvulus	1876, 671
Anomis fulvida	1877, 606		1877, 776
	1877, 628		1878, 211
	1877, 628		1878, 272
Anophia acronyctoides .	1880, 679	pelewensis	1877, 785
olivascens	1877, 606	pileatus	1871, 422
	1877, 628		1877, 781
Anops stigmata	1879, 138	plumbea	1876, 642
Anostostoma alatum ..	1880, 152	rousseaui	1876, 669
	1880, 153		1877, 776
cuniculator	1880, 152	spadicea	1876, 669
	1880, 153	stolidus	1871, 125
Anous albivitta	1878, 273		1871, 422
albivittatus	1877, 776		1871, 566
	1878, 212		1872, 90
cæruleus	1876, 671		1872, 113
	1876, 672		1872, 114
	1877, 776		1875, 30
	1877, 777		1876, 497
	1878, 211		

	Page		Page	
<i>Anous stolidus</i>	1876,		498	
	1876,		504	
	1876,		669	
	1877,		113	
	1877,		348	
	1877,		557	
	1877,		776	
	1877,		781	
	1877,		785	
	1877,		797	
	1877,		798	
	1878,		273	
	1879,		15	
	1879,		310	
	1880,		577	
	<i>tenuirostris</i>	1871,		565
		1871,		566
		1872,		90
		1872,		113
		1872,		114
1876,			670	
1876,			671	
1877,			781	
1877,			798	
1878,			273	
1878,			273	
<i>Anser albatrus</i>		1872,		519
	1872,		520	
<i>albifrons</i>	1872,		521	
	1880,		501	
	1871,		416	
	1880,		500	
	1880,		534	
	1874,		554	
	1880,		317	
	1880,		500	
	1876,		361	
	1876,		409	
	1876,		410	
	1880,		501	
<i>canagicus</i>	1880,		501	
	1876,		372	
<i>candidus</i>	1871,		416	
	1876,		360	
<i>cinereus</i>	1877,		306	
	1880,		499	
<i>coscoroba</i>	1876,		371	
	1871,		416	
<i>cygnoides</i>	1873,		649	
	1880,		501	
	1871,		416	
<i>erythropus</i>	1876,		414	
	1880,		317	
	1880,		500	
<i>ferus</i>	1871,		416	
	1880,		499	
<i>gambeli</i>	1876,		361	
	1876,		409	
	1876,		410	
<i>Anser gambeli</i>	1880,		500	
	1871,		417	
<i>grandis</i>	1873,		649	
	1880,		500	
<i>hyperboreus</i>	1880,		501	
	1872,		520	
	1872,		521	
	1876,		360	
	1876,		361	
	1876,		409	
	1876,		410	
	1880,		501	
	1880,		500	
	1872,		366	
	1876,		369	
	<i>indicus</i>	1880,		499
1876,			363	
<i>inornatus</i>	1876,		363	
	1876,		370	
<i>jubatus</i>	1874,		554	
	1876,		362	
<i>leucopterus</i>	1880,		499	
	1876,		377	
<i>magellanicus</i>	1876,		377	
	1880,		500	
<i>melanocoryphus</i> ..	1880,		500	
	1871,		416	
<i>melanopterus</i>	1871,		416	
	1880,		500	
<i>melanotus</i>	1874,		554	
	1876,		362	
<i>middendorfi</i>	1876,		362	
	1876,		362	
<i>minutus</i>	1876,		362	
	1876,		362	
<i>montanus</i>	1876,		362	
	1876,		362	
<i>monticola</i>	1876,		362	
	1876,		362	
<i>parvipes</i>	1876,		362	
	1876,		363	
<i>pictus</i>	1876,		366	
	1876,		366	
<i>poliocephalus</i>	1876,		370	
	1876,		370	
<i>pollicaris</i>	1876,		370	
	1876,		370	
<i>polycomus</i>	1876,		370	
	1880,		501	
<i>rossii</i>	1872,		520	
	1872,		521	
<i>rubidiceps</i>	1876,		367	
	1871,		416	
<i>rubrirostris</i>	1871,		102	
	1877,		806	
<i>ruficollis</i>	1871,		102	
	1877,		806	
<i>segetum</i>	1871,		417	
	1873,		467	
<i>serrirostris</i>	1873,		639	
	1880,		317	
<i>skorniakooi</i>	1880,		500	
	1871,		417	
<i>Anseranas melanoleuca</i> .	1880,		500	
	1875,		590	
<i>Anserella coromandeli-</i>	1877,		345	
	1880,		497	
<i>ana</i>	1880,		535	
	1872,		479	
<i>Ansonia ornata</i>	1872,		480	
	1875,		568	
<i>Antarctia andicola</i>	1875,		577	
	1874,		58	

	Page		Page
Antarctia annulicornis..	1874, 58	Anthocharis eris	1876, 127
antiqua	1874, 58	erone	1876, 132
blanda	1874, 59	etrida	1876, 160
brevicornis	1874, 58	eupompe	1876, 156
chalybea	1874, 59	curygone	1876, 151
chilensis	1874, 58	evagore	1876, 162
complanata	1874, 59	evanthe	1876, 165
coquimbana	1874, 58	evame	1876, 163
euryptera	1874, 59		1876, 164
femorata	1874, 58	evenina	1876, 150
flavipes	1874, 58	evippe	1876, 155
glauca	1874, 59	exole	1876, 150
harpaloides	1874, 59		1876, 151
laticollis	1874, 59	gavisa	1876, 150
latigastrica	1874, 59	heuglini	1876, 162
leucoscelis	1874, 58	ione	1876, 131
malachitica	1874, 58		1876, 132
puncticollis	1874, 59	isaura	1876, 144
Antarctonomus peroni..	1874, 53	keiskamma	1876, 163
Antechinomys laniger ..	1880, 187	leo	1876, 133
Antechinus minutissimus	1876, 274	liagore	1876, 145
roseus	1880, 426	nouna	1876, 145
swainsoni	1880, 459	ocale	1876, 154
Antennarius coccineus..	1875, 544	omphale	1876, 151
multiocellatus	1875, 545	pallene	1876, 145
	1878, 222	phaënon	1876, 165
Anteros bracteata	1876, 238	phlegetonia	1876, 144
Antheræa andamana ..	1877, 602	phlegyas	1876, 130
	1877, 627	procne	1876, 153
billitonensis	1878, 642	regina	1876, 129
confuci	1874, 578	subfasciata	1876, 127
frithii	1878, 642	theogone	1876, 152
pernyi	1874, 578	zear	1876, 149
Anthias chrysostictus ..	1871, 653	zoë	1876, 137
	1871, 655	Anthocinclæ phayrei...	1873, 661
rhodopeplus	1871, 653	Anthodiaeta zambesiana	1878, 356
	1871, 654	Anthopsyche acte	1876, 152
Anthocephala castanei-		anteupompe	1876, 156
ventris	1878, 69	dalila	1876, 144
Anthocharis achina	1876, 144	deidamia	1876, 148
achine	1876, 150	demagore	1876, 162
	1876, 151	epigone	1876, 153
	1876, 152	eucharis	1876, 140
amina	1876, 129	eupompe	1876, 157
antevippe	1876, 148	evenina	1876, 150
	1876, 149	gavisa	1876, 150
antigone	1876, 143	heuglina	1876, 162
arethusa	1876, 154	phlegetonia	1876, 144
auxo	1876, 163	pholoë	1876, 129
cebrene	1876, 155	procne	1876, 153
celimene	1876, 129	roxane	1876, 150
daira	1876, 144	speciosa	1876, 132
danaë	1876, 155	stygia	1876, 144
	1876, 157	theopompe	1876, 156
dedecora	1876, 156	topha	1876, 163
delphine	1876, 152	Anthornis melanura....	1873, 462
eione	1876, 144	Anthothreptes chloro-	
ephyia	1876, 145	gastra	1877, 756

	Page		Page
<i>Anthothreptes chlorogastra</i>	1877, 763	<i>Anthus gustavi</i>	1877, 807
<i>chlorogaster</i>	1877, 831		1878, 430
	1879, 72	<i>japonicus</i>	1879, 344
<i>griseigularis</i>	1877, 817		1871, 365
	1877, 830	<i>maculatus</i>	1877, 696
<i>malaccensis</i>	1877, 831		1877, 687
<i>Anthothreptes chlorogaster</i>	1878, 287		1877, 696
	1878, 951		1878, 430
<i>griseigularis</i>	1878, 113	<i>obscurus</i>	1878, 619
<i>Anthraceros convexus</i>	1879, 329	<i>peruvianus</i>	1871, 365
<i>malayanus</i>	1880, 14		1878, 390
<i>Anthreptes aurantia</i> ..	1871, 609		1878, 391
	1871, 615	<i>pratensis</i>	1873, 462
<i>chlorigaster</i>	1878, 951	<i>raalteni</i>	1878, 356
<i>chlorogastra</i>	1877, 763	<i>richardi</i>	1871, 366
<i>malaccensis</i>	1875, 107		1877, 806
	1878, 621	<i>rosaceus</i>	1871, 366
	1879, 342	<i>rufescens</i>	1874, 508
<i>phoenicotis</i>	1879, 343		1879, 593
<i>Anthropoides stanleyanus</i>	1875, 488	<i>rufogularis</i>	1871, 365
<i>virgo</i>	1873, 640	<i>rufulus</i>	1874, 618
	1875, 488	<i>rufus</i>	1878, 391
	1880, 315	<i>seebohmi</i>	1875, 566
<i>Anthropopithecus troglodytes</i>	1880, 301		1877, 807
<i>Anthus agilis</i>	1871, 366	<i>spinoletta</i>	1871, 365
<i>aquaticus</i>	1871, 365	<i>thermophilus</i>	1871, 365
<i>arboreus</i>	1877, 696	<i>Antidorcas euchore</i> ..	1873, 550
<i>australis</i>	1875, 590	<i>Antigone montignesia</i> ..	1871, 403
<i>batchianensis</i>	1871, 366	<i>Antigonus nearchus</i> ..	1874, 370
	1877, 807	<i>pygela</i>	1873, 360
<i>blakistoni</i>	1871, 365	<i>vasava</i>	1880, 152
<i>bogotensis</i>	1874, 508	<i>Antillia lonsdaleia</i>	1876, 428
	1879, 593		1876, 429
<i>brevirostris</i>	1880, 191		1876, 430
	1874, 501		1876, 438
	1874, 507		1876, 442
<i>calcaratus</i>	1874, 501	<i>Antilocapra americana</i> ..	1872, 495
	1874, 507		1873, 561
<i>cecilii</i>	1871, 365		1873, 562
<i>cervinus</i>	1871, 365		1873, 563
	1877, 47		1875, 532
<i>chii</i>	1874, 506		1875, 533
	1878, 390		1877, 4
	1878, 391		1877, 11
<i>correndera</i>	1871, 260		1880, 22
	1872, 537		1880, 540
	1872, 548	<i>Antilope altifrons</i>	1871, 590
	1873, 771		1871, 593
	1874, 159	<i>arabica</i>	1873, 542
	1879, 309		1873, 544
<i>fulvus</i>	1879, 612	<i>bennettii</i>	1873, 544
<i>furcatus</i>	1874, 507	<i>bezoartica</i>	1874, 248
	1879, 593		1875, 461
<i>gustavi</i>	1871, 366	<i>bubalis</i>	1875, 492
		<i>bubalus</i>	1873, 729
		<i>burchellii</i>	1871, 592
		<i>campbelliæ</i>	1871, 592
		<i>cervicapra</i>	1873, 313

	Page		Page
Antilope cervicapra	1874, 248	Antrostomus æquicaudatus	1874, 575
	1875, 492		1879, 626
	1876, 463	carolinensis	1879, 531
corina	1873, 540	maculicauda	1873, 186
crispa	1879, 384	parvulus	1873, 290
cuvieri	1873, 542	rufus	1875, 237
dama	1873, 547	rutilus	1872, 652
	1873, 548	Anumbius acuticaudatus	1871, 327
dorcax	1873, 537		1874, 4
	1873, 538		1874, 159
	1873, 539	frontalis	1879, 621
	1873, 540	ruber	1879, 621
	1873, 542	rufigularis	1874, 159
	1873, 543	scolopaceus	1879, 592
	1873, 544	striaticeps	1874, 678
	1873, 550	Anurosorex squamipes	1873, 555
	1875, 492	Anzabe sinensis	1877, 816
edwardsi	1873, 555	Apalis cerviniventris	1877, 22
euchore	1873, 550	Apamea intermittens	1878, 486
euryceros	1871, 489	oculea	1877, 384
gnu	1875, 492	vitiosa	1877, 384
gutturosa	1873, 546		1877, 407
	1875, 520	Apate, sp.	1877, 82
hazenna	1873, 544	Apatura agathina	1876, 232
kevella	1873, 537	ambica	1874, 271
	1873, 538	cherutina	1876, 232
lævipes	1873, 541	cyane	1876, 231
leptoceros	1873, 543	druryi	1874, 342
melanura	1873, 535	elis	1876, 232
	1873, 542	griseldis	1876, 232
mohr	1873, 548	laurentia	1874, 342
nanguer	1873, 548	lavinia	1876, 232
ocularis	1871, 590	linda	1876, 232
palæindica	1873, 551	lucasi	1874, 342
philantomba	1875, 492		1876, 232
pieta	1875, 492	namouna	1874, 271
picticaudata	1876, 697	osteria	1871, 726
pygarga	1873, 550	pavonii	1874, 342
pygmæa	1872, 641		1876, 231
quadriscopa	1871, 588	plesaurina	1874, 342
recticornis	1873, 551	selina	1876, 232
redunca	1880, 307	zunilda	1876, 232
regia	1872, 641	Apenes comis	1878, 606
saltiana	1872, 643	Aperostoma montezumi	1872, 686
scoparia	1872, 642		1872, 687
schemmeringii	1872, 601	Apex albofasciatus	1873, 78
	1873, 549		1873, 89
	1878, 723	albospira	1873, 77
sing-sing	1875, 492		1873, 89
spinigera	1872, 641	apicatus	1873, 78
subgutturosa	1873, 545		1873, 79
	1873, 546		1873, 81
subquadricornutus	1875, 527	coniformis	1873, 80
tilonura	1873, 542		1873, 89
tragulus	1872, 642	decora	1873, 90
tzeiran	1873, 546	decorus	1873, 80
Antirrhœa philopœmen	1876, 213		1873, 81
Antrostomus — ?	1871, 266		

	Page		Page
Apex decorus	1873, 82	Aphobus chopi	1877, 323
flavidus	1873, 80		1877, 750
	1873, 81	Aphomia strigosa	1877, 398
	1873, 89		1877, 407
gulickii	1873, 78	Aphrissa statira	1874, 360
	1873, 89	Aphrodite achine	1876, 150
innotabilis	1873, 78	Apicalia guentheri	1877, 35
	1873, 89		1877, 40
leucophæus	1873, 82		1877, 184
	1873, 89	holdsworthi	1874, 585
leucorrhaphe	1873, 79		1874, 586
	1873, 89	Apis dorsata	1871, 249
leucozonus	1873, 83	laboriosa	1871, 249
	1873, 89	zonata	1871, 249
lilaceus	1873, 78	Aplonis brevirostris....	1876, 494
	1873, 79		1876, 495
	1873, 89	cassini	1877, 774
lugubris	1873, 79	cinerascens	1871, 22
	1873, 83		1871, 29
napus	1873, 83	marginata	1877, 725
	1873, 89		1877, 774
neglectus	1873, 78	pelzelni	1875, 644
	1873, 89		1877, 779
perversus	1873, 82	tabuensis	1875, 435
	1873, 81		1876, 499
polymorpha	1873, 89		1876, 502
	1873, 89		1877, 725
tuberans	1873, 80		1877, 735
	1873, 81		1877, 736
	1873, 82		1877, 774
tumefactus	1873, 82		1877, 783
	1873, 89	tavuensis	1878, 352
	1873, 89	vitiensis	1876, 499
turbiniiformis	1873, 81		1876, 502
	1873, 89		1877, 735
validus	1873, 82		1877, 736
	1873, 89		1877, 774
versicolor	1873, 80		1877, 783
	1873, 81		1878, 352
	1873, 89	Aplysia angasi	1877, 190
Aphanapteryx broeckii..	1875, 349	excavata	1877, 190
Aphantochroa gularis ..	1873, 287	hyalina	1877, 190
hyposticta	1873, 189	norfolkensis	1877, 190
	1874, 545	sydneyensis	1877, 190
	1874, 676	Apocryptes adamanensis	1873, 109
	1879, 627	madurensis	1873, 109
Aphendala conspersa ..	1880, 673	Apogon bandanensis....	1871, 656
Aphia meridionalis	1878, 319	savayensis	1871, 653
	1878, 321		1871, 656
Aphidema beckeri	1879, 707	Apona pallida	1872, 579
Aphnæus elima	1879, 140	plumosa	1872, 579
frigidus	1873, 350	Apopestes phantasma ..	1880, 414
	1873, 360	Aporia soracta	1872, 58
ictis	1874, 272	Apphadana evulsalis ..	1877, 613
	1879, 140		1877, 629
lohita	1874, 107		1880, 681
	1877, 589	Appias abnormis	1872, 48
	1878, 702	acrisa	1872, 44
	1878, 707		1874, 287
lunulifera	1879, 140		
zoilus	1877, 588		
	1877, 625		

	Page		Page
Appias ada	1872, 47	Appias ilaire.....	1872, 50
	1874, 291		1876, 243
agave	1872, 44	indra	1872, 50
albina	1872, 43	inornata.....	1878, 700
	1872, 49		1878, 707
	1874, 287	ithome	1872, 47
albomaculatus	1872, 51	lalage.....	1872, 50
alope	1872, 43	lea	1878, 838
amarella	1872, 44		1878, 855
	1874, 287	leptis	1872, 44
amasene.....	1878, 700	liberia	1872, 45
	1878, 707	libythea.....	1872, 49
amba	1878, 839		1874, 288
	1878, 855	lucasii	1872, 50
andrea	1872, 48	lycaste	1872, 48
asterope.....	1872, 47	lynceola	1872, 48
athama	1872, 45	lyncida	1872, 48
	1874, 287	margarita	1872, 50
bouruensis.....	1872, 46	melania	1872, 45
cardena	1872, 43	molpodia	1872, 50
castalea	1872, 50	nama	1878, 838
celestina	1872, 45		1878, 855
clavis	1872, 47	neombo	1872, 44
clementina	1872, 45	nephele	1872, 47
copia	1878, 700	nero	1872, 46
	1878, 707	panda.....	1872, 48
corinna	1872, 45	pandione	1872, 50
cycinna	1872, 45	panthea	1872, 48
cynisca	1872, 45	paulina	1872, 44
dapha	1878, 838	phcebe	1872, 51
	1878, 855	placidia.....	1872, 46
darada	1872, 49	poeyi	1872, 49
domitia	1872, 46		1874, 361
drusilla	1872, 50		1878, 481
	1876, 243	psyche	1872, 43
durvasi	1872, 50		1874, 287
ega.....	1872, 44	saba	1872, 49
	1874, 287	taprobana	1879, 143
eleonora.....	1872, 47	urania	1872, 44
eliada.....	1872, 46	vacans	1872, 47
enarete	1872, 47		1878, 700
eumelis	1872, 45		1878, 839
	1874, 288		1878, 855
fatime	1872, 46		1879, 143
formosana.....	1872, 48	zamboanga	1872, 46
	1877, 814	zamora	1872, 51
	1878, 701	zarinda	1872, 46
	1880, 669	zelmira	1872, 49
galathea	1872, 43		1878, 700
	1874, 287		1878, 707
	1877, 591		1878, 839
	1877, 625		1878, 855
galba	1872, 46	zeuzippe	1878, 838
hippo.....	1872, 47	Aprosmitus anna	1877, 772
	1878, 700	erythropterus	1874, 587
	1879, 143	insignissimus	1874, 500
hombronii.....	1872, 43		1875, 314
ilaire	1872, 49	scapulatus	1873, 465

	Page		Page
<i>Aprosmictus scapulatus</i> .	1873, 634	<i>Aquila adalberti</i>	1872, 864
	1874, 587		1872, 865
	1875, 314	<i>albicans</i>	1872, 865
<i>tabuensis</i>	1877, 772		1875, 22
<i>Apsarasa figurata</i>	1877, 604	<i>amurensis</i>	1871, 338
	1877, 627		1875, 21
<i>radians</i>	1877, 604	<i>audax</i>	1873, 466
	1877, 605		1873, 634
<i>Apseudes anomalus</i>	1871, 290		1875, 578
<i>Aptenodytes chrysocome</i>	1878, 654	<i>bifasciata</i>	1871, 38
<i>longirostris</i>	1878, 653		1871, 338
	1879, 311		1871, 684
<i>magellanicus</i>	1878, 653		1871, 685
<i>papuaus</i>	1878, 653		1872, 503
<i>pennantii</i>	1873, 470		1872, 504
	1873, 642		1872, 620
	1875, 469		1872, 621
	1879, 763		1872, 622
<i>Apterodyta longirostris</i> .	1878, 653		1872, 863
<i>Apterodytes pennanti</i> ..	1872, 183		1872, 865
<i>Apterygodon vittatum</i> .	1872, 589		1873, 514
<i>Apteryx australis</i>	1871, 479		1873, 515
	1871, 496		1873, 516
	1872, 861		1875, 21
	1874, 497		1875, 22
	1874, 498		1876, 311
<i>haasti</i>	1874, 497		1876, 312
	1874, 498		1876, 313
	1876, 1	<i>bonellii</i>	1872, 75
<i>mantelli</i>	1871, 496		1872, 76
	1872, 861		1875, 491
	1873, 470	<i>choka</i>	1875, 491
	1873, 644	<i>chrysaetos</i>	1871, 338
	1874, 498		1874, 208
	1875, 341		1874, 209
	1875, 343		1874, 210
	1875, 348		1875, 491
	1876, 2		1880, 308
	1877, 307	<i>clanga</i>	1871, 39
<i>maxima</i>	1874, 498		1871, 338
<i>oweni</i>	1871, 479		1871, 339
	1871, 496		1872, 864
	1872, 861		1873, 514
	1873, 470		1875, 21
	1873, 643	<i>crassipes</i>	1872, 503
	1873, 644		1872, 504
	1874, 497		1872, 620
	1874, 498		1872, 621
	1876, 1		1872, 622
	1877, 307		1872, 865
<i>Aptornis defossor</i>	1871, 506		1875, 20
<i>Apurima bipunctifera</i> ..	1880, 690	<i>fucosa</i>	1875, 491
<i>gratiosella</i>	1880, 690	<i>fulvescens</i>	1871, 683
<i>Apus dukianus</i>	1880, 392		1871, 685
<i>Aquias eudouxii</i>	1873, 249		1871, 686
<i>luctus</i>	1873, 249		1871, 688
<i>morio</i>	1873, 249		1871, 689
<i>perniger</i>	1873, 249		1872, 68

	Page		Page
<i>Aquila fulvescens</i>	1872, 69	<i>Aquila nævia</i>	1873, 516
	1872, 70		1873, 556
	1872, 73		1875, 22
	1872, 74		1875, 24
	1872, 865	<i>nævioides</i>	1871, 38
	1875, 22		1871, 39
<i>fusca</i>	1872, 865		1871, 684
<i>hastata</i>	1872, 69		1871, 685
	1872, 70		1871, 687
	1872, 71		1871, 688
	1872, 74		1871, 689
	1872, 622		1871, 690
	1872, 864		1872, 69
	1872, 865		1872, 70
	1875, 22		1872, 75
	1875, 23		1872, 864
	1875, 24		1872, 865
	1875, 27		1873, 466
	1876, 312		1873, 634
	1876, 313		1875, 22
	1876, 316	<i>nipalensis</i>	1872, 503
	1876, 317	<i>orientalis</i>	1872, 864
<i>heliaca</i>	1871, 338		1872, 865
<i>imperialis</i>	1871, 38		1873, 514
	1871, 39		1873, 515
	1871, 545		1873, 516
	1871, 682		1875, 21
	1871, 684		1876, 311
	1871, 686		1876, 312
	1872, 74	<i>pennata</i>	1872, 74
	1872, 75		1872, 411
	1872, 502		1875, 24
	1872, 620		1876, 781
	1872, 621	<i>rapax</i>	1875, 22
	1874, 208	<i>tarsatus</i>	1875, 24
<i>leucolena</i>	1872, 864	<i>vindhiana</i>	1872, 865
<i>mogilnik</i>	1871, 38		1875, 22
	1872, 863	<i>vittata</i>	1872, 864
	1872, 865		1872, 865
	1875, 20		1873, 514
	1875, 21		1873, 516
	1876, 313	<i>Ara ambigua</i>	1874, 587
<i>nævia</i>	1871, 39	<i>ararauna</i>	1873, 299
	1871, 338		1874, 587
	1871, 339		1879, 634
	1871, 685		1880, 310
	1871, 686	<i>auricollis</i>	1879, 634
	1871, 687	<i>chloroptera</i>	1873, 633
	1871, 688		1875, 343
	1871, 689		1879, 634
	1872, 71		1880, 310
	1872, 73	<i>couloni</i>	1876, 255
	1872, 74	<i>glauca</i>	1878, 976
	1872, 75		1879, 551
	1872, 622	<i>hyacinthina</i>	1875, 633
	1872, 623		1878, 976
	1872, 864		1879, 551
	1872, 865	<i>leari</i>	1879, 551

	Page		Page
<i>Ara macao</i>	1873, 299	<i>Aramides ipecaha</i>	1876, 105
	1873, 465	<i>saracura</i>	1878, 440
	1873, 633	<i>Aramus scolopaceus</i> ..	1873, 308
	1874, 587		1875, 565
	1878, 38		1876, 102
	1878, 46		1876, 275
	1879, 634		1876, 276
	1880, 310	<i>Aranea aculeata</i>	1873, 421
<i>maracana</i>	1874, 587		1873, 422
	1876, 255	<i>armata</i>	1873, 420
	1876, 256	<i>coarctata</i>	1876, 559
	1880, 310	<i>curacaviensis</i>	1875, 141
<i>militaris</i>	1874, 549	<i>edulis</i>	1875, 131
	1876, 692		1875, 132
	1878, 46		1875, 134
	1879, 241	<i>elongato-spinosa</i> ..	1873, 421
	1879, 538	<i>longipes</i>	1877, 284
	1879, 634	<i>maculata</i>	1877, 284
<i>rubrigenis</i>	1879, 634	<i>spinosa</i>	1873, 421
<i>severa</i>	1873, 299		1873, 425
	1879, 538	<i>taurus</i>	1873, 420
	1879, 634	<i>tetracantha</i>	1873, 429
<i>spixi</i>	1878, 976	<i>triangulari-spinosa</i> .	1873, 421
	1879, 300	<i>venatoria</i>	1875, 144
	1879, 551	<i>Araneus cancriformis</i> ..	1873, 428
<i>Arachne timida</i>	1876, 628	<i>formicinus</i>	1872, 309
<i>Arachnecthra asiatica</i> ..	1872, 434		1872, 310
<i>flamaxillaris</i>	1871, 349	<i>Araschnia hippodrome</i> .	1874, 349
	1873, 668	<i>lacinia</i>	1874, 349
<i>jugularis</i>	1877, 536	<i>Arbacia punctulata</i>	1879, 660
	1877, 538	<i>Arbanitis huttonii</i>	1879, 682
	1877, 548		1879, 702
	1877, 688	<i>Arbela quadrinotata</i> ..	1879, 411
	1877, 698		1879, 412
	1877, 763	<i>tessellata</i>	1879, 411
	1877, 830	<i>tetraonis</i>	1879, 411
	1878, 112		1879, 417
	1878, 286	<i>Arboricola atrogularis</i> ..	1879, 361
	1878, 343	<i>bambusæ</i>	1871, 400
<i>lotenia</i>	1872, 434	<i>brunneipectus</i>	1873, 662
<i>rhizophoræ</i>	1871, 349	<i>torqueola</i>	1871, 544
	1873, 668		1873, 468
<i>Arachnothera aurata</i> ..	1873, 661		1873, 639
<i>chrysogenys</i>	1875, 107		1876, 464
	1879, 343		1877, 307
<i>dilutior</i>	1878, 621	<i>Arca</i>	1879, 587
<i>flammifera</i>	1878, 340	<i>antiquata</i>	1879, 571
	1878, 343	<i>aspera</i>	1879, 571
<i>Arachnura scorpionoides</i>	1875, 137	<i>aurita</i>	1879, 585
	1875, 138	<i>barbata</i>	1879, 570
<i>Arachotia vespoides</i> ...	1879, 390	<i>diluvii</i>	1879, 571
<i>Aramides calopterus</i> ..	1878, 439	<i>fragilis</i>	1879, 575
<i>cayennensis</i>	1873, 308	<i>frielei</i>	1879, 573
	1873, 469		1879, 588
	1873, 641	<i>glacialis</i>	1879, 572
	1874, 558	<i>glycymeris</i>	1879, 584
	1879, 545	<i>gradata</i>	1877, 72
<i>ipecaha</i>	1876, 104	<i>grenophia</i>	1879, 573

	Page		Page
<i>Arca insubrica</i>	1879, 584	<i>Arctia suttadra</i>	1879, 395
<i>interrupta</i>	1879, 575	<i>Arctica alle</i>	1873, 34
<i>lactea</i>	1879, 570		1873, 470
<i>margaritacea</i>	1879, 584		1873, 471
<i>minuta</i>	1879, 574		1873, 642
<i>nitida</i>	1879, 584		1874, 122
<i>noæ</i>	1879, 571		1876, 199
<i>nodulosa</i>	1879, 570		1877, 451
<i>nucleus</i>	1879, 583	<i>Arctictis albifrons</i>	1875, 565
<i>nummaria</i>	1879, 584	<i>binturong</i>	1873, 196
<i>obliqua</i>	1879, 572		1875, 565
<i>pectunculoides</i>	1879, 559		1878, 142
	1879, 572		1879, 306
<i>pella</i>	1879, 575	<i>Arctocephalus antarctica</i>	1872, 661
<i>pernula</i>	1879, 574	<i>antarcticus</i>	1872, 655
<i>polii</i>	1879, 571	<i>californianus</i>	1872, 737
<i>raridentata</i>	1879, 573		1873, 776
<i>scabra</i>	1879, 570	<i>cinerea</i>	1872, 654
<i>septentrionalis</i>	1879, 573	<i>cinereus</i>	1872, 653
<i>tenuis</i>	1879, 581		1872, 654
<i>tetragona</i>	1879, 571		1872, 655
<i>tortuosa</i>	1879, 571		1872, 657
<i>transversa</i>	1879, 572		1872, 659
<i>weinkauffi</i>	1879, 572		1872, 660
(<i>Scapharca</i>) <i>myristica</i>	1878, 820		1872, 661
<i>Arcania erinacea</i>	1879, 44		1872, 743
<i>globata</i>	1879, 21		1873, 143
	1879, 44		1873, 759
<i>granulosa</i>	1879, 44		1875, 672
<i>orientalis</i>	1879, 21		1875, 675
	1879, 44	<i>falklandica</i>	1872, 661
<i>tuberculata</i>	1879, 44	<i>fosteri</i>	1872, 654
<i>ll-spinosa</i>	1879, 44		1872, 657
<i>Archetypus fulvipennis</i>	1877, 156	<i>hookeri</i>	1873, 756
<i>Archibuteo aquilinus</i>	1871, 339		1875, 677
<i>lagopus</i>	1873, 466	<i>lobatus</i>	1875, 675
	1873, 634		1875, 676
<i>sancti-johannis</i>	1875, 117	<i>monteriensis</i>	1872, 737
<i>Archimantis armata</i>	1878, 583		1873, 776
	1878, 584	<i>nigrescens</i>	1872, 655
	1878, 587		1872, 656
<i>monstrosa</i>	1878, 583		1872, 659
	1878, 587		1872, 661
<i>Architectonica perspectiva</i>	1877, 184		1875, 667
<i>Architeuthis dux</i>	1874, 180	<i>Arctomys, sp. inc.</i>	1880, 60
	1874, 181	<i>bobac</i>	1871, 543
	1874, 490		1871, 559
	1874, 491		1871, 560
	1874, 492		1871, 561
	1874, 493		1871, 562
<i>monachus</i>	1874, 180		1877, 278
	1874, 181		1880, 454
	1874, 490	<i>caudatus</i>	1871, 560
	1874, 491		1876, 633
	1874, 492		1880, 453
	1874, 492	<i>empetra</i>	1875, 492
<i>Arctia strigatula</i>	1879, 398	<i>fulvus</i>	1871, 560

	Page		Page
<i>Arctomys hemachalanus</i>	1871, 559	<i>Arctopithecus marmo-</i>	
	1871, 560	<i>ratus</i>	1871, 444
	1871, 561	<i>problematicus</i>	1871, 439
	1880, 453		1871, 448
	1880, 454		1871, 449
<i>himalayanus</i>	1871, 559	<i>Ardea</i> —?	1871, 411
	1871, 560	<i>agami</i>	1873, 305
	1871, 561	<i>alba</i>	1873, 467
	1876, 633		1873, 637
	1880, 453	<i>ardesiaca</i>	1875, 67
<i>hodgsoni</i>	1880, 453	<i>asha</i>	1875, 439
	1880, 454	<i>atricapilla</i>	1871, 149
<i>marmotta</i>	1876, 65		1879, 679
	1877, 278		1880, 39
	1880, 305		1880, 40
<i>pruinus</i>	1875, 492	<i>bubulcus</i>	1879, 678
<i>robustus</i>	1876, 633	<i>cærulea</i>	1877, 745
	1880, 453	<i>candidissima</i>	1873, 305
<i>tibetanus</i>	1871, 559		1873, 467
	1871, 560		1877, 745
	1871, 561		1879, 542
	1880, 453		1879, 765
	1880, 454	<i>chrysopelargus</i>	1880, 94
<i>Arctonyx collaris</i>	1873, 1	<i>cinerea</i>	1871, 411
	1875, 492		1872, 477
<i>obscurus</i>	1873, 663		1873, 203
<i>taxoides</i>	1873, 1		1873, 467
<i>Arctophoca argentata</i> ..	1872, 661		1873, 637
<i>cinerea</i>	1872, 743		1875, 343
<i>philippii</i>	1872, 660		1875, 348
	1872, 661		1875, 488
	1872, 737		1877, 293
<i>Arctopithecus blainvillei</i>	1871, 436	<i>cocoi</i>	1873, 305
	1871, 439		1873, 511
	1871, 441		1875, 624
	1871, 442		1875, 625
	1871, 444		1875, 628
<i>boliviensis</i>	1871, 439		1877, 307
	1871, 442	<i>comata</i>	1875, 67
	1871, 444		1877, 301
<i>castaneiceps</i>	1871, 439	<i>egretta</i>	1871, 412
	1871, 444		1873, 305
	1871, 445		1873, 467
<i>cuculliger</i>	1871, 439		1873, 637
	1871, 440		1874, 555
	1871, 441	<i>episcopus</i>	1878, 953
	1871, 443	<i>flavicollis</i>	1877, 113
<i>flaccidus</i>	1871, 439		1879, 14
	1871, 448	<i>flavirostris</i>	1875, 67
	1871, 449	<i>garzetta</i>	1873, 467
<i>griseus</i>	1871, 439		1873, 637
	1871, 446		1880, 316
	1871, 447	<i>goisagi</i>	1871, 413
<i>gularis</i>	1871, 440	<i>goliath</i>	1873, 467
	1871, 441		1873, 637
	1871, 443	<i>gouldi</i>	1879, 14
<i>marmoratus</i>	1871, 439	<i>gularis</i>	1877, 302
	1871, 443		1879, 678

	Page		Page
<i>Ardea herodias</i>	1873, 511	<i>Ardea sacra</i>	1880, 577
	1879, 765	<i>scapularis</i>	1871, 127
<i>ibis</i>	1875, 67		1871, 128
	1877, 301		1880, 39
	1877, 302	<i>sinensis</i>	1872, 89
	1879, 678		1872, 105
<i>intermedia</i>	1872, 477		1880, 577
<i>javanica</i>	1871, 149	<i>sumatrana</i>	1875, 343
	1875, 29		1877, 341
	1875, 440	<i>syrmatophora</i> ..	1871, 412
	1878, 83	<i>violacea</i>	1871, 125
	1879, 353		1871, 128
	1880, 39		1871, 129
<i>jugularis</i>	1879, 352	<i>virescens</i>	1880, 39
<i>lepida</i>	1872, 89	<i>Ardeola bacchus</i>	1871, 413
	1872, 105	<i>erythromelas</i>	1875, 629
<i>leuce</i>	1871, 412	<i>grayii</i>	1872, 478
<i>leucoptera</i>	1871, 688	<i>leucoptera</i>	1872, 478
	1877, 301	<i>malaccensis</i>	1871, 413
	1877, 302	<i>prasinosceles</i>	1871, 413
<i>megacephala</i>	1875, 41	<i>Ardetta atricapilla</i>	1879, 679
<i>melanolopha</i>	1871, 413	<i>cinnamomea</i>	1871, 413
<i>minuta</i>	1875, 488		1872, 478
<i>modesta</i>	1871, 412		1877, 688
<i>nigripes</i>	1877, 703		1877, 703
<i>novæ-hollandiæ</i> ..	1877, 341		1878, 345
<i>nycticorax</i>	1871, 128		1878, 953
	1875, 488		1879, 353
<i>pacifica</i>	1877, 341		1880, 15
<i>plumbea</i>	1871, 125	<i>flavicollis</i>	1871, 413
	1871, 127		1872, 478
<i>purpurea</i>	1871, 411		1877, 113
	1872, 477		1877, 834
	1873, 467	<i>garzetta</i>	1879, 352
	1873, 637	<i>gouldi</i>	1877, 113
	1875, 67	<i>involutris</i>	1875, 623
	1879, 352		1875, 624
<i>rufiventris</i>	1871, 127		1875, 629
<i>rutenbergi</i>	1880, 39	<i>podiceps</i>	1871, 135
	1880, 40		1875, 68
<i>sacra</i>	1871, 32	<i>pusilla</i>	1877, 343
	1872, 87	<i>sinensis</i>	1871, 414
	1872, 89		1872, 478
	1872, 104	<i>Are marginata</i>	1878, 484
	1875, 440	<i>Areas lactinea</i>	1877, 815
	1876, 497	<i>punctipennis</i>	1877, 473
	1876, 503	<i>Areoturnix blakistoni</i> ..	1871, 401
	1877, 112	<i>rostrata</i>	1871, 401
	1877, 551	<i>Argaterma alticola</i>	1878, 462
	1877, 555		1878, 474
	1877, 726		1878, 475
	1877, 737		1878, 477
	1877, 742	<i>multisignata</i>	1878, 462
	1877, 775		1878, 474
	1877, 781	<i>Argina cribraria</i>	1877, 474
	1877, 785		1877, 597
	1878, 271		1877, 626
	1879, 14	<i>Argiope argentata</i>	1877, 285

	Page		Page
Argiope aurelia	1873, 211	Argynnis pales	1874, 568
	1876, 576	rudra	1874, 267
	1876, 627	sipora	1874, 568
biplicata	1878, 410	vitatha	1874, 579
brownii	1877, 284	Argyria chrysogyranus ..	1878, 495
capsula	1878, 399	insons	1878, 495
	1878, 410	vestalis	1878, 494
cistellula	1878, 399	Argyriosus setipinnis ..	1877, 67
	1878, 410		1877, 69
cuneata	1878, 399	Argyrodes abscissa	1880, 328
	1878, 409		1880, 342
	1878, 410		1880, 343
	1878, 412	affinis	1880, 336
	1879, 588		1880, 337
decollata	1878, 399		1880, 342
	1878, 409		1880, 343
	1878, 410	amboinensis	1880, 331
epeiroides	1872, 301		1880, 332
	1872, 349		1880, 342
	1876, 576		1880, 343
forbesi	1878, 409	amplifrons	1880, 335
giganteus	1872, 729		1880, 337
neapolitana	1878, 399		1880, 339
	1878, 409		1880, 342
	1878, 410		1880, 344
schrammi	1878, 410	antipodiana	1880, 327
sericea	1872, 301	argentata	1880, 325
	1872, 349		1880, 327
	1876, 628		1880, 342
splendida	1876, 628		1880, 343
sticticalis	1876, 576	bicornis	1880, 334
	1876, 627		1880, 342
striata	1871, 617		1880, 343
Argiva caprimulgus....	1878, 848	cognata	1880, 326
hieroglyphica	1877, 608	concinna	1880, 322
	1877, 628		1880, 342
	1878, 848		1880, 343
Argua scabra	1877, 398	epeiuræ	1872, 279
Argus giganteus	1873, 468		1872, 280
	1873, 473		1872, 301
	1873, 640		1872, 348
	1873, 683		1872, 310
	1876, 194		1873, 211
	1877, 307		1873, 222
	1879, 115		1880, 321
	1879, 118		1880, 322
	1879, 358		1880, 323
poeta	1874, 286		1880, 325
Argynnis aglaia	1874, 568		1880, 327
cashmirensis	1874, 267		1880, 328
childreni	1874, 267		1880, 336
gaberti	1874, 283		1880, 343
issæa	1874, 267	felix	1880, 340
jainadeva	1874, 267		1880, 342
jerdoni	1874, 268		1880, 344
kamala	1874, 267	fissifrons	1880, 329
niphe	1874, 267		1880, 330
	1877, 813		

	Page		Page
Argyrodes fissifrons	1880, 331	Argyrodes sextuberculata	1880, 344
	1880, 342	syriaca	1872, 215
	1880, 343		1872, 279
flavescens	1880, 321		1872, 301
	1880, 342		1872, 348
	1880, 343		1872, 352
infelix	1880, 340	ululans	1880, 336
	1880, 342		1880, 337
	1880, 344		1880, 339
inguinalis	1880, 329		1880, 342
	1880, 330		1880, 344
	1880, 331	Argyroneta marina	1879, 687
	1880, 342	Arhopala meander	1874, 286
	1880, 343	nakula	1878, 835
jucunda	1880, 326		1878, 855
	1880, 342	pryxus	1874, 286
	1880, 343	vikara	1878, 835
lepida	1879, 688		1878, 855
lugens	1880, 323	Ariadne flagellum	1872, 278
	1880, 327	insidiatrix	1872, 223
	1880, 342		1872, 347
	1880, 343		1876, 547
minax	1880, 336		1876, 626
	1880, 337	mellissii	1873, 211
	1880, 342	Ariamne longicaudata	1872, 215
	1880, 343		1872, 277
nasuta	1880, 333		1872, 278
	1880, 342		1872, 348
	1880, 343		1872, 352
nephilæ	1880, 324	Aricoris gelasine	1878, 364
	1880, 325	myrtis	1878, 364
	1880, 326	Arinia boucardi	1878, 71
	1880, 342	Arion austenianus	1880, 108
	1880, 343	hortensis	1880, 108
nigra	1880, 341	rufus	1880, 290
	1880, 342		1880, 296
	1880, 344	Aristeus antennatus	1878, 309
obtusa	1880, 335	edwardsianus	1878, 308
	1880, 337		1878, 309
	1880, 338		1878, 310
	1880, 339	Aristhala hainana	1878, 705
	1880, 342		1878, 708
	1880, 344	sikkima	1879, 406
procrastinans	1880, 329		1879, 417
	1880, 330	Arius gagora	1871, 708
	1880, 342		1873, 706
	1880, 343	jatus	1871, 708
rostrata	1880, 325	macracanthus	1871, 708
	1880, 342	manillensis	1871, 708
	1880, 343	nenga	1871, 708
samoensis	1880, 323	sona	1871, 708
	1880, 342	subrostratus	1873, 706
	1880, 343	sumatranus	1873, 706
scintillulana	1880, 320	Armadillidium brun-	
	1880, 332	neum	1877, 675
	1880, 343	cælatum	1877, 654
sextuberculata	1880, 335		1877, 665
	1880, 342		1877, 678

	Page		Page
<i>Armadillidium pictum</i>	1877, 675	<i>Artamus albiventris</i>	1877, 351
<i>pustulatum</i>	1877, 654	<i>cinereus</i>	1875, 584
<i>vulgare</i>	1877, 675	<i>fuscus</i>	1877, 351
<i>zenckeri</i>	1877, 665	<i>insignis</i>	1871, 377
<i>Armadillo cacahuamil-</i>		<i>leucogaster</i>	1872, 440
<i>pensis</i>	1877, 666	<i>leucopygialis</i>	1877, 101
<i>cubensis</i>	1877, 666	<i>leucorhynchus</i>	1878, 671
<i>inconspicuus</i>	1877, 664	<i>leucocorynus</i>	1879, 315
<i>officinalis</i>	1877, 663	<i>maximus</i>	1879, 344
<i>pilularis</i>	1877, 664	<i>melaleucus</i>	1875, 584
<i>pustulatus</i>	1877, 665	<i>mentalis</i>	1878, 122
<i>vulgaris</i>	1877, 654	<i>minor</i>	1872, 89
	1877, 663	<i>monachus</i>	1872, 99
	1877, 664	<i>pelewensis</i>	1877, 536
	1877, 665	<i>sordidus</i>	1877, 538
	1877, 666	<i>Artanes bigibba</i>	1877, 544
	1877, 672	<i>lugens</i>	1877, 692
	1877, 675	<i>Ataxa brevivittata</i>	1877, 759
<i>Arnoglossus laterna</i>	1879, 755	<i>diagramma</i>	1877, 826
<i>Aroa ochripicta</i>	1879, 399	<i>erecta</i>	1878, 709
<i>socrus</i>	1879, 399	<i>howra</i>	1878, 937
<i>substrigosa</i>	1879, 399	<i>leithiana</i>	1879, 70
<i>Arremon abeillæi</i>	1877, 744	<i>unimacula</i>	1879, 314
<i>affinis</i>	1879, 602	<i>varians</i>	1879, 344
<i>aurantiistrostris</i>	1878, 56	<i>Artema convexa</i>	1878, 283
<i>d'orbignii</i>	1879, 603	<i>bicolor</i>	1878, 342
<i>erythrorynchus</i>	1879, 505	<i>leucocephala</i>	1877, 101
<i>frontalis</i>	1874, 515	<i>rufa</i>	1877, 739
<i>mystacalis</i>	1875, 236		1875, 29
<i>nigriceps</i>	1880, 196		1875, 434
<i>orbignii</i>	1879, 603		1875, 584
<i>rufidorsalis</i>	1878, 56		1877, 101
<i>rufinucha</i>	1879, 603		1877, 739
<i>semitorquatus</i>	1873, 187		1875, 584
<i>silens</i>	1873, 185		1876, 590
	1873, 187		1876, 591
	1879, 603		1876, 627
<i>spectabilis</i>	1877, 332		1876, 591
<i>torquatus</i>	1879, 505		1876, 627
<i>Arrenga blighi</i>	1873, 187		1879, 400
<i>cyanea</i>	1872, 405		1879, 417
<i>melanura</i>	1872, 444		1879, 399
<i>Arsacia ashmoliiana</i>	1872, 444		1879, 400
<i>Arses insularis</i>	1873, 679		1879, 416
<i>kaupii</i>	1873, 16		1879, 400
<i>telescopthalma</i>	1880, 16		1879, 399
<i>Arses insularis</i>	1878, 584		1879, 416
<i>kaupii</i>	1878, 579		1879, 416
<i>telescopthalma</i>	1875, 585		1879, 399
<i>Artamia bernieri</i>	1877, 100		1878, 848
<i>bicolor</i>	1877, 100		1878, 857
<i>leucocephala</i>	1871, 318		1880, 673
<i>rufa</i>	1875, 77		1873, 210
	1875, 77		1873, 211
	1871, 318		1873, 219
	1875, 77		1876, 628
	1871, 319		1878, 849
			1878, 857

	Page		Page
<i>Arterotia tractipennis</i> ..	1874, 367	<i>Arvicola gregalis</i>	1874, 468
<i>Artibeus planirostris</i> ..	1880, 465	<i>guentheri</i>	1880, 62
<i>quadrivittatus</i>	1878, 880		1880, 63
(Uroderma) <i>bilobatus</i>	1880, 465	<i>guelmelii</i>	1874, 469
<i>Artocarpus incisa</i>	1880, 396		1874, 470
<i>Artona hainana</i>	1878, 30	<i>joberti</i>	1874, 467
<i>quadrimaculata</i>	1878, 704		1874, 468
<i>Arundinax aëdon</i>	1879, 390	<i>leucura</i>	1880, 62
<i>blakistoni</i>	1871, 353		1880, 64
<i>cantans</i>	1877, 806	<i>micrurus</i>	1880, 62
<i>cantillans</i>	1873, 688	<i>mystacinus</i>	1880, 62
<i>canturiens</i>	1873, 688	<i>neglectus</i>	1874, 468
	1871, 353	<i>nivalis</i>	1874, 465
<i>dauidiana</i>	1873, 688		1874, 467
	1873, 689		1880, 64
<i>flemingi</i>	1873, 689	<i>obscurus</i>	1874, 465
	1871, 353		1874, 467
	1871, 354	<i>oconomus</i>	1874, 467
	1871, 355	<i>pratensis</i>	1874, 461
<i>minuta</i>	1873, 688	<i>ratticeps</i>	1874, 464
<i>minutus</i>	1873, 688		1877, 465
<i>olivaceus</i>	1871, 353		1874, 466
<i>Arundinicola citreola</i> ..	1873, 187	<i>riparius</i>	1875, 491
<i>leucocephala</i>	1873, 277	<i>robustus</i>	1874, 462
	1879, 611		1874, 463
<i>Arvicola agrestis</i>	1874, 463	<i>rutilus</i>	1874, 462
	1874, 467	<i>savii</i>	1874, 469
	1874, 468	<i>saxatilis</i>	1874, 468
	1874, 469	<i>socialis</i>	1880, 62
<i>ambiguus</i>	1874, 465	<i>stoliczkanus</i>	1876, 633
	1874, 467		1880, 64
	1874, 469	<i>subterraneus</i>	1874, 460
	1874, 470	<i>syriacus</i>	1880, 62
<i>amphibius</i>	1874, 462	<i>terrestris</i>	1874, 463
	1874, 463		1874, 464
	1874, 464	<i>Asagena serratipes</i>	1876, 568
	1875, 491	<i>Ascalaphia bengalensis</i>	1872, 81
	1879, 770	<i>coromanda</i>	1872, 81
<i>antiquus</i>	1874, 462		1876, 316
	1874, 463		1877, 807
<i>arvalis</i>	1874, 460	<i>Ascaris andersoni</i>	1876, 296
	1874, 465		1876, 298
	1874, 467	<i>compar</i>	1876, 294
	1874, 468	<i>cornelyi</i>	1876, 294
	1874, 469		1876, 298
	1880, 63	<i>cuspidata</i>	1874, 125
	1880, 64		1874, 128
<i>arvaloides</i>	1874, 467	<i>delphini</i>	1876, 297
<i>blythi</i>	1876, 633	<i>inflexa</i>	1876, 294
<i>brecciensis</i>	1874, 462	<i>leptina</i>	1876, 297
	1874, 465	<i>lumbricoides</i>	1876, 295
	1874, 467	<i>maculosa</i>	1874, 126
<i>delarbrei</i>	1874, 461		1874, 127
<i>destructor</i>	1874, 463		1874, 128
<i>giareolus</i>	1874, 461	<i>megalocephala</i>	1874, 128
	1874, 468	<i>mystax</i>	1876, 298
		<i>osculata</i>	1873, 742
		<i>perspicilla</i>	1876, 294

	Page		Page
<i>Ascaris simplex</i>	1876,	<i>Aspilates insignis</i>	1877, 407
<i>Asio accipitrinus</i>	1878,	<i>subochraria</i>	1877, 396
<i>americanus</i>	1877, 159	<i>Aspilochelys livingstonii</i>	1873, 42
<i>brachyotus</i>	1877, 160	<i>Aspilus cariniferus</i>	1873, 67
<i>galapagoensis</i>	1879, 636	<i>gataghol</i>	1873, 67
<i>mexicanus</i>	1878, 348	<i>javanicus</i>	1873, 67
<i>otus</i>	1877, 159	<i>ornatus</i>	1873, 56
<i>wilsonianus</i>	1877, 159		1873, 68
<i>Asopia decoloralis</i>	1880, 682	<i>Aspius esocinus</i>	1876, 801
<i>hipponalis</i>	1880, 683	<i>rapax</i>	1876, 801
<i>iolealis</i>	1880, 683	<i>Assara albicostalis</i>	1880, 689
<i>limbolalis</i>	1877, 615	<i>Assimineea dubia</i>	1871, 476
<i>lydialis</i>	1877, 629	<i>grayana</i>	1873, 390
<i>ornatalis</i>	1880, 682	<i>lucida</i>	1871, 476
<i>rufipicta</i>	1880, 683	<i>nitida</i>	1871, 476
<i>vulgalis</i>	1880, 682	<i>oparica</i>	1871, 476
<i>Aspergillum strangei</i> ..	1878, 869	<i>parvula</i>	1871, 476
<i>Asphæra amazonica</i> ...	1879, 442	<i>pupoides</i>	1871, 476
<i>apicalis</i>	1879, 442	<i>Astacoides franklini</i> ..	1878, 756
<i>balyi</i>	1879, 442	<i>madagascariensis</i> ..	1878, 759
<i>basalis</i>	1880, 601		1878, 772
<i>decemmaculata</i> ...	1880, 609		1878, 773
<i>nobilitata</i>	1880, 602		1878, 775
<i>pallida</i>	1880, 609	<i>Astacopsis franklini</i> ...	1878, 760
<i>tomentosa</i>	1879, 443		1878, 764
	1880, 609		1878, 765
<i>Aspicela albomargi-</i>		<i>Astacus angulosus</i>	1878, 754
<i>nata</i>	1880, 600	<i>brasiliensis</i>	1878, 755
<i>cretacea</i>	1880, 609		1878, 771
<i>discoidalis</i>	1880, 600	<i>dauricus</i>	1878, 754
<i>rugosa</i>	1880, 600	<i>fluviatilis</i>	1878, 753
<i>Aspidoglossa brachy-</i>			1878, 754
<i>derus</i>	1878, 589		1878, 756
<i>Aspidonectes aspilus</i> ..	1873, 64	<i>fontinalis</i>	1878, 757
<i>ferox</i>	1873, 59	<i>japonicus</i>	1878, 759
<i>gangeticus</i>	1873, 47	<i>leptodactylus</i>	1878, 760
<i>javanica</i>	1873, 67	<i>madagascariensis</i> ..	1878, 763
<i>spinifera</i>	1873, 60	<i>pachypus</i>	1878, 754
<i>Aspidophoroides mono-</i>		<i>pallipes</i>	1878, 754
<i>pterygius</i>	1877, 295	<i>pilimanus</i>	1878, 755
<i>Aspidura brachyorrhos</i>	1876, 819		1878, 771
<i>copii</i>	1876, 820	<i>saxatilis</i>	1878, 754
<i>guentheri</i>	1875, 230	<i>torrentium</i>	1878, 754
<i>trachyrocta</i>	1876, 819	<i>Astarte sulcata</i>	1878, 403
<i>Aspilates abrogata</i>	1876, 820	<i>Aster glutinosus</i>	1878, 464
<i>insignis</i>	1877, 392	<i>Asterias mollis</i>	1872, 812
	1877, 393	<i>scaber</i>	1872, 812
		<i>Asterochelys radiata</i> ..	1873, 724
			1873, 728
		<i>Asteronotus cruenta</i> ...	1877, 201
		<i>hemprichii</i>	1877, 200
			1877, 201
		<i>Asterope abyssicola</i> ...	1871, 295
		<i>elliptica</i>	1871, 295

	Page		Page
<i>Asterope grœnlandica</i> ..	1871, 291	<i>Asturina leucorrhœa</i> ..	1875, 235
	1871, 292		1879, 540
<i>mariae</i>	1871, 295	<i>magnirostris</i>	1873, 303
<i>norvegica</i>	1871, 295		1874, 552
<i>teres</i>	1871, 295		1879, 241
<i>Asthena mullata</i>	1877, 390		1879, 540
<i>pulchra</i>	1877, 390	<i>nattereri</i>	1876, 357
<i>subpurpureata</i>	1877, 390		1876, 358
<i>Astictopterus armatus</i> ..	1873, 359	<i>nitida</i>	1879, 636
	1873, 361	<i>pucherani</i>	1876, 358
<i>contumax</i>	1878, 92		1879, 636
<i>diocles</i>	1873, 359	<i>ruficauda</i>	1876, 358
<i>hiogaster</i>	1878, 80	<i>saturata</i>	1876, 357
<i>lepeletierii</i>	1875, 417		1879, 589
<i>poliocephalus</i>	1878, 91	<i>Asturina meridionalis</i>	1873, 711
<i>tachira</i>	1878, 354		1878, 354
<i>trivirgatus</i>	1878, 340	<i>monogrammica</i>	1873, 711
<i>xanites</i>	1873, 359		1874, 306
<i>Astrangia epithecata</i> ..	1876, 429		1878, 354
	1876, 430		1878, 791
	1876, 439	<i>Attagama carinata</i>	1877, 211
	1876, 442	<i>Ateles albifrons</i>	1872, 4
<i>minuta</i>	1876, 429		1875, 419
	1876, 430		1875, 422
	1876, 439	<i>ater</i>	1871, 218
	1876, 442		1872, 5
<i>Astroides calicularis</i>	1880, 27		1872, 9
<i>Astur œquatorialis</i>	1877, 728		1872, 688
<i>approximans</i>	1875, 338		1875, 493
	1875, 579		1875, 494
<i>cruentus</i>	1875, 29		1879, 123
	1875, 424		1880, 302
	1875, 425	<i>bartletti</i>	1871, 39
	1875, 427		1871, 217
	1876, 500		1871, 224
	1877, 727		1871, 225
	1877, 728		1871, 651
<i>etorques</i>	1879, 447		1873, 254
<i>griseigularis</i>	1877, 728	<i>belzebuth</i>	1871, 224
<i>hemicogrammus</i>	1877, 728		1872, 5
<i>macrocelides</i>	1874, 205		1872, 688
	1880, 621		1875, 493
<i>magnirostris</i>	1876, 358	<i>cucullatus</i>	1871, 223
	1879, 636	<i>frontatus</i>	1871, 225
<i>nitida</i>	1879, 636	<i>fusciceps</i>	1872, 664
<i>palumbarius</i>	1871, 341	<i>geoffroyi</i>	1871, 226
	1873, 466		1872, 4
	1873, 634		1880, 634
<i>pusillus</i>	1879, 674	<i>grisescens</i>	1871, 223
<i>radiatus</i>	1875, 338	<i>melanochir</i>	1871, 225
<i>rufitorques</i>	1877, 727		1871, 226
	1877, 728		1871, 227
<i>torquatus</i>	1879, 447		1872, 4
<i>trivirgatus</i>	1872, 410		1872, 9
	1877, 821		1872, 797
<i>unicincta</i>	1879, 637		1872, 798
<i>Asturina</i>	1879, 636		1875, 419
<i>albifrons</i>	1874, 552		1875, 422

	Page		Page
<i>Ateles melanochir</i>	1879,	<i>Atelornis pittoides</i>	1875,
<i>ornatus</i>	1871,		1875,
	1871,		1879,
	1872,	<i>Atergatis floridus</i>	1877,
	1875,	<i>Aterica afer</i>	1875,
	1875,	<i>clorana</i>	1875,
<i>paniscus</i>	1880,	<i>cupavia</i>	1875,
<i>rufiventris</i>	1872,	<i>felicia</i>	1871,
<i>subpentadactylus</i> ..	1875,	<i>meleagris</i>	1875,
<i>variegatus</i>	1871,	<i>opis</i>	1871,
	1871,	<i>ribensis</i>	1871,
	1871,	<i>zonara</i>	1871,
	1871,	<i>Athamas whitmeei</i>	1877,
	1871,		1877,
	1871,	<i>Athene brama</i>	1872,
	1871,		1873,
	1872,		1873,
	1872,		1876,
<i>vellerosus</i>	1871,		1876,
	1872,	<i>brodiaei</i>	1871,
	1872,		1873,
	1872,	<i>capensis</i>	1878,
	1872,	<i>castaneonota</i>	1872,
	1872,		1872,
<i>Atelis helcita</i>	1871,		1872,
<i>Atella alcippe</i>	1877,	<i>castanoptera</i>	1872,
	1877,	<i>culculoides</i>	1871,
<i>arruana</i>	1876,		1875,
<i>bodenia</i>	1874,	<i>cunicularia</i>	1874,
	1875,	<i>ferruginea</i>	1874,
<i>bowdenia</i>	1873,	<i>florensis</i>	1879,
<i>cervina</i>	1876,	<i>glaux</i>	1871,
<i>egista</i>	1873,	<i>jacquinoti</i>	1879,
	1873,	<i>murivora</i>	1875,
	1874,	<i>noctua</i>	1873,
	1875,		1873,
	1879,		1880,
<i>gaberti</i>	1874,	<i>pardalota</i>	1871,
<i>phalanta</i>	1874,		1873,
	1874,	<i>passerina</i>	1873,
	1875,		1873,
	1878,	<i>plumipes</i>	1871,
	1878,		1873,
<i>sinha</i>	1873,	<i>radiata</i>	1875,
	1878,		1876,
	1878,	<i>scutellata</i>	1871,
<i>Atelodus aymardi</i>	1876,	<i>tæniata</i>	1879,
<i>bicornis</i>	1876,	<i>variegata</i>	1876,
<i>elatus</i>	1876,		1878,
<i>keitloa</i>	1876,		1879,
<i>leptorhinus</i>	1876,	<i>whitelyi</i>	1871,
<i>oswellii</i>	1876,	<i>Atherina presbyter</i>	1879,
<i>simus</i>	1876,	<i>Atherura africana</i>	1871,
	1876,		1876,
<i>tichorhinus</i>	1876,		1876,
<i>Atelornis crossleyi</i>	1875,	<i>fasciculata</i>	1871,
	1880,		1876,
	1880,		1876,
	472		742

	Page		Page
<i>Atherura macrura</i>	1876, 739	<i>Atropis scitula</i>	1871, 476
	1876, 742	<i>solidula</i>	1871, 476
	1876, 743	<i>terebralis</i>	1871, 471
<i>Athesis demylus</i>	1879, 150	<i>ventricosa</i>	1871, 476
<i>Athrostictus opalescens</i>	1878, 592	<i>vescoi</i>	1871, 464
<i>sericatus</i>	1878, 592	1871, 476
<i>Athyma amhara</i>	1873, 344	<i>viridescens</i>	1871, 464
.....	1873, 360	1871, 476
<i>cama</i>	1877, 811	<i>Atta cephalotes</i>	1879, 713
<i>idita</i>	1873, 344	<i>Attacus cynthia</i>	1878, 388
<i>kanwa</i>	1873, 344	<i>hercules</i>	1879, 164
<i>kresna</i>	1873, 344	<i>insularis</i>	1878, 388
<i>lactaria</i>	1878, 647	<i>pryeri</i>	1878, 388
<i>larymna</i>	1873, 344	<i>walkeri</i>	1878, 388
<i>leucothoë</i>	1874, 105	<i>Attagen aquilus</i>	1872, 482
.....	1874, 271	<i>ariel</i>	1872, 482
.....	1877, 811	1878, 650
.....	1878, 697	<i>minor</i>	1871, 423
.....	1878, 706	1872, 406
<i>opalina</i>	1874, 271	1872, 482
<i>selenophora</i>	1872, 564	<i>Attagis gayi</i>	1874, 557
<i>subrata</i>	1873, 344	1877, 414
<i>venilia</i>	1878, 646	1877, 415
<i>zeroca</i>	1872, 564	1877, 416
<i>zoroastres</i>	1877, 811	<i>latreillii</i>	1879, 641
<i>Atkinsonia nana</i>	1879, 691	<i>Attatha regalis</i>	1878, 848
.....	1879, 692	1878, 857
.....	1879, 702	<i>Atteva niveigutta</i>	1880, 690
<i>Atolmis rubricollis</i>	1878, 9	<i>Atticora cinerea</i>	1874, 510
<i>Atossa nelcinna</i>	1874, 577	<i>cyanoleuca</i>	1872, 825
.....	1874, 579	1872, 826
<i>Atretia gnomon</i>	1878, 400	1872, 844
.....	1878, 412	1872, 845
.....	1878, 443	1873, 258
.....	1878, 415	1874, 510
<i>Atrichia rufescens</i>	1876, 510	1876, 16
.....	1876, 516	1878, 67
.....	1876, 518	1879, 224
.....	1876, 519	1879, 495
<i>Atricilla catesbyi</i>	1878, 194	1879, 595
<i>megalopterus</i>	1878, 194	1880, 192
<i>micropterus</i>	1878, 194	<i>fasciata</i>	1873, 258
<i>Atropis abbreviata</i>	1871, 476	1873, 259
<i>affinis</i>	1871, 476	1879, 595
<i>albescens</i>	1871, 476	<i>tibialis</i>	1879, 495
<i>bolabolensis</i>	1871, 471	<i>Attila thamnophiloides</i>	1873, 285
.....	1871, 476	1879, 644
<i>elongata</i>	1871, 471	<i>torridus</i>	1878, 139
.....	1871, 476	<i>Attus adansonii</i>	1876, 621
<i>exigua</i>	1871, 476	<i>æruginosus</i>	1872, 322
<i>insularis</i>	1871, 476	<i>bonnetii</i>	1876, 611
<i>oblonga</i>	1871, 476	1876, 620
<i>ochrostoma</i>	1871, 476	1876, 621
<i>producta</i>	1871, 471	1876, 627
.....	1871, 476	<i>bresnieri</i>	1876, 618
<i>raiatensis</i>	1871, 476	<i>candidus</i>	1872, 337
<i>rubella</i>	1871, 476	<i>canescens</i>	1872, 338
<i>scherzeri</i>	1871, 476		

	Page		Page		
<i>Attus canescens</i>	1876,	611	<i>Atys elongata</i>	1878,	819
<i>conveniens</i>	1872,	338	<i>exigua</i>	1878,	869
<i>delectus</i>	1876,	610	(<i>Alicula</i>) <i>isseli</i>	1872,	11
	1876,	627		1872,	15
	1876,	630	<i>Auchenia glama</i>	1875,	492
<i>druryi</i>	1876,	629		1875,	494
<i>effigies</i>	1876,	616	<i>paco</i>	1875,	492
	1876,	627		1875,	494
<i>fasciatus</i>	1876,	616	<i>vicugna</i>	1875,	492
<i>frischii</i>	1876,	629		1875,	494
<i>frontalis</i>	1876,	614	<i>Auchmis composita</i>	1877,	386
<i>fulgens</i>	1876,	611	<i>Augiades vitreus</i>	1874,	367
	1876,	627	<i>Aulacodus swinderni-</i>		
<i>gambosus</i>	1872,	336	<i>anus</i>	1873,	786
<i>gesneri</i>	1876,	629		1873,	788
<i>hunteri</i>	1876,	629	<i>Aulacorhamphus albi-</i>		
<i>illigeri</i>	1876,	629	<i>vitta</i>	1875,	236
<i>interceptor</i>	1876,	616		1879,	537
<i>lineatus</i>	1876,	618	<i>cæruleocinctus</i> ...	1873,	186
<i>memorabilis</i>	1876,	618		1879,	644
	1876,	627	<i>cæruleocularis</i> ...	1878,	47
<i>memorialis</i>	1876,	617	<i>calorhynchus</i> ...	1875,	235
	1876,	627		1875,	236
	1876,	630	<i>derbianus</i>	1879,	634
<i>mendax</i>	1876,	615	<i>erythrognathus</i>	1875,	236
	1876,	616	<i>hæmatopygius</i> ...	1879,	537
	1876,	627	<i>phæolæmus</i>	1875,	236
<i>mendicus</i>	1876,	614	<i>sulcatus</i>	1875,	236
	1876,	627	<i>Aulacorhynchus atrogu-</i>		
<i>monardi</i>	1876,	611	<i>laris</i>	1874,	548
	1876,	627	<i>cæruleocinctus</i> ...	1874,	548
<i>mouffettii</i>	1876,	610	<i>derbianus</i>	1874,	549
	1876,	627	<i>Aulacoscelis melanoce-</i>		
<i>mustellatus</i>	1872,	322	<i>phalus</i>	1877,	510
<i>nigrofuscus</i>	1876,	622	<i>melanocera</i>	1877,	510
<i>oculatus</i>	1876,	612	<i>Aulia rufescens</i>	1879,	519
	1876,	627		1879,	549
	1876,	630	<i>Aulocera brahminus</i> ..	1880,	147
<i>oraniensis</i>	1876,	622	<i>saraswati</i>	1874,	266
<i>ostrinus</i>	1872,	329	<i>swaha</i>	1874,	266
<i>paykullii</i>	1876,	610	<i>weranga</i>	1874,	266
	1876,	627		1880,	147
<i>petrensis</i>	1873,	226	<i>Auricula oryza</i>	1871,	470
<i>redii</i>	1876,	629	<i>striata</i>	1871,	469
<i>regillus</i>	1876,	611		1871,	470
	1876,	627	<i>Auriculella amœna</i> ...	1873,	91
	1876,	630	<i>auricula</i>	1873,	87
<i>soldanii</i>	1876,	611		1873,	91
	1876,	627	<i>brunnea</i>	1873,	88
<i>spiniger</i>	1876,	610		1873,	89
	1876,	627	<i>crassula</i>	1873,	88
	1876,	630		1873,	89
<i>staintonii</i>	1876,	610	<i>diaphana</i>	1873,	87
	1876,	620		1873,	88
	1876,	627		1873,	89
<i>tardigradus</i>	1876,	622	<i>obeliscus</i>	1873,	87
<i>Aturia lindsayi</i>	1871,	191	<i>patula</i>	1873,	88
<i>Atys cylindrica</i>	1878,	819		1873,	89

	Page		Page
<i>Auriculella perpusilla</i> ..	1873, 87	<i>Axis maculata</i>	1877, 14
	1873, 89	<i>Axius stirhynchus</i>	1878, 778
<i>tenuis</i>	1873, 87	<i>Aythya americana</i>	1876, 400
	1873, 89	<i>ferina</i>	1871, 419
<i>uniplicata</i>	1873, 88	<i>valisneria</i>	1876, 401
	1873, 89	<i>Azazia monstratura</i>	1878, 489
<i>Austenia cinerea</i>	1880, 298	<i>rubicans</i>	1877, 611
<i>gigas</i>	1880, 294		1877, 629
	1880, 298	<i>Azeca tridens</i>	1880, 665
	1880, 299	<i>Azema smithii</i>	1872, 854
<i>minuta</i>	1880, 298		1872, 856
<i>resplendens</i>	1880, 298		1872, 857
<i>salia</i>	1880, 298		1873, 492
<i>solida</i>	1880, 298	<i>Azinis bilarella</i>	1880, 691
<i>venusta</i>	1880, 298		
<i>Australica violacea</i>	1880, 171	<i>Badera prodigilla</i>	1880, 687
	1880, 182	<i>Bæocerca flaviventris</i> ..	1877, 23
<i>Automolus cervinigu-</i>		<i>virens</i>	1877, 23
<i>laris</i>	1875, 37	<i>Bagrus arioides</i>	1871, 708
	1879, 522	<i>atripinnis</i>	1873, 112
<i>dorsalis</i>	1880, 158	<i>gogorides</i>	1871, 708
<i>holostictus</i>	1875, 542	<i>leucophasis</i>	1873, 112
	1879, 487	<i>lonah</i>	1873, 748
	1879, 522	<i>montanus</i>	1871, 706
<i>ignobilis</i>	1879, 487	<i>oculatus</i>	1871, 706
	1879, 522	<i>trachacanthus</i>	1871, 706
<i>ochrolæmus</i>	1871, 86	<i>Baikiea elegans</i>	1873, 69
	1874, 527	<i>Balæna antarctica</i>	1873, 133
	1875, 37	<i>antipodarum</i>	1873, 129
<i>pallidigularis</i>	1879, 522		1873, 133
	1879, 549		1873, 134
	1880, 158	<i>australis</i>	1873, 131
<i>ruficaudatus</i>	1873, 185		1873, 133
<i>rufo-brunneus</i>	1879, 522		1873, 134
<i>sclateri</i>	1873, 185	<i>biscayensis</i>	1873, 131
	1873, 270		1873, 134
<i>striaticeps</i>	1874, 528		1873, 139
	1875, 37	<i>boops</i>	1874, 580
	1875, 542		1875, 492
	1879, 621		1875, 494
<i>subulatus</i>	1873, 270	<i>britannica</i>	1873, 139
<i>Autonoë riparia</i>	1875, 321		1873, 141
<i>Auxomitia mirificalis</i> ..	1877, 619	<i>cisarctica</i>	1873, 131
	1877, 630	<i>mediterranea</i>	1873, 142
<i>Avella despiciens</i>	1877, 574	<i>mysticetus</i>	1873, 131
	1877, 578		1873, 132
<i>Avicula</i>	1879, 587	<i>Balænoptera rostrata</i> ..	1880, 358
<i>atlantica</i>	1879, 565	<i>Balanophyllia floridana</i> .	1871, 285
<i>hirundo</i>	1879, 565	<i>helenæ</i>	1876, 429
<i>tarentina</i>	1879, 565		1876, 430
<i>Axinea bella</i>	1879, 418		1876, 440
<i>fringilla</i>	1872, 612		1876, 442
	1872, 614	<i>imperialis</i>	1871, 284
<i>hanleyi</i>	1879, 418		1871, 285
<i>modesta</i>	1879, 418	<i>malaccensis</i>	1871, 285
<i>nova-caledoniensis</i> .	1879, 417		
<i>pulcherrima</i>	1879, 417		
<i>Axinea spadicea</i>	1871, 729		

	Page		Page
Balanophyllia striata ..	1876, 429	Barbus tor	1876, 805
	1876, 430		1880, 225
	1876, 441		1880, 228
	1876, 442		1880, 230
Balantium recurvum ..	1871, 730		1880, 231
Balearica chrysopelargus	1880, 94	(Barbodes) curmuca	1873, 707
pavonica	1880, 93	(—) lithopidos ..	1873, 708
pavonina	1875, 488	(—) thomassi ..	1873, 707
	1880, 316	Barclayia incerta	1874, 585
regulorum	1875, 488		1874, 586
	1876, 277	Barilius vagra	1880, 230
	1880, 93	Baripus aterrimus	1874, 56
	1880, 94	clivinoides	1874, 56
	1880, 316	parallelus	1874, 56
Balistes mitis	1877, 67	subsulcatus	1874, 56
	1877, 69	Barita tibicen	1875, 490
Ballus heterophthalmus.	1876, 609	Barleeria rubra	1873, 390
piger	1876, 609	Barnea similis	1871, 99
	1876, 627	Baroa punctivaga	1878, 28
Bambusicola fytchii ..	1871, 214	Barsine cruciata	1878, 29
	1871, 400	flammealis	1878, 28
	1874, 44		1878, 37
hopkinsoni	1874, 44	flavivenosa	1878, 30
sonorivox	1871, 214		1878, 37
	1871, 400	gloriosa	1878, 29
	1873, 667		1878, 37
thoracica	1871, 400	gratiosa	1879, 394
	1873, 667	inflexa	1878, 29
Barbastellus communis.	1872, 703		1878, 37
	1872, 704	lineata	1878, 29
Barbatula duchaillui ..	1873, 465	mactans	1878, 29
	1873, 633	pretiosa	1879, 394
pusilla	1878, 359	punicea	1878, 29
subsulphurea	1878, 131	trivittata	1877, 597
Barbus beavani	1871, 637		1877, 626
	1871, 764	Barsinella mirabilis	1878, 385
	1872, 875	Bartlettia pitipii	1871, 747
	1872, 876		1871, 748
	1872, 877	Basiana bilineata	1879, 388
	1873, 745	deucalion	1875, 252
brachycephalus ..	1876, 801	exusta	1875, 252
canius	1880, 225	Basileuterus bivittatus..	1879, 594
clavatus	1871, 637	castaneiceps	1877, 521
conocephalus	1876, 801		1879, 223
diplocheilus	1876, 793	coronatus	1874, 509
	1880, 226		1875, 234
gelius	1880, 225		1877, 521
lacertoides	1876, 801		1879, 494
milesi	1880, 225	culicivorus	1878, 52
	1880, 228	diachlorus	1874, 130
	1880, 231		1874, 509
platyrostris	1876, 801		1879, 594
sarana	1880, 230	euophrys	1876, 352
sophore	1871, 637		1879, 589
terio	1880, 225		1879, 594
	1880, 229	leucoblepharus	1877, 521
	1880, 231	luteoviridis	1874, 538
ticto	1880, 230		1875, 234

	Page		Page
Basileuterus leuteo-		Batrachostomus affinis ..	1877, 434
viridis	1875, 235		1877, 435
mesochrysus	1878, 52		1877, 436
mesoleucus	1879, 594		1877, 437
nigricristatus	1879, 223		1877, 438
	1879, 494		1877, 440
	1880, 191		1877, 444
semicervinus	1879, 494	auritus	1875, 99
stragulatus	1877, 521		1877, 421
trifasciatus	1880, 191		1877, 423
uropygialis	1873, 257		1877, 424
	1874, 509		1877, 426
	1877, 331		1877, 439
	1878, 52		1879, 332
vermivorus	1879, 594	castaneus	1877, 422
Basiliscus celebensis ..	1873, 168		1877, 423
Basilius (Opsarius) bam-			1877, 427
busa	1875, 534	cornutus	1877, 421
	1875, 536		1877, 422
Bassaricyon alleni	1880, 393		1877, 425
	1880, 397		1877, 427
	1880, 398		1877, 432
	1880, 399		1877, 433
gabbi	1880, 397		1877, 434
	1880, 398		1877, 435
	1880, 399		1877, 444
Bassaris astuta	1872, 2	crinitus	1877, 424
	1875, 493		1877, 425
	1875, 494	hodgsoni	1877, 427
Batagur elliotti	1871, 150	javanensis	1877, 421
	1871, 154		1877, 422
picta	1873, 761		1877, 425
pictus	1872, 588		1877, 427
trivittata	1871, 517		1877, 436
Batasio affinis	1873, 111		1877, 437
Bathmidura d'orbignii..	1874, 5	javensis	1875, 99
	1874, 22		1879, 332
Bathyergus maritimus..	1876, 68	moniliger	1872, 406
Batis orientalis	1873, 713		1872, 420
senegalensis	1873, 713		1877, 421
Batocera browni	1877, 157		1877, 423
	1877, 159		1877, 424
gerstaeckeri	1877, 158		1877, 426
nebulosa	1877, 158		1877, 439
	1877, 159		1877, 440
una	1877, 158		1877, 443
wallacei	1877, 158		1877, 444
Batrachostomus, sp. nov.	1877, 426		1877, 445
	1877, 439	parvulus	1877, 422
affinis	1877, 421		1877, 426
	1877, 422		1877, 427
	1877, 423	psilopterus	1877, 424
	1877, 424	punctatus	1877, 439
	1877, 425		1877, 440
	1877, 426	septimus	1877, 537
	1877, 427		1877, 542
	1877, 428		1878, 944
	1877, 433	stellatus	1877, 421

	Page		Page
Batrachostomus stellatus	1877, 423	Belenois periclea	1872, 57
	1877, 425		1874, 288
	1877, 427		1875, 618
	1877, 429	perictione	1872, 56
	1877, 436	perimale	1872, 57
	1877, 437	peristhene	1872, 57
	1877, 439		1874, 288
	1877, 444		1874, 291
stictopterus	1877, 423		1875, 618
	1877, 436	phaola	1872, 54
	1877, 437	pigea	1872, 54
Bayonia velox	1871, 74	pitys	1872, 57
Baza erythrothorax	1873, 625	rachel	1872, 57
lophotes	1872, 415	rhena	1872, 53
	1875, 316	sabina	1872, 53
	1875, 343		1875, 414
magnirostris	1873, 625	scyllaria	1872, 56
reinwardti	1877, 109		1874, 288
	1879, 447	severina	1871, 725
	1879, 450	simana	1872, 54
subcristata	1875, 579	solilucis	1875, 414
Belenois abyssinica	1872, 58	sylvia	1872, 55
affinis	1872, 57		1875, 415
augusta	1872, 55	syrinx	1872, 56
boisduvaliana	1872, 57	teutonia	1872, 55
calypso	1872, 53	theora	1872, 53
	1875, 414	thysa	1871, 725
charina	1872, 54		1872, 53
clytie	1872, 56		1875, 415
	1876, 253	zochalia	1872, 55
confusa	1872, 55	Belideus ariel	1876, 694
creona	1872, 56		1877, 125
cynis	1872, 55		1878, 274
erastus	1872, 57	breviceps	1876, 694
eudoxia	1872, 55		1877, 125
gidica	1872, 55	Belone punctulata	1871, 653
hedyle	1872, 53		1871, 670
helcida	1872, 53	vulgaris	1875, 486
hyoma	1872, 55		1879, 757
ianthe	1872, 53	Beluga kingii	1873, 144
inana	1872, 54	Bembidium chlorostic-	
javæ	1872, 56	tum	1874, 66
larima	1872, 54	convexiusculum	1874, 66
	1875, 415	derbesii	1874, 66
lochalia	1875, 415	fabricii	1874, 67
matuta	1872, 54	fischeri	1874, 67
meldolæ	1871, 725	fryi	1874, 67
	1872, 54	impressum	1874, 66
mentes	1872, 57	incertum	1874, 67
mesentina	1872, 55	inconstans	1874, 50
	1880, 409		1874, 67
	1880, 415	kusteri	1874, 66
nabis	1874, 288	maculatum	1874, 66
	1875, 618	mandibulare	1874, 67
	1877, 470	marginatum	1874, 67
niseia	1872, 56	melanopodes	1874, 67
	1876, 253	mexicanum	1878, 603
orbona	1872, 54	nivale	1874, 66

	Page		Page
<i>Bembidium pallidipenne</i> 1874,	66	<i>Bernicla canadensis</i> 1880,	317
<i>paludosum</i> 1874,	67	1880,	501
<i>punctigerum</i> 1874,	50	1880,	502
<i>scitulum</i> 1874,	67	<i>chiloënsis</i> 1872,	366
<i>sexfoveolatum</i> 1874,	67	1876,	366
<i>solieri</i> 1874,	67	1876,	367
<i>varicolor</i> 1874,	66	<i>cyanoptera</i> 1880,	502
(<i>Lopha</i>) <i>elegans</i> .. 1874,	66	1880,	534
(<i>Notaphus</i>) <i>aubei</i> .. 1874,	63	<i>dispar</i> 1872,	366
(—) <i>flohri</i> 1878,	602	1876,	364
(—) <i>placitum</i> .. 1878,	602	1876,	365
(—) <i>punctigerum</i> 1874,	66	1876,	410
(—) <i>servillei</i> 1874,	66	1876,	412
(<i>Peryphus</i>) <i>chilen-</i>		1880,	503
<i>sis</i> 1874,	66	<i>hutchinsi</i> 1880,	502
(—) <i>maculiferum</i> 1874,	66	<i>inornata</i> 1872,	366
(—) <i>pamirense</i> .. 1878,	718	1876,	366
(—) <i>punctuli-</i>		1876,	367
<i>penne</i> 1878,	718	1880,	503
(—) <i>rogersi</i> 1878,	602	<i>jubata</i> 1880,	499
(—) <i>spinolæ</i> 1874,	66	1880,	504
(—) <i>submacula-</i>		1880,	535
<i>tum</i> 1878,	603	<i>leucopsis</i> 1880,	317
(<i>Philochthus</i>) <i>nigri-</i>		1880,	500
<i>tum</i> 1874,	66	1880,	501
<i>Berardius arnouxi</i> 1871,	631	<i>leucoptera</i> 1876,	363
1873,	144	<i>magellanica</i> 1871,	260
1874,	262	1872,	366
1876,	8	1872,	549
1876,	469	1875,	488
1876,	474	1876,	361
1876,	475	1876,	363
1876,	479	1876,	364
1880,	237	1876,	365
<i>hectori</i> 1873,	144	1876,	366
1873,	145	1876,	368
<i>Berenicornis albocris-</i>		1876,	410
<i>tata</i> 1871,	604	1876,	412
1871,	614	1880,	502
<i>Bernicla antarctica</i> 1872,	366	1880,	503
1876,	361	<i>melanoptera</i> 1871,	545
1876,	367	1871,	700
1876,	368	1872,	365
1876,	410	1876,	361
1876,	411	1876,	362
1878,	436	1876,	410
1879,	310	1876,	412
1880,	504	1880,	504
<i>brenta</i> 1873,	638	<i>nigricans</i> 1880,	502
1877,	32	<i>occidentalis</i> 1876,	362
1880,	317	<i>poliocephala</i> 1872,	366
1880,	502	1872,	549
1880,	534	1876,	361
<i>canadensis</i> 1873,	467	1876,	366
1873,	639	1876,	410
1876,	361	1876,	412
1876,	362	1880,	503
1876,	409	<i>rubidiceps</i> 1876,	367
1876,	410	1876,	410

	Page		Page
<i>Bernicla rubidiceps</i>	1880, 503	<i>Biziura rubida</i>	1876, 404
<i>ruficollis</i>	1871, 480	<i>Bizone alba</i>	1878, 28
<i>sandvicensis</i>	1880, 502	<i>amabilis</i>	1877, 597
<i>sandwichensis</i>	1880, 504	<i>bellissima</i>	1877, 632
<i>torquata</i>	1880, 535	<i>coccinea</i>	1878, 27
<i>Bernieria madagascari-</i>	1875, 488	<i>gazella</i>	1878, 37
<i>ensis</i>	1876, 361	<i>heermanni</i>	1878, 28
<i>major</i>	1871, 314	<i>polios</i>	1878, 37
<i>minor</i>	1875, 77	<i>surinamensis</i>	1872, 572
<i>zosterops</i>	1875, 77	<i>steindachneri</i>	1872, 582
	1875, 77	<i>Blabophanes insularis</i> . .	1877, 623
<i>Bertula albinotalis</i>	1875, 75	<i>Blacicus tristis</i>	1877, 631
<i>hypenalis</i>	1875, 76	<i>Blandiella reclusa</i>	1871, 85
<i>mysalis</i>	1877, 613	<i>Blanus cinereus</i>	1875, 321
<i>Bessonornis albigularis</i> .	1877, 613	<i>Blarina micrura</i>	1875, 322
<i>humeralis</i>	1873, 648	<i>Blasipus bridgesi</i>	1877, 270
<i>Bethylus picatus</i>	1880, 490	<i>crassirostris</i>	1871, 573
<i>Bettongia rufescens</i>	1879, 603	<i>heermanni</i>	1878, 183
<i>Bhringa remifer</i>	1875, 59	<i>polios</i>	1878, 183
<i>Bhutanitis lidderdalii</i> . .	1880, 14	<i>Blatta americana</i>	1878, 183
<i>Bia actorion</i>	1873, 571	<i>surinamensis</i>	1877, 87
<i>Bias musicus</i>	1876, 216	<i>Blauneria gracilis</i>	1871, 477
	1871, 610	<i>Blenina grisea</i>	1877, 607
	1871, 615	<i>lichenosa</i>	1877, 628
	1878, 129	<i>Blennius gattorugine</i> . .	1877, 632
<i>Biblis leucocyma</i>	1871, 522	<i>pholis</i>	1877, 607
	1878, 826	<i>steindachneri</i>	1877, 628
<i>Bibos frontalis</i>	1880, 538	<i>Blennodesmus scapularis</i>	1877, 632
<i>Biensimadagascariensis</i>	1879, 772	<i>Blennius gattorugine</i> . .	1879, 752
<i>Binsitta niviferana</i>	1877, 623	<i>pholis</i>	1875, 487
	1877, 631	<i>steindachneri</i>	1873, 110
<i>Birgus latro</i>	1874, 295	<i>Blenodesmus scapularis</i>	1871, 653
<i>Bison americanus</i>	1880, 308	<i>Blepharis kuhlii</i>	1871, 667
<i>Bithia exclusa</i>	1877, 621	<i>Boa constrictor</i>	1878, 586
	1877, 631	<i>Boarmia attracta</i>	1875, 487
	1878, 852	<i>dejectaria</i>	1877, 680
	1878, 858	<i>delicata</i>	1877, 390
<i>lignaria</i>	1877, 621	<i>exprompta</i>	1878, 490
<i>Bithynis longimana</i>	1877, 662	<i>inconclusa</i>	1877, 390
<i>Bithys azurinus</i>	1874, 356	<i>Bœotia bacænis</i>	1880, 686
<i>hesperitis</i>	1874, 356	<i>Bolborhynchus andicola</i>	1876, 238
<i>thara</i>	1874, 356	<i>aurifrons</i>	1876, 17
<i>Bittium turritelliformis</i> .	1877, 174	<i>aymara</i>	1876, 18
	1877, 177	<i>luchsi</i>	1874, 549
	1877, 186	<i>monachus</i>	1880, 211
<i>Bityla atristriga</i>	1877, 387	<i>murinus</i>	1874, 91
<i>defigurata</i>	1877, 387		1879, 635
<i>sericea</i>	1877, 387		1879, 635
<i>thoracica</i>	1877, 407		1874, 91
<i>Biziura armata</i>	1877, 387		1879, 635
<i>dominica</i>	1876, 406		1880, 310
<i>ferruginea</i>	1876, 405		1878, 77
<i>lobata</i>	1876, 404		1879, 635
	1880, 529		1880, 310
	1880, 535		1878, 77

	Page		Page
Bolborhynchus orbignesus	1874, 549	Botaurus poiciloptilus ..	1877, 342
	1874, 679	stellaris	1871, 413
	1876, 18		1873, 460
	1879, 635		1873, 461
rubrirostris	1878, 77		1873, 467
Bolina agrotoides.....	1878, 487		1873, 637
confirmans	1878, 487		1875, 343
cunearis.....	1878, 487		1875, 348
evelina	1878, 487		1879, 764
fasciolaris	1878, 487	Bothrolycus ater	1874, 444
ochroides	1878, 487	Botia geto.....	1880, 229
perpendicularis....	1878, 487		1880, 231
Bombinator igneus	1873, 164	Botys abstrusalis	1877, 620
	1875, 487		1877, 630
sikkimmensis	1871, 204	agavealis	1878, 494
Bombus impetuosus....	1871, 249	annuligeralis.....	1877, 619
Bombycistomus fuller-tonii	1877, 439	ardealis	1877, 619
Bombyx cynthia	1873, 157		1877, 630
mori	1878, 705	butyroza	1878, 493
	1879, 406	caldusalis	1878, 850
quercus	1879, 145		1878, 858
Bonasa betulina	1876, 345	caletorialis	1877, 619
Boradia carneola	1879, 392	campalis	1878, 494
Boreogobius stuvitzii ..	1878, 319	coclesalis	1880, 685
Bos americanus	1878, 392	damoalis	1880, 685
bison	1875, 492	disjunctalis	1877, 619
brachyceros	1873, 483	egenalis.....	1880, 683
	1875, 380	eratalis	1878, 494
	1875, 455	eurytalis	1878, 494
bubalus	1875, 492	gastralis	1878, 494
caffer	1875, 492	glaucusalis	1878, 494
frontalis.....	1875, 492	helcitalis	1878, 494
grunniens	1876, 634	illisalis	1877, 619
	1876, 697		1877, 630
indicus	1876, 463	immundalis	1877, 620
primigenius	1873, 790		1877, 630
pumilus.....	1873, 477	iolealis	1880, 683
	1873, 479	jopasalis	1878, 850
	1873, 481		1878, 858
	1873, 483	lucilla	1878, 494
	1875, 454	mahanga	1877, 399
	1875, 455	maorialis	1877, 388
sylhetanus	1875, 492	megapteralis.....	1877, 620
taurus	1875, 492	multilinealis.....	1877, 619
	1877, 10		1877, 630
	1877, 12	olivia.....	1878, 494
urus	1875, 492	opalinalis	1877, 620
	1875, 494		1877, 630
Boselaphus pictus	1880, 307	otagalalis.....	1877, 388
Bostrichus uncinatus ..	1877, 82	plebeialis	1878, 494
Bostrychia carunculata .	1877, 479	principalis.....	1878, 494
	1877, 484	pruinialis	1880, 686
	1877, 493	retractalis	1877, 620
	1877, 501	scinialis	1877, 619
	1877, 502		1877, 630
Botaurus poecilopterus..	1878, 578		1877, 632
		stultalis.....	1877, 619
			1877, 630

	Page		Page
<i>Botys stultalis</i>	1880,	<i>Brachypteryx palliseri</i> ..	1872,
<i>thoasalis</i>	1877,		408
	1877,		443
	1877,	<i>Brachypus cinereifrons</i> .	1878,
	1877,		611
<i>thyasalis</i>	1877,		617
	1880,	<i>plumosus</i>	1878,
	1880,		618
<i>tropicalis</i>	1880,	<i>Brachytarsomys albi-</i>	
<i>unitalis</i>	1878,	<i>cauda</i>	1875,
	1878,		80
	1878,	<i>Brachyteles frontatus</i> ..	1871,
<i>vinacealis</i>	1877,	<i>Brachytrochus simplex</i> .	1876,
	1877,		429
	1878,		430
	1878,		436
	1878,		442
	1878,	<i>Brachyurus calvus</i>	1880,
	1878,		638
<i>Bourciera fraseri</i>	1872,		646
<i>heliciniformis</i>	1872,		647
<i>inca</i>	1874,	<i>israëlita</i>	1871,
	1874,		228
	1879,		1880,
	1879,		644
<i>insectivora</i>	1874,		645
<i>torquata</i>	1879,	<i>melanocephalus</i> ..	1880,
<i>Brachonyx apiata</i>	1874,		638
<i>pyrrhonota</i>	1874,		645
<i>Brachychlaniis panthe-</i>	1874,	<i>muelleri</i>	1875,
<i>rina</i>	1877,	<i>ouakari</i>	1880,
<i>Brachycoelus duponti</i> ..	1874,		644
<i>virescens</i>	1874,		1880,
<i>Brachygalba albigularis</i>	1873,		687
<i>goeringi</i>	1879,	<i>propinquus</i>	1877,
<i>inornata</i>	1873,	<i>rubicundus</i>	1879,
<i>melanosterna</i>	1879,		551
<i>salmoni</i>	1879,		1880,
	1879,		627
<i>Brachyilia acronyctoides</i>	1879,		1880,
	1879,		634
	1879,		635
	1879,		636
	1879,		638
	1879,		641
	1879,		644
	1879,		646
	1879,		647
	1879,	<i>steerii</i>	1878,
<i>Brachypodius immacu-</i>	1879,	<i>Bracon penetrator</i>	1877,
<i>latus</i>	1875,		413
<i>melanocephalus</i> ..	1878,	<i>Bradycellus arcobasis</i> ..	1874,
	1879,	<i>chilensis</i>	1874,
	1879,	<i>impressifrons</i>	1874,
	1879,	<i>lucidus</i>	1878,
	1879,	<i>ruficollis</i>	1874,
	1879,	<i>subobsoletus</i>	1878,
	1879,	<i>tibialis</i>	1874,
	1879,	<i>unistriatus</i>	1874,
	1879,		63
	1879,		592
	1879,		63
	1879,		593
	1879,		64
	1879,		63
	1879,		64
	1879,	<i>Bradycinetus brenda</i> ..	1871,
	1879,		289
	1879,		1871,
	1879,		290
	1879,		1871,
	1879,		291
	1879,		1871,
	1879,		292
	1879,		1871,
	1879,		296
	1879,	<i>globosus</i>	1871,
	1879,	<i>lilljeborgii</i>	1871,
	1879,	<i>macandrei</i>	1871,
	1879,		293
	1879,	<i>Bradyornis pallidus</i>	1873,
	1879,		714
	1879,		1878,
	1879,		357
	1879,	<i>subalaris</i>	1873,
	1879,		713
	1879,		1878,
	1879,		357
	1879,	<i>Bradypus affinis</i>	1871,
	1879,		435
	1879,		14

	Page		Page
Bradypus affinis	1871, 436	Broderipus acrorhynchus	1877, 536
ai	1871, 437		1877, 537
	1871, 438		1877, 538
	1871, 441		1877, 545
	1871, 448		1877, 694
blainvillei	1871, 436		1877, 760
crinitus	1871, 435		1878, 110
cucullatus	1871, 447		1878, 285
cuculliger	1871, 437		1878, 342
	1871, 438		1878, 380
	1871, 440		1878, 616
	1871, 441		1878, 710
didactylus	1871, 430		1878, 948
	1871, 434		1879, 71
	1874, 580		1879, 315
	1875, 491	cochinsinensis	1877, 760
	1875, 494	palawanensis	1878, 611
ephippiger	1871, 447		1878, 616
gularis	1871, 438	Bronchocela celebensis	1873, 168
	1871, 439	cristatella	1872, 589
	1871, 441	jubata	1872, 589
	1871, 447	marmorata	1873, 168
infuscatus	1871, 437	moluccana	1879, 76
	1871, 438	Brontiades procas	1876, 249
	1871, 441	Brotogerys chrysoptera	1879, 300
	1871, 445	jugularis	1873, 300
	1871, 447	notata	1879, 300
	1880, 402	pyrrhoptera	1877, 329
pallidus	1871, 437		1877, 333
	1871, 441	pyrrhopterus	1874, 587
	1871, 448	tiriacula	1873, 466
problematicus	1871, 448		1873, 634
torquatus	1871, 435		1874, 587
	1871, 436	tovi	1873, 634
	1871, 437		1874, 587
tridactylus	1871, 437		1878, 46
	1871, 448		1879, 538
brasiliensis	1871, 439	tui	1873, 300
	1871, 442		1873, 466
guianensis	1871, 439		1873, 634
	1871, 440	tuipara	1879, 300
Bradytus compactus ..	1878, 717	virescens	1873, 466
Branta rufina	1872, 480		1873, 634
	1873, 203		1874, 587
	1880, 524	xanthopterus	1873, 300
Brissus carinatus	1879, 249	Bruchigavia corallinus	1878, 186
	1879, 251	gouldi	1878, 186
	1879, 252	jamesonii	1878, 186
	1880, 34	melanorhynchus ..	1878, 190
obesus	1879, 249	pomare	1878, 186
	1879, 251	Brunia antica	1878, 15
ovatus	1879, 252		1878, 36
panis	1879, 253	Bryophila algæ	1873, 156
sternalis	1879, 254	Buarremon albifrenatus	1875, 236
unicolor	1879, 249	assimilis	1875, 234
	1879, 252		1879, 504
	1879, 254		1880, 196
	1880, 34		

	Page		Page
Buarremon assimilis ..	1880, 197	Bubalus æquinoctialis..	1873, 483
	1880, 198		1875, 455
brunneinucha	1874, 515		1875, 456
	1875, 234		1875, 457
	1878, 56	brachyceros	1877, 754
	1879, 228		1873, 477
	1879, 504		1873, 478
	1880, 197		1873, 479
	1880, 198		1873, 482
capitalis	1878, 55		1875, 454
castaneiceps	1875, 236		1875, 455
	1878, 439	caffer	1873, 476
	1879, 505		1873, 480
	1879, 549		1873, 481
castaneifrons.....	1875, 234		1873, 482
	1875, 235		1873, 483
chrysopogon	1878, 38		1875, 455
	1878, 56		1875, 457
	1879, 504		1876, 289
	1880, 198		1876, 292
elæoprorus	1879, 487		1877, 455
	1879, 504		1877, 754
fulviceps	1879, 603	centralis	1873, 483
gutturalis	1879, 504		1875, 457
inornatus	1880, 198	planiceros	1873, 482
latinucha	1879, 504		1873, 483
latinuchus	1879, 228		1875, 455
	1879, 229	pumilis	1873, 476
	1880, 197		1873, 477
leucopis.....	1878, 439		1873, 479
melanops	1876, 253		1873, 480
	1879, 589		1873, 481
	1879, 603		1873, 482
mystacalis.....	1874, 501		1873, 483
	1874, 515		1875, 454
	1875, 236		1875, 455
pallidinuchus	1874, 516		1875, 456
rufinucha	1876, 254		1875, 457
	1879, 603	reclinis	1873, 476
rufinuchus	1879, 603		1873, 479
schistaceus	1874, 516		1873, 483
	1875, 235		1875, 455
	1875, 236	seligniceros	1878, 882
semirufus	1879, 603	Bubo ascalaphus	1871, 148
specularis	1879, 228	bengalensis	1873, 466
taczanowskii.....	1875, 236		1873, 635
	1880, 197	caligatus	1871, 344
tibialis	1878, 56	capensis.....	1871, 148
torquatus	1874, 515		1873, 466
	1879, 602		1873, 635
	1880, 197	cinerascens	1871, 148
	1880, 198	dilloni	1871, 148
tricolor	1874, 501	fasciolatus.....	1873, 466
	1874, 515		1873, 635
	1880, 197	lacteus	1871, 148
virenticeps	1880, 198	maculosus	1871, 148
Bubalornis niger	1880, 491	madagascariensis ..	1875, 65
Bubalus æquinoctialis..	1873, 481		

	Page		Page
<i>Bubo magellanicus</i>	1879, 636	<i>Bucco pulmentum</i>	1873, 294
	1880, 211		1873, 295
<i>maximus</i>	1871, 343	<i>radiatus</i>	1879, 536
	1873, 466	<i>striatipectus</i>	1879, 633
	1873, 635	<i>subtectus</i>	1879, 536
	1875, 491		1879, 549
	1880, 309	<i>Bucephala albeola</i>	1876, 401
<i>orientalis</i>	1878, 790		1880, 527
	1879, 245	<i>americana</i>	1876, 401
<i>poënsis</i>	1873, 466	<i>clangula</i>	1871, 419
	1873, 635	<i>Buceros abyssinicus</i> ..	1873, 698
<i>sumatranus</i>	1879, 245		1873, 699
<i>virginianus</i>	1872, 536		1873, 702
	1872, 549	<i>atratus</i>	1873, 464
	1873, 466		1873, 632
	1873, 635	<i>bicornis</i>	1873, 464
	1875, 491		1873, 632
	1875, 494	<i>cafer</i>	1873, 698
	1880, 211		1873, 702
	1880, 309	<i>carunculatus</i>	1873, 698
<i>Bubulcus coromandus</i> ..	1871, 412		1873, 702
	1878, 642	<i>casuarinus</i>	1873, 703
	1878, 712	<i>convexus</i>	1879, 329
	1880, 15	<i>coronatus</i>	1873, 464
<i>ibis</i>	1879, 678		1873, 632
<i>Buccinulus affinis</i>	1871, 19	<i>corrugatus</i>	1871, 489
	1878, 862		1874, 420
<i>intermedius</i>	1878, 862	<i>cylindricus</i>	1871, 490
	1878, 864	<i>fitulator</i>	1871, 134
	1878, 869		1871, 489
<i>niveus</i>	1871, 19		1871, 490
	1871, 97		1873, 702
<i>Buccinum albescens</i>	1878, 809		1873, 703
<i>areola</i>	1872, 837	<i>gracilis</i>	1871, 489
<i>blainvillei</i>	1878, 811	<i>guineensis</i>	1873, 698
<i>cancellatum</i>	1878, 811		1873, 702
<i>cassidariæformis</i> ..	1879, 205	<i>hydrocorax</i>	1877, 543
<i>ferreum</i>	1879, 206		1877, 544
<i>fusoides</i>	1879, 205		1877, 692
<i>globosum</i>	1878, 809		1877, 824
<i>horridum</i>	1878, 810		1878, 277
<i>jacksonianum</i>	1878, 865		1878, 278
<i>lacteum</i>	1878, 865	<i>leadbeaterii</i>	1873, 698
<i>margaritifera</i> ..	1878, 808	<i>malayanus</i>	1874, 151
<i>rubiginosum</i>	1879, 217	<i>melanoleucus</i>	1878, 358
<i>saburon</i>	1872, 837	<i>mindanensis</i>	1877, 537
<i>spadiceum</i>	1879, 205		1877, 543
<i>suturale</i>	1877, 180		1877, 544
<i>Bucco chacuru</i>	1879, 633		1877, 823
<i>collaris</i>	1873, 294		1878, 277
<i>grandis</i>	1871, 391		1878, 278
<i>hyperhynchus</i>	1873, 295		1878, 946
<i>macrodactylus</i>	1873, 294		1879, 70
	1873, 295	<i>plicatus</i>	1873, 464
<i>pectoralis</i>	1879, 536		1873, 632
	1879, 549	<i>rhinoceros</i>	1872, 636
<i>picatus</i>	1873, 294		1873, 464
	1873, 295		1873, 632

	Page		Page
<i>Buceros rhinoceros</i>	1875, 342	<i>Bucorvus abyssinicus</i> ..	1879, 461
	1875, 344		1880, 313
	1875, 348	<i>Budorcas taxicolor</i>	1873, 660
	1875, 490	<i>Budytes cinereocapillus</i>	1871, 364
	1875, 494	<i>citreolus</i>	1871, 364
	1876, 518	<i>flava</i>	1871, 114
<i>ruficollis</i>	1876, 414	<i>flavescens</i>	1871, 364
	1878, 671	<i>flavus</i>	1871, 364
	1878, 672	<i>melanotis</i>	1871, 364
	1879, 17	<i>rayi</i>	1871, 364
<i>subcylindricus</i>	1871, 489	<i>taivanus</i>	1871, 364
	1871, 490	<i>viridis</i>	1872, 458
	1874, 421		1877, 697
	1874, 422		1878, 82
	1879, 550		1878, 710
<i>semigaleatus</i>	1878, 279		1878, 950
	1878, 280		1879, 343
	1878, 339	<i>Bufo aqua</i>	1880, 559
	1878, 341	<i>asper</i>	1872, 591
	1878, 379	<i>angusticeps</i>	1880, 546
	1878, 380		1880, 547
<i>sharpii</i>	1873, 702		1880, 564
<i>Buchanga albirictus</i> ..	1873, 675		1880, 566
<i>assimilis</i>	1878, 357	<i>arabicus</i>	1880, 553
<i>cærulescens</i>	1872, 439		1880, 557
<i>cineracea</i>	1878, 615	<i>beddomii</i>	1875, 569
	1879, 247	<i>biporcatus</i>	1872, 591
<i>innexa</i>	1871, 378	<i>boulengeri</i>	1880, 548
	1873, 668		1880, 553
<i>leucogenys</i>	1871, 378		1880, 554
	1873, 650	<i>calamita</i>	1873, 164
	1873, 668		1875, 487
	1879, 247		1880, 547
<i>leucophæa</i>	1878, 615		1880, 548
	1879, 247		1880, 549
<i>leucopygialis</i>	1872, 405		1880, 550
	1872, 439		1880, 551
<i>longicaudata</i>	1872, 438		1880, 552
	1873, 204		1880, 553
<i>macrocerca</i>	1872, 438		1880, 554
<i>minor</i>	1872, 405		1880, 555
	1872, 438		1880, 556
	1873, 204		1880, 557
<i>mouhoti</i>	1871, 378		1880, 559
<i>stigmatops</i>	1879, 247		1880, 565
<i>Bucorax abyssinicus</i> ..	1873, 698		1880, 566
	1873, 699	<i>carens</i>	1880, 547
	1873, 700		1880, 567
	1873, 701	<i>cinereus</i>	1880, 564
	1873, 702		1880, 569
<i>cafer</i>	1873, 698		1880, 571
	1873, 699	<i>colchicus</i>	1880, 569
	1873, 700	<i>commutatus</i>	1880, 569
	1873, 701	<i>cruciatus</i>	1880, 547
	1873, 702	<i>cruentatus</i>	1872, 598
<i>guineensis</i>	1873, 699	<i>cursor</i>	1880, 547
	1873, 701	<i>divergens</i>	1872, 591
<i>Bucorvus abyssinicus</i> ..	1876, 60		

	Page		Page
<i>Bufo gargarizans</i>	1880, 569	<i>Bufo spinosus</i>	1880, 560
<i>gariensis</i>	1880, 564		1880, 563
	1880, 565		1880, 569
	1880, 566	<i>taitanus</i>	1880, 547
<i>griseus</i>	1880, 569		1880, 573
<i>guineensis</i>	1880, 560	<i>terrestris</i>	1880, 569
	1880, 563	<i>terrestris fetidus</i> ..	1880, 547
	1880, 564	<i>travancoricus</i>	1877, 685
<i>hemprichii</i>	1880, 553	<i>tuberosus</i>	1880, 547
<i>hololius</i>	1875, 569		1880, 564
	1875, 577		1880, 572
	1880, 569		1880, 573
<i>japonicus</i>	1880, 571	<i>variabilis</i>	1880, 553
	1877, 686	<i>ventricosus</i>	1880, 569
<i>kelaartii</i>	1872, 591	<i>vertebralis</i>	1880, 567
<i>leptopus</i>	1872, 598	<i>viridis</i>	1871, 204
	1871, 204		1872, 402
<i>liebigi</i>	1880, 560		1873, 164
<i>maculatus</i>	1880, 546		1875, 478
<i>mauritanicus</i>	1880, 557		1875, 487
	1880, 559		1880, 546
	1880, 560		1880, 547
	1880, 563		1880, 548
	1880, 564		1880, 549
	1880, 574		1880, 551
<i>melanostictus</i>	1871, 153		1880, 552
	1871, 204		1880, 553
	1872, 591		1880, 555
	1878, 722		1880, 556
	1880, 559		1880, 557
<i>nubicus</i>	1880, 560		1880, 558
	1880, 564		1880, 559
	1880, 621		1880, 564
<i>olivaceus</i>	1880, 569		1880, 574
<i>palmarum</i>	1871, 153	<i>vulgaris</i>	1873, 164
<i>pantherinus</i>	1871, 203		1875, 478
	1880, 557		1875, 487
	1880, 560		1875, 495
	1880, 563		1878, 977
	1880, 564		1880, 547
	1880, 566		1880, 561
<i>raddei</i>	1880, 547		1880, 569
	1880, 549		1880, 571
	1880, 551		1880, 572
	1880, 555	<i>vulgaris japonicus</i>	1880, 569
	1880, 556		1880, 571
<i>regularis</i>	1880, 547	<i>Bulaca newarensis</i>	1871, 344
	1880, 560	<i>Bulacca ocellata</i>	1872, 80
	1880, 563	<i>Bulimella byronii</i>	1873, 91
	1880, 564	<i>fuscobasis</i>	1873, 77
	1880, 567		1873, 89
	1880, 571	<i>limbata</i>	1873, 91
	1880, 574	<i>rosea</i>	1873, 90
<i>roeseli</i>	1880, 569	<i>Buliminus (Chondrula)</i>	
<i>rubeta</i>	1880, 569	<i>niso</i>	1880, 124
<i>schreberianus</i>	1880, 553	(—) <i>quadridens</i>	1880, 123
<i>sikkimensis</i>	1871, 153	(—) <i>quadridens</i> ,	
	1871, 204	<i>var. proluxa</i>	1880, 123

	Page		Page
<i>Bulimulus alternans</i> ..	1875, 648	<i>Bulimus felix</i>	1872, 687
<i>aureolus</i>	1875, 321	<i>floccosus</i>	1872, 687
<i>castus</i>	1875, 648	<i>fraseri</i>	1872, 687
<i>digitalis</i>	1875, 323	<i>fucatus</i>	1872, 687
<i>fraterculus</i>	1875, 322		1877, 363
<i>helena</i>	1875, 323	<i>fungairinoi</i>	1872, 687
<i>jonasi</i>	1875, 648	<i>fusoides</i>	1872, 687
<i>multifasciatus</i>	1875, 322		1877, 363
<i>oblongus</i>	1875, 323	<i>gabbi</i>	1879, 477
<i>petenensis</i>	1875, 648		1879, 486
<i>pilosus</i>	1875, 323	<i>gallina-sultana</i>	1872, 687
<i>tenuissimus</i>	1875, 320	<i>glaber</i>	1875, 320
<i>vincentinus</i>	1875, 320	<i>guerinii</i>	1872, 687
<i>Bulimus albolabiatus</i> ..	1877, 364	<i>guttulata</i>	1872, 687
	1877, 365	<i>hargravesi</i>	1871, 323
<i>angasiana</i>	1871, 20		1871, 325
	1872, 808	<i>hartwegi</i>	1872, 687
<i>anthinanensis</i>	1872, 687	<i>helena</i>	1875, 319
<i>argutus</i>	1871, 473	<i>iodostylus</i>	1878, 74
<i>atomatus</i>	1871, 642	<i>irazuensis</i>	1878, 73
	1877, 170		1878, 74
<i>attenuatus</i>	1879, 478		1879, 477
<i>auris-sciuri</i>	1875, 320	<i>irroratus</i>	1872, 687
<i>auris-vulpina</i>	1875, 319	<i>jacksonensis</i>	1872, 807
<i>baconi</i>	1871, 20	<i>josephus</i>	1878, 73
	1872, 808		1878, 74
<i>balstoni</i>	1877, 527		1879, 478
	1877, 530	<i>kershawi</i>	1871, 641
	1878, 311	<i>kirkii</i>	1880, 217
<i>behrendti</i>	1879, 479		1880, 346
<i>bifulguratus</i>	1872, 687	<i>larreyi</i>	1871, 321
<i>bilabiatus</i>	1875, 319		1871, 642
<i>bivaricosus</i>	1872, 19	<i>lilacinus</i>	1879, 479
<i>bourcierii</i>	1872, 687	<i>lividus</i>	1877, 365
<i>cardinalis</i>	1872, 687	<i>macgillivrayi</i>	1873, 152
<i>catlowia</i>	1872, 687	<i>maculatus</i>	1877, 365
<i>chimborasensis</i>	1872, 687		1879, 479
<i>cinereus</i>	1880, 124	<i>magilensis</i>	1880, 217
<i>citronellus</i>	1879, 479		1880, 219
	1879, 486	<i>mastersi</i>	1871, 20
<i>clavator</i>	1877, 527		1872, 808
	1878, 311	<i>membielinus</i>	1872, 687
<i>coloratus</i>	1872, 687	<i>miltocheilus</i>	1871, 644
<i>constrictus</i>	1875, 319	<i>moreleti</i>	1878, 311
	1875, 321	<i>murrinus</i>	1872, 687
	1875, 323	<i>navarrensensis</i>	1878, 73
<i>corneus</i>	1879, 479		1878, 74
<i>costaricensis</i>	1879, 478	<i>niloticus</i>	1880, 345
<i>cotopaxiensis</i>	1872, 687	<i>nux</i>	1877, 72
<i>cuneus</i>	1872, 687	<i>obesus</i>	1880, 217
<i>digitalis</i>	1875, 319	<i>oblongus</i>	1875, 320
<i>duburghei</i>	1872, 687	<i>obtusatus</i>	1878, 311
<i>eschariferus</i>	1877, 72	<i>ovoidea</i>	1880, 217
<i>excelsus</i>	1879, 478	<i>pallidior</i>	1879, 478
<i>expansus</i>	1872, 687	<i>peelii</i>	1872, 687
	1879, 478	<i>pilosus</i>	1875, 319
<i>fallax</i>	1872, 687		1875, 321
			1875, 321
		<i>piperitus</i>	1872, 687

	Page		Pag
<i>Bulimus piperitus</i>	1877,		362
<i>ponsonbii</i>	1877,		170
	1877,		177
<i>princeps</i>	1879,		483
<i>punctatus</i>	1880,		217
<i>putus</i>	1872,		516
<i>quitensis</i>	1872,		687
<i>rectilinearis</i>	1877,		365
<i>rhodotrema</i>	1879,		478
<i>riparius</i>	1872,		687
<i>rugulosus</i>	1877,		72
<i>sachsei</i>	1872,		687
<i>saturnus</i>	1872,		687
<i>sellersi</i>	1871,		644
	1871,		647
<i>sordidus</i>	1879,		724
<i>tateanus</i>	1875,		322
<i>taylorianus</i>	1872,		687
<i>thompsoni</i>	1872,		687
<i>tripictus</i>	1879,		478
<i>turgidus</i>	1871,		473
<i>undulatus</i>	1879,		483
<i>unifasciatus</i>	1877,		72
<i>watersi</i>	1878,		311
	1878,		314
<i>yungasensis</i>	1877,		362
<i>zorquinensis</i>	1879,		478
	1879,		479
	1879,		486
<i>ziegléri</i>	1877,		365
(<i>Borus</i>) <i>lichtensteini</i>	1879,		721
(—) <i>moritzianus</i>	1879,		721
(—) <i>popelairia-</i> <i>nus</i>	1879,		720
(—) <i>sanctæ-crucis</i>	1879,		721
(<i>Buliminus</i>) <i>pty-</i> <i>chaxis</i>	1880,		346
	1880,		352
(<i>Charis</i>) <i>krefftii</i>	1872,		19
	1872,		23
(<i>Chondrula</i>) <i>ade-</i> <i>laidæ</i>	1872,		807
(<i>Drymæus</i>) <i>æquat-</i> <i>rianus</i>	1877,		363
	1877,		365
(—) <i>albolabiatus</i>	1877,		363
(—) <i>alto-peruvi-</i> <i>anus</i>	1879,		723
(—) <i>cantatus</i>	1879,		723
(—) <i>interpictus</i>	1879,		723
(—) <i>ochrocheilus</i>	1877,		362
	1877,		365
(—) <i>orthostoma</i>	1877,		364
	1877,		365
	1879,		723
(—) <i>rawsonis</i>	1873,		208
	1873,		209
(<i>Dryptus</i>) <i>sangoæ</i>	1879,		721
<i>Bulimus</i> (<i>Eumecostylus</i>)			
<i>scottii</i>	1873,		152
(<i>Eurytus</i>) <i>eros</i>	1878,		312
	1878,		314
(—) <i>roseolabrum</i>	1877,		362
	1877,		365
(<i>Goniostoma</i>) <i>chan-</i> <i>chamayensis</i>	1879,		723
(<i>Harpalus</i>) <i>khasi-</i> <i>anus</i>	1872,		516
	1872,		518
(—) <i>munipurensis</i>	1872,		516
	1872,		518
(<i>Leptomerus</i>) <i>mole-</i> <i>cillus</i>	1879,		725
(<i>Liostracus</i>) <i>flavi-</i> <i>dulus</i>	1877,		364
	1877,		365
(—) <i>fuscobasis</i>	1877,		365
(—) <i>subpellucidus</i>	1877,		364
	1877,		365
(<i>Liparus</i>) <i>brazieri</i>	1871,		19
	1872,		807
(<i>Mesembrinus</i>) <i>pœ-</i> <i>cillus</i>	1879,		725
(—) <i>sachsei</i>	1879,		725
(—) <i>trujillensis</i>	1879,		724
(<i>Napeus</i>) <i>adelaidæ</i>	1872,		807
(<i>Obeliscus</i>) <i>haplo-</i> <i>stylus</i>	1879,		724
(<i>Orphnus</i>) <i>bifascia-</i> <i>tus</i>	1879,		722
(—) <i>brephoides</i>	1879,		722
(—) <i>foveolatus</i>	1879,		722
(—) <i>jelskii</i>	1879,		722
	1879,		728
(—) <i>porphyreus</i>	1879,		722
(—) <i>tserni</i>	1879,		722
(<i>Otostomus</i>) <i>napo</i>	1878,		312
	1878,		314
(—) <i>quadrifasci-</i> <i>atus</i>	1878,		312
	1878,		314
(<i>Pachnodus</i>) <i>drack-</i> <i>enbergensis</i>	1880,		615
(<i>Placostylus</i>) <i>cuni-</i> <i>culinsulæ</i>	1872,		19
	1872,		23
(<i>Plectostylus</i>) <i>kochii</i>	1879,		724
(<i>Porphyrobaphe</i>) <i>io-</i> <i>stomus</i>	1879,		721
(—) <i>wrzesniow-</i> <i>skii</i>	1879,		721
	1879,		728
(<i>Scutalus</i>) <i>alutaceus</i>	1879,		724
(—) <i>badius</i>	1879,		724
(—) <i>nigropileatus</i>	1879,		723
(—) <i>proteus</i>	1879,		724

	Page		Page
<i>Bulimus</i> (<i>Scutalus</i>) <i>ver-</i>		<i>Butastur indicus</i>	1877, 757
<i>sicolor</i>	1879, 724		1878, 612
(<i>Stenogyra</i>) <i>linearis</i> 1880,	616		1878, 709
(—) <i>turriformis</i> . . 1880,	615		1879, 245
(<i>Thaumastus</i>) <i>chry-</i>			1879, 322
<i>somelas</i>	1879, 724	<i>Buteo</i> — ?	1871, 340
<i>Bulla ampulla</i>	1877, 189	<i>albicaudatus</i>	1873, 186
<i>debilis</i>	1877, 189		1879, 540
<i>gouldi</i>	1877, 189	<i>asiaticus</i>	1871, 339
<i>lignaria</i>	1878, 960	<i>augur</i>	1871, 494
<i>solida</i>	1878, 819	<i>auguralis</i>	1871, 494
(<i>Haminea</i>) <i>crocata</i> . 1877, 189			1871, 495
(—) <i>cuticulifera</i> . 1877, 189		<i>brachypterus</i>	1875, 64
(—) <i>tenera</i>	1871, 98	<i>busarellus</i>	1879, 637
<i>Bullia mozambicensis</i> . . 1877, 719		<i>desertorum</i>	1872, 413
	1877, 722		1877, 530
<i>persica</i>	1878, 730		1878, 349
	1878, 733	<i>erythronotus</i>	1872, 536
(<i>Leiodomus</i>) <i>kurra-</i>			1872, 549
<i>chensis</i>	1877, 529		1874, 678
	1877, 530		1877, 745
<i>Bulweria bulweri</i>	1873, 642		1879, 309
<i>Bungarus annularis</i> . . . 1872, 591			1879, 637
<i>cæruleus</i>	1871, 152	<i>ferox</i>	1872, 74
	1871, 189		1872, 78
<i>flaviceps</i>	1872, 591		1877, 531
<i>Buphaga africana</i>	1876, 281		1879, 673
<i>Buphagus antarcticus</i> . . 1876, 321		<i>galapagensis</i>	1871, 125
<i>skua</i>	1876, 319		1871, 127
<i>skua antarcticus</i> . . 1876, 321		<i>hypospodius</i>	1879, 487
<i>Buphus coromandus</i> . . . 1871, 412			1879, 540
	1872, 477	<i>jackal</i>	1877, 307
<i>Bursa concinna</i>	1878, 815	<i>japonicus</i>	1871, 339
(<i>Apollon</i>) <i>anceps</i> . . 1877, 180			1878, 579
(<i>Lampas</i>) <i>granifera</i> 1877, 180		<i>lagopus</i>	1871, 339
(—) <i>hians</i>	1877, 179		1875, 491
(—) <i>venustula</i> . . 1877, 180		<i>latissimus</i>	1878, 44
<i>Bursada basistriga</i> 1879, 163		<i>martinii</i>	1879, 673
<i>Bursarius cythereæ</i> 1879, 795		<i>pennsylvanicus</i> . . . 1873, 302	
	1879, 797		1878, 44
<i>Butalis ferruginea</i>	1871, 379		1879, 540
<i>griseosticta</i>	1871, 379	<i>pygmæus</i>	1871, 340
	1877, 694	<i>rutilans</i>	1879, 637
<i>grisola</i>	1872, 441	<i>solitarius</i>	1878, 346
	1877, 694		1878, 348
	1878, 129		1878, 350
<i>hypogrammica</i>	1871, 379	<i>spadiceus</i>	1875, 117
<i>latirostris</i>	1871, 379	<i>swainsoni</i>	1879, 540
	1878, 280	<i>tricolor</i>	1879, 637
	1878, 284	<i>unicolor</i>	1879, 637
<i>manillensis</i>	1877, 694	<i>vulgaris</i>	1872, 79
<i>muttui</i>	1872, 441		1873, 466
	1873, 204		1873, 634
<i>sibirica</i>	1871, 379		1875, 491
<i>Butaquila aquilina</i> 1871, 339			1878, 349
<i>hemilasius</i>	1871, 339		1879, 673
<i>leucocephala</i>	1871, 339		1880, 308
<i>Butastur indicus</i>	1877, 689	<i>Buteogallus nigricollis</i> . 1873, 302	

	Page		Page
Buteogallus nigricollis ..	1879, 637	Cacatua cristata	1874, 591
Buteola brachyura	1874, 552		1874, 595
	1879, 540		1880, 309
	1879, 637	ducorspi	1871, 491
Buthraupis cucullata ..	1873, 185		1871, 492
	1873, 186		1875, 59
	1873, 780		1875, 60
	1874, 513		1877, 107
	1879, 500	galerita	1873, 466
montana	1873, 186		1873, 634
	1879, 600		1874, 587
Butorides atricapilla ..	1875, 68		1874, 588
	1877, 301		1874, 591
	1877, 302		1875, 60
	1879, 679		1875, 601
cyanura	1871, 273		1876, 419
	1879, 542		1880, 309
flavicollis	1877, 343	goffini	1871, 492
javanica	1872, 478		1875, 60
	1873, 698		1875, 61
	1877, 703		1877, 793
	1877, 769	gymnopsis	1871, 490
	1877, 834		1871, 493
	1878, 83		1875, 59
	1878, 114		1875, 61
	1878, 345	hæmaturopygia ..	1877, 755
	1878, 624		1877, 756
	1879, 352		1877, 817
	1879, 353		1878, 107
javanicus	1871, 413		1878, 281
macrorhyncha	1871, 413		1878, 340
	1879, 353		1878, 379
scapularis	1871, 273		1878, 937
scapulatus	1873, 305		1879, 313
virescens	1871, 273	leadbeateri	1874, 587
	1872, 652		1874, 588
	1877, 746		1874, 591
	1879, 243		1876, 419
	1879, 542		1880, 309
	1879, 765	moluccensis	1876, 419
Buzura multipunctaria .	1879, 416		1876, 692
strigaria	1879, 416		1877, 793
Bythinia stanleyi	1877, 717		1880, 309
	1877, 722	ophthalmica	1877, 107
tentaculata	1873, 390		1879, 17
			1880, 67
Cabrita brunnea	1875, 225	philippinarum	1876, 692
	1876, 635		1877, 793
jerdonii	1875, 225	roseicapilla	1873, 634
	1876, 635	sanguinea	1871, 492
	1876, 636		1871, 493
leschenaultii	1875, 225		1875, 59
	1876, 635		1875, 60
	1876, 636		1875, 61
Cacatua cristata	1873, 466	sulphurea	1873, 459
	1873, 634		1873, 461
	1874, 587		1873, 465
	1874, 588		1873, 466

	Page		Page
<i>Cacatua sulphurea</i>	1874, 587	<i>Cadulus acuminatus</i>	1878, 868
	1874, 588	<i>minutus</i>	1872, 10
	1874, 591		1872, 15
	1874, 595	<i>Cæcilianella acicula</i>	1880, 135
	1879, 462	<i>eburnea</i>	1880, 135
<i>Caccabis chukar</i>	1873, 468	<i>liesvillei</i>	1880, 135
	1873, 640	<i>mauriana</i>	1880, 135
	1876, 464	<i>merimeana</i>	1880, 136
	1877, 307	<i>Cæcum</i> , n. sp.	1879, 809
	1879, 357	<i>attenuatum</i>	1879, 809
<i>chukar</i> , var. <i>pube-</i>		<i>auriculatum</i>	1879, 810
<i>scens</i>	1871, 400	<i>bimamillatum</i>	1879, 810
<i>heyi</i>	1873, 648	<i>bipartitum</i>	1879, 812
	1877, 2	<i>chinense</i>	1879, 809
<i>melanocephala</i>	1877, 2	<i>circumvolutum</i>	1879, 810
	1877, 307	<i>costulatum</i>	1872, 799
<i>pallidus</i>	1874, 324	<i>crystallinum</i>	1879, 812
<i>rufa</i>	1879, 356	<i>elegantissimum</i>	1879, 811
	1879, 358	<i>exile</i>	1879, 811
<i>saxatilis</i>	1877, 307	<i>glabriforme</i>	1879, 812
	1879, 358	<i>lineicinctum</i>	1879, 808
<i>Cacicus alfredi</i>	1874, 523	<i>massiliense</i>	1879, 810
	1879, 230	<i>microcyclus</i>	1879, 811
<i>atrovirens</i>	1874, 523	<i>modestum</i>	1879, 810
<i>cristatus</i>	1874, 523	<i>regulare</i>	1879, 811
<i>Cacoëcia costana</i>	1877, 403	<i>reversum</i>	1879, 809
<i>gallicolens</i>	1877, 382	<i>semicinctum</i>	1879, 812
<i>herana</i>	1877, 402	<i>sepimentum</i>	1879, 809
<i>inana</i>	1877, 403	—, var. <i>arcuata</i>	1879, 809
	1877, 407	<i>striatum</i>	1879, 812
<i>taipana</i>	1877, 403	<i>strigosum</i>	1879, 810
<i>vilis</i>	1877, 402	<i>subflavum</i>	1879, 810
	1877, 407		1879, 811
<i>Cacomantis</i> , sp.	1879, 447	<i>succineum</i>	1879, 810
<i>canoroides</i>	1875, 600		1879, 811
<i>castaneiventris</i>	1877, 730	<i>vitiense</i>	1872, 799
<i>flabelliformis</i>	1878, 125	<i>Caica barrabandi</i>	1873, 300
<i>insperatus</i>	1877, 106	<i>histrio</i>	1873, 300
	1878, 671	<i>melanocephala</i>	1873, 301
<i>merulinus</i>	1877, 691		1873, 466
	1878, 613		1873, 633
	1878, 709		1874, 587
	1879, 69	<i>pyrilia</i>	1875, 237
	1879, 328		1875, 238
<i>sepulcralis</i>	1873, 465		1879, 538
	1873, 633	<i>xanthomera</i>	1877, 419
<i>sepulchralis</i>	1878, 936		1879, 301
	1878, 945	<i>xanthomeros</i>	1873, 301
<i>tenuirostris</i>	1871, 394	<i>Cairina moschata</i>	1872, 367
<i>Cacopsodos niger</i>	1877, 395		1872, 370
	1877, 407		1873, 305
<i>Cacopus breviceps</i>	1871, 204		1875, 69
<i>globulosus</i>	1871, 153		1876, 378
	1871, 201		1876, 410
<i>Cactornis scandens</i>	1871, 124		1877, 333
<i>Cadphises maculata</i>	1875, 393		1880, 511
<i>moorei</i>	1875, 392	<i>sylvestris</i>	1876, 378
<i>Cadulus acuminatus</i>	1871, 97	<i>Calabaria fusca</i>	1874, 442

	Page		Page
<i>Calamanthella tintinna-</i>		<i>Calandrina torquata</i> ..	1874, 635
<i>bulans</i>	1871, 352	<i>Calandritis brachydac-</i>	
<i>Calamaria agamensis</i> ..	1872, 589	<i>tyla</i>	1874, 630
<i>arcticeps</i>	1872, 589	<i>cinerea</i>	1874, 633
<i>benjaminsii</i>	1872, 590	<i>minor</i>	1874, 631
<i>bicolor</i>	1872, 589	<i>Calendula crassirostris</i> ..	1874, 636
<i>borneensis</i>	1872, 589	<i>magnirostris</i>	1874, 636
<i>flaviceps</i>	1872, 589	<i>Calendulauda albescens</i> .	1874, 623
<i>gervaisii</i>	1879, 77	1874, 625
<i>gracillima</i>	1872, 594	<i>nivosa</i>	1874, 620
.....	1872, 600	<i>Calesia comesa</i>	1878, 849
<i>martapurensis</i>	1872, 590	<i>flabellifera</i>	1878, 849
<i>modesta</i>	1873, 168	1878, 857
<i>nigro-alba</i>	1872, 589	<i>gastropachoides</i> ..	1878, 849
<i>roelandti</i>	1872, 589	1878, 857
<i>schlegelii</i>	1872, 589	<i>Calialcyon coromanda</i> ..	1878, 944
<i>temminckii</i>	1872, 589	<i>Calidris arenaria</i>	1871, 56
(<i>Typhlocalamus</i>)		1871, 58
<i>gracillima</i>	1879, 77	1871, 408
<i>Calamodus sorghophilus</i>	1871, 354	1871, 546
<i>Calamodyta affinis</i>	1871, 355	1874, 560
<i>agricola</i>	1871, 353	1877, 31
<i>bistrigiceps</i>	1871, 353	<i>canutus</i>	1873, 641
<i>fasciolatus</i>	1871, 352	<i>Caligo automedon</i>	1874, 339
.....	1871, 353	<i>hubocula</i>	1874, 339
<i>insularis</i>	1871, 352	<i>dentina</i>	1876, 217
.....	1871, 353	<i>euphorbus</i>	1876, 217
<i>orientalis</i>	1871, 352	<i>eurylochus</i>	1874, 339
.....	1871, 353	<i>idomeneus</i>	1876, 217
<i>sorghophila</i>	1871, 354	<i>memnon</i>	1874, 339
<i>Calamoherpe aëdon</i>	1873, 650	<i>oileus</i>	1874, 338
<i>australis</i>	1875, 590	<i>Caligula cachara</i>	1872, 578
<i>canturiens</i>	1871, 353	<i>Calisto zangis</i>	1878, 480
<i>concinens</i>	1871, 354	<i>Calleida cyanoptera</i>	1874, 68
<i>fumigata</i>	1871, 352	<i>iridea</i>	1874, 68
.....	1877, 806	<i>jansoni</i>	1878, 608
.....	1878, 430	<i>lætipennis</i>	1878, 608
<i>maackii</i>	1871, 355	<i>semirubra</i>	1878, 608
<i>minuta</i>	1871, 353	<i>tibialis</i>	1874, 76
<i>orientalis</i>	1871, 352	<i>Callene zonura</i>	1871, 359
<i>subflavescens</i>	1871, 352	<i>Callerebia annada</i>	1872, 556
.....	1877, 806	1880, 147
.....	1878, 430	1880, 148
<i>syrinx</i>	1877, 778	<i>arixa</i>	1872, 555
.....	1880, 574	<i>daksha</i>	1874, 266
.....	1880, 575	1874, 274
<i>turdoides</i>	1874, 526	<i>hybrida</i>	1880, 147
<i>Calandrella anderssoni</i> ..	1874, 635	<i>nirmala</i>	1880, 147
<i>brachydactyla</i>	1871, 390	1880, 148
.....	1871, 677	<i>scanda</i>	1880, 148
.....	1874, 630	<i>Callialcyon coromanda</i> ..	1879, 331
<i>cinerea</i>	1874, 633	<i>Calliana pieridoides</i>	1878, 687
<i>pispoletta</i>	1871, 390	1878, 694
<i>ruficeps</i>	1874, 634	<i>Callichrous bimaculata</i>	1880, 226
<i>Calandria blanca</i>	1872, 537	<i>checkra</i>	1880, 226
.....	1872, 539	<i>egertonii</i>	1871, 710
.....	1872, 540	1880, 225
.....	1872, 541	<i>lamghur</i>	1876, 806

	Page		Page
Callichrous pabda	1880, 225	Callionymus lyra	1879, 751
	1880, 231	Calliope camtschatkensis	1871, 359
vittatus	1880, 225		1877, 688
Callicore astala	1874, 344		1877, 697
cluina	1876, 226	pectardens	1873, 665
clymena	1876, 226		1873, 689
euclides	1874, 344	Callipara brazieri	1877, 181
eupepla	1874, 344	Callipepla gambeli	1877, 307
lidwina	1876, 226	gambelli	1872, 795
neglecta	1876, 226	Calliploea eunice	1876, 251
Callidon guentheri	1877, 684	græffiana	1876, 251
Callidryas argante	1876, 243	infantilis	1876, 766
catilla	1873, 355	iphianassa	1875, 611
	1878, 640		1876, 251
	1878, 783	jamesi	1876, 766
	1878, 855	mesocala	1877, 467
	1879, 653	pumila	1876, 766
cipris	1876, 243	rhadamanthus	1877, 170
crocale	1873, 355	seriata	1875, 611
	1874, 108		1876, 766
	1877, 147	trimenii	1876, 766
	1878, 837	tulliolus	1875, 612
	1878, 855	Calliscotus bowreyi	1878, 489
eubule	1876, 242	Callista victoriae	1877, 192
gorgophone	1874, 287	Calliste argentea	1874, 514
intermedia	1874, 361		1876, 354
lactea	1874, 287		1879, 226
	1874, 291	argyrophenges	1876, 354
philea	1874, 360		1879, 589
	1876, 243		1879, 599
pyranthe	1874, 108	atricapilla	1879, 499
rurina	1874, 361	atrocærulea	1874, 515
	1876, 243		1879, 599
sennæ	1874, 360	aurulenta	1879, 498
	1878, 481	boliviana	1873, 261
statira	1876, 243		1879, 599
trite	1876, 243	cyaneicollis	1874, 515
virgo	1874, 361		1875, 237
(Catopsilia) minna	1874, 291		1879, 499
Calliethera tricineta	1876, 624		1879, 599
Calligrapha distinguen-		cyaneiventris	1880, 146
da	1877, 518	cyanescens	1879, 499
elegantula	1877, 519	cyanotis	1874, 515
violaceo-maculata	1878, 147		1879, 599
Callimorpha jacobææ	1878, 484	dowii	1878, 54
Callinectes bellicosus	1877, 656	festiva	1875, 529
Callinia microcephala	1873, 62		1880, 146
	1873, 63	franciscæ	1878, 54
spinifera	1873, 60	frantzii	1878, 54
	1873, 61	fulvicervix	1876, 354
	1873, 62		1879, 589
Calliomma lutescens	1875, 5		1879, 599
	1875, 16	guttata	1875, 237
parce	1875, 6		1876, 353
Callionymus cookii	1871, 653	gyroloides	1873, 185
	1871, 665		1873, 261
dracunculus	1879, 751		1874, 514
lyra	1875, 487		1878, 54

	Page		Page
Calliste gyroloides	1879, 499	Callithrix cuprea	1880, 394
	1879, 599	discolor	1871, 219
icterocephala	1878, 54	sciureus	1875, 493
	1879, 498		1876, 203
	1879, 549	Callizona fulvescens	1876, 228
inornata	1879, 499	Callocephalon galeatum	1880, 309
labradorides	1879, 499	Callocephalus discolor	1871, 509
lamprotis	1879, 599	foetidus	1871, 509
larvata	1878, 54	hispidus	1871, 509
	1879, 499	Callolophus malaccensis	1875, 103
	1879, 549		1879, 327
melanonota	1880, 146	puniceus	1875, 103
nigricincta	1873, 185		1879, 327
	1879, 599	Callophis bivirgatus	1872, 591
nigriviridis	1874, 514	intestinalis	1872, 591
	1875, 237	maclellandii	1871, 152
	1879, 226		1871, 189
	1879, 499	Callopietria exotica	1877, 605
	1880, 146		1877, 627
parzudakii	1880, 194	Callopsaris albogriseus	1877, 327
pulchra	1874, 515	Callorhinus ursinus	1872, 658
	1873, 185	Callothynechus antarcti-	
	1873, 186	cus	1878, 117
	1874, 514	Callospiza gyrola	1874, 514
	1879, 598	Callosome ephyia	1875, 415
punctulata	1876, 353	evippe	1875, 415
	1879, 589	heuglini	1875, 415
	1879, 598	interrupta	1875, 415
ruficervix	1874, 514	Callosome amina	1876, 129
	1876, 354	anteupompe	1876, 156
	1879, 499	antigone	1876, 143
schranksi	1873, 185	arethusa	1876, 155
	1873, 261	auxo	1876, 163
	1874, 514	casta	1876, 148
	1879, 598	cebrene	1876, 155
thoracica	1880, 146	celimene	1876, 129
tricolor	1880, 146	coliagenes	1876, 128
venusta	1879, 499	daira	1876, 144
vitriolina	1879, 498	dalila	1876, 144
	1879, 550	danaë	1876, 157
xanthocephala	1874, 515	dedecora	1876, 156
	1879, 227	deidamia	1876, 148
	1879, 599	delphine	1876, 152
xanthogastra	1873, 261	demagore	1876, 162
	1874, 514	eione	1876, 144
yeni	1873, 261	ephyia	1876, 145
	1873, 780	epigone	1876, 153
	1874, 514	eucharis	1867, 164
	1879, 598	eupompe	1876, 156
Callitæra menander	1874, 337	eurygone	1876, 151
Callithea degandii	1876, 228	evagore	1876, 162
depuiseti	1876, 228	evanthe	1876, 165
optima	1876, 228	evarne	1876, 164
whitelyi	1876, 228	evenina	1876, 150
Callithomia hezia	1874, 331	exole	1876, 151
Callithrix amicta	1880, 634	gavisæ	1876, 150
	1880, 636	hetæra	1876, 130
cuprea	1871, 219	ione	1876, 132

	Page		Page
<i>Callosune isaura</i>	1876,	<i>Calopsitta novæ-hollan-</i>	
<i>jalone</i>	1876,	<i>diæ</i>	1874, 587
<i>liagore</i>	1876,		1877, 351
<i>nouna</i>	1876,		1877, 793
<i>omphale</i>	1876,	<i>Caloptinus brunneus</i> ..	1871, 248
<i>pallene</i>	1876,	<i>inamœnus</i>	1871, 247
<i>phlegetonia</i>	1876,		1871, 248
<i>phlegyas</i>	1876,	<i>incomptus</i>	1871, 247
<i>pholoë</i>	1876,	<i>signatipes</i>	1871, 248
<i>procne</i>	1876,	<i>Caloramphus hayi</i>	1880, 14
<i>regina</i>	1876,	<i>Calorhinus ursinus</i>	1880, 443
<i>stygia</i>	1876,	<i>Calornis, sp.</i>	1877, 554
<i>theogone</i>	1876,	<i>amboinensis</i>	1877, 554
<i>zera</i>	1876,		1878, 88
<i>zoë</i>	1876,	<i>cantoroides</i>	1877, 554
<i>Callula obscura</i>	1875,	<i>chalybea</i>	1878, 622
<i>olivacea</i>	1875,		1879, 345
	1875,	<i>corvina</i>	1872, 100
<i>pulchra</i>	1871,	<i>gularis</i>	1877, 554
	1871,		1878, 88
<i>triangularis</i>	1875,		1878, 89
<i>Calobates boarula</i>	1871,	<i>kittlitzii</i>	1872, 87
	1871,		1872, 88
<i>melanope</i>	1871,		1872, 89
	1877,		1872, 100
	1877,	<i>metallica</i>	1875, 593
	1877,		1877, 104
	1877,		1877, 554
<i>radiatus</i>	1873,		1878, 88
<i>sulphurea</i>	1872,		1878, 89
<i>Calocoris (Megacœlum)</i>			1878, 97
<i>lustratus</i>	1878,	<i>nitida</i>	1877, 104
	1878,		1878, 88
	1878,		1878, 289
<i>Calodromas elegans</i> ...	1875,		1879, 11
	1879,	<i>pacificus</i>	1877, 779
	1879,		1880, 576
<i>Caloenas luteovirens</i> ...	1878,	<i>panayensis</i>	1877, 536
<i>nicobarica</i>	1873,		1877, 538
	1873,		1877, 549
	1873,		1877, 763
	1874,		1877, 831
	1874,		1878, 113
	1875,		1878, 287
	1876,		1878, 343
	1877,		1878, 622
	1878,		1878, 710
	1879,		1878, 951
	1879,		1879, 72
	1879,		1879, 345
<i>Calohyla sundana</i>	1872,	<i>purpurascens</i>	1878, 88
<i>Calophæna cruciata</i> ...	1878,		1878, 89
<i>lævigata</i>	1878,	<i>viridescens</i>	1878, 88
<i>Calophrynus pleuro-</i>			1879, 11
<i>stigma</i>	1872,	<i>Calosoma vagans</i>	1874, 55
<i>punctatus</i>	1872,	<i>Calospiza pulchra</i>	1873, 816
<i>Calopsitta novæ-hollan-</i>		<i>Calotes grandisquamis</i>	1875, 226
<i>diæ</i>	1873,	<i>jerdoni</i>	1872, 382
	1873,		

	Page		Page
<i>Calotes maria</i>	1871, 150	<i>Camelus dromedarius</i> ..	1875, 492
	1871, 167		1875, 494
	1872, 382		1880, 306
<i>mystaceus</i>	1871, 150	<i>Campephaga</i> — ?....	1871, 378
	1871, 167	<i>aurulenta</i>	1873, 692
	1872, 382		1873, 697
<i>tricarinatus</i>	1871, 167		1874, 419
<i>versicolor</i>	1871, 150		1875, 531
	1871, 165	<i>boyeri</i>	1873, 697
	1871, 167	<i>cana</i>	1871, 314
	1872, 381	<i>cinerea</i> ?	1871, 378
	1880, 620	<i>jardinii</i>	1875, 584
(Bronchocele) <i>phi-</i>		<i>karu</i>	1875, 584
<i>lippinus</i>	1873, 168	<i>maculosa</i>	1877, 724
<i>Calotragus spiniger</i>	1872, 641		1877, 725
<i>Calpenia khasiana</i>	1878, 5	<i>major</i>	1871, 314
<i>saundersi</i>	1872, 571	<i>melæna</i>	1872, 99
	1872, 582	<i>melanops</i>	1873, 95
<i>Caltura alba</i>	1879, 401	<i>monacha</i>	1872, 89
<i>Calurus pavoninus</i>	1874, 547		1872, 99
	1879, 240	<i>morio</i>	1872, 99
<i>Calycidoris guentheri</i> ..	1877, 225	<i>nesiotis</i>	1872, 89
<i>Calymnia panopus</i>	1877, 596		1872, 98
<i>pavonica</i>	1877, 596	<i>sloetii</i>	1874, 419
	1877, 626	<i>strenua</i>	1873, 697
<i>Calyptomena viridis</i> ..	1877, 447	<i>Campephilus albirostris</i> .	1873, 186
	1877, 449		1873, 291
	1880, 381	<i>boiæi</i>	1879, 631
	1880, 388	<i>grayii</i>	1879, 532
<i>Calyptorhynchus banksii</i>	1873, 634	<i>hæmatogaster</i>	1879, 532
	1874, 587	<i>magellanicus</i>	1878, 434
	1875, 601	<i>malherbii</i>	1875, 235
<i>funereus</i>	1875, 601		1879, 532
	1879, 663	<i>melanoleucus</i>	1874, 546
	1880, 77		1879, 240
<i>leachii</i>	1875, 601	<i>pollens</i>	1879, 532
<i>Calyptræa alveolata</i> ..	1877, 70	<i>rubricollis</i>	1874, 546
<i>porosa</i>	1877, 188	<i>trachelopyrus</i>	1873, 291
<i>tortilis</i>	1877, 70		1879, 631
<i>Camorhynchus cinereus</i>	1877, 321	<i>Campethera nivosa</i>	1871, 607
	1878, 137		1871, 615
<i>prothemelas</i>	1871, 125	<i>Campias ruficeps</i>	1879, 632
<i>Camelopardalis giraffa</i>	1873, 473	<i>sedulus</i>	1878, 140
	1875, 492	<i>Campicola bifasciata</i> ..	1874, 239
	1875, 494		1874, 241
	1876, 290	<i>bottæ</i>	1874, 241
	1876, 292	<i>livingstonii</i>	1874, 239
	1877, 3		1874, 241
	1877, 4	<i>pileata</i>	1874, 241
	1877, 11	<i>Camponotus macilentus</i>	1877, 83
	1877, 12	<i>planus</i>	1877, 83
	1877, 288	<i>senex</i>	1877, 83
	1877, 289	<i>Camptogramma correlata</i>	1877, 393
	1879, 108	<i>fuscinata</i>	1877, 396
<i>Camelus bactrianus</i>	1875, 492	<i>stinaria</i>	1877, 396
	1875, 494	<i>subochraria</i>	1877, 396
	1876, 696	<i>Camptolæmus labrado-</i>	
	1880, 306	<i>ricus</i>	1880, 523

	Page		Page
<i>Camptostoma flaviventre</i>	1873, 278	<i>Cancros fluviatilis</i>	1878, 753
	1873, 279	<i>Cankerkes semiplena</i>	1879, 392
	1873, 576	<i>Canirallus griseofrons</i> . . .	1872, 868
	1873, 577	<i>kioloides</i>	1872, 869
<i>imberbe</i>	1873, 279	<i>Canis alpinus</i>	1876, 633
	1873, 576		1880, 274
	1873, 577		1880, 275
<i>Campylopterus æquato-</i>		<i>antarcticus</i>	1878, 376
<i>rialis</i>	1873, 287		1879, 766
	1879, 627		1880, 248
<i>hemileucurus</i>	1878, 68		1880, 250
<i>largipennis</i>	1874, 541		1880, 253
<i>Campylorhynchus balte-</i>			1880, 266
<i>atus</i>	1877, 319		1880, 267
	1877, 333		1880, 273
	1877, 749		1880, 286
	1880, 190	<i>anthus</i>	1878, 376
<i>fasciatus</i>	1880, 190		1879, 766
<i>hypostictus</i>	1873, 256		1880, 248
<i>striaticollis</i>	1873, 256		1880, 253
<i>unicolor</i>	1879, 592		1880, 255
<i>zonatus</i>	1878, 51		1880, 266
<i>Cancellaria japonica</i> . .	1879, 216		1880, 272
	1879, 218		1880, 276
<i>turrita</i>	1873, 721		1880, 277
	1873, 722		1880, 286
(Trigonostoma) <i>an-</i>		<i>argentatus</i>	1875, 492
<i>tiquata</i>	1877, 186		1880, 248
(—) <i>costifera</i>	1877, 186		1880, 249
<i>Cancer callianassa</i>	1879, 33		1880, 261
<i>carnifex</i>	1877, 137		1880, 265
<i>ceratophthalmus</i> . . .	1877, 135		1880, 288
<i>cheiragonus</i>	1879, 36	<i>aureus</i>	1875, 492
<i>convexus</i>	1877, 133		1877, 273
<i>corrugatus</i>	1879, 33		1878, 376
<i>dentatus</i>	1877, 134		1879, 766
<i>edwardsii</i>	1879, 35		1880, 53
<i>floridus</i>	1877, 133		1880, 248
<i>granulatus</i>	1879, 30		1880, 253
<i>hydromus</i>	1877, 138		1880, 255
<i>megistos</i>	1877, 138		1880, 256
<i>muricatus compres-</i>			1880, 261
<i>sus</i>	1877, 654		1880, 266
<i>ocyroë</i>	1877, 133		1880, 276
<i>pagurus</i>	1878, 783		1880, 277
	1878, 784		1880, 286
<i>planissimus</i>	1879, 38	<i>azaræ</i>	1878, 376
<i>raninus</i>	1879, 46		1879, 766
<i>savignyi</i>	1879, 30		1880, 238
<i>strigosus</i>	1877, 136		1880, 240
(Astacus) <i>capensis</i> . .	1878, 754		1880, 241
	1878, 755		1880, 242
(Mantis) <i>arenarius</i> . .	1877, 138		1880, 243
<i>Cancroma cochlearia</i> . .	1873, 305		1880, 244
	1875, 343		1880, 245
	1877, 307		1880, 246
	1879, 542		1880, 247
<i>Cancrophagus gutturalis</i>	1880, 491		1880, 248

	Page		Page				
Canis azaræ	1880,	249	Canis cinereo-argentatus 1880,	251			
	1880,	250		1880,	253		
	1880,	251		1880,	261		
	1880,	252		1880,	264		
	1880,	253		1880,	265		
	1880,	255		corsac	1880,	264	
	1880,	256		1880,	265		
	1880,	261		1880,	266		
	1880,	266		dingo.....	1871,	629	
	1880,	267		1875,	492		
	1880,	268		1875,	494		
	1880,	274		1880,	248		
	1880,	288		1880,	249		
	bengalensis	1875,		492	domesticus	1880,	248
	1880,	265		1880,	253		
	1880,	266		dukhumensis	1880,	274	
	1880,	272		1880,	275		
	borbonidus	1880,		280	famelicus	1873,	749
	brachyotus	1880,		71	1875,	81	
	brasiliensis	1880,		255	1875,	420	
	1880,	264		1878,	376		
	caamra	1880,		248	1878,	392	
	1880,	261		1879,	766		
	1880,	264		1880,	248		
	1880,	265		familiaris	1873,	749	
	1880,	266		1875,	492		
cancrivorus	1873,	748	1876,	463			
1873,	749	1878,	373				
1873,	750	1878,	374				
1878,	376	1878,	376				
1879,	766	1879,	766				
1880,	248	1879,	767				
1880,	253	ferrilatus	1876,	633			
1880,	254	filholi.....	1880,	281			
1880,	255	flavescens	1876,	633			
1880,	259	fulvicaudus	1880,	266			
1880,	261	fulvipes.....	1880,	252			
1880,	263	1880,	254				
1880,	266	1880,	266				
1880,	267	1880,	267				
1880,	268	1880,	270				
1880,	270	1880,	288				
1880,	272	fulvus	1875,	492			
1880,	280	1878,	376				
1880,	285	1879,	766				
1880,	286	1880,	248				
1880,	287	1880,	265				
cerdo.....	1879,	767	griseus	1880,	268		
chama	1875,	81	hodophylax	1878,	116		
1876,	2	1878,	788				
1879,	767	1880,	274				
chanco	1874,	655	jubatus	1877,	806		
1876,	633	1879,	766				
1880,	278	1879,	767				
1880,	279	1880,	248				
cinereo-argentatus.	1875,	492	1880,	253			
1880,	248	1880,	262				
1880,	250	1880,	266				

	Page		Page
<i>Canis jubatus</i>	1880, 267	<i>Canis magellanicus</i>	1879, 767
<i>lagopus</i>	1875, 492		1880, 248
	1878, 376		1880, 249
	1879, 766		1880, 266
	1880, 248		1880, 267
	1880, 265		1880, 268
<i>laniger</i>	1874, 654		1880, 273
	1874, 655	<i>megamastoides</i>	1880, 280
	1876, 633	<i>mesomelas</i>	1875, 492
	1878, 376		1876, 2
	1879, 766		1876, 293
	1880, 253		1880, 239
	1880, 273		1880, 264
	1880, 279		1880, 276
<i>lateralis</i>	1877, 419		1880, 277
	1880, 276		1880, 286
	1880, 277	<i>montanus</i>	1876, 633
	1880, 450	<i>niger</i>	1874, 655
<i>latrans</i>	1878, 789		1876, 633
	1880, 248	<i>nigra</i>	1874, 654
	1880, 266	<i>niloticus</i>	1880, 248
	1880, 267		1880, 265
	1880, 272	<i>nippon</i>	1880, 274
	1880, 273	<i>occidentalis</i>	1880, 273
	1880, 286	<i>pallipes</i>	1880, 278
<i>littoralis</i>	1880, 248		1880, 279
	1880, 249	<i>primævus</i>	1875, 316
	1880, 250		1875, 530
	1880, 251		1876, 463
	1880, 252		1879, 767
	1880, 253		1880, 71
	1880, 261		1880, 248
	1880, 264		1880, 274
	1880, 265		1880, 275
	1880, 266		1880, 276
	1880, 288	<i>procyonoides</i>	1880, 253
<i>lupus</i>	1875, 492		1880, 259
	1877, 273		1880, 262
	1878, 116		1880, 273
	1878, 374	<i>quao</i>	1872, 720
	1878, 376	<i>rudis</i>	1879, 767
	1878, 788		1880, 266
	1880, 53		1880, 267
	1880, 248	<i>rutilans</i>	1875, 316
	1880, 249		1875, 530
	1880, 250		1879, 767
	1880, 253		1880, 274
	1880, 255	<i>simensis</i>	1880, 248
	1880, 260		1880, 266
	1880, 261		1880, 276
	1880, 272		1880, 277
	1880, 274	<i>sumatrensis</i>	1872, 720
	1880, 278		1880, 248
	1880, 279		1880, 274
	1880, 286		1880, 275
	1880, 288	<i>variegatoides</i>	1876, 2
	1880, 304	<i>velox</i>	1880, 253
<i>lycaon</i>	1877, 273		1880, 261

	Page		Page
Canis velox	1880, 264	Capito aurantiicollis ..	1873, 298
	1880, 265		1873, 299
	1880, 266		1874, 549
vetulus	1880, 261	auratus	1873, 298
	1880, 266		1874, 549
	1880, 267		1879, 634
	1880, 282	aurovirens.....	1873, 298
	1880, 286	bourcierii	1878, 47
virginianus	1880, 250		1879, 538
	1880, 265	erythrocephalus ..	1873, 255
vulpes	1875, 492		1874, 549
	1877, 273	glaucogularis	1873, 783
	1877, 274		1874, 549
	1878, 376	maculicoronatus ..	1879, 537
	1880, 53		1879, 549
	1880, 238	melanotis	1873, 299
	1880, 241	peruvianus	1873, 255
	1880, 242		1873, 298
	1880, 243		1874, 549
	1880, 244	richardsoni	1878, 141
	1880, 245	steerii	1878, 140
	1880, 246	versicolor	1873, 780
	1880, 247		1873, 783
	1880, 248		1879, 634
	1880, 261	Capnodes calida	1878, 490
	1880, 265	rufescens	1877, 612
	1880, 288		1877, 629
zerda	1880, 248	trifasciata	1877, 612
	1880, 250		1877, 629
	1880, 260	Capra aegagrus.....	1874, 2
	1880, 261		1874, 90
	1880, 262		1874, 248
	1880, 264		1875, 458
	1880, 265		1875, 459
	1880, 272		1875, 461
	1880, 288		1875, 462
Cannabina canescens ..	1871, 386		1875, 463
Cantoria dayana	1871, 151		1875, 464
	1871, 178		1875, 465
Caouana caretta	1873, 395		1875, 466
	1873, 404		1875, 467
elongata	1873, 408		1877, 270
Caperea antipodarum ..	1873, 133		1877, 276
	1873, 134		1880, 55
	1873, 142	ammon	1875, 518
	1873, 143	beden.....	1871, 627
Capissa auriflava.....	1878, 19		1874, 90
fasciata	1878, 20	bezoartica	1874, 248
	1878, 36		1875, 460
flavens	1878, 20	caucasica	1875, 492
innotata	1878, 19		1875, 494
	1878, 36	cervicapra.....	1874, 248
insolita	1878, 20	cretensis	1875, 460
pallens	1878, 19	doreas	1873, 537
	1878, 36	falconeri	1875, 467
vagesa	1878, 19	hircus	1875, 492
Capito amazonicus	1873, 298		1875, 494
	1874, 549		1876, 463

	Page		Page
Capra ibex	1875, 458	Caprimulgus europæus .	1873, 533
jemlaica	1876, 463		1873, 631
	1876, 464		1875, 344
	1877, 4		1876, 511
	1877, 10		1877, 754
	1880, 186		1878, 249
megaceros.....	1875, 467	fulviventris	1874, 205
perpusilla	1872, 638	griseatus	1872, 93
	1872, 639		1877, 688
	1872, 641		1877, 690
picta	1872, 639		1877, 691
	1874, 90	jotaka	1871, 344
	1877, 4		1872, 92
	1877, 10	kelaarti.....	1872, 421
pygmæa	1872, 638		1875, 100
	1872, 641	macrurus	1875, 113
sibirica	1876, 634		1875, 581
skyn	1875, 516		1879, 332
Capreolus capræa.....	1877, 9		1879, 447
	1877, 10	mahrattensis.....	1872, 421
	1877, 12		1873, 204
	1877, 14	manillensis	1872, 93
	1877, 17		1878, 944
	1877, 18		1879, 69
	1878, 887	monticola	1871, 345
	1878, 917		1873, 667
	1878, 928	nacunda	1879, 626
	1879, 296	phalæna	1872, 89
	1880, 55		1872, 91
europæus	1878, 917		1872, 92
	1879, 296	psalurus	1879, 644
leucotis.....	1875, 45	rufigenis	1873, 716
	1875, 46	rupestris	1879, 626
	1878, 924	salvadorii	1875, 99
pygargus	1878, 887		1875, 100
	1878, 917		1879, 332
	1879, 384	stictomus	1871, 345
Capricornis crispus	1879, 384		1872, 92
sumatrensis	1879, 308		1873, 667
Caprimulgus — ?.....	1871, 344	swinhoei	1871, 344
	1871, 345	Capros aper	1879, 749
affinis	1875, 100	Capromys fourmieri	1875, 491
	1877, 691		1876, 21
albicollis	1879, 626	pilorides	1876, 70
arundinaceus	1875, 100	Capsiempis orbitalis ..	1874, 130
asiaticus	1872, 421		1874, 536
	1872, 422	Capsus darwini	1877, 89
atripennis	1872, 421	nigritulus	1877, 89
	1873, 204	quadrinotatus	1877, 89
borneensis.....	1875, 100	spoliatus	1877, 89
brachyurus	1878, 94	Carabodes nitens	1877, 25
	1878, 95	Carabus buquetii	1874, 53
brasiliensis	1874, 545		1874, 54
concretus	1875, 100		1874, 55
decussatus.....	1874, 545		1874, 70
dytiscivorus	1871, 344	carinulatus	1874, 54
enarratus	1872, 867	chilensis	1874, 50
europæus	1873, 463		1874, 53

	Page		Page
<i>Carabus chilensis</i>	1874,	<i>Carduelis elegans</i>	1879,
<i>chiloensis</i>	1874,	<i>magellanicus</i>	1879,
<i>darwinii</i>	1874,	<i>major</i>	1879,
<i>dorsiger</i>	1874,	<i>Carelia adusta</i>	1873,
<i>elegantissimus</i>	1874,	<i>bicolor</i>	1871,
	1874,	—, var. <i>adjusta</i>	1871,
	70	—, var. <i>angulata</i>	1871,
<i>gloriosus</i>	1874,	<i>cumingiana</i>	1871,
<i>indiconotus</i>	1874,	<i>fuliginea</i>	1871,
<i>insularis</i>	1874,	<i>paradoxa</i>	1871,
<i>melanopterus</i>	1874,	<i>turricula</i>	1871,
<i>mochæ</i>	1874,	<i>variabilis</i>	1871,
	1874,	—, var. <i>olivacea</i>	1871,
<i>psittacus</i>	1874,	—, var. <i>viridans</i>	1871,
<i>reichei</i>	1874,	<i>Caretta imbricata</i>	1873,
<i>speciosus</i>	1874,	<i>rostrata</i>	1873,
<i>saturalis</i>	1874,	<i>squamosa</i>	1873,
	1874,	<i>Cariacus antisimensis</i>	1878,
<i>stoliczkanus</i>	1878,	<i>campestris</i>	1878,
<i>sybarita</i>	1874,	<i>chilensis</i>	1878,
<i>valdiviæ</i>	1874,		1878,
<i>Caranx bidii</i>	1873,	<i>columbianus</i>	1877,
<i>hippos</i>	1878,		1878,
<i>trachurus</i>	1872,		1878,
	1872,		1878,
	1875,	<i>gymnotis</i>	1878,
<i>Carbo africanoides</i>	1880,		1878,
<i>albiventer</i>	1878,	<i>leucurus</i>	1877,
<i>melanoleucus</i>	1872,		1878,
	1872,		1878,
<i>Carcinus mænas</i>	1871,		1878,
	1879,	<i>macrotis</i>	1878,
<i>Cardiastethus bicolor</i>	1878,		1878,
	1878,		1878,
<i>testaceus</i>	1878,	<i>mexicanus</i>	1877,
<i>Cardinalis cucullata</i>	1875,		1878,
<i>dominicana</i>	1875,		1878,
<i>virginianus</i>	1873,		1878,
	1880,	<i>nemorivagus</i>	1878,
<i>Cardisoma carnifex</i>	1877,		1878,
	1877,	<i>paludosus</i>	1878,
<i>Cardita amabilis</i>	1871,	<i>peruvianus</i>	1878,
<i>calyculata</i>	1873,		1878,
<i>raouli</i>	1872,	<i>punctulatus</i>	1878,
	1872,	<i>rufinus</i>	1878,
<i>Cardium arcuatulum</i>	1873,		1878,
	1873,	<i>rufus</i>	1878,
<i>hystrix</i>	1878,		1880,
<i>ornatum</i>	1876,	<i>savannarum</i>	1878,
<i>pulchellum</i>	1878,		1878,
<i>pulchrum</i>	1878,	<i>similis</i>	1878,
<i>rugosum</i>	1877,		1878,
(<i>Acanthocardia</i>)		<i>simplicicornis</i>	1878,
<i>multispinosum</i>	1877,	<i>superciliaris</i>	1878,
(<i>Ctenocardia</i>) <i>victor</i>	1872,	<i>toltecus</i>	1878,
	1872,		1878,
(<i>Lævicardium</i>) <i>aus-</i>			921
<i>trale</i>	1878,		925
<i>Carduelis atratus</i>	1879,		926

	Page		Page
<i>Cariacus virginianus</i> ..	1877, 18	<i>Carpodectes nitidus</i>	1878, 40
	1878, 887		1878, 65
	1878, 918	<i>Carpophaga aenea</i>	1873, 468
	1878, 919		1873, 639
	1878, 950		1874, 256
	1879, 298		1877, 555
whiteleyi	1878, 926		1877, 764
(<i>Blastocerus</i>) <i>cam-</i>			1877, 832
pestris	1878, 887		1878, 113
	1878, 923		1878, 288
(—) <i>paludosus</i> ..	1878, 887		1878, 344
	1878, 922		1878, 623
(<i>Coassus</i>) <i>nemori-</i>			1878, 952
<i>vagus</i>	1878, 887		1879, 73
	1880, 400		1879, 316
(—) <i>rufinus</i>	1878, 887		1879, 348
	1880, 400		1880, 15
(—) <i>rufus</i>	1878, 887	<i>assimilis</i>	1874, 603
	1878, 924		1878, 126
(—) <i>simplicicor-</i>			1878, 574
<i>nis</i>	1878, 887	<i>aurora</i>	1874, 256
(—) <i>superciliaris</i>	1878, 887	<i>bernsteini</i>	1878, 573
(—) <i>whiteleyi</i> ..	1878, 887	<i>bicolor</i>	1875, 108
(<i>Furcifer</i>) <i>antisien-</i>			1875, 109
<i>sis</i>	1878, 887		1875, 110
	1878, 923		1879, 348
(—) <i>chilensis</i> ..	1878, 887	<i>chalconota</i>	1875, 641
<i>Cariama cristata</i>	1873, 469	<i>chalybea</i>	1878, 85
	1873, 640	<i>chalybura</i>	1878, 85
<i>Carinifex breweri</i>	1875, 536	<i>concinna</i>	1878, 85
<i>newberryi</i>	1875, 536		1878, 89
	1875, 537	<i>formosa</i>	1878, 572
<i>ponsonbii</i>	1875, 536	<i>grisea</i>	1875, 108
	1875, 537	<i>globicera</i>	1873, 468
<i>Carocolla novæ-hollan-</i>			1873, 639
<i>diæ</i>	1872, 805	<i>ianthina</i>	1873, 651
<i>Carollia brevicauda</i>	1878, 880	<i>lacernulata</i>	1873, 679
	1880, 395	<i>latrans</i>	1875, 30
<i>Carphibis spinicollis</i> ..	1877, 340		1875, 430
	1877, 479		1875, 438
	1877, 491		1877, 737
<i>Carpilius convexus</i>	1877, 133		1878, 102
<i>Carpococcyx radiatus</i> ..	1873, 607		1878, 103
<i>Carpodacus davidi</i>	1873, 555		1878, 104
<i>davidianus</i>	1871, 387		1878, 105
<i>edwardsi</i>	1873, 689	<i>leclancheri</i>	1878, 568
<i>edwardsii</i>	1873, 666	<i>lepida</i>	1877, 109
<i>erythrinus</i>	1871, 387	<i>luctuosa</i>	1875, 108
	1877, 751		1875, 110
<i>mongolicus</i>	1871, 387		1877, 109
<i>pallasi</i>	1873, 556		1879, 348
	1873, 690	<i>magnifica</i>	1878, 575
<i>trifasciatus</i>	1873, 665	<i>melanochroa</i>	1878, 671
	1873, 689		1878, 672
<i>verreauxi</i>	1873, 689		1879, 451
	1873, 665	<i>melanura</i>	1875, 108
<i>vinaceus</i>	1873, 689		1875, 109
<i>Carpodectes nitidus</i>	1878, 39	<i>novæ-zealandiæ</i> ..	1874, 250

	Page		Page
Carpophaga novæ-zealandiæ	1876,	Carpophaga wan-wycki. 1879,	451
oceanica	1872,	zoeæ	1878,
	1872,	Carterocephalus agathocles	1876,
	1877,	dimidiatus	1876,
	1877,	Carystus coridon	1874,
	1877,	deceptus	1874,
	1880,	elia	1873,
pacifica	1871,	epicincea	1874,
	1871,	gemmatus	1874,
	1871,	ladana	1873,
	1872,	laufella	1875,
	1875,	minos	1874,
	1875,	psittacina	1876,
	1875,	simulius	1876,
	1876,		1876,
	1876,	xanthaphes	1876,
	1877,	Casarca leucoptera	1880,
	1877,	rutila	1871,
	1877,		1871,
	1877,		1880,
	1877,	tadornoides	1880,
	1878,	Cascellius æneoniger ..	1874,
	1878,	eydouxii	1874,
	1879,	gravesii	1874,
paulina	1876,	kingii	1874,
pickeringi	1879,	niger	1874,
pinon	1876,	nitidus	1874,
pistrinaria	1878,	troberti	1874,
puella	1878,	Casella atromarginata ..	1877,
pusilla	1872,	gouldii	1877,
rhodinolæma	1877,	philippinensis	1877,
	1879,	Casiornis rubra	1879,
	1879,	Casnonia tubulifera ...	1878,
	1879,	Cassiculus chrysonotus. 1873,	781
roseinucha	1878,		1874,
rubricera	1877,	flavicrissus	1879,
	1878,	solitarius	1873,
	1878,	Cassicus atrovirens	1879,
	1878,	chrysonotus	1873,
	1879,		1873,
	1879,		1879,
spilorrhœa	1874,	cristatus	1879,
	1875,	flavicrissus	1877,
	1875,		1879,
	1875,	hæmorrhous	1873,
	1876,	icteronotus	1879,
	1877,	leucorhamphus ...	1879,
	1879,	persicus	1873,
sylvatica	1871,		1873,
	1872,		1873,
	1876,		1879,
tumida	1878,	prevosti	1877,
van-wycki	1877,		1878,
	1878,	solitarius	1879,
	1878,	uropygialis	1879,
	1879,	yuracares	1879,
	1879,	Cassidea areola	1872,
	447		837

	Page		Page
<i>Cassidea saburon</i>	1872, 837	<i>Casuarius beccarii</i>	1875, 533
<i>Cassidix ater</i>	1877, 323		1876, 414
<i>oryzivora</i>	1873, 185		1877, 307
	1873, 267		1877, 316
	1879, 510		1878, 214
<i>Cassidula crassiuscula</i>	1871, 477	<i>bennetti</i>	1871, 627
<i>Cassis achatina</i>	1872, 838		1872, 149
<i>areola</i>	1872, 837		1872, 150
<i>coronulata</i>	1872, 838		1873, 470
<i>glauca</i>	1872, 838		1873, 519
<i>nivea</i>	1872, 616		1873, 644
<i>paucirugis</i>	1872, 838		1874, 325
<i>pila</i>	1872, 837		1875, 85
<i>pyrum</i>	1872, 838		1875, 87
<i>saburon</i>	1872, 837		1875, 362
<i>sophia</i>	1872, 617		1876, 2
<i>sophiæ</i>	1872, 838		1876, 121
<i>torquata</i>	1872, 838		1876, 122
<i>zeylanica</i>	1872, 838		1876, 414
<i>Castalia cordata</i>	1872, 687		1877, 97
<i>dichroa</i>	1874, 271		1877, 113
<i>Castalius elna</i>	1877, 587		1878, 390
	1877, 624		1879, 5
<i>ethion</i>	1877, 587		1880, 27
	1877, 624		1880, 493
<i>manluena</i>	1877, 587	<i>bicarunculatus</i>	1872, 150
	1877, 624		1872, 495
<i>roxus</i>	1878, 833		1873, 470
	1878, 855		1873, 519
<i>Castor canadensis</i>	1872, 804		1873, 644
<i>fiber</i>	1875, 491		1875, 87
	1875, 494	<i>edwardsi</i>	1878, 389
	1880, 60		1878, 390
	1880, 305	<i>emu</i>	1875, 488
<i>Casuarius australis</i>	1871, 32	<i>galeatus</i>	1871, 32
	1871, 33		1871, 33
	1871, 34		1871, 34
	1871, 35		1871, 35
	1871, 547		1872, 150
	1872, 150		1872, 495
	1874, 325		1873, 644
	1875, 2		1875, 86
	1875, 82		1875, 87
	1875, 85		1878, 80
	1875, 86		1878, 214
	1875, 87		1880, 315
	1875, 362	<i>javanicus</i>	1875, 478
	1875, 469		1875, 488
	1875, 527	<i>kaupi</i>	1871, 627
	1876, 118		1872, 147
	1876, 119		1872, 148
	1876, 122		1872, 149
	1876, 414		1872, 150
	1877, 28		1873, 474
	1878, 214		1874, 247
<i>beccarii</i>	1875, 86		1875, 380
	1875, 87		1878, 389
	1875, 527	<i>papuanus</i>	1874, 258

	Page		Page
Casuarium papuanus ..	1875, 85	Catagramma zelphanta .	1876, 227
	1875, 87	Catamblyrhynchus dia-	
	1878, 389	dema	1874, 520
	1878, 390		1879, 507
papuensis	1872, 149	Catamenia analis.....	1873, 780
	1872, 150		1874, 521
picticollis	1875, 85		1874, 677
	1875, 87		1879, 606
	1875, 349	atratus	1879, 542
	1876, 414		1879, 639
	1877, 307	aura	1879, 309
	1877, 315		1879, 542
	1877, 316		1879, 639
salvadorii	1878, 213	homochroa	1874, 520
tricarunculatus....	1878, 214		1874, 521
uniappendiculatus .	1871, 627	inornata	1879, 229
	1872, 147		1880, 199
	1872, 149	rufirostris	1874, 521
	1872, 150		1879, 229
	1874, 247	Cataracta skua.....	1876, 319
	1874, 495	Cataractes parasiticus ..	1876, 325
	1875, 85		1876, 327
	1875, 87		1876, 328
	1875, 533		1876, 330
	1876, 414	pomarina	1876, 324
	1877, 307		1876, 325
	1877, 313	skua	1876, 319
	1877, 314	vulgaris.....	1876, 318
	1877, 316		1876, 319
	1877, 419	Catargyria druryi	1874, 342
	1877, 531	Catarracta camtscha-	
	1878, 389	tica	1876, 324
	1878, 390		1876, 325
westermanni.....	1874, 248	fusca	1876, 319
	1875, 85	Catarractes chrysocome.	1878, 654
	1875, 87	chrysolophus	1878, 654
	1875, 380	parasita.....	1876, 324
	1878, 389	Catarrhactes antiquus ..	1876, 318
Casyapa thrax	1878, 641	Catascopus angulicollis .	1878, 605
Cataclysta elutalis	1880, 683	chontalensis	1878, 605
fraterna	1880, 683	validus	1878, 605
nympha	1880, 683	Catasticta actinotis....	1874, 358
ornatalis	1880, 683	arechiza	1874, 357
sexpunctalis	1880, 684		1874, 358
tolumnialis	1880, 684	emeris	1874, 358
Catagramma ægina	1876, 227	manco	1876, 241
astala	1874, 344	nimbice.....	1874, 357
atacama	1874, 343	notha.....	1876, 241
conosura	1876, 228	ochracea	1874, 357
excelsior	1876, 228	potamea	1874, 358
faustina.....	1874, 343	sebennica	1874, 358
felderi	1876, 228	sisamnus	1874, 358
lyca	1874, 343		1876, 241
pacifica	1874, 343	theresa	1874, 358
pasithea	1876, 228	Catephia dubia	1880, 678
patelina.....	1874, 343	Cathæmia anthyparete .	1872, 32
peristera	1876, 228	xantholeuca	1872, 37
titania	1874, 343	Catharacta cephus ..	1876, 326

	Page		Page
Catharacta cephus....	1876,	Catophaga lankapura ..	1879,
coprotheres	1876,	leis.....	1872,
Catharistes atratus	1878,	neombo	1878,
Cathartes atratus	1872,	paulina	1878,
	1873,	pseudolalage.....	1879,
	1873,	Catopsilia catilla.....	1877,
	1873,	chryseis.....	1877,
aura	1873,	crocale	1877,
	1876,	gnoma	1877,
	1878,	gorgophone	1874,
iota	1875,	lactea	1874,
papa	1878,	nephte	1877,
urubu	1879,	pyranthe	1877,
Catharus dryas	1875,	Caulospongia plicata ..	1871,
frantzi	1878,	verticillata	1871,
	1878,	Caustoloma ziczac	1877,
fuscater.....	1874,	Cavia aperea	1876,
	1875,	cobaya	1875,
	1879,	cristata	1876,
fuscatus.....	1876,	Caviria cygna	1877,
gracilirostris.....	1878,	Cavolina flava	1877,
	1878,	gibbosa	1877,
griseiceps	1875,	inflexa	1877,
maculatus	1875,	limbata	1877,
	1879,	longirostris	1877,
melpomene	1875,	quadridentata	1877,
	1878,	Ceblepyris cinerea	1875,
	1878,	karu	1877,
mentalis	1876,	major	1871,
	1879,	plumbea	1878,
	1879,	rufiventris.....	1878,
mexicanus.....	1874,	sumatrensis	1878,
	1875,	Cebus apella.....	1871,
phæopleurus.....	1875,	capucinus	1875,
	1879,	fatuellus	1880,
	1879,	hypoleucus	1872,
Catinella explanata	1871,		
rubida	1871,		
	1871,		
Catoblepas gnu	1876,		
	1876,		
	1877,		
gorgon	1876,		
	1876,		
	1876,		
Catochrysops bæticus ..	1876,		
cyta	1874,		
Catophaga alope	1879,		
buniæ	1872,		
cheiranthi	1872,		
galene	1879,		
josephine	1872,		
lagela	1878,		
	1878,		
	1878,		
lalage	1879,		

	Page		Page
<i>Cebus hypoleucus</i>	1872, 9	<i>Centrites niger</i>	1878, 432
	1879, 123	<i>oreas</i>	1874, 534
<i>leucocephalus</i>	1872, 4		1879, 612
<i>leucogenys</i>	1871, 227	<i>Centrochelys sulcatus</i> ..	1873, 725
<i>lunatus</i>	1871, 227	<i>Centrocoecyx affinis</i> ..	1877, 691
<i>Cecropis arectivitta</i>	1871, 346		1877, 692
<i>japonica</i>	1871, 346	<i>eurycercus</i>	1878, 614
<i>striolata</i>	1871, 346		1879, 328
<i>Celeopicus exalbidus</i> ..	1877, 21	<i>javanensis</i>	1877, 691
<i>Celerena andamana</i>	1876, 768	<i>philippensis</i>	1879, 328
	1877, 600	<i>viridis</i>	1877, 536
	1877, 626		1877, 543
<i>cincta</i>	1879, 162		1877, 691
<i>commutata</i>	1876, 768		1877, 758
<i>connexa</i>	1876, 768		1877, 823
<i>divisa</i>	1876, 767		1878, 283
	1876, 768		1878, 341
<i>eucnemis</i>	1876, 768		1878, 709
<i>funebri</i>	1879, 163		1878, 946
<i>leucomela</i>	1879, 416	<i>Centronotus fasciatus</i> ..	1877, 295
<i>mutata</i>	1876, 768	<i>Centropelma micropte-</i>	
<i>perithea</i>	1876, 768	<i>rum</i>	1879, 590
<i>proxima</i>	1876, 768		1879, 641
<i>sobria</i>	1876, 767	<i>Centropristis psittacinus</i>	1877, 67
<i>spretata</i>	1876, 768	<i>Centropsar mirus</i>	1874, 176
<i>vulgaris</i>	1876, 768		1875, 380
<i>Celeus citreopygius</i>	1873, 290	<i>Centropus ægyptius</i> ..	1873, 609
	1873, 291		1873, 618
<i>citrinus</i>	1873, 291		1873, 619
	1877, 21	<i>affinis</i>	1873, 624
<i>exalbidus</i>	1877, 21	<i>anselli</i>	1874, 204
<i>flavus</i>	1877, 21		1874, 205
<i>grammicus</i>	1871, 749	<i>ateralbus</i>	1877, 106
	1873, 290		1878, 289
	1873, 291		1878, 290
<i>jumana</i>	1873, 291		1878, 671
<i>oricatus</i>	1879, 533		1879, 17
	1879, 549	<i>bengalensis</i>	1871, 393
<i>mentalis</i>	1879, 534	<i>bubutus</i>	1871, 393
<i>semicinnamomeus</i>	1877, 21	<i>burchelli</i>	1873, 618
<i>spectabilis</i>	1880, 161		1873, 619
<i>subflavus</i>	1877, 21	<i>capensis</i>	1873, 618
<i>tinnunculus</i>	1873, 291	<i>chlororhynchus</i> ..	1872, 405
	1880, 161	<i>chlororhynchus</i> ..	1872, 433
<i>torquatus</i>	1880, 161	<i>epomidis</i>	1873, 617
<i>Celia costaricensis</i>	1878, 600		1873, 622
<i>Cemoria nana</i>	1872, 10		1874, 205
	1872, 15	<i>eurycercus</i>	1871, 393
<i>Cenchrus contortrix</i>	1878, 631		1878, 614
<i>piscivorus</i>	1871, 479		1879, 328
<i>Centenes semispinosus</i>	1871, 58	<i>francisci</i>	1873, 617
<i>Centetes ecaudatus</i>	1871, 59		1873, 621
	1875, 64		1874, 205
	1875, 493	<i>grilli</i>	1873, 617
<i>madagascariensis</i> ..	1871, 58		1873, 623
	1871, 65		1873, 624
<i>semispinosus</i>	1871, 58		1874, 205
<i>Centrites niger</i>	1871, 259	<i>houhou</i>	1873, 618

	Page		Page
<i>Centropus javanensis</i> ..	1879, 328	<i>Cephalophus bicolor</i> ..	1871, 589
<i>lafresnayanus</i>	1873, 624		1871, 594
<i>lepidus</i>	1871, 393		1871, 600
<i>madagascariensis</i> ..	1873, 624	<i>breviceps</i>	1871, 595
<i>medius</i>	1871, 393		1871, 597
<i>melanorhynchus</i> ..	1873, 624	<i>burchellii</i>	1871, 592
<i>moluccensis</i>	1871, 393		1878, 743
<i>monachus</i>	1873, 617	<i>campbelliæ</i>	1871, 590
	1873, 618		1871, 592
	1873, 620	<i>coronatus</i>	1871, 589
	1874, 205		1871, 594
<i>nigrorufus</i>	1873, 617		1871, 599
	1873, 623	<i>dorsalis</i>	1871, 589
	1873, 624		1871, 594
	1874, 205		1871, 595
<i>phasianus</i>	1872, 603		1871, 597
	1873, 629	<i>grimmia</i>	1871, 589
	1873, 633		1871, 590
	1875, 601		1876, 283
	1878, 125		1877, 453
<i>rufipennis</i>	1871, 393		1878, 743
	1872, 433	<i>grimmia (mergens)</i> ..	1871, 592
	1880, 469	<i>longiceps</i>	1871, 590
<i>senegalensis</i>	1873, 465		1871, 592
	1873, 617		1871, 593
	1873, 618		1878, 744
	1873, 619	<i>madoqua</i>	1871, 589
	1873, 633		1871, 594
	1874, 205		1871, 598
<i>sinensis</i>	1871, 393	<i>maxwelli</i>	1871, 589
<i>superciliosus</i>	1873, 617		1871, 593
	1873, 620		1871, 594
	1873, 621		1871, 600
	1873, 624		1877, 4
	1874, 205		1877, 8
	1878, 359		1877, 10
<i>tolu</i>	1873, 624		1877, 11
<i>toulou</i>	1874, 205	<i>melanoprymnus</i> ..	1871, 589
	1875, 67		1871, 593
<i>toulou</i>	1873, 617		1871, 594
	1873, 624		1871, 595
<i>violaceus</i>	1877, 106	<i>melanorheus</i>	1871, 589
<i>Centrotrachelus asmussi</i>	1874, 657		1871, 593
	1874, 659		1871, 594
	1874, 660		1871, 600
	1874, 661	<i>melanorrhous</i>	1878, 743
<i>loricatus</i>	1874, 660		1878, 744
<i>Centurus hoffmanni</i> ..	1878, 49	<i>mergens</i>	1880, 307
<i>hypopolius</i>	1874, 176	—, var. <i>burchelli</i> ..	1871, 590
<i>pucherani</i>	1878, 49	<i>monticola</i>	1878, 743
<i>Cephalochelys oceanica</i> ..	1873, 408	<i>natalensis</i>	1871, 589
<i>Cephalophus altifrons</i> ..	1871, 590		1871, 593
<i>anchietæ</i>	1878, 743		1871, 594
<i>badius</i>	1871, 589		1871, 598
	1871, 594	<i>niger</i>	1871, 589
	1871, 595		1871, 593
	1871, 597		1871, 594
	1871, 598		1871, 595

	Page		Page
Cephalophus niger	1871, 597	Ceratinia crispinilla	1876, 207
	1878, 744	excelsa	1874, 334
nigrifrons	1871, 589	fenestella	1874, 334
	1871, 593	fluonia	1876, 207
	1871, 594		1876, 208
	1871, 598		1879, 151
ocularis	1871, 590	frater	1876, 207
ogilbyi	1871, 589	klugii	1874, 331
	1871, 593	oulita	1876, 206
	1871, 594	semifulva	1875, 36
	1871, 595		1876, 207
peronii	1877, 118	statilla	1876, 207
pluto	1878, 744	tigrina	1876, 207
punctulatus	1871, 589		1876, 250
	1871, 594		1879, 151
	1871, 600	Ceratodoris eolida	1877, 222
pygmaeus	1871, 589	Ceratodus forsteri	1871, 7
	1871, 593		1873, 686
	1871, 594		1876, 24
	1871, 599		1876, 26
	1877, 4		1876, 27
	1877, 10		1876, 28
	1877, 11		1876, 31
	1877, 289		1876, 33
ruficrista	1871, 592		1876, 35
	1871, 593		1876, 37
	1878, 744		1876, 48
rufilatus	1871, 589	Ceratophrys ornata	1880, 648
	1871, 594	Ceratorhinus crossii	1872, 794
	1871, 597	lasiotis	1873, 92
sylvicultrix	1871, 589		1873, 93
	1871, 593		1876, 455
	1871, 594	niger	1876, 451
	1871, 595		1876, 455
	1871, 596	sumatrensis	1873, 92
whitfieldii	1871, 589		1873, 94
	1871, 594		1873, 96
	1871, 599		1873, 97
Cephalopterus glabri-			1873, 99
collis	1878, 66		1873, 100
ornatus	1873, 186		1873, 102
	1873, 286		1876, 455
	1874, 541		1877, 707
	1879, 618		1877, 711
Cephalopyrus flammi-			1880, 69
ceps	1873, 655	Ceratosoma brevicauda-	
Cephalotes minor	1878, 875	tum	1877, 234
peronii	1878, 316	caledonicum	1877, 234
	1878, 875	cornigerum	1877, 233
Cepola rubescens	1879, 752	gracillimum	1877, 234
Cerambyx fimbriatus	1877, 157	oblongum	1877, 234
graffa	1877, 158	tenue	1877, 234
Ceratamma hobsoni	1880, 689	trilobatum	1877, 233
Ceratinia alexia	1876, 207	webbii	1877, 234
	1876, 250	Cerberus acutus	1872, 590
anastasia	1876, 207	rhynchops	1871, 151
baana	1876, 207		1871, 179
callispila	1874, 334		1872, 590

	Page		Page
<i>Cerberus rhynchops</i>	1879, 78	<i>Cercopithecus pileatus</i>	1875, 493
<i>Cerchneis japonica</i>	1874, 582	<i>pluto</i>	1871, 36
<i>japonicus</i>	1879, 323	<i>pygerythrus</i>	1875, 493
<i>moluccensis</i>	1874, 581	<i>pyrrhonotus</i>	1871, 623
	1874, 583		1874, 665
<i>newtoni</i>	1875, 74		1880, 639
<i>rupicola</i>	1874, 581	<i>ruber</i>	1871, 623
	1874, 582		1874, 664
	1874, 583		1875, 493
	1874, 584		1880, 301
<i>sparveria</i>	1878, 45	<i>sabæus</i>	1875, 493
<i>tinnunculus</i>	1874, 581	<i>Cereopsis novæ hollan-</i>	
	1874, 582	<i>diæ</i>	1873, 769
	1874, 583		1875, 488
	1879, 323		1876, 197
<i>zoniventris</i>	1875, 74		1880, 317
<i>Cercibis oxycerca</i>	1877, 478		1880, 497
	1877, 479		1880, 535
	1877, 497	<i>Ceriornis blythii</i>	1872, 496
<i>Cercocebus collaris</i>	1880, 301		1873, 660
<i>fuliginosus</i>	1876, 413		1879, 457
	1878, 791		1879, 458
	1879, 123	<i>caboti</i>	1871, 399
	1879, 125		1871, 695
	1880, 301		1872, 496
<i>Cercolabes prehensilis</i>	1875, 491	<i>melanocephala</i>	1871, 543
<i>villosus</i>	1875, 469		1872, 496
<i>Cercoleptes caudivol-</i>			1873, 655
<i>vulus</i>	1871, 547	<i>satyra</i>	1872, 496
	1875, 493		1872, 730
	1875, 494		1872, 734
	1880, 397		1872, 736
	1880, 400		1876, 464
<i>Cercomacra cinerascens</i>	1873, 275		1879, 115
<i>nigricans</i>	1879, 526		1879, 117
<i>tyrannina</i>	1874, 530		1879, 118
	1878, 61		1879, 373
<i>Cercomela erythræa</i>	1874, 241	<i>temmincki</i>	1871, 399
<i>frenata</i>	1874, 241		1873, 468
<i>fusca</i>	1874, 241		1873, 640
<i>heuglini</i>	1874, 241		1873, 655
<i>lypura</i>	1874, 241		1879, 117
<i>melanura</i>	1874, 241		1879, 118
<i>Cercomys cunicularius</i>	1876, 749		1879, 372
<i>Cercopithecus æthiops</i>	1875, 493		1879, 373
<i>albigularis</i>	1879, 123	<i>Cerithiopsis clathrata</i>	1871, 16
	1879, 125		1871, 91
<i>callitrichus</i>	1876, 463	<i>crocea</i>	1871, 16
	1879, 123		1871, 91
	1879, 125		1877, 36
<i>campbelli</i>	1875, 1	<i>purpurea</i>	1877, 36
<i>erxlebeni</i>	1871, 36		1877, 40
<i>fuliginosus</i>	1875, 493		1877, 184
<i>griseo-viridis</i>	1875, 493	<i>Cerithium carbonarum</i>	1877, 186
	1880, 301	<i>rhodostoma</i>	1871, 95
<i>maurus</i>	1875, 493	(<i>Cerithiopsis</i>) <i>carin-</i>	
<i>mona</i>	1880, 301	<i>atum</i>	1871, 736
<i>petaurista</i>	1875, 493		1871, 739

	Page		Page
<i>Cerithium</i> (<i>Cerithio-</i>		<i>Certhilauda rufula</i>	1874, 617
<i>psis</i>) <i>gemma</i>		<i>semitorquata</i>	1874, 618
<i>rum</i>	1871, 736	<i>subcoronata</i>	1874, 620
	1871, 739	<i>tenuirostris</i>	1880, 491
(<i>Vertagus</i>) <i>kochi</i> . .	1878, 817	<i>Certhiola</i> , sp.	1874, 620
	1878, 821	<i>albigula</i>	1879, 619
(—) <i>turritum</i> . .	1878, 817	<i>chloropyga</i>	1879, 225
	1878, 821	<i>dominicana</i>	1871, 269
<i>Cerodon rupestris</i>	1875, 469	<i>flaveola</i>	1873, 185
<i>Cerostoma fulguratella</i> .	1877, 404	<i>luteola</i>	1879, 765
<i>vittella</i>	1878, 495	<i>luteola</i>	1879, 597
<i>Cerotoma atro-fasciata</i> .	1879, 792	<i>luteola</i>	1873, 260
<i>deyrollei</i>	1880, 606	<i>magnirostris</i>	1873, 260
<i>nigrofasciata</i>	1878, 996	<i>martinicana</i>	1879, 765
<i>trifasciata</i>	1880, 606		1871, 269
	1880, 609		1872, 649
<i>Certhia australasiæ</i>	1879, 259		1874, 174
<i>cinnamomea</i>	1874, 3	<i>mexicana</i>	1874, 174
	1874, 4		1879, 497
	1874, 13	<i>peruviana</i>	1879, 597
	1874, 14		1874, 512
<i>dibapha</i>	1879, 259		1879, 225
<i>discolor</i>	1873, 665	<i>Cerva parvula</i>	1872, 641
<i>erythropygia</i>	1879, 259	<i>Cervicapra ellipsiprymna</i>	1873, 474
<i>familiaris</i>	1871, 350	<i>bohor</i>	1877, 418
	1875, 489	<i>sing-sing</i>	1873, 473
<i>fasciata</i>	1871, 350	<i>Cervulus amostylis</i>	1874, 38
<i>himalayana</i>	1871, 350		1878, 899
	1873, 655	<i>aureus</i>	1874, 38
	1873, 664		1878, 899
	1873, 665	<i>lacrymans</i>	1874, 41
<i>jugularis</i>	1877, 548		1878, 887
<i>malaccensis</i>	1878, 621		1878, 899
<i>nipalensis</i>	1873, 665	<i>micrurus</i>	1875, 421
<i>notata</i>	1871, 317		1875, 422
<i>rubra</i>	1879, 259		1875, 423
<i>sanguinea</i>	1878, 347		1876, 696
	1879, 257	<i>moschatus</i>	1874, 38
<i>sanguinolenta</i>	1879, 256	<i>muntjac</i>	1874, 33
	1879, 259		1874, 34
	1874, 615		1874, 38
<i>Certhilauda africana</i> . .	1874, 615		1874, 39
<i>albofasciata</i>	1874, 618		1874, 42
<i>breviunguis</i>	1874, 626		1874, 42
<i>capensis</i>	1874, 615		1874, 665
	1874, 616		1875, 3
<i>coronata</i>	1874, 620		1875, 421
<i>cunicularia</i>	1879, 619		1875, 421
<i>garrula</i>	1874, 615		1876, 758
	1874, 616		1876, 762
	1874, 618		1876, 764
	1874, 619		1877, 4
	1874, 619		1877, 9
	1874, 620		1877, 11
<i>longirostris</i>	1874, 615		1877, 17
<i>maritima</i>	1879, 644		1878, 887
<i>nivosa</i>	1874, 623		1878, 899
	1874, 625		1880, 306
<i>rufopalliata</i>	1874, 620	<i>reevesi</i>	1872, 813
<i>rufula</i>	1874, 615		1872, 814

	Page		Page
<i>Cervulus reevesi</i>	1872, 815	<i>Cervus aristotelis</i>	1877, 9
	1874, 34		1877, 11
	1874, 40		1877, 52
	1874, 41		1877, 55
	1875, 422		1877, 58
	1875, 423		1877, 59
	1876, 696		1878, 900
	1876, 759		1878, 901
	1876, 762		1879, 298
	1877, 4		1880, 307
	1877, 14		1880, 452
	1877, 17	axis	1871, 238
	1878, 887		1875, 492
	1878, 899		1876, 123
<i>sclateri</i>	1872, 814		1876, 124
	1873, 519		1876, 463
	1874, 33		1877, 15
	1874, 34		1877, 16
	1874, 36		1877, 17
	1874, 40		1878, 907
	1874, 42		1878, 909
	1875, 422		1880, 307
	1878, 899	<i>barbarus</i>	1875, 492
<i>tamulicus</i>	1874, 38		1877, 17
	1878, 899		1878, 910
<i>vaginalis</i>	1872, 813		1878, 911
	1874, 38	<i>campestris</i>	1875, 1
<i>Cervus affinis</i>	1875, 639		1877, 4
	1875, 640		1877, 9
	1876, 634		1877, 11
	1877, 17		1877, 12
	1878, 887		1877, 13
	1878, 913		1877, 14
<i>alces</i>	1875, 492		1877, 18
<i>alfredi</i>	1871, 237		1878, 923
	1871, 238	<i>canadensis</i>	1873, 562
	1871, 478		1873, 563
	1872, 24		1875, 639
	1877, 3		1875, 640
	1877, 4		1877, 13
	1877, 9		1877, 15
	1877, 11		1877, 16
	1877, 15		1877, 17
	1877, 55		1878, 887
	1877, 58		1878, 888
	1877, 59		1878, 897
	1877, 60		1878, 912
	1878, 902		1878, 913
	1879, 666		1880, 307
<i>antisiensis</i>	1873, 518	<i>capreolus</i>	1871, 258
	1875, 46		1873, 790
	1875, 47		1874, 36
	1877, 13		1875, 174
	1877, 14		1875, 492
	1877, 18		1876, 125
	1878, 924		1876, 420
<i>aristotelis</i>	1874, 43		1876, 421
	1877, 4		1876, 701

	Page		Page
<i>Cervus capreolus</i>	1877, 4	<i>Cervus duvaucelli</i>	1877, 12
	1877, 276		1877, 15
	1878, 917		1877, 682
<i>cashmeerianus</i>	1877, 4		1878, 905
	1877, 9	<i>dybowskii</i>	1876, 123
	1877, 11		1876, 124
	1877, 16		1878, 909
	1877, 17	<i>elaphus</i>	1873, 790
	1878, 887		1874, 36
	1878, 912		1875, 492
	1878, 918		1876, 123
<i>cashmeriensis</i>	1876, 633		1876, 201
<i>cashmirianus</i>	1875, 639		1877, 4
	1875, 640		1877, 9
<i>caspicus</i>	1874, 42		1877, 11
	1874, 43		1877, 12
	1878, 909		1877, 16
<i>chilensis</i>	1875, 44		1877, 17
	1875, 45		1877, 276
	1875, 46		1878, 887
	1878, 923		1878, 891
	1878, 924		1878, 910
<i>columbianus</i>	1873, 561		1878, 911
	1873, 563		1878, 912
	1874, 606		1878, 928
	1875, 47		1879, 298
	1876, 201		1880, 54
	1877, 13		1880, 95
	1877, 14		1880, 98
	1878, 921		1880, 306
	1878, 922		1880, 420
<i>cusanus</i>	1878, 891	<i>eldi</i>	1872, 798
<i>cylindricornis</i>	1878, 891		1876, 306
<i>dama</i>	1871, 258		1876, 307
	1874, 36		1877, 15
	1874, 90		1878, 906
	1875, 174	<i>equinus</i>	1878, 900
	1875, 492		1878, 901
	1876, 123		1880, 452
	1876, 303	<i>euopsis</i>	1874, 151
	1877, 4		1878, 908
	1877, 9	<i>eustephanus</i>	1875, 640
	1877, 11		1878, 887
	1877, 14		1878, 911
	1877, 276		1878, 912
	1877, 289	<i>griseus</i>	1872, 639
	1878, 913	<i>guineensis</i>	1872, 638
	1878, 915		1872, 639
	1879, 713		1872, 640
	1880, 54	<i>gymnotis</i>	1878, 920
	1880, 306		1878, 921
<i> davidianus</i>	1878, 906	<i>hippelaphus</i>	1874, 43
<i>duvaucelli</i>	1875, 186		1875, 492
	1876, 306		1877, 58
	1876, 307		1878, 903
	1877, 3		1878, 904
	1877, 4	<i>hortulorum</i>	1878, 908
	1877, 8	<i>humilis</i>	1875, 159

	Page		Page
<i>Cervus humilis</i>	1875, 176	<i>Cervus mariannus</i>	1877, 56
	1875, 177		1877, 57
	1876, 763		1877, 69
	1876, 764		1878, 901
	1878, 927	<i>matheroni</i>	1878, 891
<i>kopschi</i>	1873, 574	<i>mesopotamicus</i>	1876, 298
	1874, 151		1876, 299
	1874, 152		1876, 300
	1877, 16		1876, 301
	1878, 909		1876, 302
<i>kuhli</i>	1877, 4		1876, 303
	1877, 9		1878, 791
	1877, 11		1878, 914
	1878, 902		1878, 915
<i>lepidus</i>	1878, 902	<i>mexicanus</i>	1872, 690
<i>leucotis</i>	1875, 46		1875, 174
	1877, 13		1875, 492
	1877, 14		1875, 494
	1877, 18		1876, 186
<i>leucurus</i>	1873, 561		1877, 4
	1873, 562		1877, 8
	1877, 13		1877, 9
	1877, 14		1877, 10
	1878, 919		1877, 11
<i>lewisii</i>	1878, 922		1877, 13
<i>luehdorfi</i>	1880, 420		1877, 15
	1880, 451		1878, 919
<i>macrotis</i>	1873, 561		1878, 921
	1873, 562	<i>minor</i>	1876, 463
	1873, 563		1876, 464
	1874, 606	<i>moluccensis</i>	1877, 4
	1878, 921		1877, 9
	1879, 664		1877, 11
<i>macrurus</i>	1875, 492		1877, 59
<i>magaceros</i>	1874, 36		1878, 903
<i>mandarinus</i>	1878, 908		1878, 904
<i>mantchuricus</i>	1872, 794	<i>moschatus</i>	1874, 38
	1874, 151	<i>muntjac</i>	1878, 898
	1877, 15		1878, 899
	1877, 16	<i>nambi</i>	1876, 201
	1877, 17	<i>narayanus</i>	1875, 639
	1878, 907	<i>nemoralis</i>	1878, 919
	1878, 909	<i>nemorivagus</i>	1875, 167
— <i>minor</i>	1878, 909		1875, 483
<i>maral</i>	1874, 206		1875, 492
	1875, 492		1875, 494
	1875, 639		1877, 18
	1875, 640		1878, 925
	1877, 16	<i>nigricans</i>	1877, 57
	1877, 17		1877, 58
	1878, 887		1877, 60
	1878, 911		1878, 902
	1878, 912	<i>paludosus</i>	1878, 922
<i>mariannus</i>	1877, 4	<i>peronii</i>	1877, 59
	1877, 51		1878, 904
	1877, 52	<i>perrieri</i>	1878, 891
	1877, 53	<i>peruvianus</i>	1875, 46
	1877, 54		1877, 47

	Page		Page
<i>Cervus philippinus</i>	1877, 51	<i>Cervus savannarum</i>	1874, 606
	1877, 52		1878, 920
	1877, 53	<i>schomburgki</i>	1872, 798
	1877, 54		1876, 304
	1877, 55		1876, 305
	1877, 58		1876, 306
	1877, 59		1876, 307
	1877, 60		1877, 15
	1878, 901		1877, 682
<i>porcinus</i>	1871, 625		1878, 905
	1875, 492	<i>sika</i>	1872, 794
	1877, 4		1872, 798
	1877, 9		1874, 151
	1877, 11		1874, 152
	1877, 14		1877, 15
	1877, 15		1877, 16
	1877, 16		1878, 908
	1877, 17		1879, 294
	1878, 902	<i>similis</i>	1878, 920
	1880, 307	<i>simplicicornis</i>	1876, 201
<i>pseudaxis</i>	1871, 237		1877, 18
	1872, 794		1878, 925
	1877, 52	<i>styloceros</i>	1874, 38
	1878, 908	<i>superciliaris</i>	1875, 186
	1878, 909		1877, 18
— (<i>taivanus</i>)	1872, 815	<i>swinhoii</i>	1877, 4
<i>puudu</i>	1871, 238		1877, 8
	1871, 239		1877, 58
	1871, 258		1878, 901
	1872, 522	<i>taëvanus</i>	1871, 237
	1874, 34		1872, 794
	1874, 36		1877, 15
	1877, 4		1878, 909
	1877, 9	<i>tarandus</i>	1875, 174
	1877, 11		1878, 928
	1877, 13	<i>tetracerus</i>	1878, 891
	1877, 14	<i>timoriensis</i>	1878, 903
	1877, 791		1878, 904
	1878, 927	<i>toltecus</i>	1878, 921
	1879, 307	<i>vaginalis</i>	1874, 38
<i>pygargus</i>	1876, 421	<i>virginianus</i>	1872, 690
	1878, 917		1874, 606
<i>reevesii</i>	1874, 41		1875, 492
	1875, 492		1876, 182
	1878, 899		1876, 183
<i>rufinus</i>	1871, 240		1876, 184
	1878, 925		1876, 186
<i>rufus</i>	1875, 46		1876, 187
	1876, 201		1877, 13
	1877, 4		1877, 14
	1877, 12		1877, 15
	1877, 14		1877, 16
	1877, 18		1877, 289
	1878, 925		1877, 791
<i>rusa</i>	1876, 183		1878, 919
	1878, 903	<i>wallichii</i>	1878, 913
	1878, 904	<i>wapiti</i>	1875, 492
<i>savannarum</i>	1872, 690	<i>whitelyi</i>	1875, 46

	Page		Page
<i>Cervus whitelyi</i>	1875, 47	<i>Ceryle americana</i>	1879, 632
<i>xanthopygus</i>	1878, 887	<i>cabanisi</i>	1874, 547
	1878, 911		1877, 319
	1880, 420		1877, 328
(<i>Axis</i>) <i>axis</i>	1878, 887		1877, 333
(<i>Coassus</i>) <i>peruvia-</i>			1878, 48
<i>nus</i>	1875, 47		1879, 240
(<i>Dama</i>) <i>dama</i>	1878, 887		1879, 534
(—) <i>mesopota-</i>			1880, 210
<i>micus</i>	1875, 262	<i>inda</i>	1873, 293
	1875, 263		1877, 333
	1875, 264	<i>lugubris</i>	1871, 348
	1878, 887	<i>maxima</i>	1873, 464
	1878, 914	<i>rudis</i>	1871, 347
(<i>Elaphurus</i>) <i>dauidi-</i>			1871, 603
<i>anus</i>	1878, 906		1871, 614
(<i>Furcifer</i>) <i>chilen-</i>			1872, 424
<i>sis</i>	1875, 47		1878, 355
(<i>Pseudaxis</i>) <i>caspi-</i>		<i>stellata</i>	1878, 434
<i>cus</i>	1878, 887	<i>superciliosa</i>	1873, 293
(—) <i>dybowskii</i> ..	1878, 887	<i>torquata</i>	1873, 292
(—) <i>euopsis</i>	1878, 887		1877, 328
(—) <i>kopschi</i>	1878, 887		1879, 534
(—) <i>mantchuri-</i>			1879, 632
<i>cus</i>	1878, 887	<i>Cestracion philippi</i>	1876, 42
(—) <i>sika</i>	1878, 887		1876, 51
	1878, 908		1878, 117
(—) <i>taëvanus</i> ..	1878, 887	<i>Cethosia biblis</i>	1878, 699
(<i>Pudua</i>) <i>humilis</i> ..	1875, 47		1878, 707
(<i>Rucervus</i>) <i>duvau-</i>		<i>chrysippe</i>	1878, 645
<i>celli</i>	1878, 887	<i>cyane</i>	1874, 104
	1878, 905	<i>hypsea</i>	1873, 341
(—) <i>eldi</i>	1878, 887	<i>imperialis</i>	1877, 469
(—) <i>schomburgki</i>	1872, 798	<i>mahratta</i>	1872, 556
	1878, 887	<i>nicobarica</i>	1877, 583
(<i>Rusa</i>) <i>alfredi</i>	1878, 887		1877, 624
(—) <i>aristotelis</i> ..	1878, 887	<i>nietneri</i>	1872, 557
	1878, 901	<i>obscura</i>	1874, 283
(—) <i>equinus</i>	1878, 887		1877, 144
(—) <i>hippelaphus</i>	1878, 887		1879, 157
	1878, 903	<i>vibilia</i>	1874, 350
(—) <i>kuhlii</i>	1878, 887	<i>Cetosparactes eburneus</i> ..	1878, 162
(—) <i>lepidus</i>	1878, 887	<i>Cettia fortipes</i>	1878, 980
(—) <i>marianus</i> ..	1878, 887	<i>Ceuthmochares aëneus</i> ..	1873, 606
(—) <i>nigricans</i> ..	1878, 887		1873, 607
(—) <i>philippinus</i> ..	1878, 887		1873, 610
(—) <i>porcinus</i> ..	1878, 887		1873, 611
(—) <i>swinhoii</i> ..	1878, 887	<i>australis</i>	1873, 609
<i>Ceryle alcyon</i>	1872, 652		1873, 611
	1879, 765	<i>Ceyx argentata</i>	1877, 822
<i>amazona</i>	1873, 292		1878, 107
	1873, 464		1878, 108
	1873, 632		1878, 341
	1874, 547		1878, 943
	1875, 237	<i>dillwyni</i>	1875, 100
	1879, 534		1875, 101
	1879, 632		1879, 330
<i>americana</i>	1873, 293		1879, 331

	Page		Page
Ceyx innominata	1875, 101	Chærocampa minor	1875, 249
	1879, 330	mirabilis	1875, 248
lepida	1878, 81	nechus	1875, 9
rufidorsa	1875, 101	nessus	1877, 595
	1879, 330		1877, 626
	1879, 331	nitidula	1875, 9
sharpii	1875, 100	oldenlandiæ	1875, 8
	1875, 101		1875, 248
	1879, 330		1875, 623
	1879, 331	prunosa	1880, 670
solitaria	1876, 752	puellaris	1875, 622
	1877, 105	punctivenata	1875, 623
tridactyla	1872, 424	punctivenata	1875, 248
	1879, 330	rosina	1875, 248
	1879, 331		1875, 261
Chaca lophioides	1878, 220		1875, 622
Chæmarrornis leucoce-			1875, 623
phala	1871, 358	scrofa	1875, 10
	1873, 665	silhetensis	1875, 623
Chærocampa alecto	1880, 670		1877, 815
amadis	1875, 9	suffusa	1878, 642
argentata	1875, 8	tenebrosa	1877, 595
	1875, 16		1877, 626
	1875, 248	theylia	1875, 8
aristor	1875, 9		1880, 670
bistrigata	1875, 249	virescens	1875, 9
	1877, 472	Chærodes transtincta	1878, 490
celata	1877, 466	Chætocercus bombus	1879, 237
	1877, 472		1880, 206
chiron	1878, 483	rosæ	1875, 235
clotho	1875, 248	Chætodon miliaris	1871, 658
	1875, 249	Chætopelma ægyptiaca	1876, 628
cretica	1880, 411	Chætopterus appendicu-	
	1880, 415	latus	1874, 328
crotonis	1875, 9	norvegicus	1878, 338
docilis	1875, 9	Chætura brachycerca	1873, 289
elegans	1875, 8	brunneitorques	1874, 545
	1875, 16	caudacuta	1871, 345
elpenor	1875, 7		1873, 463
	1875, 247		1873, 631
fraterna	1875, 247		1875, 581
	1875, 248		1875, 582
gonograpta	1875, 249		1880, 1
gracilis	1875, 8	coracina	1879, 335
	1875, 16	gigantea	1871, 345
haitensis	1875, 9		1879, 335
ignea	1875, 10	nudipes	1871, 345
	1875, 16	picina	1878, 936
intersecta	1875, 623		1878, 944
japonica	1877, 815	poliura	1873, 289
lewisii	1875, 247	rutila	1874, 545
	1875, 622		1879, 531
lineosa	1875, 249	selateri	1873, 289
lucasi	1877, 595	spinicauda	1873, 463
lycetus	1875, 248		1873, 631
macromera	1875, 7	vauxi	1873, 463
	1875, 247		1873, 631
major	1875, 249	zonaris	1873, 186

	Page		Page
<i>Chætura zonaris</i>	1873, 299	<i>Chalcophyma reticulata</i>	1876, 814
	1879, 531	<i>striatum</i>	1876, 813
	1879, 626	<i>tuberculatum</i>	1876, 813
<i>Chætusia coronata</i>	1874, 456	<i>Chalcoptera instabilis</i> ..	1879, 777
<i>Chalcites auratus</i>	1873, 591	<i>rufiventris</i>	1880, 591
<i>cupreus</i>	1873, 589		1880, 608
	1873, 591	<i>Chalcopsitta rubrifrons</i> .	1878, 93
<i>intermedius</i>	1873, 589	<i>scintillata</i>	1872, 862
<i>klasii</i>	1873, 593		1876, 692
<i>smaragdineus</i>	1873, 589	<i>Chalcopsittacus scintil-</i>	
	1877, 683	<i>latus</i>	1878, 93
<i>Chalcococcyx malaya-</i>		<i>Chalcoptera tympani-</i>	
<i>nus</i>	1878, 945	<i>stria</i>	1879, 678
<i>Chalcoparia cingalensis</i> .	1875, 106	<i>Chalcosia albata</i>	1879, 390
	1879, 343	<i>argentata</i>	1877, 816
<i>Chalcopelia afra</i>	1873, 716	<i>bicolor</i>	1879, 390
<i>chalcospilos</i>	1873, 468	<i>diana</i>	1877, 815
	1873, 639		1878, 704
	1874, 256	<i>idæoides</i>	1877, 815
<i>puella</i>	1873, 468		1877, 816
	1874, 250		1879, 390
<i>Chalcophana buckleyi</i> ..	1880, 593	<i>nympha</i>	1878, 704
	1880, 608		1878, 708
<i>costatipennis</i>	1878, 144	<i>Chalcostetha insignis</i> ..	1878, 621
<i>dimidiana</i>	1880, 593		1879, 342
	1880, 608	<i>Chalina verticillata</i>	1876, 768
<i>discolor</i>	1878, 144		1876, 769
<i>effulgens</i>	1880, 593		1876, 775
	1880, 608	<i>Chalinolobus argentatus</i>	1875, 385
<i>ignicollis</i>	1880, 593		1875, 387
	1880, 608	<i>gouldii</i>	1875, 388
<i>rufipennis</i>	1878, 144		1875, 383
<i>semirufa</i>	1878, 988		1875, 385
	1878, 989	<i>nigrogriseus</i>	1875, 383
<i>uniformis</i>	1878, 989		1875, 385
<i>Chalcophaps chryso-</i>		<i>poensis</i>	1875, 387
<i>chlora</i>	1873, 468		1875, 388
	1873, 639	<i>tuberculatus</i>	1875, 381
	1874, 250		1875, 383
	1874, 256		1875, 384
	1876, 116	<i>variegatus</i>	1875, 388
<i>formosana</i>	1871, 397	<i>Challa bimaculata</i>	1879, 398
	1873, 667	<i>discalis</i>	1879, 399
<i>indica</i>	1871, 397		1879, 416
	1872, 467	<i>Chalybe beltii</i>	1878, 604
	1873, 655	<i>Chalybura buffoni</i>	1879, 529
	1877, 700	<i>Chama reflexa</i>	1871, 100
	1877, 765	<i>senegalensis</i>	1871, 728
	1877, 833	<i>Chamæleo pumilis</i>	1880, 188
	1878, 953	<i>spectrum</i>	1874, 443
	1879, 73	<i>superciliaris</i>	1874, 443
	1879, 346	<i>vulgaris</i>	1880, 188
<i>margaritæ</i>	1877, 111	<i>Chamæleon brevicornis</i> .	1879, 148
	1877, 112		1879, 149
<i>stephani</i>	1877, 111	<i>cristatus</i>	1874, 442
	1878, 289	<i>cucullatus</i>	1879, 148
	1878, 671	<i>globifer</i>	1879, 149
	1879, 13	<i>gularis</i>	1879, 149

	Page		Page
Chamæleon malthe	1879, 148	Charadrius fulvus	1872, 89
monachus	1879, 148		1872, 104
montium	1874, 442		1872, 470
pardalis	1879, 149		1875, 30
parsonii	1874, 72		1875, 440
	1874, 76		1876, 497
	1879, 149		1876, 503
vulgaris	1875, 488		1877, 113
	1879, 741		1877, 537
Chamælimnas briola	1876, 237		1877, 538
Chamæpelina amazilia	1873, 306		1877, 550
	1874, 555		1877, 701
buckleyi	1877, 21		1877, 767
cruziana	1879, 640		1877, 771
goelina	1877, 22		1877, 775
gracilis	1874, 555		1877, 781
griseola	1876, 17		1877, 784
	1877, 21		1877, 833
	1877, 22		1878, 82
passerina	1872, 653		1878, 344
	1874, 175		1878, 711
	1877, 21		1878, 937
	1878, 43		1879, 14
	1880, 314		1879, 350
rufipennis	1877, 22		1879, 447
	1878, 43		1880, 576
	1879, 544	geoffroyi	1872, 89
talpacote	1874, 250		1878, 82
talpacoti	1873, 468	hiaticula	1871, 404
	1873, 639		1873, 469
	1877, 21		1873, 641
	1877, 22	lampronotus	1874, 451
	1880, 314	longipes	1871, 111
trochila	1871, 266		1871, 115
	1872, 653		1871, 116
Chamæpetes goudoti	1874, 558		1871, 403
	1879, 544		1871, 404
unicolor	1878, 42		1872, 470
Chamætylas componota	1873, 625		1877, 336
princei	1873, 625		1877, 806
Chamæza brevicauda	1877, 523	minutus	1880, 38
nobilis	1873, 277	mongolicus	1877, 113
	1880, 155		1877, 556
olivacea	1874, 531	orientalis	1871, 115
	1875, 237	peronii	1878, 344
	1879, 625		1878, 711
Champsia fissipes	1875, 488	philippinus	1871, 404
Chaptia ænea	1873, 667	pluvialis	1871, 114
brauniana	1871, 378		1871, 115
	1873, 667		1871, 116
Charadrius alexandrinus	1879, 350		1871, 403
asiaticus	1875, 97		1872, 104
	1875, 98		1873, 469
brevirostris	1874, 560		1873, 641
cantianus	1872, 89	pusillus	1880, 38
	1877, 833	veredus	1871, 403
	1878, 624		1875, 97
fulvus	1871, 403		1875, 98

	Page		Page
Charadrius veredus	1878,	Charaxes nesiope	1875,
virginicus	1871,	pollux	1875,
	1871,	polyxena	1873,
	1871,	samatha	1878,
	1871,		1878,
	1871,	saturnus	1875,
	1871,	schreiberi	1873,
	1873,		1878,
	1874,	tiridates	1875,
	1879,	watti	1880,
	1879,		1880,
xanthochilus	1871,	Charis argyrodines	1874,
Charagia fischeri	1877,	caecias	1876,
hectori	1877,	crocea	1878,
rubro-viridans	1877,	holosticta	1878,
virescens	1877,	iris	1878,
Charasia dorsalis	1871,	ochrias	1878,
	1871,	perone	1878,
	1872,		1878,
	1872,	pœciloptera	1878,
Charaxes affinis	1880,	sulphurea	1878,
agabo	1879,	velutina	1878,
	1879,	Charmosyna papuensis	1873,
agna	1878,	pulchella	1873,
	1878,	Charybdea alata	1879,
andara	1879,		1879,
athamas	1873,	bicolor	1879,
	1874,		1879,
	1874,		1879,
	1878,	bitentaculata	1879,
baya	1873,		1879,
	1880,	campanella	1879,
bohemani	1875,		1879,
borneensis	1873,	haplonema	1879,
brutus	1875,		1879,
candiope	1875,	marsupialis	1879,
caphontis	1874,		1879,
castor	1875,		1879,
clitarchus	1875,		1879,
delphis	1873,		1879,
desa	1878,		1879,
	1878,		1879,
	1878,	periphylla	1879,
echo	1873,		1879,
ephyra	1875,		1879,
eupale	1875,		1879,
fahius	1879,		1879,
galba	1879,	Charybdis variegatus	1879,
galba	1879,	Chascax maderensis	1873,
harpax	1873,		1873,
	1878,	Chasiempis sandvicen-	
	1878,	sis	1878,
	1878,	sandwichensis	1873,
hebe	1873,	Chasmina glabra	1880,
hildebrandti	1879,	pavo	1877,
jalasus	1873,		1877,
jupiter	1877,	Chasmorhynchus niveus	1872,
lunawara	1878,	nudicollis	1876,
marmax	1873,	tricarunculatus	1878,
	1878,		1878,
	1878,	Chatarrhæa gularis	1873,
	1878,		1873,

	Page		Page
Chatoessus erebi	1873,	Cheiracanthium mellissii	1873,
	686		211
Chaulelasmus couesi ..	1880,		1873,
	520		214
streperus	1871,	mildei	1873,
	418		227
	1876,		1872,
	382		255
	1880,	nutrix	1872,
	519		256
	1880,	pelasgicum	1872,
	534		348
Chauna chavaria	1872,	planum	1873,
	603		211
	1876,		1873,
	108		215
	1876,	seidlitzii	1872,
	189		348
	1876,		1872,
derbiana	190		255
	1871,	tenuissimum	1872,
	101		255
	1872,		1872,
	603		348
	1875,	vorax	1874,
	348		410
	1876,		1874,
	189		417
	1876,		1874,
	190		419
	1876,	Cheirogaleus adipicau-	
	198	datus	1873,
	1876,	coquereli	492
	200	furcifer	1873,
	1877,		492
	307		1873,
	1877,		502
	309	gliroides	1873,
Chauornis flammulata.	1879,		492
	633	major	1872,
Chaus catolynx	1874,		850
	32	medius	1872,
caudatus	1874,		851
	31	mili	1873,
ornatus	1874,		492
	32	minor	1873,
servalina	1874,		492
	31	myoxinus	1873,
Cheimonea tridactylus.	1878,	pusillus	1873,
	164		492
Cheiracanthium anceps.	1872,	rufus	1873,
	255		492
	1872,	samati	1873,
	348		492
	1872,	smithii	1872,
	354		857
annulipes	1872,	typicus	1873,
	254		492
	1872,		1872,
	348		855
	1872,		1872,
	354		856
	1876,		1873,
	553		492
	1876,	Cheirogonus acutidens..	1879,
	626		36
dubium	1874,	Cheiromeles caudatus ..	1876,
	403		704
	1874,	torquatus	1873,
	417		247
	1874,		1876,
	419		704
	1876,	Chela argentea	1873,
	553		709
	1876,	bacaila	1880,
	626		225
equestre	1874,		1880,
	404		230
	1874,	boopis	1873,
	417		708
	1874,	Chelidon lagopoda	1871,
	419		347
	1876,	urbica	1873,
	553		462
	1876,	whiteleyi	1871,
	626		347
italicum	1873,	Chelidoptera personatus.	1873,
	215		186
		tenebrosa	1873,
			186
			1873,
			295
		Chelonia breviceps	1873,
			405

	Page		Page
<i>Chelonia caouana</i>	1873, 405	<i>Chersinella sulcata</i>	1872, 616
<i>cephalo</i>	1873, 404	<i>tentoria</i>	1872, 616
<i>imbricata</i>	1872, 588	<i>verrouxii</i>	1872, 616
	1873, 401	<i>Chersomanes africana</i> ..	1874, 616
	1873, 405	<i>garrula</i>	1874, 615
<i>longiceps</i>	1873, 405	<i>subcoronata</i>	1874, 620
<i>maculosa</i>	1873, 401	<i>Chersydrus granulatus</i> ..	1872, 396
<i>marmorata</i>	1873, 395	<i>Chesias spartiata</i>	1873, 156
	1873, 396	<i>Chettusia cinerea</i>	1871, 403
	1873, 398	<i>gregaria</i>	1872, 471
	1873, 401	<i>Cheyletus eruditus</i>	1875, 308
<i>mydas</i>	1873, 396	<i>robertsoni</i>	1875, 302
	1873, 401		1875, 308
	1875, 488		1875, 311
<i>subcarinata</i>	1873, 405	<i>Chibia assimilis</i>	1878, 96
<i>tenuis</i>	1873, 396	<i>bimaensis</i>	1879, 246
<i>virgata</i>	1873, 402	<i>borneensis</i>	1879, 246
<i>viridis</i>	1873, 402		1879, 247
<i>Chelonoides tabulata</i> ..	1873, 724	<i>bracteata</i>	1875, 585
	1873, 728	<i>brevirostris</i>	1871, 378
<i>Chelura basiflava</i>	1879, 391		1873, 650
<i>bifasciata</i>	1879, 391	<i>hottentotta</i>	1871, 378
<i>glacialis</i>	1872, 570		1878, 88
<i>Chelymys krefftii</i>	1872, 508		1878, 614
<i>macquaria</i>	1872, 506	<i>megalornis</i>	1878, 88
	1872, 509	<i>pectoralis</i>	1879, 246
<i>victoriæ</i>	1872, 505		1879, 247
	1872, 506	<i>Chilinus godeffroyi</i>	1871, 653
	1872, 507		1871, 666
<i>Chelys fimbriata</i>	1880, 648	<i>Chilo bivittellus</i>	1872, 581
<i>matamata</i>	1878, 378		1872, 583
	1880, 648	<i>cervinellus</i>	1872, 581
<i>Chen albatrus</i>	1880, 501		1872, 583
<i>cærulescens</i>	1876, 361	<i>chryso-graphella</i> ..	1880, 690
	1880, 501	<i>inconspicuellus</i>	1872, 582
<i>hyperboreus</i>	1871, 58		1872, 583
	1876, 360	<i>interruptellus</i>	1872, 581
<i>Chenalopex ægyptiaca</i> ..	1875, 343		1872, 583
	1875, 488	<i>leucanialis</i>	1877, 401
	1876, 369	<i>simplex</i>	1877, 400
	1876, 370		1877, 407
	1876, 370	<i>Chilobothrus inornatus</i> ..	1875, 487
	1876, 370		1877, 303
	1876, 410		1878, 789
	1880, 317	<i>Chilomenes lunata</i>	1878, 448
	1880, 498	<i>Chiloscyllium modestum</i>	1871, 653
	1880, 534		1871, 654
<i>jubata</i>	1873, 304	<i>ocellatum</i>	1878, 117
	1876, 369	<i>Chimæra australis</i>	1873, 153
	1880, 499	<i>monstrosa</i>	1876, 48
<i>pollicaris</i>	1876, 370	<i>Chimarrichthys davidi</i> .	1876, 783
<i>Chenopsis atrata</i>	1877, 345	<i>Chione (Circomphalus)</i>	
<i>Chersina angulata</i>	1872, 184	<i>lamellata</i>	1877, 191
	1873, 726	(<i>Marcia</i>) <i>laevigata</i> ..	1878, 870
	1873, 728	(<i>Timoclea</i>) <i>gallinula</i>	1877, 191
<i>Chersinella geometrica</i> .	1872, 616	<i>Chionis alba</i>	1877, 417
<i>græca</i>	1873, 725		1877, 418
<i>leithii</i>	1872, 616		
<i>marginata</i>	1872, 616		
<i>semisulcata</i>	1872, 616		

	Page		Page
<i>Chionis minor</i>	1871, 57	<i>Chlamys excavata</i>	1876, 812
	1871, 58	<i>pallida</i>	1876, 812
	1877, 417	<i>sex-tuberculata</i>	1879, 775
	1877, 418	<i>unicolor</i>	1876, 811
	1878, 578	<i>Chlenias verrucosa</i>	1877, 382
	1879, 310	<i>Chloëia ceylonica</i>	1874, 326
<i>Chiroderma salvini</i>	1880, 465	<i>Chloëphaga canagica</i> ..	1880, 501
<i>Chirogaleus milii</i>	1879, 134	<i>dispar</i>	1876, 364
	1879, 768	<i>inornata</i>	1876, 367
<i>smithii</i>	1875, 62	<i>magellanica</i>	1871, 106
	1875, 79		1871, 700
<i>trichotis</i>	1875, 78		1876, 198
	1875, 79		1876, 363
<i>typicus</i>	1875, 62		1879, 310
<i>Chiromachæris candæi</i> .	1878, 66		1880, 502
<i>coronata</i>	1879, 178	<i>melanoptera</i>	1872, 365
<i>manacus</i>	1873, 283		1874, 554
	1877, 525		1876, 362
	1879, 517	<i>poliocephala</i>	1871, 261
	1879, 550		1876, 366
<i>vitellina</i>	1876, 517		1878, 436
	1879, 517		1880, 503
	1879, 549	<i>rubidiceps</i>	1876, 367
	1879, 550		1880, 503
<i>Chiromys madagascari-</i>		<i>Chlætrophus poliocephala-</i>	
<i>ensis</i>	1875, 63	<i>lus</i>	1876, 366
<i>Chironectes variegatus</i> ..	1871, 702	<i>rubidiceps</i>	1876, 367
<i>Chiropotes ater</i>	1871, 228		1876, 412
	1871, 229	<i>Chloræa pelewana</i>	1871, 474
<i>couxio</i>	1871, 228	<i>Chloremys abnormis</i> ..	1871, 745
<i>Chiroxiphia linearis</i>	1876, 517	<i>Chlorita edithæ</i>	1878, 462
	1878, 66		1878, 476
<i>pareola</i>	1879, 617	<i>Chlorochrysa calliparea</i> .	1873, 729
<i>regina</i>	1873, 283		1874, 515
<i>Chiton siculoïdes</i>	1878, 868	<i>nitidissima</i>	1873, 728
<i>sulcatus</i>	1877, 71		1875, 541
(Lophyrus) <i>goodallii</i>	1877, 71		1879, 487
<i>Chitra indica</i>	1873, 41		1879, 489
<i>Chlamydochen jubata</i> ..	1877, 345		1879, 498
<i>Chlamydodera cervini-</i>		<i>phœnicotis</i>	1873, 729
<i>ventris</i>	1875, 531	<i>Chlorodius exaratus</i> ..	1877, 135
<i>maculata</i>	1873, 518		1879, 31
	1874, 601	<i>nodosus</i>	1877, 134
	1874, 605		1877, 135
	1875, 112	<i>sanguineus</i>	1877, 134
	1875, 337		1877, 135
<i>xanthogastra</i>	1873, 697	<i>Chlorœnas albilinea</i>	1879, 639
<i>Chlamydophorus trun-</i>		<i>denisea</i>	1874, 555
<i>catus</i>	1878, 228	<i>plumbea</i>	1874, 555
	1878, 673		1879, 639
	1878, 677	<i>Chlorolampis caniveti</i> ..	1878, 71
	1878, 679	<i>osberti</i>	1873, 463
	1880, 8		1873, 631
	1880, 11		1878, 38
<i>Chlamys bartletti</i>	1876, 810	<i>salvini</i>	1878, 71
	1876, 812	<i>sedulus</i>	1878, 140
<i>cinerea</i>	1879, 776	<i>Chloronerpes callonotus</i>	1877, 327
<i>episcopalis</i>	1876, 811		1880, 209

	Page		Page
<i>Chloronerpes canipileus</i>	1874, 546	<i>Chlorospingus castaneicollis</i>	1879, 229
	1877, 327		1879, 602
	1879, 244		1880, 195
	1879, 533		1880, 196
<i>ceciliae</i>	1879, 533	<i>chrysogaster</i>	1874, 501
<i>chrysochlorus</i>	1875, 238		1874, 517
<i>dignus</i>	1877, 20	<i>chrysophrys</i>	1875, 234
	1879, 487		1875, 235
	1879, 533	<i>cinereocephalus</i>	1874, 132
<i>flavigularis</i>	1873, 291		1874, 516
<i>fumigatus</i>	1874, 546	<i>flavigularis</i>	1873, 185
	1879, 240		1873, 263
	1879, 533		1879, 602
	1879, 631	<i>flavipectus</i>	1877, 522
	1880, 209		1879, 503
<i>hæmatostigma</i>	1873, 291		1879, 550
	1874, 546	<i>ignobilis</i>	1879, 504
<i>hilaris</i>	1873, 780	<i>oleagineus</i>	1874, 517
<i>leucolæmus</i>	1874, 546		1879, 229
<i>malherbii</i>	1877, 20	<i>ophthalmicus</i>	1874, 132
	1879, 631	<i>phæocephalus</i>	1877, 521
<i>rubiginosus</i>	1875, 237	<i>rubrirostris</i>	1879, 504
	1879, 533	<i>superciliaris</i>	1875, 235
	1879, 632		1879, 229
<i>ruficeps</i>	1879, 632		1880, 195
<i>xanthochlorus</i>	1875, 237	<i>verticalis</i>	1879, 504
	1875, 238	<i>xanthophrys</i>	1875, 235
	1879, 533	(<i>Hemispongus</i>) <i>auricularis</i>	1874, 130
<i>yucatanensis</i>	1873, 463	<i>Chlorospiza kawarihiba</i>	1873, 652
	1873, 630	<i>sinica</i>	1871, 385
<i>Chlorophanes atricapilla</i>	1873, 260		1873, 664
	1879, 497	<i>Chlorostilbon angustipennis</i>	1879, 531
	1879, 597	<i>brevicaudatus</i>	1874, 545
<i>guatemalensis</i>	1878, 54	<i>daphne</i>	1873, 289
<i>spiza</i>	1878, 54	<i>napensis</i>	1873, 289
<i>Chlorophonia callophrys</i>	1878, 39	<i>prasinus</i>	1876, 17
	1878, 54		1879, 631
<i>pretrii</i>	1879, 498	<i>splendidus</i>	1879, 631
<i>viridis</i>	1875, 633	<i>Chlosyne erodyle</i>	1874, 349
	1879, 225	<i>gaudialis</i>	1874, 349
	1879, 598	<i>hippodrome</i>	1874, 349
	1880, 145	<i>janais</i>	1874, 349
	1880, 146	<i>lacinia</i>	1874, 349
<i>Chloropipo flavicapilla</i>	1879, 516	<i>narva</i>	1874, 349
<i>Chlorospingus albitemporalis</i>	1874, 132	<i>Choanites kœnigii</i>	1872, 125
	1877, 522	<i>Chœropotamus edwardsi</i>	1874, 496
	1878, 55	<i>Cholœpus columbianus</i>	1871, 432
	1879, 602	<i>didactylus</i>	1871, 431
<i>atripileus</i>	1876, 354		1871, 432
	1879, 504		1871, 433
<i>auricularis</i>	1876, 354		1880, 402
<i>berlepschi</i>	1880, 195	<i>hoffmanni</i>	1871, 428
<i>calophrys</i>	1876, 354		1871, 431
	1879, 589		1871, 432
	1879, 602		1871, 432
<i>castaneicollis</i>	1874, 132		1871, 432
	1874, 517		1871, 432

	Page		Page
<i>Cholœpus hoffmanni</i> ..	1871, 433	<i>Chroicocephalus kittlitzii</i>	1871, 274
	1871, 434		1871, 577
	1880, 402		1878, 195
<i>Cholopus didactylus</i>	1872, 861		1878, 205
	1880, 305	<i>leucophthalmus</i> ..	1878, 193
<i>hoffmanni</i>	1872, 861	<i>maculipennis</i>	1878, 202
<i>Cholornis paradoxa</i>	1873, 664	<i>melanocephalus</i> ..	1878, 200
	1873, 665	<i>minutus</i>	1878, 206
	1873, 689	<i>personatus</i>	1871, 577
<i>Chondrella minutissima</i> .	1871, 476		1878, 196
<i>parva</i>	1871, 476	<i>philadelphia</i>	1871, 57
	1871, 477		1871, 58
	1871, 477		1878, 207
<i>Chondropoma rubicun-</i>		<i>pileatus</i>	1878, 200
<i>dum</i>	1875, 649	<i>ridibundus</i>	1871, 421
<i>tamsianum</i>	1875, 322		1878, 200
<i>Chondrostoma aculea-</i>		<i>saundersi</i>	1871, 273
<i>tum</i>	1880, 227		1871, 421
<i>wattanah</i>	1880, 226		1878, 205
<i>Chordeiles acutus</i>	1874, 545	<i>schimperi</i>	1878, 195
	1877, 327	<i>serranus</i>	1878, 194
<i>pruinus</i>	1874, 545	<i>subulirostris</i>	1878, 207
	1877, 753	<i>tibetanus</i>	1878, 198
<i>rupestris</i>	1873, 289	<i>Chroicoptera vidua</i>	1878, 580
	1873, 290	<i>Chromodoris alba</i>	1877, 215
	1873, 309	<i>albescens</i>	1877, 215
	1874, 458	<i>albomaculata</i>	1877, 216
	1879, 626	<i>albonotata</i>	1877, 217
<i>texensis</i>	1873, 463	<i>albopustulosa</i>	1877, 218
	1873, 631	<i>amabilis</i>	1877, 220
	1876, 511	<i>annæ</i>	1877, 213
<i>virginianus</i>	1879, 531	<i>bennetti</i>	1877, 217
<i>Choreutes novaræ</i>	1877, 623	<i>brachyphylla</i>	1877, 221
	1877, 631	<i>cærulea</i>	1877, 215
<i>Chorilia longipes</i>	1879, 27	<i>cæruleata</i>	1877, 222
<i>versicolor</i>	1879, 245	<i>calcaræ</i>	1877, 220
	1879, 326	<i>citrina</i>	1877, 219
<i>Choriotis australis</i>	1877, 335	<i>crosei</i>	1877, 218
<i>Chotorea versicolor</i>	1875, 102	<i>daphne</i>	1877, 218
<i>Chroicocephalus atricilla</i>	1871, 577	<i>decora</i>	1877, 215
	1878, 194	<i>dorsalis</i>	1877, 215
<i>bonapartii</i>	1878, 207	<i>elegans</i>	1877, 219
<i>brunneicephalus</i> ..	1871, 421	<i>elegantula</i>	1877, 216
	1878, 198	<i>elisabethina</i>	1877, 213
<i>brunneiceps</i>	1878, 198	<i>erinaceus</i>	1877, 212
<i>capistratus</i>	1871, 421	<i>erythræa</i>	1877, 220
	1878, 200	<i>festiva</i>	1877, 218
<i>cirrhocephalus</i>	1878, 204	<i>fidelis</i>	1877, 220
<i>cucullatus</i>	1871, 577	<i>glenei</i>	1877, 220
	1878, 195	<i>gloriosa</i>	1877, 213
<i>franklini</i>	1871, 577	<i>gracilis</i>	1877, 214
	1878, 195	<i>histrion</i>	1877, 213
<i>gelastes</i>	1878, 193	<i>imperialis</i>	1877, 220
<i>glaucodes</i>	1878, 204	<i>infucata</i>	1877, 219
<i>glaucotes</i>	1878, 203	<i>inornata</i>	1877, 217
<i>ichthyaëtus</i>	1872, 480	<i>krohnii</i>	1877, 221
	1878, 198	<i>lamberti</i>	1877, 218
<i>kittlitzii</i>	1871, 273	<i>lemniscata</i>	1877, 214

	Page		Page
<i>Chromodoris lentiginosa</i>	1877, 217	<i>Chromodoris variegata</i>	1877, 216
<i>lineata</i>	1877, 214	<i>venulosa</i>	1877, 221
<i>lineolata</i>	1877, 215	<i>verrieri</i>	1877, 218
<i>loringi</i>	1877, 217	<i>verrucosa</i>	1877, 237
<i>luteo-rosa</i>	1877, 219	<i>vibrata</i>	1877, 217
<i>lutescens</i>	1877, 221	<i>villæ</i>	1877, 221
<i>luxuriosa</i>	1877, 213	<i>villafranca</i>	1877, 214
<i>maccarthyi</i>	1877, 220	<i>virginea</i>	1877, 215
<i>magnifica</i>	1877, 214	<i>whitei</i>	1877, 214
<i>marginata</i>	1877, 215	<i>xantholeuca</i>	1877, 220
<i>mariei</i>	1877, 217	<i>zebrina</i>	1877, 213
<i>mollita</i>	1877, 221	<i>Chrysægla ferrifasciata</i>	1878, 13
	1877, 260		1878, 36
	1877, 269	<i>magnifica</i>	1878, 13
<i>montrouzieri</i>	1877, 218	<i>Chrysemys belli</i>	1872, 873
<i>nardii</i>	1877, 219	<i>oregonensis</i>	1872, 873
<i>obsoleta</i>	1877, 216	<i>picta</i>	1872, 873
<i>orsinii</i>	1877, 221	<i>Chrysinia adolphi</i>	1875, 118
<i>pallens</i>	1877, 218	<i>auripes</i>	1875, 122
<i>pallescens</i>	1877, 219	<i>mnizechii</i>	1875, 118
<i>pallida</i>	1877, 216	<i>Chrysobronchus vires-</i>	
<i>pasinii</i>	1877, 220	<i>cens</i>	1879, 629
<i>paupera</i>	1877, 215	<i>Chrysochloris trevely-</i>	
<i>petiti</i>	1877, 218	<i>ani</i>	1875, 311
<i>picta</i>	1877, 217	<i>Chrysochroa ocellata</i>	1875, 2
	1877, 219	<i>Chrysococcyx auratus</i>	1873, 591
<i>picturata</i>	1877, 214	<i>claasi</i>	1871, 605
	1877, 221		1871, 614
<i>pirainii</i>	1877, 220		1873, 593
<i>pretiosa</i>	1877, 221	<i>cupreus</i>	1871, 605
<i>prismatica</i>	1877, 221		1871, 614
<i>propinquata</i>	1877, 217		1873, 589
<i>pulchella</i>	1877, 216		1873, 591
	1877, 219		1879, 680
<i>pulchra</i>	1877, 217	<i>flavigularis</i>	1879, 679
<i>punctulifera</i>	1877, 219		1879, 680
<i>purpurea</i>	1877, 217	<i>hodgsoni</i>	1871, 394
<i>pusilla</i>	1877, 218	<i>intermedius</i>	1873, 589
<i>pustulans</i>	1877, 216	<i>klaasi</i>	1873, 593
<i>quadricolor</i>	1877, 214		1878, 131
<i>reticulata</i>	1877, 220		1879, 680
<i>rufomaculata</i>	1877, 216	<i>limborgi</i>	1877, 366
<i>ruminata</i>	1877, 215	<i>lucidus</i>	1879, 447
<i>scacchi</i>	1877, 216	<i>minutillus</i>	1875, 587
<i>schultziana</i>	1877, 219	<i>plagosus</i>	1875, 587
<i>scurra</i>	1877, 213	<i>smaragdineus</i>	1871, 605
<i>semperi</i>	1877, 215		1871, 614
<i>simplex</i>	1877, 216		1873, 589
<i>souverbiei</i>	1877, 218		1879, 680
<i>splendida</i>	1877, 218	<i>xanthorhynchus</i>	1877, 367
<i>sponsa</i>	1877, 221		1879, 327
<i>striatella</i>	1877, 213	<i>Chrysocolaptes erythro-</i>	
<i>subpulchella</i>	1877, 219	<i>cephalus</i>	1878, 612
<i>tennentiana</i>	1877, 221	<i>festivus</i>	1872, 427
<i>tinctoria</i>	1877, 216	<i>goensis</i>	1872, 427
<i>trilineata</i>	1877, 214	<i>hæmatribon</i>	1873, 526
<i>trioni</i>	1877, 216		1877, 539
<i>varians</i>	1877, 217		1877, 589

	Page		Page
<i>Chrysocolaptes lucidus</i> .	1877, 537	<i>Chrysomitris capitalis</i> ..	1879, 230
	1877, 539		1880, 199
	1877, 687	<i>columbiana</i>	1875, 234
	1877, 822		1879, 230
	1878, 379		1879, 508
	1878, 942		1880, 199
<i>maculiceps</i>	1877, 539	<i>magellanica</i>	1874, 522
	1877, 540		1879, 607
	1877, 687	<i>spinus</i>	1871, 385
	1878, 942	<i>xanthogastra</i>	1879, 508
<i>stricklandi</i>	1872, 405		1879, 607
	1872, 408	<i>Chrysopelea ornata</i>	1872, 590
	1872, 427	<i>rubescens</i>	1872, 590
	1872, 429	<i>Chrysophanus adita</i>	1874, 571
	1873, 204		1874, 579
	1877, 540	<i>chinensis</i>	1874, 271
<i>xanthocephalus</i>	1873, 526	<i>hippotoë</i>	1874, 571
	1877, 540	<i>kasyapa</i>	1874, 271
<i>Chryscena luteovirens</i> ..	1871, 642		1880, 149
	1871, 643	<i>pavana</i>	1874, 271
	1873, 733	<i>phleas</i>	1874, 271
	1874, 94		1880, 408
	1875, 30	<i>stygianus</i>	1880, 408
	1875, 151		1880, 415
	1875, 436	<i>timeus</i>	1880, 408
	1875, 437	<i>zariaspa</i>	1874, 271
	1875, 557	<i>Chrysophlegma chloro-</i>	
	1875, 558	<i>phanes</i>	1872, 428
	1877, 736	<i>mystacalis</i>	1880, 16
	1878, 505	<i>Chrysophrys calamus</i> ..	1877, 68
	1878, 565	<i>taurina</i>	1877, 68
<i>victor</i>	1871, 642	<i>Chrysoptilus abingoni</i> ..	1880, 491
	1873, 733	<i>atricollis</i>	1880, 209
	1874, 94	<i>bennettii</i>	1880, 491
	1875, 30	<i>punctigularis</i>	1873, 291
	1875, 151		1879, 533
	1875, 424	<i>speciosus</i>	1873, 291
	1875, 437	<i>Chrysorabdia viridata</i> ..	1878, 19
	1875, 557		1878, 36
	1875, 558	<i>Chrysothrix entomo-</i>	
	1877, 464	<i>phaga</i>	1880, 395
	1877, 736	<i>lunulata</i>	1880, 395
	1878, 568	<i>nigrivittata</i>	1880, 395
<i>viridis</i>	1875, 151	<i>cerstedi</i>	1873, 434
	1875, 437	<i>sciurea</i>	1872, 3
	1877, 464		1873, 494
	1877, 736		1880, 303
	1878, 506		1880, 395
	1878, 566	<i>Chrysotis agilis</i>	1874, 587
	1878, 567	<i>albifrons</i>	1875, 157
<i>Chrysolophus amhers-</i>		<i>amazonica</i>	1873, 300
<i>tiae</i>	1871, 398	<i>augusta</i>	1871, 266
<i>pictus</i>	1871, 398		1874, 324
<i>Chrysomitris atrata</i>	1874, 523	<i>bodini</i>	1873, 569
	1879, 607		1873, 570
<i>barbata</i>	1879, 607		1879, 438
<i>bryantii</i>	1878, 56		1880, 23
<i>capitalis</i>	1874, 522	<i>bouqueti</i>	1874, 323

	Page		Page
<i>Chrysotis bouqueti</i>	1874, 324	<i>Ciccaba virgata</i>	1873, 304
	1875, 61		1879, 539
	1875, 316	<i>Cichlerminia bonapartii</i>	1871, 268
	1879, 300	<i>Cicindela belti</i>	1878, 588
<i>coeligena</i>	1880, 68	<i>chilensis</i>	1874, 50
<i>collaria</i>	1874, 587		1874, 51
<i>diademata</i>	1879, 538		1874, 52
<i>dufresniana</i>	1880, 68	<i>d'urvillei</i>	1877, 152
<i>erythrura</i>	1879, 438	<i>flohri</i>	1878, 588
	1880, 23	<i>gormazi</i>	1874, 50
<i>farinosa</i>	1873, 300		1874, 52
	1874, 550		1874, 70
	1878, 38	<i>peruviana</i>	1874, 50
	1878, 46		1874, 51
	1879, 538	<i>stoliczkana</i>	1878, 713
	1879, 635	<i>Cicinnurus regius</i>	1875, 31
<i>festiva</i>	1873, 300		1875, 531
	1873, 466		1878, 98
	1873, 570	<i>Ciconia alba</i>	1871, 411
	1873, 634		1873, 467
	1874, 587		1873, 513
	1875, 343		1873, 637
	1879, 438		1874, 2
<i>finschi</i>	1874, 206		1875, 297
<i>guatemalæ</i>	1875, 61		1875, 488
<i>guldingi</i>	1874, 324		1877, 307
	1877, 683		1877, 711
	1879, 300		1878, 625
<i>leucocephala</i>	1880, 311		1880, 316
<i>levaillantii</i>	1873, 466	<i>argala</i>	1875, 488
	1873, 634	<i>boyciana</i>	1873, 513
	1874, 587		1873, 730
<i>mercenaria</i>	1874, 550		1874, 2
	1879, 538		1874, 306
	1879, 635		1875, 297
<i>ochrocephala</i>	1873, 466		1877, 307
	1873, 634		1877, 711
	1874, 587	<i>episcopus</i>	1872, 477
	1875, 343		1878, 633
<i>pæcilorhyncha</i>	1873, 300	<i>leucocephala</i>	1872, 477
<i>pulverulenta</i>	1878, 46	<i>maguari</i>	1873, 513
<i>viridigenalis</i>	1874, 206		1873, 637
	1875, 62		1874, 2
<i>vittata</i>	1880, 311		1875, 297
<i>xantholora</i>	1875, 157		1877, 711
<i>Chrysuronia chrysura</i>	1879, 630		1878, 633
<i>josephinae</i>	1873, 289	<i>marabou</i>	1875, 488
	1879, 630	<i>nigra</i>	1871, 411
<i>Chthoneis apicalis</i>	1880, 608		1873, 467
	1880, 609		1873, 637
<i>apicicornis</i>	1879, 786		1875, 297
<i>jansoni</i>	1879, 786		1875, 488
<i>smaragdipennis</i>	1879, 786		1877, 711
<i>Chunga burmeisteri</i>	1873, 469		1880, 316
	1873, 640	<i>Cidaria adonata</i>	1877, 395
<i>Churinga rufifrons</i>	1878, 10	<i>aquosata</i>	1877, 395
	1878, 36	<i>assata</i>	1877, 395
<i>Ciccaba albogularis</i>	1879, 539	<i>beata</i>	1877, 397

	Page		Page
<i>Cidaria beata</i>	1877,	<i>Cinclus cashmeriensis</i> ..	1873,
<i>clarata</i>	1877,		664
<i>congregata</i>	1877,		666
<i>delicatulata</i>	1877,	<i>interpres</i>	1871,
<i>dissociata</i>	1877,	<i>leucocephalus</i>	1874,
<i>inclarata</i>	1877,		677
<i>inopiata</i>	1877,	<i>leuconotus</i>	1879,
<i>lestevata</i>	1877,	<i>pallasi</i>	1871,
<i>megaspilata</i>	1877,		368
<i>monoliata</i>	1877,		556
<i>perductata</i>	1877,		652
<i>plagifurcata</i>	1877,	<i>Cingula australiæ</i>	1877,
<i>pyramaria</i>	1877,	<i>brazieri</i>	1877,
<i>rehata</i>	1877,		35
<i>rosearia</i>	1877,		40
<i>semifissata</i>	1877,	<i>concinna</i>	1877,
<i>semilata</i>	1877,	<i>maculata</i>	1873,
	397		382
	397		383
<i>semilisata</i>	1877,	<i>Cingulina spina</i>	1871,
<i>thouarsii</i>	1877,	<i>Ciniflo puba</i>	1872,
<i>timarata</i>	1877,	<i>Cinixys belli</i>	1874,
<i>verriculata</i>	1877,	<i>belliana</i>	1871,
(<i>Phibalapteryx</i>) <i>go-</i>	396	<i>homeana</i>	1871,
<i>biata</i>	1877,	<i>Cinnicerthia unibrunnea</i>	1873,
<i>Cidaris angulosa</i>	1879,		781
<i>papillata</i>	1879,		492
<i>sardica</i>	1879,		549
<i>variegata</i>	1879,	<i>unirufa</i>	1879,
	1880,	<i>Cinnyris aspasia</i>	1877,
	37		102
<i>Cillurus bifasciatus</i>	1874,		103
<i>nigrofumosus</i>	1874,	<i>aspasioides</i>	1878,
<i>palliatus</i>	1873,	<i>auriceps</i>	1878,
	783	<i>clementiæ</i>	1878,
	1874,	<i>comorensis</i>	1879,
	526	<i>eques</i>	1879,
<i>rivularis</i>	1874,		256
	130		267
	1874,	<i>frenata</i>	1878,
	526	<i>fuliginosa</i>	79
<i>Cincia pallida</i>	1878,	<i>gutturalis</i>	1878,
<i>Cinclocerthia gutturalis</i> .	1871,	<i>hasselti</i>	1878,
<i>macrorhyncha</i>	1871,	<i>jardirii</i>	1879,
	267	<i>juliæ</i>	1878,
	1871,	<i>mariquensis</i>	1880,
	273	<i>microrhyncha</i>	1878,
	1872,	<i>notata</i>	1879,
	648	<i>pectoralis</i>	1875,
<i>ruficauda</i>	1871,		106
<i>Cinclodes bifasciatus</i> ..	1873,		341
	780	<i>rubratra</i>	1879,
	1873,	<i>speratus</i>	1877,
	782	<i>splendida</i>	1878,
	1874,	<i>talatala</i>	1880,
	526	<i>venusta</i>	1878,
	678	<i>zenobia</i>	1878,
<i>fuscus</i>	1871,	<i>Cinosternum leucosto-</i>	
	259	<i>mum</i>	1871,
	1871,	<i>Ciocalypta penicillus</i> ..	1873,
	260		21
	1874,		22
	678	<i>tyleri</i>	1873,
	1879,		21
<i>nigrifumosus</i>	1879,		22
<i>palliatus</i>	1879,		24
<i>patachonicus</i>	1874,	<i>Cionella lamellata</i>	1875,
<i>patagonicus</i>	1878,		320
<i>Cinclosoma ajax</i>	1879,		
<i>artemisiæ</i>	1871,		
<i>ocellatum</i>	1871,		
<i>Cinclus aquaticus</i>	1873,		
	462		

	Page		Page
<i>Circaetus assimilis</i>	1875, 424	<i>Cirrhina latia</i>	1880, 225
	1875, 580		1880, 226
<i>brachydactylus</i>	1873, 434		1880, 229
<i>gallicus</i>	1872, 77		1880, 230
	1872, 863		1880, 231
	1875, 24	<i>mrigala</i>	1880, 230
<i>orientalis</i>	1873, 556	<i>reba</i>	1880, 230
<i>Circus</i> — ?	1871, 342	<i>Cirrhites punctatus</i>	1873, 705
<i>aeruginosus</i>	1871, 342	<i>Cirrhichthys bleekeri</i> .	1873, 705
	1872, 78	<i>Cirrocephalus plumbei-</i>	
	1872, 414	<i>ceps</i>	1871, 578
	1876, 314		1878, 204
	1877, 687	<i>poiocephalus</i>	1878, 204
<i>assimilis</i>	1876, 500	<i>Cirrochrista aetherialis</i> ..	1880, 690
<i>cinerascens</i>	1871, 342	<i>brizoalis</i>	1880, 690
	1872, 413	<i>Cirrochroa anjira</i>	1877, 584
	1873, 466		1877, 624
	1873, 634	<i>aoris</i>	1877, 584
	1876, 314	<i>calypso</i>	1873, 342
	1876, 315	<i>fasciata</i>	1873, 342
	1876, 316		1874, 104
<i>cinereus</i>	1872, 536	<i>lanka</i>	1872, 557
	1879, 636		1874, 104
<i>cyaneus</i>	1871, 103		1878, 827
	1871, 342	<i>malaya</i>	1873, 342
	1872, 78	<i>mithila</i>	1872, 558
	1875, 25	<i>orissa</i>	1873, 342
<i>gouldi</i>	1875, 580	<i>satellita</i>	1873, 342
<i>histrionicus</i>	1873, 186	<i>surya</i>	1878, 827
	1874, 553		1878, 854
<i>hudsonicus</i>	1879, 539	<i>thais</i>	1872, 557
<i>hudsonius</i>	1875, 117	<i>Cirsonella australis</i>	1877, 38
<i>macropterus</i>	1879, 636		1877, 40
<i>macroscelis</i>	1875, 71		1877, 188
	1875, 72	<i>Cirsotrema hyalina</i>	1877, 183
	1879, 674	<i>Cissa minor</i>	1873, 679
<i>maillardi</i>	1875, 71		1879, 335
	1877, 302	<i>ornata</i>	1872, 405
	1879, 674		1872, 406
<i>melanoleucus</i>	1871, 342		1872, 408
	1872, 414		1872, 461
	1873, 649	<i>puella</i>	1872, 461
	1876, 315	<i>speciosa</i>	1873, 463
	1876, 316	<i>thalassina</i>	1873, 679
<i>poliopterus</i>	1874, 553	<i>Cissilopha sanblasiana</i> ..	1876, 269
<i>pallidus</i>	1871, 342	<i>Cissomela nigra</i>	1879, 275
	1875, 25	<i>Cissopsis leveriana</i>	1873, 263
<i>silonotus</i>	1871, 342		1873, 462
	1877, 687		1877, 306
	1879, 322		1880, 146
<i>swainsoni</i>	1871, 342	<i>media</i>	1873, 185
	1872, 78		1873, 263
	1872, 413	<i>minor</i>	1874, 517
	1876, 314		1875, 237
	1876, 316		1879, 603
<i>Cirithium maculosum</i> ..	1877, 70	<i>Cisthene niveata</i>	1878, 384
<i>Cirrhina gohama</i>	1876, 793	<i>Cisticola cursitans</i>	1871, 352
	1876, 805		1872, 455

	Page		Page
<i>Cisticola cursitans</i>	1878, 708	<i>Clanculus pusillus</i>	1873, 209
	1878, 710	<i>undatus</i>	1877, 188
<i>grayi</i>	1877, 817	<i>Clangula albeola</i>	1871, 57
	1877, 828		1876, 401
	1878, 286		1876, 410
<i>homalura</i>	1872, 455		1876, 411
	1872, 456	<i>albicola</i>	1880, 527
<i>hypoxantha</i>	1880, 624	<i>americana</i>	1876, 401
<i>isodactyla</i>	1878, 356	<i>glaucion</i>	1871, 419
<i>madagascariensis</i>	1875, 65		1876, 401
<i>melanocephala</i>	1871, 212		1876, 410
	1871, 352		1876, 411
<i>munipurensis</i>	1874, 47		1880, 527
<i>ruficeps</i>	1875, 589		1880, 534
	1877, 98	<i>histrionica</i>	1871, 119
	1878, 286		1875, 154
	1878, 671		1878, 479
	1880, 66	<i>islandica</i>	1880, 527
<i>ruficollis</i>	1874, 47	<i>vulgaris</i>	1878, 479
	1874, 48	<i>Clanis bilineata</i>	1879, 388
<i>rustica</i>	1874, 48	<i>nicobarensis</i>	1877, 595
<i>schoenicola</i>	1871, 212	<i>phalaris</i>	1877, 595
	1871, 352		1877, 626
	1872, 455	<i>undulosa</i>	1879, 387
	1872, 456	<i>Clarius magur</i>	1871, 712
	1874, 47	<i>Clathurella albocincta</i>	1871, 18
	1874, 48		1871, 93
<i>semirufa</i>	1877, 828	<i>bicolor</i>	1871, 18
	1878, 286		1871, 93
<i>tinnabulans</i>	1871, 352		1880, 416
<i>volitans</i>	1871, 352	<i>bilineata</i>	1871, 18
<i>Cistothorus graminicola</i>	1874, 130		1871, 93
<i>humivagans</i>	1874, 504	<i>brazieri</i>	1871, 18
<i>polyglottus</i>	1874, 130		1871, 93
	1879, 593	<i>brenchleyi</i>	1877, 37
<i>Cistudo triunguis</i>	1871, 744		1877, 40
<i>Cistula aripensis</i>	1875, 321		1877, 184
	1875, 322	<i>crassina</i>	1880, 416
<i>Citellus xanthopymnus</i>	1877, 277		1880, 420
	1877, 278	<i>hayesiana</i>	1871, 17
<i>Cithæris aurora</i>	1876, 211		1871, 92
<i>pyropina</i>	1876, 212	<i>labiosa</i>	1871, 731
<i>Cithæron prædonium</i>	1872, 273		1871, 739
	1872, 348	<i>modesta</i>	1877, 38
<i>Citta thalassina</i>	1877, 306		1877, 40
<i>Cittocincla nigra</i>	1878, 619		1877, 185
<i>stricklandi</i>	1879, 340	<i>pulcherrima</i>	1872, 14
<i>Cittura cyanotis</i>	1873, 464		1872, 15
	1873, 632	<i>pustulata</i>	1877, 38
<i>Cixius sanctæ-helenæ</i>	1878, 462		1877, 40
<i>Cladognathus bison</i>	1877, 154		1877, 185
<i>cinctus</i>	1877, 154	<i>reticosa</i>	1871, 17
<i>Clais guimeti</i>	1873, 288	<i>rubro-guttata</i>	1872, 14
<i>Clambus minutus</i>	1877, 78		1872, 15
<i>Clanculus bicarinatus</i>	1880, 419	<i>rufozonata</i>	1877, 38
	1880, 420		1877, 40
<i>nodoliratus</i>	1871, 96		1877, 184
<i>pusillus</i>	1873, 207		1880, 157

	Page		Page
<i>Clathurella sculptilis</i> ..	1871, 17	<i>Clibanarius cayennensis</i> .	1877, 654
	1871, 92		1877, 657
<i>tenuilirata</i>	1871, 17		1877, 659
	1871, 92		1877, 678
<i>Clausilia</i> ? juv.	1879, 736	<i>isochirus</i>	1877, 654
	1879, 740	<i>lineatus</i>	1877, 659
<i>bizarellina</i>	1880, 101	<i>lordii</i>	1877, 654
<i>chacaënsis</i>	1879, 727		1877, 658
	1879, 728		1877, 678
<i>filocostulata</i>	1879, 727	<i>misanthropus</i>	1877, 673
	1879, 728		1877, 674
<i>paulucciana</i>	1880, 132	<i>oculatus</i>	1877, 674
	1880, 142	<i>pilosimanus</i>	1877, 654
<i>peruana</i>	1879, 725	<i>speciosus</i>	1877, 654
<i>punctata</i>	1880, 101		1877, 658
<i>slosarskii</i>	1879, 726	<i>vittatus</i>	1877, 658
	1879, 728	<i>Climacocercus concentri-</i>	
<i>solida</i>	1880, 100	<i>cus</i>	1874, 553
	1880, 101	<i>Climacteris leucophæa</i> ..	1875, 599
	1880, 131	<i>placens</i>	1873, 693
<i>taczanowskii</i>	1879, 726		1873, 697
	1879, 728	<i>scandens</i>	1875, 599
<i>virinata</i>	1880, 101	<i>Clothilda insignis</i>	1874, 349
(<i>Delima</i>) <i>punctata</i> ..	1880, 131	<i>Clotho limbata</i>	1872, 222
(—) <i>virinata</i>	1880, 131		1872, 347
(<i>Iphigenia</i>), sp. ..	1880, 132		1876, 546
(—) <i>bizarellina</i> ..	1880, 132	<i>nitida</i>	1876, 559
(<i>Nenia</i>) <i>buckleyi</i> ..	1872, 686	<i>septempunctata</i> ..	1872, 222
	1872, 687		1872, 347
(<i>Papillifera</i>) <i>solida</i> ..	1880, 131	<i>Clubiona accentuata</i> ..	1872, 254
<i>Cleis arctata</i>	1879, 162		1872, 348
<i>lunigera</i>	1879, 162	<i>comta</i>	1874, 413
<i>posticalis</i>	1877, 150	<i>contaminata</i>	1872, 254
	1879, 162		1872, 348
<i>Clemmys caspica</i>	1873, 761		1872, 354
<i>leprosa</i>	1872, 603	<i>deinognatha</i>	1872, 252
<i>ornata</i>	1871, 745	<i>drassodes</i>	1874, 414
<i>reevesi</i>	1873, 517		1874, 417
	1873, 518		1874, 419
<i>serrata</i>	1874, 494	<i>dubia</i>	1873, 211
<i>unicolor</i>	1873, 517		1873, 213
	1873, 518		1873, 227
<i>Cleora lichenaria</i>	1873, 156	<i>filicata</i>	1874, 413
<i>Cleosiris calamita</i>	1877, 599		1874, 414
	1877, 626		1874, 417
<i>Clerome arcesilaus</i>	1873, 341		1874, 419
	1878, 827	<i>gilva</i>	1872, 253
	1878, 854		1872, 348
<i>busiris</i>	1873, 341		1872, 354
<i>eumeus</i>	1873, 697	<i>lutescens</i>	1873, 214
	1878, 706	<i>phragmitis</i>	1872, 252
<i>gracilis</i>	1873, 341		1872, 253
<i>phaon</i>	1873, 341		1872, 254
<i>stomphax</i>	1873, 341	<i>robusta</i>	1874, 413
<i>Clibanarius brasiliensis</i> ..	1877, 658	<i>straminea</i>	1872, 252
<i>carnescens</i>	1877, 654		1872, 253
	1877, 658		1872, 348
	1877, 659		1872, 354

	Page		Page
<i>Clupea alba</i>	1875, 486	<i>Coassus superciliaris</i> ..	1878, 926
<i>alosa</i>	1879, 758	<i>whitelyi</i>	1875, 46
<i>finia</i>	1879, 758		1875, 47
<i>harengus</i>	1872, 834		1878, 926
	1875, 486	<i>Cobitis barbatula</i>	1875, 486
	1878, 338	<i>dorsalis</i>	1876, 801
	1879, 758	<i>elegans</i>	1876, 801
<i>libertatis</i>	1877, 67	<i>longicauda</i>	1876, 801
	1877, 69	<i>marmorata</i>	1876, 798
<i>palasah</i>	1873, 706	<i>microps</i>	1876, 799
<i>pilchardus</i>	1872, 834	<i>stoliczkæ</i>	1876, 795
	1875, 486	<i>tænia</i>	1876, 801
	1879, 759	<i>tenuicauda</i>	1876, 795
	1879, 763	<i>uranoscopus</i>	1876, 801
<i>sagax</i>	1871, 672	<i>vittata</i>	1876, 798
	1879, 759	<i>Cobus ellipsiprymnus</i> ..	1876, 284
<i>sprattus</i>	1871, 653		1876, 291
	1871, 672		1876, 293
	1871, 673	<i>leechi</i>	1876, 291
	1875, 486	<i>Coccoborus chryso-</i>	
	1878, 338	<i>ter</i>	1874, 519
	1879, 759	<i>Coccothraustes melano-</i>	
	1879, 760	<i>xanthus</i>	1871, 386
	1879, 763	<i>melanurus</i>	1871, 386
<i>Clupeilarus antipodum</i> .	1878, 181	<i>sinensis</i>	1871, 384
<i>fuscus</i>	1878, 173	<i>vulgaris</i>	1873, 35
<i>Clypeicterus oseryi</i>	1873, 265		1873, 462
<i>Clytanthus ignobilis</i> ..	1878, 721		1873, 664
<i>Clytolæma aurescens</i> ..	1873, 288	<i>vulgaris japonicus</i> .	1871, 386
<i>Cnemalobus abbreviatus</i>	1874, 56	<i>Coccygus delalandei</i> ..	1873, 617
<i>cyaneus</i>	1874, 56	<i>Coccytes afer</i>	1873, 596
<i>cyathicollis</i>	1874, 56	<i>cafer</i>	1873, 594
<i>darwinii</i>	1874, 56		1873, 595
<i>gayi</i>	1874, 56		1873, 596
<i>germaini</i>	1874, 56	<i>coromandus</i>	1871, 394
<i>obscurus</i>	1874, 56		1872, 432
<i>striatus</i>	1874, 57		1878, 936
<i>substriatus</i>	1874, 57		1878, 946
<i>sulciferus</i>	1874, 56	—, var. <i>fuligini-</i>	
<i>Cnemiornis calcitrans</i> ..	1873, 763	<i>venter</i>	1871, 394
	1874, 307	<i>glandarius</i>	1873, 594
	1875, 88		1873, 595
<i>Cnipodectes subbrunneus</i>	1873, 281	<i>hypopinarius</i>	1873, 598
	1879, 514	<i>jacobinus</i>	1872, 432
	1879, 549		1873, 595
<i>Cnipolegus anthracinus</i> .	1874, 533		1873, 597
<i>aterrimus</i>	1872, 542		1873, 598
	1879, 611		1873, 711
	1879, 612		1874, 205
	1879, 460		1877, 465
<i>cinereus</i>	1879, 460		1878, 359
<i>cyaneirostris</i>	1872, 542	<i>melanoleucos</i>	1872, 432
<i>hudsoni</i>	1872, 541		1873, 598
	1872, 542	<i>nigricans</i>	1873, 588
	1872, 548	<i>pica</i>	1873, 598
	1872, 549	<i>serratus</i>	1873, 588
<i>Coassus auritus</i>	1878, 926		1873, 595
<i>peruvianus</i>	1878, 920		1873, 599
<i>rufus</i>	1872, 522		

	Page		Page
<i>Coccystes serratus</i>	1877,	<i>Cœlopeltis lacertina</i>	1875, 487
<i>Coccyzura minor</i>	1871,		1879, 741
<i>Coccyzus americanus</i> ..	1871,	<i>Cœlops frithii</i>	1878,
	1872,	<i>Cœreba atricapilla</i>	1879,
	1872,	<i>cærulea</i>	1873,
	1875,		1873, 185
	1876,		1879, 497
	1879,		1879,
<i>bairdi</i>	1872,	<i>cyanea</i>	1873,
<i>cæruleus</i>	1873,		1873, 260
<i>cayanus</i>	1874,		1873, 462
<i>cristatus</i>	1873,	<i>nitida</i>	1879,
<i>delalandei</i>	1873,		1873, 259
<i>erythrophthalmus</i> .	1872,		1873, 260
	1873,	<i>Cœrostris avernalis</i>	1874,
	1877,		1878, 799
	1879,		1879,
<i>ferrugineus</i>	1875,	<i>mitralis</i>	1878,
<i>glandarius</i>	1873,		1879,
<i>landsbergi</i>	1873,	<i>paradoxa</i>	1878,
<i>levaillanti</i>	1873,		1879,
<i>madagascariensis</i> ..	1873,	<i>stygiانا</i>	1879,
<i>melanocoryphus</i> ..	1873,		1879,
	1874,	<i>tuberculosa</i>	1879,
	1874,	<i>Cœsyapa thrax</i>	1873,
<i>minor</i>	1871,	<i>Colænis delila</i>	1874,
	1871,		1878,
	1872,	<i>julia</i>	1874,
	1878,	<i>phærusa</i>	1874,
	1879,	<i>Colaptes agricola</i>	1872,
<i>virescens</i>	1873,	<i>rivoli</i>	1879,
<i>Cochlicopa lubrica</i>	1875,	<i>rupicola</i>	1874,
	1877,		1874,
<i>maderensis</i>	1877,		1878,
<i>Cochlothaustes delalan-</i>	333		1879,
<i>dei</i>	1873,		1880,
	1873,	<i>stolzmanni</i>	1880,
	1873,	<i>Colaspis buckleyi</i>	1880,
<i>Cochoa viridis</i>	1871,		1880,
<i>Cœligena clemenciæ</i> ..	1878,	<i>chlorites</i>	1880,
<i>warszewiczi</i>	1880,		1880,
<i>Cœlites epiminthia</i>	1873,	<i>cruentata</i>	1880,
<i>euptychioides</i>	1873,	<i>foveicollis</i>	1880,
<i>Cœlogenys paca</i>	1880,		1880,
<i>subniger</i>	1875,		1880,
<i>Cœlomera atro-cærulea</i> .	1878,	<i>fulvilabris</i>	1880,
<i>binotata</i>	1879,		1880,
<i>buckleyi</i>	1880,	<i>lefevrei</i>	1880,
	1880,	<i>nigripennis</i>	1880,
<i>cajennensis</i>	1880,		1880,
	1880,	<i>Colaspoides alcyonea</i> ..	1879,
<i>godmani</i>	1879,	<i>australis</i>	1879,
<i>maculicollis</i>	1879,	<i>batesi</i>	1879,
<i>nigricollis</i>	1879,	<i>bicolor</i>	1880,
<i>ruficollis</i>	1880,	<i>cupreipennis</i>	1880,
	1880,		1880,
<i>submetallica</i>	1879,	<i>decemmaculata</i>	1879,
<i>violaceipennis</i>	1880,		1880,
	607		781

	Page		Page
<i>Colaspoides elongatus</i> ..	1880, 595	<i>Collocalia fuciphaga</i> ..	1872, 420
	1880, 608		1877, 740
<i>peruana</i>	1879, 779		1878, 429
<i>smaragdula</i>	1879, 779		1880, 67
<i>tibialis</i>	1879, 780	<i>leucopygia</i>	1877, 739
<i>unicolor</i>	1879, 780	<i>linchi</i>	1877, 739
<i>variabilis</i>	1879, 781		1878, 429
<i>viridicollis</i>	1878, 144		1880, 67
<i>Coleura seychellensis</i> ..	1878, 879	<i>spodiopygia</i>	1871, 23
<i>Colias andrea</i>	1872, 48		1875, 30
<i>clorinde</i>	1874, 360		1875, 428
<i>dimera</i>	1871, 251		1876, 19
<i>edusa</i>	1880, 409		1876, 491
<i>erate</i>	1880, 409		1876, 501
—, var. <i>pallida</i>	1880, 409		1877, 408
<i>ernestius</i>	1872, 56		1877, 723
<i>euterpe</i>	1871, 533		1877, 730
	1874, 359	<i>troglydites</i>	1877, 823
<i>euxanthe</i>	1871, 251		1878, 283
<i>fieldi</i>	1874, 273	<i>uropygialis</i>	1877, 738
<i>hecla</i>	1871, 250	<i>vanicorensis</i>	1872, 89
<i>helichtha</i>	1880, 408		1875, 430
<i>hyale</i>	1874, 273		1876, 499
	1880, 410		1876, 501
—, var. <i>sareptensis</i> .	1880, 409		1877, 408
<i>hyona</i>	1871, 533		1877, 723
<i>imperialis</i>	1871, 250		1877, 740
<i>pallida</i>	1880, 409		1877, 778
<i>ponteni</i>	1874, 287		1880, 575
<i>sareptensis</i>	1880, 409	<i>Collonia munda</i>	1873, 206
<i>thisoa</i>	1871, 250		1873, 209
<i>Coliostruthus macrurus</i>	1874, 306	<i>roseopunctata</i>	1880, 417
<i>Coliphimus concolor</i> ..	1880, 491		1880, 420
<i>Colius castanonotus</i>	1876, 413	<i>Colluricincla harmonica</i>	1875, 585
	1876, 416	<i>heinii</i>	1877, 770
	1876, 417		1877, 773
	1877, 306	<i>maculosa</i>	1877, 724
<i>leucotis</i>	1873, 714	<i>megarhyncha</i>	1878, 96
	1878, 358	<i>parvissima</i>	1878, 122
<i>nigricollis</i>	1873, 717	<i>parvula</i>	1875, 585
<i>Collita griseola</i>	1878, 16	<i>rufigaster</i>	1878, 122
<i>lilacina</i>	1878, 16	<i>rufiventris</i>	1873, 555
<i>parva</i>	1878, 16	<i>rugensis</i>	1880, 575
	1878, 36	<i>Colobus angolensis</i>	1880, 68
<i>vetusta</i>	1878, 16	<i>palliatu</i> s	1880, 68
<i>Collocalia</i> , sp.	1872, 93	<i>Colcenis dido</i>	1876, 220
	1877, 783	<i>julia</i>	1876, 221
	1879, 447	<i>phaerusa</i>	1876, 220
	1880, 67	<i>telesiphe</i>	1876, 220
<i>cinerea</i>	1877, 408	<i>Coloradia pandora</i>	1871, 83
	1877, 740	<i>Colossochelys atlas</i>	1872, 139
<i>esculenta</i>	1878, 283	<i>Colpodes aurotinctus</i> ..	1878, 598
	1880, 67	<i>chontalensis</i>	1878, 598
<i>francica</i>	1877, 740	<i>chrysopterus</i>	1878, 599
	1878, 280	<i>cyanostolus</i>	1878, 598
	1878, 282	<i>duplex</i>	1878, 596
	1878, 283	<i>grandicollis</i>	1874, 58
	1880, 14	<i>gratus</i>	1878, 596
	1880, 67	<i>intergenus</i>	1878, 596

	Page		Page
<i>Colpodes lactipes</i>	1878,	<i>Columba jamaicensis</i> ..	1874,
<i>lebioides</i>	1878,	<i>jambu</i>	1878,
<i>obscurellus</i>	1878,		1878,
<i>ovaliceps</i>	1878,	<i>jamboos</i>	1878,
<i>parviceps</i>	1878,	<i>kurukuru</i>	1878,
<i>princeps</i>	1878,		1878,
<i>procephalus</i>	1878,		1878,
<i>prolixus</i>	1878,	— <i>purpuro-leucoce-</i>	
<i>prolongatus</i>	1878,	<i>phalus</i>	1878,
<i>prostomis</i>	1878,	— <i>superba</i>	1878,
<i>stricticollis</i>	1878,	<i>leucocephala</i>	1873,
<i>superbus</i>	1878,		1873,
<i>viridiauratus</i>	1878,		1875,
<i>Coluber berus</i>	1875,		1880,
	1875,	<i>leuconota</i>	1873,
<i>fasciolatus</i>	1871,		1876,
<i>porphyraceus</i>	1871,	<i>leucotis</i>	1878,
	1871,	<i>leucozonura</i>	1871,
<i>Columba albilinea</i>	1873,	<i>livia</i>	1871,
	1879,		1873,
<i>albilineata</i>	1875,		1873,
	1878,		1873,
	1879,		1874,
<i>albipennis</i>	1876,		1874,
	1876,		1877,
<i>amarante</i>	1878,		1877,
<i>aurita</i>	1875,		1879,
<i>bicolor</i>	1877,	<i>luteovirens</i>	1878,
<i>castaneiceps</i>	1876,	<i>macerona</i>	1872,
	1877,	<i>macroura</i>	1872,
<i>chalcoptera</i>	1875,	<i>maculosa</i>	1872,
<i>cincta</i>	1878,		1872,
<i>corensis</i>	1875,		1873,
	1879,		1873,
<i>coronata</i>	1875,		1873,
<i>cyanovirens</i>	1878,		1874,
	1878,		1876,
	1879,	<i>magnifica</i>	1878,
<i>diademata</i>	1878,		1879,
<i>domestica</i>	1876,	<i>melanocephala</i>	1878,
<i>dupetit-thouarsii</i> ..	1878,		1878,
	1878,		1878,
<i>felicis</i>	1878,		1878,
<i>flava</i>	1878,	<i>meloda</i>	1879,
<i>forsteri</i>	1878,	<i>migratoria</i>	1875,
	1878,		1875,
<i>francis</i>	1879,		1875,
<i>frenata</i>	1873,		1875,
<i>guinea</i>	1875,	<i>monacha</i>	1878,
<i>gularis</i>	1878,	<i>montana</i>	1875,
	1878,	<i>monticola</i>	1874,
<i>hodgsonii</i>	1871,	<i>mystacea</i>	1875,
<i>hyogastra</i>	1878,	<i>naina</i>	1878,
<i>hypogastra</i>	1878,	<i>nicobarica</i>	1875,
<i>intermedia</i>	1871,	<i>occipitalis</i>	1878,
	1872,	<i>oceanica</i>	1872,
	1872,	<i>oenas</i>	1873,
<i>iogastra</i>	1878,		1873,

	Page		Page
<i>Columba cenas</i>	1878,	<i>Columba sylvatica</i>	1871,
—, var. <i>rupestris</i> ..	1871,	<i>taitensis</i>	1878,
<i>oopa</i>	1878,		1878,
	1878,	<i>tigrina</i>	1875,
	1878,	<i>turtur</i>	1875,
<i>palumbus</i>	1875,	<i>vinacea</i>	1873,
<i>pectoralis</i>	1878,		1873,
<i>perlata</i>	1878,		1873,
<i>picazuro</i>	1872,		1879,
	1873,	<i>virens</i>	1878,
	1873,		1879,
<i>pinon</i>	1877,	<i>viridis</i>	1878,
<i>plumbea</i>	1879,		1878,
<i>polleni</i>	1877,		1879,
	1877,	<i>viridissima</i>	1878,
	1879,	<i>vitiensis</i>	1875,
<i>porphyracea</i>	1878,		1875,
	1878,		1875,
	1879,		1875,
<i>porphyrea</i>	1878,		1875,
	1878,		1876,
	1878,		1877,
<i>puella</i>	1878,	<i>xanthogaster</i>	1878,
	1878,		1878,
<i>pulchella</i>	1878,	<i>zenaida</i>	1875,
<i>pulchricollis</i>	1871,	<i>zoëæ</i>	1878,
<i>purpurata</i>	1878,	(<i>Zenaida</i>) <i>galapa-</i>	
	1878,	<i>gensis</i>	1871,
	1878,	<i>Columbella alabastrum</i>	1879,
	1878,	<i>angasi</i>	1877,
	1878,	<i>atrata</i>	1871,
	1878,		1874,
	1878,	<i>bidentata</i>	1879,
	1878,	<i>darwini</i>	1877,
	1878,	<i>dermestoides</i>	1877,
	1878,	<i>fuscata</i>	1877,
<i>regina</i>	1878,	<i>interrupta</i>	1871,
<i>risoria</i>	1875,		1871,
<i>rivoli</i>	1877,		1877,
	1878,	<i>lentiginosa</i>	1871,
	1878,		1874,
<i>rodericana</i>	1879,		1877,
<i>roseicapilla</i>	1878,	<i>lineolata</i>	1877,
<i>roseicollis</i>	1878,	<i>misera</i>	1879,
<i>rufina</i>	1873,	<i>sagena</i>	1879,
	1875,	<i>scripta</i>	1879,
	1875,	<i>speciosa</i>	1877,
	1875,	<i>terpsichore</i>	1878,
	1876,	<i>tyleri</i>	1877,
	1879,	<i>undata</i>	1879,
<i>rupestris</i>	1871,	<i>variegata</i>	1879,
	1879,	<i>versicolor</i>	1879,
<i>speciosa</i>	1873,	(<i>Amycla</i>) <i>varians</i> ..	1879,
	1879,		1879,
<i>subvinacea</i>	1878,	(<i>Anachis</i>) <i>atrata</i> ..	1871,
	1879,	(—) <i>digglesi</i>	1874,
<i>superba</i>	1878,		1874,
	1878,	(—) <i>gowlandi</i> ..	1874,
	1878,		1874,

	Page		Page
<i>Columbella</i> (Anachis)		<i>Compsosoma hodgsoni</i> ..	1872, 393
<i>nigricostata</i>	1878, 807	<i>melanurum</i>	1872, 590
	1878, 821		1873, 169
(—) <i>puella</i>	1878, 807	<i>radiatum</i>	1872, 590
(—) <i>sinuata</i>	1874, 600	<i>reticulare</i>	1871, 151
(—) <i>smithi</i>	1877, 181		1871, 172
(—) <i>speciosa</i> ..	1877, 35	<i>Conchylodes æriferalis</i> .	1877, 618
	1877, 40		1877, 630
(<i>Atilia</i>), sp.	1879, 208	<i>diphtheralis</i>	1880, 684
(—) <i>lischkei</i>	1879, 207	(<i>Zebronia</i>) <i>lactife-</i>	1878, 493
	1879, 217	<i>ralis</i>	1877, 618
(—) <i>niveomargi-</i>		<i>Condica palpalis</i>	1878, 486
<i>nata</i>	1879, 208	<i>Conger vulgaris</i>	1871, 673
	1879, 218		1872, 834
(<i>Mitrella</i>) <i>angasi</i> ..	1871, 322		1875, 486
(—) <i>attenuata</i> ..	1871, 14		1879, 761
	1871, 89	<i>Congiopodus percatus</i> ..	1871, 659
(—) <i>bicincta</i> ..	1871, 14	<i>Conirostrum albifrons</i> ..	1874, 511
	1871, 89		1876, 17
(—) <i>russelli</i>	1874, 671		1879, 496
	1874, 672		1879, 597
(<i>Zafra</i>) <i>subvitrea</i> ..	1879, 209	<i>atrocyaneum</i>	1874, 511
	1879, 218		1879, 225
<i>Columbula campestris</i> ..	1878, 141		1879, 597
<i>cruziana</i>	1874, 555	<i>cinereum</i>	1873, 780
	1877, 754		1874, 129
	1879, 243		1874, 511
	1880, 213		1879, 225
<i>picui</i>	1879, 640		1879, 596
<i>Columella angasi</i>	1878, 865	<i>cyaneum</i>	1874, 501
<i>atrata</i>	1877, 172		1874, 512
<i>dermestoides</i>	1878, 865		1879, 596
<i>interrupta</i>	1878, 865	<i>ferrugineiventre</i> ..	1874, 511
<i>lineolata</i>	1878, 865		1874, 677
(<i>Anachis</i>) <i>smithi</i> ..	1877, 172		1874, 678
	1877, 177		1879, 596
<i>Colymbus</i>	1877, 31	<i>sitticolor</i>	1874, 512
<i>adamsi</i>	1877, 2		1880, 193
<i>cornutus</i>	1871, 415	<i>sp. inc.</i>	1876, 17
<i>glacialis</i>	1871, 119	<i>Connochetes gnu</i>	1877, 455
	1871, 415	<i>Conoclypeus anacho-</i>	
	1873, 470	<i>reta</i>	1880, 46
<i>septentrionalis</i>	1871, 119	<i>leskii</i>	1880, 45
	1871, 405		1880, 47
<i>Comatibis comata</i>	1877, 479		1880, 49
	1877, 484	<i>sigsbei</i>	1880, 46
	1877, 493		1880, 47
<i>olivacea</i>	1877, 507	<i>Conocyathus sulcatus</i> ..	1876, 428
<i>oxycerca</i>	1877, 485		1876, 431
<i>Cometes sparganurus</i> ..	1879, 628	<i>zealandiæ</i>	1876, 428
<i>Cominella alveolata</i>	1877, 180		1876, 429
<i>lactea</i>	1878, 865		1876, 430
<i>Composia sybaris</i>	1878, 484		1876, 431
<i>Compsocoma cyanoptera</i>	1879, 500		1876, 442
<i>flavinucha</i>	1879, 600	<i>Conolophus subcristatus</i>	1877, 67
<i>sumptuosa</i>	1874, 513	<i>Conopias cinchoneti</i>	1871, 756
	1879, 500	<i>inornata</i>	1871, 756
	1879, 549	<i>superciliosa</i>	1871, 755
<i>victorini</i>	1879, 549		

	Page
<i>Conopias superciliosa</i> ..	1871, 756
<i>trivirgata</i>	1871, 755
<i>Conopophaga ardesiaca</i> .	1874, 531
<i>aurita</i>	1879, 625
<i>cucullata</i>	1879, 527
<i>nævia</i>	1879, 625
<i>nigro-cincta</i>	1879, 626
<i>peruviana</i>	1873, 277
<i>Conostoma æmodium</i> ..	1871, 372
	1873, 666
<i>Conothraupis speculigera</i>	1880, 198
<i>Contopus ardesiacus</i> ..	1874, 539
	1879, 235
	1879, 515
	1879, 615
<i>borealis</i>	1871, 84
<i>plebeius</i>	1874, 539
<i>punensis</i>	1877, 744
	1880, 203
<i>richardsoni</i>	1879, 615
<i>virens</i>	1878, 64
<i>Conurus acuticaudatus</i> .	1873, 570
	1879, 635
<i>ærginosus</i>	1871, 493
	1871, 494
	1874, 587
<i>anna</i>	1877, 772
<i>astec</i>	1878, 38
	1878, 46
<i>aureus</i>	1874, 587
<i>aymara</i>	1879, 635
<i>aztec</i>	1874, 587
<i>byroni</i>	1873, 761
<i>carolinensis</i>	1880, 310
<i>chryso-genys</i>	1871, 493
<i>cruentatus</i>	1873, 465
<i>cyanolyseos</i>	1873, 761
<i>cyanopterus</i>	1873, 299
<i>erythro-genys</i>	1877, 328
<i>fugax</i>	1873, 570
<i>glaucefrons</i>	1873, 570
<i>hæmatorrhous</i>	1874, 587
<i>hilaris</i>	1878, 75
<i>hoffmanni</i>	1878, 40
	1878, 46
<i>holochlorus</i>	1873, 466
	1873, 633
	1874, 587
	1880, 310
<i>illigeri</i>	1876, 255
<i>jendaya</i>	1873, 465
	1873, 633
	1874, 587
<i>luciani</i>	1873, 299
	1874, 549
<i>luteus</i>	1880, 310
<i>melanurus</i>	1873, 299

	Page
<i>Conurus mitratus</i>	1874, 549
	1879, 635
	1880, 311
<i>molinæ</i>	1879, 635
<i>monachus</i>	1874, 587
<i>murinus</i>	1878, 75
<i>nanday</i>	1874, 587
	1878, 77
<i>ocularis</i>	1871, 493
<i>patachonicus</i>	1871, 7
	1872, 607
<i>patagonus</i>	1872, 549
	1873, 761
	1878, 75
<i>pavua</i>	1873, 299
	1874, 587
<i>pertinax</i>	1871, 493
	1871, 494
<i>petzi</i>	1873, 466
	1873, 633
	1874, 587
<i>roseifrons</i>	1873, 299
<i>sitophaga</i>	1874, 549
<i>smaragdinus</i>	1878, 434
<i>souancæi</i>	1873, 299
	1873, 300
<i>temminckii</i>	1874, 549
<i>wagleri</i>	1879, 538
<i>weddelli</i>	1873, 299
	1879, 635
<i>xantholæmus</i>	1871, 493
	1873, 465
	1873, 633
	1874, 587
<i>Conus aculeiformis</i>	1875, 126
<i>adamsoni</i>	1871, 585
<i>albospira</i>	1880, 480
	1880, 485
<i>altispiratus</i>	1873, 146
<i>andamanensis</i>	1878, 804
	1878, 821
<i>aplustre</i>	1871, 93
<i>articulatus</i>	1873, 146
	1878, 796
	1878, 798
<i>aureus</i>	1876, 753
<i>baccatus</i>	1876, 753
	1876, 755
<i>carnalis</i>	1878, 796
	1878, 798
<i>catenatus</i>	1878, 796
	1878, 798
<i>ceylonensis</i>	1873, 146
	1878, 805
<i>cingulatus</i>	1871, 585
<i>consanguineus</i>	1880, 478
	1880, 479
	1880, 485

	Page		Page
<i>Conus cooki</i>	1871,	<i>Conus virgo</i>	1878,
<i>coxeni</i>	1875,	<i>vitulinus</i>	1874,
<i>crocatu</i> s	1871,	<i>ximines</i>	1878,
	1873,	(<i>Coronaxis</i>) <i>mini-</i>	
<i>cuneatus</i>	1873,	<i>mus</i>	1877,
<i>fergusoni</i>	1873,	(<i>Stephanoconus</i>)	
<i>floccatus</i>	1871,	<i>smithi</i>	1877,
<i>franciscanus</i>	1873,		1877,
<i>fulvocinctus</i>	1880,	<i>Copaxa expandens</i>	1878,
<i>gilvus</i>	1871,	<i>gemmifera</i>	1878,
<i>gloria-maris</i>	1876,	<i>Copelatus galapagoënsis</i> .	1877,
<i>gracilis</i>	1875,	<i>Cophoscincus infralineo-</i>	
	1875,	<i>latus</i>	1873,
<i>hepaticus</i>	1878,	<i>subvittatus</i>	1873,
<i>japonicus</i>	1878,	<i>Copidoglanis tandanus</i> .	1873,
<i>largillierti</i>	1878,	<i>Copris lugubris</i>	1877,
<i>lignarius</i>	1875,	<i>Coprotheres pomarinus</i> .	1876,
<i>lucidus</i>	1878,	<i>Coprotretis jelskii</i>	1874,
<i>mahogani</i>	1878,	<i>Copsychnus albospecularis</i>	1872,
<i>melvilli</i>	1878,	<i>amœnus</i>	1875,
	1878,		1879,
<i>metcalfei</i>	1877,	<i>mindanensis</i>	1877,
	1877,		1877,
	1877,		1877,
<i>multilineatus</i>	1875,		1877,
	1875,		1878,
<i>nebulosus</i>	1878,		1878,
<i>neptunoides</i>	1880,		1878,
	1880,		1879,
<i>neptunus</i>	1880,	<i>pica</i>	1875,
<i>nux</i>	1873,	<i>saularis</i>	1871,
	1877,		1872,
<i>orbignyi</i>	1875,	<i>stricklandi</i>	1879,
<i>pastinaca</i>	1878,	<i>Coptobasis œmealis</i>	1877,
	1878,	<i>andamanalis</i>	1877,
<i>paulucciæ</i>	1876,		1877,
	1876,		1877,
<i>ponderosus</i>	1873,	<i>cuprealis</i>	1877,
<i>princeps</i>	1871,		1877,
<i>quercinus</i>	1878,		1877,
<i>racemosus</i>	1873,	<i>lunalis</i>	1877,
	1873,		1877,
<i>reflectus</i>	1876,	<i>Coptodera ænescens</i>	1874,
	1876,	<i>incerta</i>	1874,
<i>rhododendron</i>	1871,	<i>scintillans</i>	1878,
<i>rossiteri</i>	1871,	<i>Copurus colonus</i>	1874,
<i>rutilus</i>	1871,	<i>filicauda</i>	1874,
	1877,	<i>leuconotus</i>	1879,
<i>scabriusculus</i>	1878,	<i>Coracias abyssinica</i>	1874,
<i>smithi</i>	1877,		1880,
<i>superscriptus</i>	1876,		1880,
	1876,	<i>caudata</i>	1873,
<i>straturatus</i>	1880,		1878,
<i>tabidus</i>	1878,		1880,
<i>taylorianus</i>	1880,		1880,
	1880,		1880,
<i>tenuisulcatus</i>	1873,	<i>cristata</i>	1874,
<i>tornatus</i>	1878,		1874,

	Page		Page
<i>Coracias garrula</i>	1873, 463	<i>Corbula modesta</i>	1871, 728
	1873, 631	<i>nasuta</i>	1878, 869
	1873, 712	<i>pygmæa</i>	1873, 208
	1875, 344		1873, 209
	1875, 490	<i>striata</i>	1871, 728
	1876, 511		1871, 739
	1876, 518	<i>venusta</i>	1871, 20
	1879, 764		1871, 99
	1879, 770	<i>zelandica</i>	1871, 99
	1880, 467	<i>Corcorax melanorham-</i>	
	1880, 468	<i>phus</i>	1875, 593
	1880, 472	<i>Coregonus oxyrhynchus</i> .	1877, 419
	1880, 474		1877, 420
<i>indica</i>	1871, 682	<i>Coremia ardualaria</i>	1877, 396
	1872, 423	<i>inamænaria</i>	1877, 395
	1873, 316	<i>pastinaria</i>	1877, 396
	1880, 468	<i>rosearia</i>	1877, 396
<i>orientalis</i>	1877, 540	<i>semifissata</i>	1877, 397
	1877, 757	<i>subidaria</i>	1877, 396
<i>spatulatus</i>	1880, 31	<i>ypsilonaria</i>	1877, 397
	1880, 32	<i>Corethrura insularis</i>	1871, 315
	1880, 33		1872, 869
	1880, 623		1875, 68
<i>tivouch</i>	1874, 476		1875, 70
<i>Coracopsis barklyi</i>	1871, 36	<i>jardinii</i>	1871, 315
	1874, 496	<i>Corinea emissella</i>	1880, 690
	1874, 587	<i>impariguttata</i>	1880, 690
	1875, 62	<i>niviguttella</i>	1880, 690
	1877, 296	<i>Coriphilus fringillaceus</i> .	1871, 22
	1877, 302		1876, 491
	1879, 300		1876, 501
	1879, 675		1879, 170
<i>comorensis</i>	1873, 474	<i>kuhli</i>	1876, 421
	1877, 296	<i>smaragdinus</i>	1877, 407
	1877, 302	<i>Corone philippina</i>	1879, 315
	1879, 674	<i>tenuirostris</i>	1879, 246
<i>nigra</i>	1875, 67		1879, 335
<i>Corades cistene</i>	1876, 216	<i>Coronella anomala</i>	1874, 171
<i>fulminalis</i>	1876, 216	<i>cana</i>	1872, 837
<i>fusciplaga</i>	1876, 216	<i>phocarum</i>	1872, 795
<i>iduna</i>	1876, 216		1872, 837
<i>pannonia</i>	1876, 216		1873, 683
<i>ulema</i>	1876, 216		1875, 487
<i>Coralliophila barclayana</i>	1873, 205	<i>rosenbergii</i>	1877, 130
	1873, 209	<i>Corsira alpina</i>	1873, 232
	1878, 806	<i>teculyas</i>	1877, 445
<i>jeffreysii</i>	1879, 213	<i>temlyas</i>	1877, 445
	1879, 218		1877, 446
<i>Coraphites australis</i>	1874, 635	<i>tropicalis</i>	1877, 446
<i>conirostris</i>	1874, 631	<i>Corvus australis</i>	1873, 462
<i>Corbicula africana</i>	1880, 618		1875, 593
<i>oliphantensis</i>	1880, 618	<i>brevipennis</i>	1877, 548
	1880, 619		1877, 698
<i>Corbula fortisulcata</i>	1878, 819	<i>capellanus</i>	1876, 694
	1878, 821	<i>colonorum</i>	1871, 383
<i>lirata</i>	1871, 729	<i>corax</i>	1871, 111
	1871, 739		1871, 112
<i>marmorata</i>	1871, 20		1873, 462

	Page		Page
<i>Corvus corax</i>	1873, 659	<i>Corvus pusillus</i>	1878, 611
	1875, 490		1878, 622
	1877, 29	<i>scapulatus</i>	1877, 299
	1880, 312		1879, 677
<i>cornix</i>	1876, 693	<i>sinensis</i>	1871, 382
	1877, 806		1871, 383
	1878, 976	<i>splendens</i>	1871, 625
<i>corone</i>	1871, 383		1871, 682
	1877, 806		1872, 460
	1878, 976		1874, 211
<i>culminatus</i>	1872, 460	<i>tenuirostris</i>	1879, 246
	1874, 211	<i>tingitanus</i>	1874, 325
<i>cyanus</i>	1871, 382	<i>torquatus</i>	1871, 383
<i>dauricus</i>	1871, 383	<i>validus</i>	1878, 622
<i>enca</i>	1877, 105	(<i>Pica</i>) <i>beecheii</i>	1876, 270
	1877, 548	<i>Corydalla chinensis</i>	1871, 366
	1878, 622	<i>gustavi</i>	1871, 366
	1879, 16		1878, 430
	1879, 246	<i>infuscata</i>	1871, 366
	1879, 335	<i>lugubris</i>	1877, 536
<i>erythrorhynchus</i> ..	1871, 382		1877, 538
<i>frugilegus</i>	1872, 645		1877, 547
	1873, 462		1877, 688
	1875, 490		1877, 696
<i>japonensis</i>	1871, 382		1877, 762
	1871, 383		1877, 828
<i>japonicus</i>	1871, 383		1878, 286
<i>javanensis</i>	1878, 622		1878, 380
<i>levaillanti</i>	1872, 460		1878, 710
<i>macrorhynchus</i> ...	1871, 382	<i>malayensis</i>	1877, 828
<i>madagascariensis</i> ..	1875, 66	<i>richardi</i>	1871, 366
	1877, 299		1872, 458
	1877, 302	<i>rufula</i>	1872, 458
	1879, 677		1877, 828
<i>monedula</i>	1875, 490	<i>sinensis</i>	1871, 366
	1877, 306	<i>striolata</i>	1872, 458
<i>neglectus</i>	1871, 383	<i>Corydon calandra</i>	1874, 635
<i>orru</i>	1876, 459	<i>sumatranus</i>	1877, 448
	1877, 105		1880, 381
	1878, 289		1880, 382
	1880, 65	<i>Corydonix bicolor</i>	1873, 623
<i>pastinator</i>	1871, 383	<i>melanorhynchus</i> ..	1873, 624
<i>pectoralis</i>	1871, 383	<i>pyrrholeucus</i>	1873, 618
<i>philippinus</i>	1877, 536	<i>senegalensis</i>	1873, 618
	1877, 538	<i>tolu</i>	1873, 624
	1877, 548	<i>toulou</i>	1873, 609
	1877, 698	<i>Coryllis hartlaubi</i>	1877, 819
	1877, 763		1877, 821
	1877, 831	<i>Corymica arnearia</i>	1878, 851
	1878, 113		1878, 858
	1878, 287	<i>Corynetes rufipes</i>	1877, 81
	1878, 343	<i>Corypha apiata</i>	1874, 638
	1878, 381	<i>Coryphegnathus albi-</i>	
	1878, 710	<i>frons</i>	1873, 715
	1878, 951	<i>Coryphidea brachydac-</i>	
	1879, 72	<i>tyla</i>	1874, 630
	1879, 315	<i>Coryphilus fringilla-</i>	
<i>pica</i>	1875, 490	<i>ceus</i>	1876, 692

	Page		Page
<i>Coryphophylax maximiliani</i>	1871, 167	<i>Cosmosoma auge</i>	1878, 484
<i>Coryphospingus cristatus</i>	1876, 16	<i>tyrrhene</i>	1878, 484
	1879, 230	<i>Cossa basigera</i>	1878, 21
	1879, 605	<i>brunnea</i>	1878, 22
<i>cruentus</i>	1877, 322		1878, 37
<i>griseo-cristatus</i>	1879, 460	<i>nubecula</i>	1879, 394
	1879, 605	<i>pallida</i>	1878, 21
<i>Corys arborea</i>	1874, 635	<i>quadrisignata</i>	1878, 21
<i>Corythaix albocristata</i> ..	1871, 40		1878, 37
	1873, 464	<i>Cossus quadrinotatus</i> ..	1879, 412
	1873, 633	<i>tessellatus</i>	1879, 411
<i>buffonii</i>	1875, 490	<i>Cossypha caffra</i>	1871, 317
	1880, 313	<i>cyanocampter</i>	1874, 205
<i>erythrolophos</i>	1871, 134	<i>emerina</i>	1871, 316
<i>meriani</i>	1871, 605	<i>heuglini</i>	1873, 717
	1871, 614	<i>imerina</i>	1871, 316
<i>paulina</i>	1871, 134	<i>isabellæ</i>	1871, 615
<i>persa</i>	1871, 605	<i>poensis</i>	1871, 609
	1871, 614		1871, 615
	1876, 413	<i>sharpii</i>	1879, 771
<i>porphyreolopha</i> ..	1880, 313	<i>verticalis</i>	1878, 129
<i>Corythopsis anthoides</i> ..	1879, 218	<i>Cotinga cayana</i>	1873, 186
	1873, 277		1873, 285
	1874, 136		1879, 618
<i>humivagans</i>	1874, 136	<i>cincta</i>	1875, 82
	1874, 531		1876, 517
<i>nigrocincta</i>	1874, 531	<i>maynana</i>	1873, 284
	1879, 626		1873, 285
<i>torquata</i>	1874, 531	<i>porphyrolæma</i>	1873, 284
<i>Corythornis cristata</i> ..	1875, 65		1873, 285
	1879, 676		1880, 155
<i>cyanostigma</i>	1874, 306	<i>Cottus bubalis</i>	1875, 486
<i>validissimus</i>	1877, 548		1879, 747
<i>validus</i>	1877, 548	<i>gobio</i>	1875, 486
<i>vintsioides</i>	1877, 297	<i>groenlandicus</i>	1877, 295
	1877, 302		1879, 747
	1879, 676	<i>labradoricus</i>	1879, 747
<i>violaceus</i>	1879, 771	<i>ocellatus</i>	1879, 747
	1877, 105	<i>quadricornis</i>	1877, 293
	1877, 548	<i>scorpius</i>	1875, 486
<i>Corythus enucleator</i> ..	1873, 462		1879, 747
	1873, 650	<i>spinulosus</i>	1876, 801
<i>Coscinocera hercules</i> ..	1879, 164	<i>tricuspis</i>	1877, 295
<i>omphale</i>	1879, 164	<i>Coturniculus peruanus</i> ..	1873, 264
<i>Coscoroba candida</i>	1876, 372		1874, 521
<i>chionis</i>	1876, 371		1879, 601
<i>Cosmeteira eques</i>	1879, 257	<i>Coturnix argoondah</i>	1875, 488
	1879, 267	<i>caineana</i>	1871, 401
<i>minima</i>	1879, 267	<i>chinensis</i>	1871, 401
<i>Cosmonetta histrionica</i> ..	1880, 527	<i>communis</i>	1871, 401
<i>Cosmophila erosa</i>	1878, 486		1873, 468
<i>indica</i>	1880, 677		1873, 639
<i>Cosmoscarta bivittata</i> ..	1874, 672		1877, 301
<i>distanti</i>	1874, 672		1877, 302
<i>feralis</i>	1874, 672		1877, 306
<i>xanthorhina</i>	1874, 672		1878, 578
			1879, 361
			1879, 362

	Page		Page
<i>Coturnix communis</i>	1880, 315	<i>Crania personata</i>	1878, 414
<i>coromandelica</i>	1879, 361	<i>ringens</i>	1878, 415
<i>dactylisonans</i>	1871, 401	<i>rostrata</i>	1878, 415
<i>japonica</i>	1871, 401	<i>suessia</i>	1878, 415
<i>textilis</i>	1880, 487	<i>Craniopeltis bivittata</i> . .	1877, 67
<i>Cotyle riparia</i>	1871, 346	<i>Craniorrhinus leucoce-</i>	
	1873, 258	<i>phalus</i>	1877, 824
	1873, 650	<i>Craspedacusta sowerbii</i>	1880, 454
<i>rupestris</i>	1871, 347	<i>Craspedophora magni-</i>	
<i>sinensis</i>	1871, 347	<i>fica</i>	1871, 583
<i>Coua cærulea</i>	1873, 616		1878, 123
	1875, 67	<i>Crassatella fulvida</i>	1871, 20
<i>coquerelli</i>	1873, 614		1871, 100
<i>cristata</i>	1873, 612	<i>radiata</i>	1878, 820
	1875, 67	<i>Crassinella martinicensis</i>	1879, 132
<i>cursor</i>	1873, 613	<i>pacifica</i>	1879, 132
<i>delalandei</i>	1873, 617	<i>Crastia cupreipennis</i> . .	1878, 823
<i>gigas</i>	1873, 613		1878, 853
	1875, 67	<i>modesta</i>	1878, 823
	1880, 469	<i>Crateropus caudatus</i> . .	1877, 687
	1880, 470		1877, 688
<i>madagascariensis</i> . .	1873, 614	<i>chalybeus</i>	1873, 648
<i>olivaceiceps</i>	1880, 469	<i>jardinii</i>	1880, 490
<i>pyropyga</i>	1873, 613	<i>kirki</i>	1878, 356
<i>reynaudi</i>	1873, 615	<i>Crax alector</i>	1873, 307
	1873, 616		1877, 22
	1879, 771		1879, 380
<i>ruficeps</i>	1873, 614	<i>carunculata</i>	1872, 636
	1873, 615		1879, 379
<i>serresiana</i>	1873, 615	<i>daubentoni</i>	1871, 624
<i>serriana</i>	1873, 615		1872, 690
<i>verreauxi</i>	1873, 612		1874, 420
<i>Cracticus cassicus</i>	1878, 97	<i>erythrognatha</i>	1877, 22
<i>hypoleucus</i>	1875, 490	<i>globicera</i>	1873, 468
<i>nigrogularis</i>	1875, 583		1873, 640
<i>quoyii</i>	1875, 583		1875, 489
<i>torquatus</i>	1875, 583		1876, 200
<i>Crambomorpha entella</i> .	1880, 671		1878, 42
<i>splendens</i>	1878, 8		1879, 379
<i>Crambus flexuosellus</i> . .	1877, 399		1880, 315
<i>gracilis</i>	1877, 401	<i>globulosa</i>	1873, 307
<i>lativittalis</i>	1877, 400	<i>incommoda</i>	1872, 690
<i>ramosellus</i>	1877, 400		1873, 468
<i>rangona</i>	1877, 400		1873, 640
<i>sambulinus</i>	1880, 689	<i>rubra</i>	1875, 489
<i>transcissalis</i>	1877, 400	<i>sclateri</i>	1871, 701
<i>trivirgatus</i>	1877, 400		1871, 702
<i>tuhualis</i>	1877, 400		1877, 307
<i>vapidus</i>	1877, 399	<i>viridirostris</i>	1876, 463
<i>vitellus</i>	1877, 401	<i>yarrellii</i>	1875, 489
<i>vulgaris</i>	1877, 400	<i>Craxirex galapagensis</i> . .	1871, 125
	1877, 407	<i>Creagrus furcatus</i>	1878, 210
<i>Crania anomala</i>	1878, 400	<i>Creatonotus rubricosta</i> .	1872, 573
	1878, 414	<i>Crenella</i>	1879, 587
<i>lamellosa</i>	1878, 414	<i>barbata</i>	1878, 871
<i>japonica</i>	1871, 300	<i>decussata</i>	1879, 569
	1871, 311	<i>lateralis</i>	1879, 568
	1871, 312		

	Page		Page
<i>Crenella</i> (<i>Modiolaria</i>		<i>Criniger syndactylus</i> ..	1871, 314
<i>cumingiana</i>	1871, 101	<i>tephrogenys</i>	1871, 608
(—) <i>multistriata</i> .	1871, 729	<i>tephrolæmus</i>	1871, 615
	1871, 739	<i>tricolor</i>	1871, 608
<i>Crenia martia</i>	1878, 362		1871, 615
<i>pyrippe</i>	1878, 362	<i>verreauxi</i>	1871, 608
<i>Crenilabrus melops</i>	1879, 753	<i>Crioceris australis</i>	1876, 807
<i>Creobroter apicalis</i>	1878, 585		1878, 152
<i>pictipennis</i>	1878, 585	<i>nigripes</i>	1878, 152
	1878, 587	<i>obliterata</i>	1876, 808
<i>urbanus</i>	1878, 585	<i>Criopus fimbriatus</i>	1878, 414
<i>Creophilus villosus</i>	1877, 82	<i>orcadensis</i>	1878, 415
<i>Crepidula tomentosa</i> ..	1878, 867	<i>Crithagra brasiliensis</i> ..	1880, 311
<i>Creurgops verticalis</i>	1874, 513	<i>capistrata</i>	1873, 717
	1879, 503	<i>chloropsis</i>	1879, 607
	1879, 549	<i>chrysopyga</i>	1873, 715
<i>Crex jardinei</i>	1871, 315		1878, 130
<i>pratensis</i>	1873, 469	<i>insularis</i>	1878, 577
	1873, 641	<i>scotops</i>	1873, 717
<i>schomburgki</i>	1873, 512	<i>selbyii</i>	1880, 491
<i>Cricetomys gambianus</i> ..	1876, 67	<i>Crocidura aranea</i>	1873, 229
<i>Cricetus accedula</i>	1877, 281		1873, 230
	1880, 60		1877, 272
	1880, 61	<i>fuliginosa</i>	1873, 228
<i>frumentarius</i>	1877, 280		1873, 231
	1880, 60		1873, 235
<i>nigricans</i>	1877, 280	<i>himalaica</i>	1873, 231
	1880, 60	<i>kelaarti</i>	1873, 228
<i>phæus</i>	1880, 61		1873, 230
<i>vulgaris</i>	1877, 280	<i>leucodon</i>	1877, 271
<i>Crimissa cruralis</i>	1880, 600		1880, 51
	1880, 609	<i>luzoniensis</i>	1879, 75
<i>nigro-ornata</i>	1879, 783	<i>perottetii</i>	1873, 234
<i>Crimora papillata</i>	1877, 231	<i>Crocodilus acutus</i>	1875, 488
<i>Criniger calurus</i>	1871, 608		1875, 495
	1871, 615	<i>biporcatus</i>	1872, 588
<i>chloronotus</i>	1871, 608		1877, 337
	1871, 615	<i>cataphractus</i>	1871, 625
<i>everetti</i>	1877, 817	<i>frontatus</i>	1876, 413
	1877, 827	<i>gangeticus</i>	1875, 2
	1878, 110	<i>johnsonii</i>	1873, 334
	1878, 380		1873, 335
<i>flaveolus</i>	1873, 668	<i>johnstoni</i>	1874, 177
<i>flaviventris</i>	1871, 130		1874, 178
<i>frater</i>	1878, 618	<i>lucius</i>	1875, 480
<i>gularis</i>	1871, 608		1875, 488
<i>gutturalis</i>	1879, 248	<i>madagascariensis</i> ..	1874, 145
	1880, 14		1874, 146
<i>ictericus</i>	1872, 450		1874, 178
<i>nivosus</i>	1871, 608	<i>palustris</i>	1872, 588
	1871, 615		1873, 709
<i>ochraceus</i>	1873, 662		1879, 75
<i>palawanensis</i>	1878, 611		1880, 186
	1878, 618	<i>porosus</i>	1873, 709
<i>pallidus</i>	1871, 370	<i>schlegelii</i>	1873, 334
	1873, 668	<i>vulgaris</i>	1874, 145
<i>ruficrissus</i>	1879, 248		1874, 146
<i>simplex</i>	1878, 129		1874, 177

	Page		Page
<i>Crocopus chlorogaster</i> ..	1872,	<i>Crotophaga sulcirostris</i> .	1880, 210
<i>phoenicopterus</i>	1873,	<i>Crotophytus wislizeni</i> ..	1879, 218
<i>viridifrons</i>	1873,	<i>Crybelus martii</i>	1874, 547
<i>Crossea concinna</i>	1871,	<i>Crypsirhina cucullata</i> ..	1873, 661
<i>Crossocheilus barbatulus</i>	1876,	<i>Cryptoblepharus pœcilo-</i>	
<i>gohama</i>	1876,	<i>pleurus</i>	1874, 296
<i>rostratus</i>	1876,	<i>Cryptobranchus japoni-</i>	
	1880,	<i>cus</i>	1873, 163
<i>Crossochilus barbatulus</i>	1872,	<i>Cryptocnemus holds-</i>	
<i>rostratus</i>	1871,	<i>worthi</i>	1879, 43
	1871,	<i>pentagonus</i>	1879, 21
	1871,		1879, 43
	1871,		1879, 61
<i>Crossonychus chloro-</i>		<i>Cryptodromia, sp.</i>	1879, 21
<i>pterus</i>	1874,		1879, 44
<i>viridis</i>	1874,	<i>tumida</i>	1879, 45
<i>Crossoptilon auritum</i> ..	1871,	<i>Cryptolechia atropicta</i> ..	1880, 85
	1871,	<i>carnifex</i>	1877, 406
<i>cærulescens</i>	1871,	<i>contrariella</i>	1880, 85
	1871,	<i>galactina</i>	1877, 406
<i>drouynii</i>	1871,	<i>nivella</i>	1877, 475
	1871,	<i>rufosparsa</i>	1877, 406
<i>mantchuricum</i>	1871,	<i>Cryptolithodes alta-fis-</i>	
	1871,	<i>sura</i>	1879, 48
	1873,	<i>brevifrons</i>	1879, 48
	1879,	<i>expansus</i>	1879, 21
	1879,		1879, 47
	1879,	<i>sitchensis</i>	1879, 48
<i>tibetanum</i>	1871,	<i>typicus</i>	1879, 48
	1871,	<i>Cryptolopha burkii</i>	1871, 358
	1873,	<i>tephrocephala</i>	1871, 358
<i>Crossopus alpinus</i>	1873,	<i>Cryptomya elliptica</i>	1871, 99
	1873,	<i>Cryptophasa rubescens</i> .	1877, 475
<i>caudatus</i>	1873,	<i>russata</i>	1877, 466
<i>himalaicus</i>	1873,		1877, 475
<i>kelaarti</i>	1873,	<i>Cryptoprocta ferox</i>	1873, 473
<i>nigrescens</i>	1873,		1874, 496
	1873,		1875, 63
	1873,	<i>Cryptopterus latovittatus</i>	1880, 225
<i>Crotalus horridus</i>	1871,	<i>limpok</i>	1871, 716
<i>lecontei</i>	1871,	<i>Cryptopus granosus</i>	1873, 72
<i>lucifer</i>	1871,	<i>senegalensis</i>	1873, 70
<i>Crotophaga ani</i>	1871,	<i>Cryptospira cymbalum</i> .	1878, 866
	1872,	<i>ovulum</i>	1878, 866
	1873,	<i>Cryptostrakon gabbi</i> ..	1879, 475
	1876,	<i>Cryptothele ceylonica</i> ..	1877, 557
	1877,		1877, 563
	1879,		1877, 577
<i>major</i>	1873,		1877, 578
	1879,	<i>verrucosa</i>	1877, 564
<i>sulcirostris</i>	1874,	<i>Crypturus adpersus</i> ..	1873, 311
	1875,	<i>bartletti</i>	1873, 311
	1875,		1878, 142
	1875,	<i>boucardi</i>	1878, 39
	1877,		1878, 40
	1877,		1878, 41
	1877,		1878, 42
	1878,		1879, 548
	1879,		

	Page		Page
<i>Crypturus boucardi</i>	1879,	<i>Cubiceps multiradiatus</i> .	1871, 653
<i>cerviniventris</i>	1873,		1871, 661
<i>cervinus</i>	1873,	<i>Cucullia tanacetii</i>	1873, 156
<i>cinereus</i>	1873,	<i>Cuculus</i> , sp.	1871, 393
<i>noctivagus</i>	1873,	<i>ægyptius</i>	1873, 618
<i>obsoletus</i>	1873,	<i>æreus</i>	1873, 610
	1873,	<i>afer</i>	1873, 596
	1874,	<i>affinis</i>	1871, 395
	1875,	<i>assimilis</i>	1877, 106
	1879,	<i>ater</i>	1873, 599
<i>parvirostris</i>	1873,	<i>aurantiistrostris</i>	1873, 580
<i>pileatus</i>	1873,		1873, 584
	1875,		1873, 585
	1879,	<i>auratus</i>	1873, 591
<i>radiatus</i>	1879,	<i>bartletti</i>	1872, 431
<i>sallæi</i>	1873,	<i>basalis</i>	1878, 945
	1873,	<i>bengalensis</i>	1871, 393
	1878,	<i>bronzinus</i>	1877, 730
<i>tatupa</i>	1873,	<i>cæruleus</i>	1873, 616
	1873,	<i>cafer</i>	1873, 596
	1877,	<i>canoroïdes</i>	1871, 396
<i>transfasciatus</i>	1878,	<i>canorus</i>	1871, 395
<i>variegatus</i>	1873,		1871, 396
	1878,		1872, 89
<i>Crystallogobius nilssoni</i> .	1878,		1872, 100
	1878,		1872, 430
	1878,		1872, 431
	1878,		1873, 465
	1878,		1873, 579
	1878,		1873, 580
	1878,		1873, 581
	1878,		1873, 582
<i>Ctenolabrus rupestris</i> ..	1878,		1873, 585
<i>Ctenolates macquari-</i>			1873, 586
<i>ensis</i>	1871,		1873, 587
<i>Ctenomys brasiliensis</i> ..	1872,		1873, 633
<i>Ctenophora monticola</i> ..	1872,		1875, 343
	1872,		1875, 490
	1872,		1876, 343
	1876,		1876, 518
<i>Ctenostoma læticolor</i> ..	1878,		1877, 306
<i>sigma</i>	1878,		1879, 9
<i>Ctenus syriacus</i>	1872,		1879, 12
	1872,		1880, 469
<i>Cua cærulea</i>	1873,		1880, 470
<i>cristata</i>	1873,	<i>capensis</i>	1873, 581
<i>delalandei</i>	1873,		1873, 583
<i>serriana</i>	1873,		1873, 586
<i>Cubaris affinis</i>	1877,	<i>chalcites</i>	1878, 946
	1877,	<i>chalcopeplus</i>	1873, 591
	1877,	<i>chalybeus</i>	1873, 588
<i>cubensis</i>	1877,	<i>cineraceus</i>	1878, 125
	1877,	<i>clamosus</i>	1873, 580
<i>galapagoënsis</i>	1877,		1873, 587
	1877,		1873, 588
<i>gigas</i>	1877,		1873, 600
	1877,	<i>coromandus</i>	1871, 394
	1877,		1878, 946

	Page		Page.
Cuculus cristatus	1873, 612	Cuculus mindanensis ..	1877, 543
cupreus	1873, 580	monosyllabicus....	1871, 396
	1873, 588	nigricans	1873, 588
	1873, 591	nigrorufus	1873, 623
dimidiatus	1871, 393	optatus	1871, 396
dumetorum	1877, 106	phaiopterus	1873, 595
edolius	1873, 599	poliocephalus	1871, 395
flabelliformis	1875, 600		1872, 431
	1877, 730		1873, 582
flaviventris	1871, 395	rochi	1873, 579
fucatus	1872, 101		1873, 582
	1879, 314		1879, 771
gabonensis	1873, 579	rubiculus	1873, 583
	1873, 584	ruficollis	1873, 585
gigas	1873, 613		1873, 586
glandarius	1873, 595	rufiventer	1877, 106
gularis	1873, 580	senegalensis	1873, 617
	1873, 581	sepulchralis	1878, 945
	1873, 584	serratus	1873, 598
	1873, 585		1873, 599
	1873, 587		1873, 600
heuglinii	1873, 583	simus	1875, 426
himalayanus	1871, 395		1877, 729
	1872, 100		1877, 730
	1873, 582	sinensis	1871, 382
	1873, 665	smaragdineus	1873, 580
	1879, 314		1873, 588
	1879, 327		1873, 589
hyperythrus	1871, 395		1873, 592
	1878, 946	solitarius	1873, 579
infuscatus	1875, 427		1873, 580
	1877, 730		1873, 581
insperatus	1877, 106		1873, 582
	1879, 12	sonneratii	1872, 430
intermedius	1873, 590		1872, 431
jacobinus	1873, 598		1879, 12
kelungensis	1871, 396	sparveroides	1871, 394
klaasi	1873, 580		1871, 395
	1873, 592	splendidus	1873, 589
	1873, 593		1873, 590
	1873, 594	strenuus	1879, 327
leptodetus	1873, 585	striatus	1871, 395
	1873, 586		1872, 89
levallantii	1873, 596		1872, 100
lineatus	1873, 585	tamsuicus	1871, 395
	1873, 586	telephonus.....	1872, 100
maculatus	1871, 394	tenuirostris	1871, 394
madagascariensis ..	1873, 613		1871, 395
malayanus.....	1878, 945		1871, 396
	1878, 946		1872, 101
melanoleucus	1873, 598		1872, 431
melanorhynchus ..	1873, 624		1879, 314
merulinus	1878, 945	threnodes	1878, 945
michieanus	1871, 395	tolu	1873, 624
micropterus	1871, 395	toulou	1873, 624
	1871, 396	viridis	1871, 393
	1872, 101		1877, 543
	1872, 430	xanthorhynchus ..	1872, 432

	Page		Page
<i>Cucumaria lactea</i>	1871, 691	<i>Cupido osiris</i>	1875, 413
<i>pentactes</i>	1871, 691	<i>pactolus</i>	1873, 348
<i>saxicola</i>	1871, 690	<i>rosimon</i>	1874, 106
	1871, 691	<i>roxus</i>	1873, 348
	1871, 692	<i>schæffera</i>	1873, 348
<i>Cufæa flava</i>	1877, 239	<i>strabo</i>	1874, 106
<i>Culapa mnasicles</i>	1878, 825	<i>talmora</i>	1873, 348
	1878, 853	<i>Curæus aterrimus</i>	1878, 432
<i>Culicicapa cinereocapilla</i>	1871, 381	<i>Curetis barsine</i>	1873, 353
<i>Culicipeta burkii</i>	1871, 213	<i>bulis</i>	1879, 138
	1871, 358	<i>dentata</i>	1879, 137
	1873, 665	<i>discalis</i>	1879, 138
<i>tephrocephalus</i>	1871, 213	<i>insularis</i>	1874, 107
	1873, 661		1877, 587
<i>Culicivora bivittata</i>	1879, 592	<i>saronis</i>	1877, 587
<i>boliviana</i>	1879, 592		1877, 624
<i>budytoides</i>	1879, 613	<i>tagalica</i>	1873, 353
<i>dumicola</i>	1879, 592	<i>Curruca atricapilla</i>	1875, 490
<i>parulus</i>	1879, 613	<i>cinerea</i>	1874, 536
<i>Cultrides pucherani</i>	1873, 296	<i>garrula</i>	1871, 355
<i>Cuncuma leucogaster</i>	1878, 91		1874, 536
	1879, 323	<i>Cursorius coromandelicus</i>	1872, 470
<i>Cuon alpinus</i>	1872, 719	<i>gallicus</i>	1874, 457
	1872, 720	<i>Curtonotus pamirensis</i>	1878, 717
<i>dukhumensis</i>	1872, 715	<i>putzeysi</i>	1878, 600
	1872, 719	<i>substriatus</i>	1878, 601
<i>primævus</i>	1872, 719	<i>Cuscus celebensis</i>	1877, 126
	1872, 721	<i>maculatus</i>	1875, 531
<i>rutilans</i>	1876, 633	<i>orientalis</i>	1877, 126
<i>sumatrensis</i>	1872, 719		1878, 274
<i>Cuora amboinensis</i>	1872, 372		1878, 275
	1879, 75	<i>ursinus</i>	1877, 126
<i>amboynensis</i>	1872, 616	<i>Cusuma limbata</i>	1879, 415
<i>borneensis</i>	1872, 588	<i>vilis</i>	1879, 415
<i>Cupido adana</i>	1873, 349	<i>Cyanalcyon diops</i>	1878, 79
<i>agnata</i>	1874, 103	<i>macleayi</i>	1875, 583
	1874, 106		1878, 122
	1874, 109	<i>nigrocyanea</i>	1876, 752
<i>akaba</i>	1873, 350	<i>stictolæma</i>	1876, 752
<i>alecto</i>	1873, 348	<i>Cyanecula cærulecula</i>	1871, 359
<i>almora</i>	1873, 349	<i>suecica</i>	1871, 359
	1873, 360		1872, 454
<i>aluta</i>	1873, 349		1877, 45
	1873, 360		1877, 47
<i>angusta</i>	1873, 349	<i>Cyanocitta argentigula</i>	1876, 268
	1873, 360	<i>armillata</i>	1876, 271
<i>aratus</i>	1873, 348		1876, 272
<i>aruana</i>	1873, 349	<i>beecheii</i>	1876, 269
<i>cærulea</i>	1873, 349		1876, 270
	1873, 360		1876, 271
<i>cagaya</i>	1873, 348	<i>crassirostris</i>	1876, 269
<i>calice</i>	1875, 413		1876, 270
<i>celeno</i>	1873, 348		1876, 271
<i>enejus</i>	1873, 348	<i>cristata</i>	1880, 312
<i>cornuta</i>	1873, 349	<i>geoffroi</i>	1876, 270
	1873, 360	<i>germana</i>	1876, 269
<i>elorea</i>	1875, 413		1876, 270
<i>ethion</i>	1874, 106	<i>jolyæa</i>	1874, 524
<i>lacturnus</i>	1873, 348		1876, 271

	Page		Page
Cyanocitta nana	1876,	269	
pulchra	1876,	272	
	1878,	439	
pumilo	1876,	269	
sanblasiana	1876,	269	
turcosa	1876,	271	
viridi-cyanea	1873,	185	
	1873,	780	
	1876,	271	
	1879,	609	
Cyanocorax affinis	1879,	510	
azureus	1873,	267	
beecheyi	1876,	270	
bellus	1876,	272	
	1878,	138	
cayanus	1876,	272	
chilensis	1879,	609	
chrysops	1879,	609	
cyanomelas	1876,	354	
	1879,	609	
cyanopogon	1873,	463	
	1880,	312	
geoffroi	1876,	270	
incas	1876,	16	
	1879,	510	
	1879,	609	
luxuosus	1877,	1	
mystacalis	1876,	272	
	1877,	323	
	1878,	138	
	1879,	244	
nigriceps	1876,	354	
	1879,	609	
ortoni	1876,	272	
	1878,	138	
pileatus	1874,	167	
	1874,	170	
uroleucus	1876,	272	
violaceus	1873,	267	
viridicyaneus	1874,	524	
Cyanoderma bicolor	1875,	105	
	1879,	339	
erythropterum	1875,	105	
	1879,	339	
Cyanolanius bicolor	1879,	677	
Cyanomyia franciæ	1879,	530	
Cyanopica cyana	1871,	382	
	1873,	651	
Cyanopoli	1871,	382	
cooki	1878,	789	
Cyanopterus discors	1876,	384	
fretensis	1876,	388	
rafflesi	1876,	384	
Cyanoptila cyanome-			
læna	1871,	380	
	1873,	650	
	1879,	337	
cyanomelanura	1879,	337	
Cyanorhamphus alpinus	1872,	795	
auriceps	1872,	795	
	1873,	466	
	1873,	634	
	1874,	587	
	1879,	169	
novæ-zealandiæ	1872,	795	
	1873,	466	
	1873,	634	
	1874,	587	
	1879,	169	
Cyanospiza ciris	1873,	462	
cyanea	1878,	57	
	1878,	58	
Cyanotarus andinus	1874,	70	
Cyanotis azaræ	1874,	535	
	1879,	220	
	1879,	233	
Cyanotreron cyanovirens	1878,	504	
	1878,	543	
monacha	1878,	504	
	1878,	550	
Cyanthus cyanurus	1875,	235	
Cyanurus beecheii	1876,	270	
crassirostris	1876,	270	
cristatus	1876,	269	
geoffroi	1876,	269	
sordidus	1876,	269	
stelleri	1876,	269	
Cyathohelia axillaris	1876,	429	
	1876,	430	
	1876,	438	
Cyathopoma album	1875,	449	
anamallayanum	1875,	450	
ceylanicum	1875,	447	
conoorensense	1875,	445	
deccanense	1875,	445	
filocinctum	1875,	447	
	1875,	448	
	1875,	451	
	1875,	452	
hirsutum	1875,	449	
	1875,	450	
kalryenense	1875,	445	
	1875,	452	
kolamalliense	1875,	445	
latilabre	1875,	450	
	1875,	451	
	1875,	452	
	1875,	453	
malabaricum	1875,	445	
	1875,	447	
	1875,	452	
procerum	1875,	445	
	1875,	449	
shevaroyanum	1875,	451	
	1875,	453	

	Page		Page
<i>Cyathopoma travancoricum</i>	1875, 451	<i>Cyclophorus incisus</i>	1871, 475
	1875, 453	<i>layardi</i>	1875, 452
<i>wynadense</i>	1875, 445	<i>lutescens</i>	1879, 483
	1875, 447	<i>magilensis</i>	1880, 218
	1875, 450		1880, 219
(<i>Jerdonia</i>) <i>album</i> ..	1875, 446	<i>ophis</i>	1875, 605
	1875, 453	<i>pinnulifer</i>	1878, 499
(—) <i>anamallayanum</i>	1875, 446	<i>ponderosus</i>	1875, 648
	1875, 453	<i>salemensis</i>	1875, 453
(—) <i>atrosetosum</i>	1875, 448	<i>siamensis</i>	1875, 605
	1875, 453	<i>subplicatus</i>	1875, 452
(—) <i>blanfordi</i> ..	1875, 446		1875, 453
	1875, 453	<i>texturatus</i>	1875, 648
(—) <i>ceylanicum</i> .	1875, 450	<i>tuba</i>	1875, 605
	1875, 453	<i>wahlbergi</i>	1879, 483
(—) <i>elatum</i>	1875, 448	(<i>Ditropis</i>) <i>whitei</i> ..	1874, 669
	1875, 453		1874, 672
(—) <i>nitidum</i> ..	1875, 445	(<i>Myxostoma</i>) <i>ba-</i>	
	1875, 453	<i>thyrhappe</i>	1878, 497
(—) <i>ovatum</i>	1875, 447		1878, 498
	1875, 453	<i>Cyclopides camertes</i> ..	1878, 704
(—) <i>seticinctum</i> .	1875, 449		1878, 707
	1875, 453	<i>metis</i>	1875, 417
(—) <i>sivagherrianum</i>	1875, 448	<i>subradiatus</i>	1878, 693
	1875, 453	<i>subvittatus</i>	1878, 692
(—) <i>vitreum</i>	1875, 449		1878, 693
	1875, 453	<i>Cyclopsitta coxeni</i>	1875, 315
<i>Cybdelis cecida</i>	1876, 223		1875, 603
<i>diotima</i>	1876, 223	<i>diophthalma</i>	1875, 315
<i>pandama</i>	1874, 349	<i>loxias</i>	1877, 818
<i>thrasylla</i>	1876, 223	<i>lunulata</i>	1877, 689
<i>whitelyi</i>	1876, 223		1877, 818
<i>Cybernetes yetapa</i>	1879, 611		1878, 937
<i>Cyclanorbis petersii</i>	1873, 71	<i>maccoyi</i>	1875, 314
<i>Cyclanosteus petersii</i> ..	1873, 71		1875, 602
<i>senegalensis</i>	1873, 69	<i>macleayana</i>	1875, 602
	1873, 70	<i>melanogenia</i>	1876, 520
	1873, 71	<i>suavissima</i>	1876, 520
<i>Cyclas incurva</i>	1875, 320	<i>Cyclopsittacus cervicalis</i>	1879, 218
<i>punctifera</i>	1875, 321	<i>melanogenys</i>	1878, 92
<i>Cyclemys oldhami</i>	1872, 371	<i>Cyclopterus lumpus</i>	1875, 487
<i>ovata</i>	1872, 588		1877, 476
<i>Cyclochorus maculatus</i> .	1873, 171		1879, 751
<i>Cyclogramma pandama</i> .	1874, 349	<i>spinosus</i>	1877, 293
<i>Cyclomorpha flava</i>	1871, 476		1877, 294
<i>margarita</i>	1871, 476		1877, 476
<i>Cyclophis frænatus</i>	1871, 188	<i>Cyclopteryx canaliferalis</i>	1877, 613
<i>persicus</i>	1872, 392		1877, 629
<i>tricolor</i>	1872, 590	<i>Cyclorhis contrerasi</i>	1879, 224
<i>Cyclophorus biliratus</i> ..	1875, 452		1880, 192
	1875, 453	<i>flavipectus</i>	1878, 38
<i>calyx</i>	1878, 499		1878, 53
<i>cuspidatus</i>	1875, 452		1879, 595
	1875, 453	<i>guianensis</i>	1873, 257
<i>hispidulus</i>	1878, 499		1874, 509
		<i>nigrirostris</i>	1879, 495
		<i>poliocephala</i>	1874, 509
		<i>subflavescens</i>	1878, 53

	Page		Page
<i>Cyclorhis virenticeps</i> ..	1877, 319	<i>Cyclostrema roseotincta</i> .	1871, 737
	1879, 224		1871, 739
<i>viridis</i>	1879, 595	<i>tatei</i>	1878, 862
<i>Cyclorhynchus planiro-</i>			1878, 864
<i>tris</i>	1879, 55		1878, 868
<i>subbrunneus</i>	1873, 281	<i>tricarinata</i>	1871, 737
<i>Cyclosia nigrescens</i>	1877, 600		1871, 739
	1877, 626	<i>Cyclothurus didactylus</i> .	1871, 546
<i>panthera</i>	1877, 169		1880, 403
<i>papilionaria</i>	1877, 600	<i>Cyclotus alabastris</i>	1880, 619
	1879, 392	<i>bogotensis</i>	1872, 687
<i>subflava</i>	1879, 392	<i>boucardi</i>	1878, 73
<i>uniformis</i>	1877, 169		1878, 74
<i>Cyclostoma balteatum</i> ..	1873, 718		1879, 483
	1873, 722	<i>crosseanus</i>	1872, 687
<i>consanguineum</i>	1873, 718	<i>dunkeri</i>	1872, 687
	1873, 722	<i>dysoni</i>	1875, 648
<i>croceum</i>	1878, 311		1879, 483
<i>elegans</i>	1880, 99	<i>fischeri</i>	1872, 687
	1880, 100	<i>granulatus</i>	1872, 687
	1880, 140	<i>grenadensis</i>	1875, 320
	1880, 141	<i>irregularis</i>	1879, 483
	1880, 142	<i>macareæ</i>	1877, 527
<i>filo-striatum</i>	1873, 718	<i>macgillivrayi</i>	1871, 587
	1873, 722	<i>mexicanus</i>	1878, 73
<i>flavum</i>	1871, 464	<i>recluzianus</i>	1871, 587
<i>kraussianum</i>	1880, 617	<i>translucidus</i>	1875, 321
<i>lutetianum</i>	1880, 99		1879, 483
	1880, 140	<i>Cyenia punctivaga</i>	1878, 28
	1880, 141	<i>transversa</i>	1879, 398
	1880, 142	<i>Cydalima conchylalis</i> ..	1878, 850
<i>macgillivrayi</i>	1871, 587		1878, 857
<i>minutissimum</i>	1871, 465	<i>laticostalis</i>	1877, 618
<i>parvum</i>	1871, 465		1877, 630
<i>physetum</i>	1880, 99	<i>Cydonium mülleri</i>	1873, 5
	1880, 101	<i>Cydosia nobilitella</i>	1878, 495
	1880, 140	<i>sylpharis</i>	1877, 86
	1880, 141		1877, 87
	1880, 142	<i>Cygnus americanus</i>	1880, 506
<i>planorbulus</i>	1878, 499	<i>anatoides</i>	1876, 371
<i>recluzianum</i>	1871, 587	<i>atratus</i>	1875, 348
<i>subelegans</i>	1880, 142		1875, 488
<i>sulcatum</i>	1880, 140		1876, 370
	1880, 141		1880, 317
<i>trochlea</i>	1875, 445		1880, 507
<i>unicarinatum</i>	1873, 453		1880, 535
<i>vexillum</i>	1873, 452	<i>bewickii</i>	1871, 416
<i>zanguebaricum</i>	1880, 218		1875, 566
(Tropidophora) per-			1877, 806
<i>spectivum</i>	1873, 452		1880, 507
(—) <i>suffusum</i> ..	1873, 452	<i>buccinator</i>	1873, 467
<i>Cyclostomus bicarinatus</i>	1877, 527		1873, 639
<i>boivini</i>	1877, 527		1880, 506
<i>carolinensis</i>	1871, 476	<i>chionis</i>	1876, 371
<i>multifasciatus</i>	1877, 527	<i>coscoroba</i>	1871, 545
<i>tricarinatus</i>	1877, 527		1872, 365
<i>Cyclostrema carinatum</i> .	1873, 207		1873, 467
	1873, 209		1873, 639

	Page		Page
<i>Cygnus coscoroba</i>	1873, 651	<i>Cylindrella</i> (<i>Urocoptis</i>)	
	1876, 370	<i>decurtata</i>	1872, 15
	1876, 371	<i>Cylindrobulla fischeri</i> ..	1871, 98
	1876, 410	<i>Cylindroleberis mariaë</i> ..	1871, 295
	1876, 412	<i>teres</i>	1871, 295
	1880, 507	<i>Cylindrophis rufus</i>	1872, 589
<i>davidi</i>	1871, 416	<i>Cylla amabilis</i>	1879, 652
	1873, 651	<i>Cyllene owenii</i>	1871, 732
	1880, 507	<i>Cyllo amabilis</i>	1874, 279
<i>ferus</i>	1880, 506	<i>fulvescens</i>	1874, 279
<i>immutabilis</i>	1876, 466	<i>helena</i>	1874, 279
	1880, 506	<i>leda</i>	1874, 279
<i>minor</i>	1871, 416	<i>solandra</i>	1874, 279
	1880, 507	<i>taitensis</i>	1874, 279
<i>musicus</i>	1871, 416	<i>Cymbilanius lineatus</i> ..	1873, 187
	1876, 370		1873, 272
	1880, 506		1874, 529
	1880, 534		1879, 524
<i>nigricollis</i>	1872, 365	<i>Cymbirhynchus affinis</i> ..	1873, 662
	1873, 467	<i>macrorhynchus</i>	1875, 107
	1873, 639		1877, 447
	1875, 343		1877, 449
	1875, 348		1879, 71
	1876, 370		1879, 344
	1876, 410		1880, 381
	1876, 412		1880, 382
	1880, 508		1880, 384
<i>olor</i>	1875, 348	<i>Cymindis cayennensis</i> ..	1873, 303
	1876, 370	<i>glabrella</i>	1878, 719
	1877, 307	<i>megarhynchus</i>	1879, 242
	1877, 312	<i>uncinata</i>	1873, 419
	1877, 317		1874, 552
	1880, 317		1879, 541
	1880, 505	<i>Cymodocea trilobata</i> ..	1879, 51
	1880, 506	<i>Cymoriza minima</i>	1880, 684
	1880, 534	<i>Cymothora amurensis</i> ..	1877, 677
<i>Cylichna cylindracea</i> ..	1871, 738	<i>dufresnii</i>	1877, 672
<i>elegans</i>	1877, 175	<i>œstrum</i>	1877, 654
	1877, 177		1877, 655
	1877, 189		1877, 671
<i>minuta</i>	1872, 11		1877, 672
	1872, 15	<i>Cymus galapagensis</i> ..	1877, 89
<i>pygmæa</i>	1878, 869	<i>Cynalicus melanogaster</i> ..	1880, 71
<i>Cylicia natalensis</i>	1876, 440	<i>Cynanthus cyanurus</i> ..	1879, 549
<i>tenella</i>	1876, 429	<i>mocoa</i>	1873, 188
	1876, 430		1874, 544
	1876, 440		1874, 677
	1876, 442		1879, 529
<i>verreauxi</i>	1876, 440		1879, 549
<i>Cylidrus vescoi</i>	1877, 154		1879, 628
<i>Cylindra nucea</i>	1872, 843	<i>Cynictis penicillata</i>	1876, 255
<i>Cylindrella polygyra</i> ..	1875, 648	<i>Cynocephalus anubis</i> ..	1875, 493
<i>trinitaria</i>	1875, 320		1880, 302
	1875, 322	<i>babouin</i>	1876, 413
(<i>Holospira</i>) <i>gealei</i> ..	1872, 12		1880, 302
	1872, 15	<i>chacma</i>	1873, 494
(<i>Urocoptis</i>) <i>decur-</i>		<i>gelada</i>	1878, 1
<i>tata</i>	1872, 12	<i>hamadryas</i>	1880, 302

	Page		Page
<i>Cynocephalus leuco-</i>		<i>Cynthia arsinoë</i>	1878, 639
<i>cephalus</i>	1875, 493		1878, 646
<i>leucophæus</i>	1876, 413		1879, 157
<i>mormon</i>	1880, 302	<i>asela</i>	1872, 558
<i>niger</i>	1878, 791	<i>deione</i>	1878, 639
<i>porcarius</i>	1872, 222	<i>erota</i>	1872, 558
<i>sphinx</i>	1879, 123		1873, 686
<i>Cynodictis azaræ</i>	1879, 125		1877, 584
<i>boriei</i>	1880, 302	<i>insularis</i>	1877, 624
	1880, 281		1879, 143
	1880, 282	<i>juliana</i>	1877, 143
<i>cayluxi</i>	1880, 281	<i>Cyornis banyumas</i>	1872, 442
<i>crassidens</i>	1880, 281		1875, 107
<i>greyi</i>	1880, 281		1877, 687
	1880, 282		1877, 693
<i>intermedius</i>	1880, 281		1877, 759
<i>leptorhynchus</i>	1880, 281		1878, 615
	1880, 282		1879, 337
<i>vetulus</i>	1880, 281	<i>beccariana</i>	1875, 107
<i>Cynogale venatica</i>	1880, 70	<i>jerdoni</i>	1872, 442
<i>Cynonycteris ægyptiaca</i>	1879, 741	<i>philippensis</i>	1877, 687
<i>amplexicaudata</i> ..	1871, 513	<i>philippinensis</i>	1877, 693
	1877, 116		1877, 759
	1877, 119		1877, 826
	1878, 877		1878, 109
<i>brachyotis</i>	1877, 116		1878, 284
	1878, 316		1878, 342
<i>collaris</i>	1871, 478		1878, 948
	1873, 193	<i>rubeculoides</i>	1872, 442
	1875, 493	<i>rufifrons</i>	1875, 107
	1875, 494	<i>vivida</i>	1871, 380
	1879, 741	<i>Cyphorhinus dichrous</i> ..	1879, 487
<i>dupreana</i>	1879, 769		1879, 492
<i>minor</i>	1877, 116		1879, 549
<i>straminea</i>	1873, 248	<i>modulator</i>	1873, 256
	1879, 769		1879, 592
<i>Cynophis helena</i>	1871, 151	<i>phæocephalus</i>	1879, 492
	1871, 174		1879, 549
	1871, 223	<i>thoracicus</i>	1873, 256
<i>Cynopithecus niger</i>	1872, 721		1873, 257
	1872, 723		1874, 505
	1872, 724	<i>Cypræa annulus</i>	1871, 94
	1880, 302		1872, 83
<i>nigrescens</i>	1872, 723	<i>arabica</i>	1872, 83
<i>Cynopterus horsfieldii</i> ..	1872, 693	<i>asellus</i>	1872, 82
<i>latidens</i>	1878, 875	<i>australis</i>	1878, 867
<i>marginatus</i>	1871, 543	<i>bicolor</i>	1872, 85
	1872, 693	<i>caput-anguis</i>	1877, 186
	1873, 193	<i>caput-serpentis</i>	1872, 83
	1878, 877	<i>carneola</i>	1872, 82
<i>scherzeri</i>	1878, 875	<i>caurica</i>	1871, 94
<i>Cynthia ada</i>	1873, 686		1872, 85
	1874, 284	<i>clandestina</i>	1872, 84
	1877, 143	<i>commixta</i>	1871, 94
<i>arsinoë</i>	1873, 342		1872, 84
	1873, 686	<i>comptoni</i>	1872, 85
	1874, 284	<i>controversa</i>	1872, 82

	Page		Page
<i>Cypræa coxeni</i>	1873,	<i>Cypridina brenda</i>	1871,
	568	<i>globosa</i>	292
	1873,		1871,
	569		292
<i>coxi</i>	1872,	<i>interpuncta</i>	1871,
	617	<i>macandrei</i>	293
<i>cruenta</i>	1872,	<i>mariae</i>	1871,
	85		289
<i>cribraria</i>	1873,		1871,
	569		295
<i>decipiens</i>	1880,	<i>messinensis</i>	1871,
	482	<i>norvegica</i>	292
	1880,	<i>teres</i>	1871,
	485		289
<i>erosa</i>	1871,		1871,
	94		295
	1872,	<i>Cyprinus acra</i>	1873,
	85	<i>alepidotus</i>	745
<i>errones</i>	1872,	<i>ariza</i>	1873,
	85	<i>auratus</i>	745
<i>felina</i>	1872,	<i>auratus</i>	1875,
	82	<i>bacaila</i>	486
<i>fimbriata</i>	1871,	<i>bangon</i>	1871,
	94	<i>barila</i>	764
	1872,	<i>bata</i>	1873,
<i>flaveola</i>	82		746
	84		1871,
<i>gangrænosa</i>	1871,		637
	94		1871,
	1872,		762
	84		1871,
<i>helvola</i>	1878,		764
	816		765
<i>helvola</i>	1872,		1873,
	84	<i>boga</i>	746
<i>hirundo</i>	1872,	<i>brama</i>	1871,
	82	<i>cachius</i>	764
<i>hordacea</i>	1872,	<i>calbasu</i>	1875,
	68		486
<i>humphreysi</i>	1872,		1876,
	84	<i>carpio</i>	801
	1871,		1871,
	94	<i>catla</i>	764
	1872,	<i>cephalus</i>	1872,
<i>interstineta</i>	86		834
<i>isabella</i>	1872,		1875,
	82	<i>chagunio</i>	1871,
<i>limacina</i>	1872,		637
	86		1871,
<i>lutea</i>	1871,		764
	94		1872,
	1872,		875
<i>lynx</i>	83		1872,
<i>macula</i>	1872,		876
	82		1873,
<i>miliaris</i>	1872,		745
	85		1873,
	1877,	<i>chedra</i>	746
	186	<i>chedrio</i>	1873,
<i>moneta</i>	1872,	<i>chola</i>	746
	83	<i>cirrhosus</i>	1873,
<i>moniliaris</i>	1872,		745
	84	<i>cocsa</i>	1871,
<i>olivacea</i>	1872,		764
	85		1873,
<i>peasei</i>	1878,	<i>conchonius</i>	746
	731	<i>coriaceus</i>	1873,
	1878,	<i>curmuca</i>	472
	733		1873,
<i>piperata</i>	1872,		745
	85	<i>dero</i>	1871,
<i>poraria</i>	1872,		764
	84		1872,
<i>scurra</i>	1871,		876
	94		1873,
	1872,	<i>erythrophthalmus</i> ..	1875,
	83	<i>gobio</i>	486
<i>spurca</i>	1871,	<i>gohama</i>	1876,
	94		793
	1872,		1880,
	84		226
<i>squalina</i>	1872,	<i>gonius</i>	1871,
	83		764
<i>staphylæa</i>	1871,		
	94		
	1872,		
	86		
<i>subviridis</i>	1872,		
	84		
<i>tabescens</i>	1871,		
	94		
	1872,		
	83		
<i>thersites</i>	1880,		
	482		
	1880,		
	483		
<i>ursellus</i>	1872,		
	82		
<i>vanelli</i>	1872,		
	83		
<i>variolaria</i>	1872,		
	85		
<i>vitellus</i>	1872,		
	83		
<i>xanthodon</i>	1872,		
	84		
<i>Cypræovula umbilicata</i> ..	1872,		
	85		
	1877,		
	179		

	Page		Page
<i>Cyprinus kunta</i>	1873, 745	<i>Cypselus parvus</i>	1871, 316
	1873, 746		1878, 131
<i>macrolepidotus</i> ..	1873, 472	<i>pekinensis</i>	1871, 345
<i>morar</i>	1871, 764	<i>squamatus</i>	1873, 289
<i>mrigala</i>	1871, 764	<i>subfurcatus</i>	1871, 345
<i>nandina</i>	1871, 764		1874, 44
<i>nudus</i>	1873, 472		1879, 333
<i>nukta</i>	1873, 747		1880, 14
<i>perenurus</i>	1873, 708	<i>tectorum</i>	1871, 345
<i>phoxinus</i>	1875, 486		1874, 44
<i>reba</i>	1873, 744	<i>terræ-reginæ</i>	1874, 601
<i>rex</i>	1873, 472		1875, 582
<i>rutilus</i>	1875, 486	<i>tinus</i>	1871, 345
<i>sada</i>	1880, 226		1873, 668
<i>sarana</i>	1871, 764	<i>unicolor</i>	1871, 315
	1873, 745	<i>vittatus</i>	1871, 345
<i>sophore</i>	1873, 746	<i>Cyprina ruficollis</i>	1879, 601
<i>specularis</i>	1873, 472	<i>Cyrena africana</i>	1877, 718
<i>ticto</i>	1873, 746	<i>astartina</i>	1877, 718
<i>tinca</i>	1875, 486	(<i>Corbicula</i>) <i>radiata</i>	1877, 718
<i>Cypseloides fumigatus</i> . .	1873, 463	<i>Cyrestis acilia</i>	1877, 145
	1873, 471		1878, 646
	1873, 631	<i>adæmon</i>	1879, 158
<i>Cypselus affinis</i>	1871, 345		1879, 160
	1872, 419	<i>cocles</i>	1878, 698
	1879, 333		1878, 706
<i>alpinus</i>	1873, 463		1878, 829
	1873, 631		1878, 854
	1875, 344	<i>formosa</i>	1877, 585
<i>ambrosiacus</i>	1877, 302		1877, 624
<i>andicola</i>	1879, 626	<i>fratercula</i>	1877, 145
<i>apus</i>	1871, 345		1879, 158
	1872, 17	<i>ganescha</i>	1874, 269
	1872, 356	<i>lælia</i>	1877, 145
	1873, 463	<i>mænalis</i>	1879, 158
	1873, 631	<i>nivea</i>	1873, 343
	1875, 489	<i>rharia</i>	1873, 343
	1876, 509	<i>risa</i>	1878, 829
	1879, 770		1878, 854
<i>balstoni</i>	1879, 770	<i>sericeus</i>	1873, 343
<i>batassiensis</i>	1872, 420	<i>strigata</i>	1877, 145
	1873, 668	<i>thyodamas</i>	1874, 269
<i>gracilis</i>	1871, 315		1877, 813
	1872, 868		1878, 698
<i>infumatus</i>	1871, 345		1878, 706
	1874, 44		1878, 828
	1879, 333		1878, 854
	1879, 334	<i>Cyrtacanthacris puncti-</i>	
<i>lowi</i>	1879, 333	<i>pennis</i>	1871, 246
<i>melba</i>	1872, 419	<i>rubiginosa</i>	1871, 247
	1879, 764	<i>spissa</i>	1871, 247
<i>montivagus</i>	1879, 644	<i>Cyrtarachne furcata</i>	1877, 560
<i>mystaceus</i>	1877, 105		1877, 577
	1878, 81		1877, 578
<i>pacificus</i>	1871, 345	<i>hobsoni</i>	1877, 562
<i>pallidus</i>	1872, 356		1877, 577
	1878, 976		1877, 578
<i>parvus</i>	1871, 315	<i>longipes</i>	1877, 559

	Page		Page
<i>Cyrtarachne longipes</i> ..	1877, 560	<i>Dacelo gigantea</i>	1875, 489
	1877, 562		1877, 306
	1877, 577		1877, 312
	1877, 578		1880, 313
<i>Cyrtodactylus macula-</i>		<i>gigas</i>	1871, 2
<i>rius</i>	1871, 163		1872, 671
<i>philippinus</i>	1879, 76		1875, 582
<i>yarkandensis</i>	1872, 381	<i>grayi</i>	1877, 739
<i>Cyrtophora opuntiae</i> ..	1876, 576	<i>leachi</i>	1875, 531
	1876, 627		1875, 582
	1880, 321	<i>tyro</i>	1878, 94
<i>Cyrtostomus andamani-</i>		<i>Dachrys bipartita</i>	1877, 511
<i>cus</i>	1878, 620	<i>scutellaris</i>	1877, 512
<i>asiaticus</i>	1878, 620	<i>Dacnidea albiventris</i> ..	1874, 510
<i>aurora</i>	1878, 611	<i>leucogaster</i>	1874, 131
	1878, 620	<i>Dacnis analis</i>	1873, 259
<i>brevirostris</i>	1878, 620	<i>angelica</i>	1873, 259
<i>flammaxillaris</i>	1878, 620		1879, 597
<i>frenatus</i>	1878, 79	<i>cayana</i>	1873, 259
	1878, 97		1874, 510
	1878, 620		1875, 237
<i>jugularis</i>	1878, 620		1879, 496
	1878, 710		1879, 597
	1878, 951	<i>cerebicolor</i>	1879, 497
	1879, 72	<i>cyanater</i>	1879, 597
<i>lotenia</i>	1878, 620	<i>cycnocephalus</i>	1879, 597
<i>melanogaster</i>	1878, 81	<i>egregia</i>	1879, 497
<i>osea</i>	1878, 620	<i>flaviventer</i>	1879, 597
<i>pectoralis</i>	1875, 106	<i>flaviventris</i>	1873, 185
	1878, 620		1873, 259
	1879, 341	<i>melanotis</i>	1873, 185
<i>rhizophoræ</i>	1878, 620		1873, 259
<i>solaris</i>	1878, 620		1879, 597
	1878, 621	<i>modesta</i>	1874, 129
<i>zenobia</i>	1878, 81		1874, 510
	1878, 620	<i>pulcherrima</i>	1874, 510
<i>Cyrtotes maxillaris</i>	1879, 643	<i>venusta</i>	1878, 54
<i>Cystineura dorcas</i>	1878, 480		1879, 497
<i>Cystophora cristata</i>	1871, 508		1879, 549
	1873, 244	<i>xanthophthalma</i> ..	1874, 131
	1874, 247		1874, 510
<i>Cytherea dolabella</i>	1877, 720	<i>Dacrydium</i>	1879, 587
<i>sophiæ</i>	1877, 176	<i>hyalinum</i>	1879, 569
	1877, 177	<i>vitreum</i>	1879, 569
	1877, 192	<i>Dactylocalyx m'andrewii</i>	1875, 505
(<i>Gomphina</i>) <i>moer-</i>		<i>pratti</i>	1875, 505
<i>chi</i>	1872, 611	<i>pumicea</i>	1875, 506
	1872, 614	<i>Dactylomys typus</i>	1876, 743
<i>Daboia russellii</i>	1871, 153	<i>Dactylopterus chiroph-</i>	
<i>Dacelo cervina</i>	1873, 464	<i>thalmus</i>	1871, 663
	1873, 632	<i>orientalis</i>	1871, 663
<i>coronata</i>	1879, 129	<i>Dædalma dorinda</i>	1876, 215
<i>gaudichaudi</i>	1876, 460	<i>whitelyi</i>	1876, 215
	1878, 94		1876, 250
<i>gigantea</i>	1873, 464	<i>Dafila acuta</i>	1871, 418
	1873, 632		1872, 479
	1875, 344		1876, 391
			1876, 410

	Page		Page
<i>Dafila acuta</i>	1876, 411	<i>Damalis pygarga</i>	1877, 11
	1880, 318		1877, 12
	1880, 515	<i>Damonia unicolor</i>	1873, 517
	1880, 534	<i>Damophila amabilis</i>	1878, 71
<i>bahamensis</i>	1872, 367		1879, 530
	1872, 370	<i>Danais affinis</i>	1877, 467
	1876, 391		1878, 644
	1876, 393	<i>aglea</i>	1874, 265
	1876, 411		1878, 695
	1876, 412		1878, 706
	1877, 523		1878, 822
	1879, 243		1878, 853
	1880, 318	<i>agleoides</i>	1873, 337
	1880, 516		1877, 531
<i>cæsio-scapulata</i> ..	1876, 396		1877, 623
<i>erythrorhyncha</i> ..	1880, 515	<i>albata</i>	1871, 522
	1880, 534	<i>archippus</i>	1874, 275
<i>fulva</i>	1872, 370		1874, 330
<i>oxyura</i>	1874, 554		1877, 466
<i>pyrrhogaster</i>	1876, 381		1878, 480
<i>spinicauda</i>	1872, 367		1879, 156
	1872, 370	<i>australis</i>	1871, 80
	1873, 467		1874, 275
	1873, 639		1877, 141
	1876, 17		1879, 156
	1876, 392	<i>choaspes</i>	1871, 79
	1876, 411		1871, 80
	1876, 412	<i>chrysippus</i>	1871, 520
	1880, 515		1871, 521
<i>urophasianus</i>	1876, 392		1871, 722
	1876, 393		1874, 103
<i>viduata</i>	1872, 370		1874, 265
<i>Dama mesopotamica</i> ..	1875, 265		1877, 810
	1877, 17		1878, 638
	1877, 18		1878, 695
	1878, 887		1878, 706
	1878, 914		1878, 822
<i>vulgaris</i>	1875, 263		1878, 853
	1875, 265		1880, 405
	1875, 266	<i>citrina</i>	1878, 643
	1877, 17	<i>cleothera</i>	1874, 330
	1877, 18	<i>eleutho</i>	1878, 297
	1878, 893	<i>eresimus</i>	1876, 206
	1878, 913	<i>exprompta</i>	1879, 136
<i>Damalis albifrons</i>	1877, 12	<i>formosa</i>	1880, 183
<i>alciphron</i>	1877, 474		1880, 185
	1877, 598	<i>gloriola</i>	1878, 643
	1877, 626	<i>grammica</i>	1871, 522
	1878, 847		1877, 581
	1878, 857		1877, 623
	1879, 161		1879, 136
<i>concava</i>	1878, 4	<i>hamata</i>	1877, 467
<i>egens</i>	1880, 672	<i>hebridesia</i>	1875, 610
<i>plaginota</i>	1878, 847		1875, 619
	1878, 857	<i>hegisippus</i>	1878, 638
<i>pygarga</i>	1871, 625	<i>hermippus</i>	1876, 206
	1877, 4	<i>humata</i>	1875, 611
	1877, 8	<i>ino</i>	1871, 79

	Page
Danais insolata	1874, 275
jamaicensis	1878, 480
juventa	1873, 337
	1878, 637
	1879, 136
leonora	1871, 722
	1874, 275
	1875, 406
	1880, 183
leopardus	1877, 581
leucoptera	1875, 611
	1877, 141
limniace	1871, 79
	1871, 80
	1874, 103
	1874, 265
	1877, 141
	1877, 581
	1877, 623
	1878, 695
	1878, 706
	1880, 183
	1880, 666
	1880, 669
lotis	1873, 388
mariana	1874, 274
melaneus	1877, 810
	1878, 822
	1878, 853
melanippus	1874, 103
melanoleuca	1877, 581
	1877, 623
	1877, 631
melissa	1874, 275
melittula	1874, 275
	1875, 611
microsticta	1875, 611
moderata	1875, 611
	1876, 251
neptunia	1874, 275
nesippus	1877, 582
	1877, 623
obscurata	1874, 275
	1875, 611
persimilis	1879, 136
petiverana	1880, 183
philomela	1873, 337
	1878, 637
plexippus	1874, 103
	1874, 265
	1877, 582
	1877, 623
	1877, 810
	1878, 695
	1878, 706
	1878, 822
	1878, 853
	1879, 156

	Page
Danais plexippus	1880, 405
pumila	1874, 274
	1875, 610
	1875, 611
septentrionis	1875, 611
	1878, 822
	1878, 853
shenkii	1874, 274
similis	1871, 522
	1873, 338
	1874, 103
	1877, 810
	1878, 637
sobrina	1877, 141
	1879, 156
tytia	1877, 810
	1878, 822
	1878, 853
vitrina	1877, 582
vulgaris	1878, 822
	1878, 853
Danio devario	1880, 230
Danis taygetus	1877, 470
Daphnella fragilis	1879, 198
	1880, 416
fuscobalteata	1879, 196
interrupta	1879, 198
saturata	1879, 197
subzonata	1879, 197
	1879, 217
Daphnis hypothous	1875, 6
	1875, 7
pallescens	1875, 6
Daption capensis	1873, 35
	1873, 642
	1878, 737
	1879, 310
	1880, 164
Daptonura ælia	1872, 52
eubotea	1872, 52
eurymnia	1872, 52
evonima	1872, 53
isandra	1872, 52
leucadia	1872, 52
leucanthe	1872, 52
	1876, 244
limnoria	1872, 52
lycimnia	1872, 51
pantoporia	1872, 52
	1876, 244
peruviana	1872, 52
polyhymnia	1872, 51
salacia	1872, 52
Daraba paronalis	1877, 388
Dasychira horsfieldi	1879, 402
kausalia	1879, 401
strigata	1879, 402
Dasyctrota speciosa	1878, 114

	Page		Page
<i>Dasyrotapha speciosa</i> ..	1878, 281	<i>Dasyypus sexcinctus</i> ...	1878, 673
	1878, 282		1878, 674
	1878, 285		1878, 677
<i>Dasylophus cumingi</i> ..	1873, 522		1878, 678
<i>supercilliosus</i>	1871, 603		1878, 679
	1877, 691	<i>vellerosus</i>	1871, 545
<i>Dasyprocta acouchi</i> ..	1875, 491		1871, 546
<i>acouchy</i>	1874, 665		1878, 228
	1876, 351	<i>villosus</i>	1878, 229
	1876, 352		1872, 831
<i>aguti</i>	1874, 665		1875, 478
	1876, 350		1875, 491
	1876, 351		1875, 494
	1876, 352		1878, 228
	1880, 305		1878, 229
<i>albida</i>	1874, 665	<i>Dasyuris partheniata</i> ..	1877, 393
	1876, 352	<i>perornata</i>	1877, 393
<i>antillensis</i>	1874, 666	<i>rehata</i>	1877, 393
	1876, 348	<i>Dasyurus maugei</i>	1875, 491
<i>aurata</i>	1875, 491	<i>ursinus</i>	1875, 491
<i>azaræ</i>	1874, 665	<i>viverrinus</i>	1875, 491
	1876, 349	<i>Daudebardia isseliana</i> ..	1880, 94
	1876, 350		1880, 102
<i>caudata</i>	1876, 349		1880, 143
	1876, 350	<i>nubigena</i>	1880, 102
<i>cristata</i>	1874, 665	<i>rufa</i>	1880, 102
	1876, 348	<i>Deanea favoides</i>	1876, 535
	1876, 349		1876, 536
	1876, 351		1876, 540
	1876, 352	<i>virgultosa</i>	1875, 275
<i>croconota</i>	1876, 351		1875, 276
<i>exilis</i>	1876, 352		1875, 280
<i>fuliginosa</i>	1876, 349		1876, 535
	1876, 351		1876, 536
<i>isthmica</i>	1876, 347	<i>Debis europa</i>	1878, 706
<i>leptura</i>	1876, 352	<i>mekara</i>	1878, 824
<i>mexicana</i>	1876, 349	<i>Decelea bowreyi</i>	1878, 486
<i>nigra</i>	1876, 349	<i>Declana feredayi</i>	1877, 398
<i>nigricans</i>	1876, 349		1877, 407
<i>prymnolopha</i>	1876, 351	<i>floccosa</i>	1877, 382
<i>punctata</i>	1874, 665		1877, 398
	1876, 348	<i>Defrancia gracilis</i>	1879, 196
	1876, 350	<i>gracilispira</i>	1879, 196
<i>variegata</i>	1876, 348		1879, 217
<i>Dasyptilus pecqueti</i> ..	1876, 691	<i>texta</i>	1879, 195
<i>pesqueti</i>	1875, 30	<i>Deilemera artemis</i>	1878, 386
<i>Dasyypus giganteus</i>	1880, 402		1879, 162
<i>gigas</i>	1880, 402	<i>evergista</i>	1880, 673
<i>maximus</i>	1880, 402	<i>maculata</i>	1880, 673
<i>minutus</i>	1878, 228	<i>mutabilis</i>	1880, 673
	1878, 229	<i>pellex</i>	1878, 386
<i>septemcinctus</i>	1874, 245	<i>signata</i>	1878, 386
	1874, 246	<i>Deilephila cretica</i>	1880, 411
<i>sexcinctus</i>	1875, 491	<i>dahlia</i>	1880, 412
	1878, 226	<i>galii</i>	1871, 81
	1878, 227	<i>hippophaës</i>	1880, 412
	1878, 228	<i>lathyrus</i>	1880, 412
	1878, 229	<i>lineata</i>	1878, 483

	Page		Page
Deilephila livornica	1871, 81	Delias hippodamia	1872, 35
robertsi	1880, 412	horsfieldii	1872, 30
spinifascia	1880, 415	hyparete	1872, 31
tithymali	1871, 81	indica	1873, 355
Deiopeia ornatrix	1880, 412	indica	1871, 525
pulchella	1877, 87	indica	1872, 31
pulchella	1878, 298	indica	1874, 108
pulchella	1880, 414	indica	1878, 839
pulchella	1880, 671	indica	1878, 856
pulchella	1880, 671	inferna	1872, 34
speciosa	1878, 484	inferna	1877, 470
Deiphobe laticeps	1878, 580	inferna	1878, 734
ocellata	1878, 587	isse	1878, 734
ocellata	1878, 580	isse	1872, 34
Delattia henrici	1878, 68	ithiela	1872, 30
Delias aganippe	1872, 30	lorquinii	1872, 31
agostina	1872, 33	lucerna	1872, 30
apriate	1872, 29	luzoniensis	1872, 31
argenthona	1872, 31	luzoniensis	1880, 668
aruna	1872, 34	luzoniensis	1880, 669
autothisbe	1872, 28	momea	1872, 36
bagoë	1872, 33	mysis	1872, 32
bagoë	1874, 286	nigrina	1872, 36
belisama	1872, 34	ninus	1872, 29
belladonna	1872, 30	nysa	1872, 36
blanca	1872, 33	ochreopicta	1872, 30
cæneus	1872, 32	orphne	1872, 36
candida	1872, 35	pandemia	1872, 30
chrysomelæna	1872, 35	pandemia	1873, 355
chrysorrhæa	1872, 29	parthenope	1872, 29
crithoë	1872, 29	pasithoë	1872, 29
cruentata	1872, 32	pasithoë	1878, 839
descombesi	1871, 525	pasithoë	1878, 856
descombesi	1872, 34	peribcea	1872, 33
descombesi	1878, 839	philotis	1872, 32
descombesi	1878, 856	pocilea	1872, 35
dice	1872, 33	porsenna	1871, 525
dorimene	1872, 35	pyramus	1872, 29
dorylæa	1872, 35	rosenbergii	1872, 31
duris	1872, 33	sanaca	1872, 30
echidna	1872, 35	singhapura	1872, 33
echo	1872, 34	singhapura	1873, 355
egialea	1872, 29	sthenobæa	1872, 34
ennia	1872, 33	stollii	1872, 32
eucharis	1872, 28	themis	1872, 33
eucharis	1872, 32	thysbe	1872, 29
fragalactea	1872, 31	timorensis	1872, 35
furvus	1872, 36	tyche	1872, 29
gabia	1872, 33	zebuda	1872, 34
georgina	1872, 36	Delphax simulans	1877, 91
glauce	1872, 34	substitua	1877, 90
hæmorrhæa	1872, 31	vicaria	1877, 90
harpalyce	1872, 36	Delphinapterus leucas	1879, 667
henningia	1871, 325	Delphinus acutus	1876, 682
henningia	1872, 30	albirostris	1876, 685
herodias	1872, 35	albirostris	1876, 679
hierte	1872, 31	albirostris	1876, 682
hierte	1872, 32	albirostris	1876, 683
hierte	1874, 108	albirostris	1876, 684

	Page		Page
Delphinus albirostris ..	1876, 685	Dendrocitta sinensis ...	1872, 862
	1876, 691		1873, 667
delphis	1879, 382		1880, 312
	1879, 383	—, var. formosæ .	1871, 382
epiodon	1876, 477	vagabunda	1880, 312
globiceps	1875, 249	Dendrocolaptes albicollis	1877, 450
	1875, 494		1879, 622
griseus	1871, 506	atrirostris	1879, 622
	1877, 809	bivittatus	1879, 623
leucopleurus	1878, 682	cayennensis	1879, 622
longirostris	1872, 586	certhia	1879, 622
phocæna	1875, 492	chuncotambo	1871, 86
	1875, 494	guttatus	1879, 622
rissoanus	1871, 506	lafresnayanus	1879, 623
supercilius	1873, 603	major	1879, 622
tursio	1876, 682	ocellata	1871, 86
	1879, 386	palliata	1871, 86
Deltocephalus obliquus .	1877, 91	procurvus	1879, 623
Deltocyathus italicus ..	1876, 428	puncticollis	1878, 60
orientalis	1876, 428	radiolatus	1873, 271
	1876, 429	rectirostris	1879, 644
	1876, 430	sancti-thomæ	1878, 60
	1876, 431	sylviellus	1879, 622
	1876, 442	validus	1873, 271
Demiegretta asha.....	1872, 477		1874, 529
greyi	1877, 342		1875, 237
jugularis	1877, 342		1879, 523
sacra	1877, 536	weddelli	1871, 86
	1877, 537	Dendrocora fissipara...	1876, 429
	1877, 551		1876, 430
	1879, 352		1876, 439
Dendrobates brucii	1871, 134		1876, 442
cardinalis	1871, 135	Dendrocycna arborea ..	1880, 509
flaviscapus	1871, 135	arcuata	1880, 510
namaquus	1871, 134		1880, 534
Dendrobiastes basilani-		autumnalis	1880, 509
cus	1878, 114	discolor	1880, 509
Dendrochelidon comata .	1879, 334	eytoni	1880, 510
coronata	1873, 463		1880, 535
	1873, 631	fulva	1880, 508
	1879, 335		1880, 509
coronatus	1872, 420		1880, 510
longipennis	1879, 246	guttulata	1880, 509
	1879, 334		1880, 534
mystacea	1877, 105	major.....	1880, 510
	1878, 289		1880, 534
	1878, 290	vagans	1880, 510
	1879, 10		1880, 534
	1879, 447		1880, 535
	1880, 65	viduata	1880, 509
Dendrocincla atrirostris	1877, 332		1880, 534
	1879, 622	Dendrocycna arborea ..	1875, 488
merula	1873, 271		1876, 375
tyrannina	1879, 523		1880, 509
Dendrocitta formosæ ..	1871, 382	arcuata	1872, 479
	1873, 667		1876, 372
sinensis	1871, 382		1880, 15

	Page		Page		
<i>Dendrocygna arcuata</i> ..	1880,	510	<i>Dendroeca aestiva</i>	1879,	494
<i>autumnalis</i>	1873,	304	<i>aureola</i>	1877,	66
	1873,	467		1877,	744
	1873,	639	<i>blackburniæ</i>	1874,	508
	1875,	488		1878,	52
	1876,	373		1879,	223
	1876,	375		1879,	494
	1876,	410	<i>cærulea</i>	1874,	508
	1878,	44		1879,	494
	1880,	509		1879,	594
<i>discolor</i>	1876,	375	<i>canadensis</i>	1874,	508
	1876,	410		1879,	223
	1880,	509	<i>castanea</i>	1879,	494
<i>ytoni</i>	1876,	372	<i>pennsylvanica</i>	1878,	52
	1877,	346	<i>petechia</i>	1871,	124
	1877,	347		1874,	174
<i>tulva</i>	1872,	367	<i>pharetra</i>	1879,	552
	1873,	467	<i>vieilloti</i>	1878,	52
	1873,	639	<i>virens</i>	1879,	552
	1874,	167	<i>Dendrolagus inustus</i> ...	1875,	49
	1876,	300		1875,	51
	1876,	372		1875,	56
	1876,	373		1875,	491
	1876,	409	<i>ursinus</i>	1875,	51
	1876,	410	<i>Dendromanthus macula-</i>		
	1880,	509	<i>tus</i>	1877,	696
<i>gouldi</i>	1877,	346	<i>Dendronessa sponsa</i>	1875,	488
<i>guttulata</i>	1880,	509	<i>Dendrophila flavipes</i> ..	1873,	678
<i>javanica</i>	1872,	479	<i>frontalis</i>	1872,	435
	1872,	480	<i>cenochlamys</i>	1877,	756
<i>major</i>	1876,	373		1877,	762
	1880,	510	<i>Dendrophis caudolineata</i>	1872,	590
<i>vagans</i>	1875,	30		1879,	78
	1875,	440	<i>dumerilii</i>	1872,	590
	1877,	346	<i>formosa</i>	1872,	590
	1877,	769	<i>macrops</i>	1877,	128
	1877,	834		1877,	131
	1878,	346	<i>philippinensis</i>	1879,	78
	1878,	712	<i>picta</i>	1871,	152
	1878,	954		1871,	183
	1880,	510		1872,	590
<i>viduata</i>	1872,	367	—, var. <i>andama-</i>		
	1873,	304	<i>nensis</i>	1871,	152
	1873,	467		1871,	184
	1873,	639	<i>pictus</i>	1877,	686
	1875,	68	<i>solomonis</i>	1877,	128
	1875,	488		1877,	131
	1876,	360	<i>Dendropicus cardinalis</i> ..	1873,	716
	1876,	376	<i>goertæ</i>	1878,	131
	1876,	410	<i>immaculata</i>	1873,	717
	1880,	509	<i>Dendroplex similis</i>	1873,	272
<i>Dendrodoris grandiflora</i> .	1877,	211	<i>Dendrornis chuncho-</i>		
<i>limbata</i>	1877,	243	<i>tambo</i>	1874,	529
<i>setigera</i>	1877,	211	<i>elegans</i>	1873,	271
<i>tuberculata</i>	1877,	204	<i>erythropygia</i>	1875,	235
<i>Dendroeca adelaidæ</i>	1871,	269	<i>guttata</i>	1874,	529
	1872,	649		1879,	622
	1878,	52	<i>lacrymosa</i>	1879,	523

	Page		Page
<i>Dendromis lacrymosa</i> ..	1879, 549	<i>Deudorix jarbas</i>	1878, 834
<i>multiguttata</i>	1873, 271	<i>lankana</i>	1879, 141
	1873, 272	<i>lazulina</i>	1879, 140
<i>ocellata</i>	1871, 86	<i>melampus</i>	1878, 834
	1873, 185	<i>nissa</i>	1874, 272
	1873, 271		1879, 141
	1874, 529	<i>orseis</i>	1873, 353
<i>palliata</i>	1875, 271		1877, 589
<i>pardalotus</i>	1879, 622		1879, 140
<i>rostri-pallens</i>	1873, 271	<i>petosiris</i>	1874, 107
<i>susurrans</i>	1878, 60	<i>rectivitta</i>	1879, 141
<i>triangularis</i>	1879, 523	<i>schistacea</i>	1879, 140
	1879, 622		1879, 141
<i>Dendrotyx leucophrys</i> ..	1878, 40	<i>selira</i>	1874, 272
	1878, 42		1880, 149
<i>Dendrotrogon hodgsonii</i>	1871, 397	<i>suffusa</i>	1878, 834
<i>Dendrotypes nesiotes</i> ..	1871, 392		1878, 855
<i>Dentalium inversum</i> ..	1871, 738		1878, 858
<i>octagonum</i>	1878, 868	<i>timoleon</i>	1873, 353
<i>Dentex rivulatus</i>	1871, 658	<i>varuna</i>	1879, 140
<i>Depressaria moderatella</i>	1877, 406	<i>xenophon</i>	1878, 834
<i>Dercas gobrias</i>	1873, 356	<i>Diabrotica angulicollis</i> ..	1880, 604
<i>Dermatemys abnormis</i> ..	1871, 745	<i>atriventris</i>	1880, 606
<i>Dermatochelys coriacea</i>	1872, 588		1880, 609
<i>Dermestes vulpinus</i> ...	1877, 81	<i>basalis</i>	1880, 605
<i>Dermophrys jagori</i> ...	1877, 549		1880, 609
<i>Dermorrhytis caerulea</i> ..	1877, 514	<i>costatipennis</i>	1878, 996
<i>Dero-ca maculata</i>	1872, 575	<i>dimidiata</i>	1880, 602
<i>Deropterus accipitrinus</i> ..	1876, 692		1880, 609
<i>Desis mertensii</i>	1879, 687	<i>discoidalis</i>	1880, 603
<i>robsoni</i>	1879, 688		1880, 609
<i>Desmacion fistulosa</i> ..	1873, 19	<i>divisa</i>	1880, 605
	1873, 20	<i>eximia</i>	1880, 604
	1873, 24	<i>fenestralis</i>	1879, 791
<i>folioides</i>	1875, 295	<i>flavonotata</i>	1880, 604
	1875, 296		1880, 609
<i>jeffreysii</i>	1873, 20	<i>foveipennis</i>	1879, 790
<i>plumosa</i>	1876, 768	<i>fuscomaculata</i>	1878, 994
	1876, 774	<i>fuscomarginata</i>	1878, 149
<i>rotalis</i>	1875, 276	<i>generosa</i>	1880, 605
<i>venusta</i>	1875, 296	<i>gracilis</i>	1878, 150
<i>Desmia orbalis</i>	1878, 493		1878, 151
<i>prognealis</i>	1878, 493	<i>imitans</i>	1879, 791
<i>Desmogramma margi-</i>		<i>jansoni</i>	1878, 994
<i>nella</i>	1880, 600	<i>limbata</i>	1877, 81
	1880, 609		1877, 82
<i>Desmophyllum cailleti</i> ..	1880, 42	<i>marginata</i>	1878, 151
<i>crista-galli</i>	1880, 42	<i>marginella</i>	1879, 789
<i>lamprotichum</i>	1880, 41	<i>mexicana</i>	1878, 149
	1880, 42	<i>multipunctata</i>	1878, 149
<i>Deudorix domitia</i>	1873, 353	<i>nigrolineata</i>	1878, 149
<i>epijarbas</i>	1873, 353	<i>nigromaculata</i>	1878, 150
	1874, 272	<i>nigroplagiata</i>	1880, 604
	1877, 589		1880, 609
	1877, 625	<i>nigrovittata</i>	1878, 995
	1878, 834	<i>novemmaculata</i> ..	1878, 993
<i>grisea</i>	1879, 140	<i>peruana</i>	1878, 151
		<i>puncticollis</i>	1880, 603

	Page		Page
<i>Diabrotica puncticollis</i>	1880,	<i>Diadema jacintha</i>	1877,
<i>quadrimaculata</i> ...	1880,		624
	1880,	<i>kezia</i>	1877,
<i>regalis</i>	609		812
<i>sexplagiata</i>	1880,	<i>lasanassa</i>	1880,
<i>sexpunctata</i>	604		667
<i>translucida</i>	1878,	<i>lutescens</i>	1874,
	151		281
<i>tripunctata</i>	1878,		282
	148	<i>manilia</i>	1874,
<i>variolosa</i>	1880,		283
	609	<i>misippus</i>	1874,
	1880,		291
<i>ventricosa</i>	603	<i>monteironis</i>	1874,
	1880,	<i>montrouzieri</i>	1874,
<i>verrucosa</i>	609		281
	1878,		282
<i>viridimaculata</i>	151	<i>nerina</i>	1874,
<i>waterhousei</i>	1880,		281
	603		282
<i>Diacria mucronata</i>	1880,		613
	609		1874,
<i>Diadema alcmene</i>	1878,		282
	148		1875,
	1879,		613
<i>alimena</i>	790		1875,
	1878,		620
	151		1876,
	1880,		251
	603		1878,
	1880,		297
<i>antevorta</i>	609		647
<i>anthedon</i>	1878,	<i>octocula</i>	1874,
<i>antilope</i>	647		283
<i>auge</i>	1879,	<i>otaheitæ</i>	1876,
	703		252
	1879,	<i>pallescens</i>	1874,
	703		281
	1875,		1878,
	409		297
	1873,	<i>pandarus</i>	1874,
	343		282
	1874,	<i>parva</i>	1875,
	281	<i>perryi</i>	1875,
	1874,		619
	282		1875,
	1875,		619
	620		1877,
	1877,	<i>philippensis</i>	144
	812		1874,
	1878,		282
	297	<i>porphyria</i>	1877,
	1879,	<i>priscilla</i>	812
	652	<i>proserpina</i>	1874,
<i>avia</i>	1874,		281
	270		1874,
	1874,		282
	282		1875,
	1877,	<i>pulchra</i>	613
	812		1874,
	1878,		281
	699		1874,
	1878,		282
	706		1875,
<i>beckeri</i>	1879,		613
	707		1874,
<i>biangulata</i>	1871,		281
<i>bolina</i>	475		1874,
	1874,		282
	105		1875,
	1874,		613
	270		1874,
	1874,		281
	282		1874,
	1877,		282
	585		1874,
	1877,		291
	624	<i>rotilla</i>	1871,
	1879,	<i>salmaces</i>	475
	157		1875,
<i>dinarba</i>	1879,		409
	704		1879,
<i>diomea</i>	1874,		704
	282	<i>setosum</i>	1879,
<i>dubium</i>	1879,		252
	704	<i>unicolor</i>	1877,
<i>dubius</i>	1875,		144
	409		1877,
<i>formosa</i>	1874,		151
	283	<i>velleda</i>	1877,
	1876,		469
	252	<i>Diaea candicans</i>	1876,
<i>inexpectata</i>	1877,		580
	144		1876,
	1879,		627
	157	<i>diana</i>	1876,
<i>jacintha</i>	1874,		580
	270		1876,
	1874,		581
	282		1876,
	1877,		627
	585	<i>globosa</i>	1876,
			629

	Page		Page
Diagramma obscurum	1871, 653	Dicæum rubriventer	1877, 829
	1871, 657	rubriventre	1877, 763
Diala cornea	1875, 538		1878, 111
imbricata	1875, 538		1878, 950
	1878, 867	schistaceum	1878, 107
lauta	1875, 538		1878, 111
leithii	1875, 539	trigonostigma	1875, 106
monile	1875, 538		1877, 698
pagodula	1875, 538		1879, 343
phasianella	1875, 538	vulneratum	1878, 82
picta	1875, 538	xanthopygium	1877, 687
	1875, 540		1877, 698
	1878, 867	Dichirotrichus alticola	1878, 713
pulchra	1875, 538	Dichocrosis frenatalis	1877, 616
rutilabris	1875, 538		1877, 629
simplex	1875, 538	Dichodon cuspidatus	1876, 6
sulcifera	1875, 538	Dicholophus cristatus	1875, 488
suturalis	1875, 538	Dichorragia nesimachus	1873, 346
varia	1875, 538	Dicælus flohri	1878, 589
	1878, 867	Dicotyles torquatus	1875, 492
(Alaba) tenuis	1875, 538		1875, 494
Dianthecia pictula	1877, 386	Dicranostreptus mega-	
Diaphana brazieri	1877, 175	rhynchus	1877, 101
	1877, 177		1878, 289
	1877, 189		1878, 671
Dias longiremis	1878, 330	Dicrocercus hirundina-	
Diasemia geometralis	1880, 683	ceus	1878, 355
Dibaphus edentulus	1872, 843	Dicruropsis assimilis	1878, 96
Dicæum æneum	1877, 102	megalornis	1878, 88
cinereigulare	1877, 817	Dicrurus albirictus	1871, 377
	1877, 829	annecteus	1879, 246
	1878, 950		1879, 336
coccineum	1879, 343	assimilis	1878, 96
croceoverter	1879, 343	balicassius	1873, 526
cruentatum	1871, 349		1877, 545
dorsale	1877, 698		1877, 693
	1877, 763		1878, 614
	1877, 829	bimaensis	1880, 15
everetti	1878, 107	bracteatus	1877, 102
	1878, 111	carbonarius	1877, 102
eximium	1877, 102	cathæcus	1871, 377
hæmatostictum	1878, 286	cineraceus	1871, 378
hirundinaceum	1875, 598	cinerascens	1871, 378
	1878, 125	divaricatus	1873, 714
hypoleucum	1877, 547		1878, 357
	1879, 72	forficatus	1875, 66
mindanense	1877, 537		1877, 297
	1877, 547		1877, 302
minimum	1872, 434		1879, 677
minullum	1871, 349	læmostictus	1877, 101
	1873, 668		1878, 615
modestum	1878, 380		1879, 447
	1878, 381	leucophæus	1871, 378
nigrimentum	1879, 343		1878, 615
retrocinctum	1877, 698	leucops	1873, 462
	1877, 763		1878, 615
rubriventer	1877, 698	macrocerus	1871, 377
	1877, 763		1873, 650

	Page		Page
<i>Dicrurus madagascari-</i>		<i>Dictiopicus jardinei</i>	1878, 49
<i>ensis</i>	1877, 302	<i>Didelphys azaræ</i>	1874, 125
<i>marginatus</i>	1878, 339	<i>cancrivora</i>	1877, 32
<i>megalornis</i>	1878, 88	<i>cinerea</i>	1875, 491
<i>megarhynchus</i>	1877, 101	<i>crassicaudata</i>	1880, 403
<i>mirabilis</i>	1878, 615	<i>derbiana</i>	1877, 32
<i>palawanensis</i>	1873, 526	<i>murina</i>	1880, 403
<i>pectoralis</i>	1877, 756	<i>orientalis</i>	1880, 403
<i>striatus</i>	1877, 759	<i>ornata</i>	1877, 126
<i>sumatranus</i>	1878, 284	<i>penicillata</i>	1880, 403
<i>waldeni</i>	1878, 614	<i>quica</i>	1880, 459
<i>Diecte coruscifasciella</i> ..	1878, 611	<i>virginiana</i>	1875, 157
<i>Dietyna benigna</i>	1878, 614	<i>Didonis aganisa</i>	1875, 491
<i>conducta</i>	1878, 615	<i>biblis</i>	1876, 229
<i>conducens</i>	1877, 102	<i>pasira</i>	1876, 229
<i>consecuta</i>	1878, 88	<i>Didunculus strigirostris</i> .	1874, 347
<i>innocens</i>	1878, 615	<i>carbonaria</i>	1871, 22
<i>puta</i>	1877, 537	<i>glauca</i>	1873, 468
<i>uncinata</i>	1877, 545	<i>brunneiventris</i>	1873, 474
<i>variabilis</i>	1877, 826	<i>baritula</i>	1873, 639
<i>Dictyocylindrus denta-</i>	1878, 109	<i>aterrima</i>	1874, 183
<i>tus</i>	1878, 380	<i>carbonaria</i>	1874, 186
<i>hispidus</i>	1878, 614	<i>glauca</i>	1874, 250
<i>setosus</i>	1878, 948	<i>brunneiventris</i>	1874, 256
	1879, 70	<i>carbonaria</i>	1874, 256
	1880, 15	<i>glauca</i>	1874, 605
	1877, 298	<i>brunneiventris</i>	1875, 495
	1877, 302	<i>carbonaria</i>	1876, 462
	1880, 78	<i>glauca</i>	1876, 496
	1880, 79	<i>brunneiventris</i>	1876, 496
	1872, 261	<i>Didus ineptus</i>	1871, 299
	1872, 262	<i>carbonaria</i>	1874, 447
	1872, 348	<i>glauca</i>	1875, 349
	1876, 556	<i>brunneiventris</i>	1876, 333
	1876, 626	<i>Diemenia mülleri</i>	1877, 128
	1876, 629	<i>Digama figurata</i>	1878, 5
	1876, 556	<i>hearseyana</i>	1878, 4
	1876, 626	<i>insulana</i>	1878, 5
	1876, 629	<i>similis</i>	1878, 5
	1872, 261	<i>Digenia superciliaris</i> ..	1871, 381
	1872, 262	<i>Diglossa albilateralis</i> ..	1879, 224
	1872, 348	<i>carbonaria</i>	1879, 496
	1872, 348	<i>glauca</i>	1879, 496
	1876, 555	<i>brunneiventris</i>	1880, 193
	1876, 626	<i>aterrima</i>	1879, 224
	1872, 261	<i>baritula</i>	1880, 193
	1872, 348	<i>brunneiventris</i>	1873, 462
	1876, 555	<i>carbonaria</i>	1873, 780
	1876, 626	<i>glauca</i>	1874, 511
	1872, 261	<i>brunneiventris</i>	1874, 677
	1872, 348	<i>carbonaria</i>	1879, 225
	1872, 261	<i>glauca</i>	1879, 496
	1872, 261	<i>brunneiventris</i>	1879, 549
	1872, 348	<i>carbonaria</i>	1879, 596
<i>Dictyocylindrus denta-</i>	1873, 321	<i>glauca</i>	1879, 596
<i>tus</i>	1873, 321	<i>brunneiventris</i>	1879, 596
<i>hispidus</i>	1873, 325	<i>carbonaria</i>	1879, 596
<i>setosus</i>	1873, 325	<i>glauca</i>	1879, 596
	1873, 326	<i>brunneiventris</i>	1879, 596
	1873, 332	<i>carbonaria</i>	1879, 596
		<i>glauca</i>	1874, 130

	Page		Page
<i>Diglossa pectoralis</i>	1874, 511	<i>Diodon bidentatus</i>	1879, 638
<i>personata</i>	1874, 511	<i>Diomedea</i> , sp.	1879, 310
	1876, 253	<i>albatrus</i>	1871, 422
	1879, 496	<i>brachyura</i>	1871, 422
	1879, 550		1873, 786
	1879, 596		1878, 740
	1880, 193	<i>chlorohyncha</i>	1880, 165
<i>plumbea</i>	1876, 253	<i>demersa</i>	1878, 653
	1878, 54	<i>derogata</i>	1873, 786
<i>sittoides</i>	1874, 511	<i>exulans</i>	1878, 740
	1879, 496		1879, 310
	1879, 596		1880, 165
<i>Diglossopsis cærulescens</i>	1874, 511	<i>fuliginosa</i>	1871, 422
	1879, 225		1878, 740
	1879, 496		1880, 165
<i>Dilipa morgiana</i>	1874, 271	<i>melanophrys</i>	1876, 506
<i>Dilophonota domingonis</i>	1875, 258		1877, 348
<i>ello</i>	1878, 483		1878, 740
<i>obscura</i>	1875, 258		1879, 310
	1875, 259	<i>nigripes</i>	1871, 422
<i>cenotrus</i>	1878, 484		1873, 785
<i>omphaleæ</i>	1875, 259	<i>Dione floridella</i>	1871, 727
	1878, 484	<i>juno</i>	1874, 350
<i>Dilophus carunculatus</i> ..	1871, 133	<i>moneta</i>	1874, 349
<i>Dilophyrus grandis</i>	1872, 589	<i>tellinæformis</i>	1871, 727
<i>Diludia brevimargo</i>	1875, 12	<i>vanillæ</i>	1874, 350
<i>chromapteris</i>	1877, 168		1878, 481
<i>discistriga</i>	1875, 13	<i>virgo</i>	1871, 727
	1875, 260	<i>Diophthalma lagora</i>	1874, 352
<i>florestan</i>	1875, 12	<i>telegone</i>	1874, 352
<i>grandis</i>	1875, 260	<i>Dioplodon seychellensis</i>	1871, 630
<i>incerta</i>	1875, 13	<i>Diorhina periander</i>	1876, 237
<i>lichenea</i>	1875, 12	<i>psecas</i>	1876, 237
	1875, 13	<i>Dipelicus cantori</i>	1877, 153
<i>melanomera</i>	1875, 13	<i>nasutus</i>	1877, 153
<i>natalensis</i>	1875, 3		1877, 159
<i>obliqua</i>	1875, 260	<i>Diphlogæna aurora</i>	1879, 630
<i>rubescens</i>	1875, 623		1880, 204
<i>rufescens</i>	1875, 12	<i>iris</i>	1879, 629
	1875, 260	<i>warszewiczi</i>	1880, 204
	1875, 623	<i>Diphyllodes gulielmi</i>	
<i>vates</i>	1875, 13	<i>tertii</i>	1875, 31
<i>Dinops cestonii</i>	1876, 719		1878, 792
<i>Dinornis casuarinus</i>	1875, 88	<i>respublica</i>	1875, 31
<i>crassus</i>	1872, 605	<i>speciosa</i>	1873, 559
	1875, 88		1873, 697
<i>didiformis</i>	1875, 88		1875, 30
<i>elephantopus</i>	1875, 88		1875, 31
<i>gravis</i>	1872, 605	<i>Diplax striolata</i>	1877, 86
	1875, 88	<i>Diploharpus exstriatus</i> .	1878, 601
<i>ingens</i>	1875, 88	<i>Diplommatina canarica</i> .	1875, 442
<i>maximus</i>	1873, 210		1875, 453
	1875, 88	<i>carneola</i>	1875, 442
	1875, 634	<i>concinna</i>	1872, 13
<i>rheides</i>	1875, 88		1872, 15
<i>robustus</i>	1875, 88	<i>crosseana</i>	1879, 738
<i>struthioides</i>	1875, 88		1879, 740
<i>Diochares fimbriatus</i> ..	1877, 157	<i>gowllandi</i>	1874, 670

	Page		Page
Diplommatinagowllandi	1874, 671	Dipsas multimaculata ..	1872, 591
	1874, 672	nigromarginata....	1871, 186
gracilis	1875, 442	nuchalis.....	1875, 233
	1875, 453	odata	1874, 272
huttoni	1875, 319	trigonata	1871, 187
	1875, 321	valida	1874, 442
	1875, 322	Diptychus dybowskii ..	1876, 801
minima,	1875, 442		1876, 803
	1875, 453	maculatus	1876, 792
taviensis	1876, 101		1876, 799
(Nicida) anamallay-		sewerzowi	1876, 792
ana.....	1875, 443		1876, 801
	1875, 453	Dipus ægyptius	1875, 492
(—) ceylanica ..	1875, 444	Dircema rufipennis	1880, 607
	1875, 453		1880, 609
(—) pedronis ..	1875, 443	Dircenna deryllidas ..	1879, 150
	1875, 453	euchytma	1874, 332
(—) subovata ..	1875, 443	gonussa	1874, 331
	1875, 453	klugii.....	1874, 331
(Palaina) mirabilis.	1879, 739	lonera	1874, 331
	1879, 740	olyras.....	1874, 331
(—) nevilli	1879, 739	relata.....	1874, 331
(—) superba....	1879, 739	rhœca	1876, 206
	1879, 740	xenos	1874, 332
Diplopelma berdmorei..	1871, 153	zelie	1876, 206
	1871, 202	Dirphia lancea	1871, 83
interlineatum	1871, 153	ursina	1871, 83
	1871, 202	venata	1871, 81
ornatum	1875, 568		1871, 83
pulchrum	1871, 202	Discina atlantica	1878, 400
	1875, 568		1878, 415
Diplophysa labiata	1876, 801		1878, 416
strauchii	1876, 801		1879, 588
Diplopterus nævius	1876, 17	fallens	1878, 415
	1879, 537	norvegica	1878, 415
	1880, 210	ostreoides	1878, 415
Dipsas boops.....	1872, 591	stella	1871, 300
bubalina	1871, 186		1871, 311
	1871, 187		1871, 312
cynodon	1872, 590	Discognathus lamta	1876, 793
	1879, 78		1880, 226
dendrophila	1872, 590	Discophora celinde	1877, 583
	1879, 78		1877, 624
forsteni	1871, 152		1878, 827
	1871, 187	cheops	1873, 341
—, var. ceylonensis	1871, 174	necho.....	1878, 827
	1871, 187		1878, 854
gokool	1875, 233	tullia	1873, 341
hexagonota	1871, 152		1878, 826
	1871, 185		1878, 854
	1871, 187	zal	1878, 826
icana	1874, 575		1878, 854
	1874, 579	Dismorphia amphione ..	1874, 362
irregularis.....	1877, 128	citrinella	1874, 363
monticola	1871, 188	cordillera	1874, 362
multifasciata	1871, 185	deione	1874, 362
	1871, 186	fortunata	1874, 363
	1871, 187	hagaresa	1874, 362

	Page		Page
<i>Dismorphia lubina</i>	1874, 362	<i>Doleschallia bisaltide</i> ..	1875, 612
<i>lunina</i>	1874, 362	<i>browni</i>	1875, 613
<i>nemesis</i>	1874, 362	1877, 145
.	1876, 244	1877, 150
<i>othoë</i>	1874, 363	1879, 158
<i>pallidula</i>	1874, 363	<i>comrii</i>	1878, 643
<i>sororna</i>	1874, 362	1878, 646
<i>virgo</i>	1874, 362	1880, 613
<i>viridifascia</i>	1874, 362	<i>dascon</i>	1880, 612
<i>Disonycha erichsoni</i>	1879, 439	1880, 613
<i>tristis</i>	1879, 440	1880, 614
<i>Dissemurus edoliiformis</i>	1872, 439	<i>dascylus</i>	1880, 612
<i>lophorhinus</i>	1872, 405	1880, 614
.	1872, 439	<i>herrichii</i>	1875, 612
<i>malabaricus</i>	1872, 439	1877, 145
<i>Dissura episcopus</i>	1878, 633	<i>montrouzieri</i>	1875, 613
<i>maguari</i>	1878, 633	1876, 251
<i>Distichopora rosea</i>	1871, 281	1877, 145
<i>Diuca cinerea</i>	1872, 550	<i>polibete</i>	1875, 613
<i>minor</i>	1872, 537	1877, 145
.	1872, 540	<i>pratipa</i>	1877, 584
.	1872, 548	1877, 624
.	1872, 549	1878, 828
.	1872, 550	1878, 854
<i>speculifera</i>	1874, 521	<i>Dolgoma angulifera</i>	1878, 20
.	1879, 606	<i>brunnea</i>	1878, 20
<i>Diucopsis speculigera</i> ..	1873, 260	1878, 37
.	1873, 263	<i>reticulata</i>	1878, 20
.	1880, 198	<i>Dolichodon traversii</i> ..	1877, 684
<i>Diva vassori</i>	1875, 234	<i>Dolichomitus longicauda</i>	1877, 411
.	1879, 226	1877, 412
.	1879, 498	1877, 413
<i>Docema galapagoëse</i> ..	1877, 81	<i>Dolichonyx orizivora</i> ..	1876, 16
.	1877, 82	<i>oryzivorus</i>	1875, 481
<i>Docimastes ensifer</i>	1873, 189	1875, 490
.	1874, 677	1875, 494
.	1875, 235	1879, 509
<i>ensiferus</i>	1874, 543	<i>Dolichotis patachonica</i> ..	1875, 636
.	1880, 204	<i>patagonica</i>	1876, 461
<i>Doclea gracilipes</i>	1879, 29	1876, 462
<i>orientalis</i>	1879, 19	<i>salinicola</i>	1875, 635
.	1879, 28	1876, 461
.	1879, 61	1876, 462
<i>Dodona durga</i>	1874, 271	<i>Doliornis sclateri</i>	1874, 136
<i>Dogania güntneri</i>	1873, 56	1874, 541
.	1873, 58	<i>Dolium melanostoma</i> ..	1871, 585
<i>subplana</i>	1873, 57	<i>perdix</i>	1877, 138
.	1873, 60	<i>Dolomedes consocius</i> ..	1872, 320
<i>Dolabrifera brazieri</i>	1871, 98	1872, 350
.	1871, 321	<i>fimbriatus</i>	1876, 597
.	1877, 190	<i>hippomane</i>	1876, 629
<i>pacifica</i>	1871, 99	<i>mirabilis</i>	1872, 321
<i>Dolba hartwegii</i>	1875, 259	<i>Domicella atricapilla</i> ..	1878, 79
<i>hylæus</i>	1875, 259	<i>cyanauchen</i>	1878, 79
<i>Doleschallia australis</i> ..	1877, 145	<i>fringillacea</i>	1877, 772
.	1877, 468	1877, 783
<i>bisaltide</i>	1873, 342	<i>hypœnochroa</i>	1879, 17
.	1874, 280	<i>hypoinochroa</i>	1876, 460

	Page		Page
<i>Domicella kuhli</i>	1876,	<i>Dorcopsis luctuosa</i>	1877,
<i>lory mysorensis</i> ..	1878,		1877,
<i>rubiginosa</i>	1872,	<i>muelleri</i>	1875,
<i>rubra</i>	1878,		1875,
<i>schlegeli</i>	1878,		1875,
<i>scintillata</i>	1878,		1875,
<i>solitaria</i>	1877,		1875,
<i>Dominicanus antipodum</i>	1878,		1875,
<i>antipodus</i>	1878,		1877,
<i>azaræ</i>	1878,	<i>Doridigitata bertheloti</i> ..	1877,
<i>fritzei</i>	1878,	<i>verrucosa</i>	1877,
<i>fuscescens</i>	1878,	<i>Doridopsis affinis</i>	1877,
<i>fuscus</i>	1878,	<i>atromaculata</i>	1877,
<i>marinus</i>	1878,	<i>aurea</i>	1877,
<i>pelagicus</i>	1874,	<i>aurita</i>	1877,
	1878,	<i>australiensis</i>	1877,
<i>verreauxii</i>	1878,		1877,
<i>vetula</i>	1878,		1877,
<i>vociferus</i>	1878,	<i>australis</i>	1877,
<i>Donacicola spectabilis</i> ..	1879,	<i>carbunculosa</i>	1877,
	1879,	<i>carneola</i>	1877,
	1880,	<i>cerisa</i>	1877,
<i>Donacobius alбовittatus</i>	1879,	<i>clavulata</i>	1877,
<i>atricapillus</i>	1873,	<i>compta</i>	1877,
<i>lineatus</i>	1879,	<i>cuprea</i>	1877,
<i>Donacola castaneothorax</i>	1873,	<i>debilis</i>	1877,
	1875,	<i>denisoni</i>	1877,
<i>flaviprymna</i>	1879,	<i>diardi</i>	1877,
<i>Donax æmulus</i>	1877,	<i>elisabethina</i>	1877,
	1877,	<i>fabrei</i>	1877,
<i>elongatus</i>	1877,	<i>foedata</i>	1877,
<i>madagascariensis</i> ..	1877,		1877,
<i>rugosus</i>	1871,		1877,
<i>sordidus</i>	1878,	<i>foetida</i>	1877,
(<i>Capsella</i>) <i>owenii</i> ..	1871,	<i>fumea</i>	1877,
(<i>Latona</i>) <i>radians</i> ..	1877,		1877,
(<i>Serrula</i>) <i>nitidus</i> ..	1877,		1877,
<i>Dorcopsis brunii</i>	1875,		1877,
<i>luctuosa</i>	1875,	<i>fumosa</i>	1877,
	1875,	<i>fuscescens</i>	1877,
	1875,	<i>gemmacea</i>	1877,
	1875,	<i>gibbulosa</i>	1877,
	1875,	<i>granulata</i>	1877,
	1875,	<i>granulosa</i>	1877,
	1875,	<i>grisea</i>	1877,
	1875,	<i>indacus</i>	1877,
	1875,	<i>inornata</i>	1877,
	1875,		1877,
	1875,		1877,
	1875,	<i>krebsii</i>	1877,
	1875,	<i>krusensternii</i>	1877,
	1876,	<i>limbata</i>	1877,
	1876,		1877,
	1876,		1877,
	1876,	<i>lugubris</i>	1877,
	1876,	<i>maculigera</i>	1877,
	1876,	<i>mammosa</i>	1877,
	1877,		1877,
	1877,		1877,

	Page		Page
<i>Doridopsis mauritiana</i> ..	1877,	245	
<i>miniata</i>	1877,	242	
<i>modesta</i>	1877,	244	
<i>nebulosa</i>	1877,	242	
<i>nicobarica</i>	1877,	243	
<i>nigra</i>	1877,	242	
<i>nodulosa</i>	1877,	245	
<i>obscura</i>	1877,	243	
	1877,	263	
	1877,	269	
<i>parva</i>	1877,	244	
	1877,	267	
	1877,	269	
<i>pellucida</i>	1877,	244	
<i>pudibunda</i>	1877,	244	
<i>punctata</i>	1877,	242	
<i>pustulosa</i>	1877,	241	
<i>reticulata</i>	1877,	246	
<i>rossiteri</i>	1877,	247	
<i>rubra</i>	1877,	241	
<i>rubrilineata</i>	1877,	242	
<i>rugosa</i>	1877,	246	
<i>sandiegensis</i>	1877,	246	
<i>scabra</i>	1877,	242	
<i>semperi</i>	1877,	244	
<i>sordida</i>	1877,	244	
<i>spiculata</i>	1877,	245	
<i>spongiosa</i>	1877,	246	
<i>subpellucida</i>	1877,	245	
	1877,	265	
	1877,	269	
<i>tigrina</i>	1877,	243	
<i>tilesii</i>	1877,	244	
<i>tristis</i>	1877,	242	
<i>tuberculosa</i>	1877,	241	
<i>variata</i>	1877,	245	
	1877,	267	
	1877,	268	
<i>velutina</i>	1877,	246	
<i>verrucosa</i>	1877,	246	
<i>violacea</i>	1877,	245	
<i>viridis</i>	1877,	242	
<i>Doriopsis affinis</i>	1877,	242	
<i>atromaculata</i>	1877,	241	
<i>compta</i>	1877,	244	
<i>debilis</i>	1877,	244	
<i>fontainii</i>	1877,	204	
<i>fumosa</i>	1877,	245	
<i>fusca</i>	1877,	241	
<i>fuscescens</i>	1877,	244	
<i>gibbulosa</i>	1877,	243	
<i>granulosa</i>	1877,	242	
<i>krebsii</i>	1877,	243	
<i>limbata</i>	1877,	243	
<i>maculigera</i>	1877,	244	
<i>mauritiana</i>	1877,	245	
<i>modesta</i>	1877,	244	
<i>nebulosa</i>	1877,	242	
<i>Doriopsis nicobarica</i>	1877,	243	
<i>nigra</i>	1877,	242	
<i>pellucida</i>	1877,	244	
<i>peruviana</i>	1877,	202	
<i>pudibunda</i>	1877,	244	
<i>punctata</i>	1877,	242	
	1877,	243	
<i>pustulosa</i>	1877,	241	
<i>scabra</i>	1877,	242	
<i>semperi</i>	1877,	244	
<i>sordida</i>	1877,	244	
<i>tristis</i>	1877,	242	
<i>tuberculosa</i>	1877,	241	
<i>viridis</i>	1877,	242	
<i>Doriprismatica albescens</i>	1877,	215	
<i>atromarginata</i>	1877,	229	
<i>cærulea</i>	1877,	215	
<i>dorsalis</i>	1877,	215	
<i>elegantula</i>	1877,	216	
<i>imperialis</i>	1877,	220	
<i>lemniscata</i>	1877,	214	
<i>lineata</i>	1877,	214	
	1877,	221	
<i>magnifica</i>	1877,	214	
<i>obsoleta</i>	1877,	216	
<i>pallida</i>	1877,	216	
<i>paretii</i>	1877,	236	
<i>picta</i>	1877,	219	
<i>pulchella</i>	1877,	216	
<i>purpurea</i>	1877,	217	
<i>reticulata</i>	1877,	220	
<i>tinctoria</i>	1877,	216	
<i>trilineata</i>	1877,	214	
<i>villafranca</i>	1877,	214	
<i>webbii</i>	1877,	234	
<i>whitei</i>	1877,	214	
<i>Doris acutiuscula</i>	1877,	225	
<i>affinis</i>	1877,	226	
	1877,	227	
<i>alabastrina</i>	1877,	203	
<i>alba</i>	1877,	215	
<i>albescens</i>	1877,	215	
<i>albolimbata</i>	1877,	243	
<i>albopunctata</i>	1877,	209	
<i>albopustulosa</i>	1877,	218	
<i>amabilis</i>	1877,	220	
<i>analampulla</i>	1877,	205	
	1877,	254	
	1877,	268	
<i>angustipes</i>	1877,	201	
<i>apiculata</i>	1877,	210	
<i>arbutus</i>	1877,	209	
<i>areolata</i>	1877,	206	
	1877,	210	
<i>areoligera</i>	1877,	206	
<i>argo</i>	1877,	202	
	1877,	203	
<i>argus</i>	1877,	204	

	Page	Page
Doris argus	1877, 211	1877, 268
ariponensis	1877, 211	1877, 215
arrogans	1877, 203	1877, 211
aspera	1877, 225	1877, 259
aspersa	1877, 209	1877, 269
atrata	1877, 242	1877, 245
atromarginata	1877, 229	1877, 227
atroviridis	1877, 242	1877, 226
aurea	1877, 245	1877, 226
aurita	1877, 245	1877, 226
barvicensis	1877, 236	1877, 247
bellicosa	1877, 208	1877, 210
bertheloti	1877, 210	1877, 215
bilamellata	1877, 196	1877, 206
	1877, 205	1877, 227
	1877, 226	1877, 236
biscayensis	1877, 200	1877, 219
britannica	1877, 203	1877, 216
brunnea	1877, 209	1877, 218
cærulea	1877, 215	1877, 226
calcaræ	1877, 220	1877, 247
canariensis	1877, 202	1877, 202
carbunculosa	1877, 241	1877, 222
cardinalis	1877, 223	1877, 212
carina	1877, 209	1877, 228
carinata	1877, 200	1877, 208
	1877, 209	1877, 206
	1877, 211	1877, 247
carneola	1877, 246	1877, 220
castanea	1877, 207	1877, 204
caudalis	1877, 229	1877, 224
cerebralis	1877, 212	1877, 239
cerisa	1877, 246	1877, 204
chilensis	1877, 207	1877, 228
chrysoderma	1877, 212	1877, 246
cinerosa	1877, 209	1877, 204
clavigera	1877, 229	1877, 202
coccinea	1877, 205	1877, 201
cœlestis	1877, 203	1877, 208
collatata	1877, 205	1877, 212
	1877, 255	1877, 211
	1877, 269	1877, 245
concinna	1877, 202	1877, 208
constantia	1877, 203	1877, 225
coriacea	1877, 203	1877, 226
	1877, 247	1877, 228
	1877, 248	1877, 241
	1877, 268	1877, 210
cornuta	1877, 239	1877, 205
coronata	1877, 226	1877, 220
corrugata	1877, 208	1877, 223
crucis	1877, 204	1877, 214
cruenta	1877, 200	1877, 215
	1877, 201	1877, 206
cruentata	1877, 201	1877, 211
cryptostomata	1877, 204	1877, 206
cucullata	1877, 205	1877, 205
	1877, 253	1877, 253
Doris cucullata	1877, 268	
decora	1877, 215	
delicata	1877, 211	
	1877, 259	
	1877, 269	
denisoni	1877, 245	
depressa	1877, 227	
derelicta	1877, 226	
diademata	1877, 226	
diaphana	1877, 226	
diardi	1877, 247	
d'orbignyi	1877, 210	
dorsalis	1877, 215	
echinata	1877, 206	
	1877, 227	
electrina	1877, 236	
elegans	1877, 219	
elegantula	1877, 216	
	1877, 218	
elfortiana	1877, 226	
elizabethina	1877, 247	
elliotti	1877, 202	
eolida	1877, 222	
erinacea	1877, 212	
eubalia	1877, 228	
exanthemata	1877, 208	
excavata	1877, 206	
fabrei	1877, 247	
fidelis	1877, 220	
flammea	1877, 204	
flammulata	1877, 224	
flava	1877, 239	
flavipes	1877, 204	
flemingii	1877, 228	
foetida	1877, 246	
fontainii	1877, 204	
formosa	1877, 202	
forsteri	1877, 201	
fragilis	1877, 208	
	1877, 212	
fumata	1877, 211	
fumosa	1877, 245	
funebriis	1877, 208	
fusca	1877, 225	
	1877, 226	
	1877, 228	
	1877, 241	
gibberosa	1877, 210	
glabra	1877, 205	
glenei	1877, 220	
gloriosa	1877, 223	
gracilis	1877, 214	
	1877, 215	
grandiflora	1877, 206	
	1877, 211	
grandiflorigera	1877, 206	
granulosa	1877, 205	
	1877, 253	

	Page		Page
Doris granulosa	1877, 268	Doris lutea	1877, 208
grisea	1877, 227	luteocincta	1877, 227
	1877, 246	luteola	1877, 207
guttata	1877, 211		1877, 208
	1877, 219	luteo-rosa	1877, 219
hemprichii	1877, 201	lutescens	1877, 221
hepatica	1877, 203	mabilla	1877, 203
	1877, 249		1877, 247
	1877, 268	macarthiana	1877, 220
hispida	1877, 209	maccarthyi	1877, 220
humberti	1877, 207	maculosa	1877, 202
illuminata	1877, 239	magnifica	1877, 214
imperialis	1877, 220	marginalis	1877, 223
impudica	1877, 235	marginata	1877, 205
inci	1877, 210		1877, 215
inconspicua	1877, 227		1877, 223
indurata	1877, 210	mariei	1877, 247
inframaculata	1877, 203	marmorata	1877, 207
	1877, 248		1877, 208
	1877, 268		1877, 219
infranævata	1877, 203	maura	1877, 233
	1877, 248	mauritiana	1877, 245
	1877, 268	mera	1877, 204
infucata	1877, 219	millegrana	1877, 204
intecta	1877, 208	mollipustulata	1877, 211
johnstoni	1877, 200		1877, 257
	1877, 204		1877, 269
krohnii	1877, 221	montagui	1877, 203
labifera	1877, 205	montereyensis	1877, 204
	1877, 254	muricata	1877, 225
	1877, 268		1877, 226
lacera	1877, 224	murrea	1877, 204
	1877, 230		1877, 252
laciniata	1877, 224		1877, 268
lævis	1877, 196	muscula	1877, 205
	1877, 205		1877, 256
	1877, 228		1877, 268
lanuginata	1877, 205	nardii	1877, 219
	1877, 255	nigra	1877, 242
	1877, 268	nigricans	1877, 228
lanuginosa	1877, 208	nivea	1877, 207
latens	1877, 210	nodosa	1877, 236
lemniscata	1877, 214	nodulosa	1877, 245
leopardi	1877, 208	nubilosa	1877, 209
lilacina	1877, 212	nucleola	1877, 211
limacina	1877, 235	oblonga	1877, 226
limbata	1877, 211	obsoleta	1877, 216
	1877, 243	obvelata	1877, 204
lineata	1877, 214		1877, 205
	1877, 221		1877, 226
lineolata	1877, 215	olivacea	1877, 210
litrata	1877, 226	orsinii	1877, 221
lockyerana	1877, 202	ossiosa	1877, 207
longula	1877, 205	pallens	1877, 218
	1877, 253	pallida	1877, 216
	1877, 268		1877, 225
loveni	1877, 225	pantherina	1877, 209
lugubris	1877, 243		

	Page		Page
<i>Doris papillata</i>	1877, 211	<i>Doris reticulata</i>	1877, 220
<i>papillosa</i>	1877, 207		1877, 246
<i>pardalis</i>	1877, 202	<i>reticulosa</i>	1877, 212
<i>paretii</i>	1877, 236	<i>rissæ</i>	1877, 208
<i>pasinii</i>	1877, 220	<i>rocinella</i>	1877, 228
<i>peculiaris</i>	1877, 211	<i>rogersii</i>	1877, 210
	1877, 258	<i>rossiteri</i>	1877, 247
	1877, 269	<i>rubra</i>	1877, 202
<i>pellucida</i>	1877, 211		1877, 204
<i>pennigera</i>	1877, 231		1877, 205
<i>peruviana</i>	1877, 205		1877, 241
<i>petechialis</i>	1877, 207	<i>rubrilineata</i>	1877, 242
<i>picta</i>	1877, 208	<i>rufopunctata</i>	1877, 207
	1877, 217	<i>rugosa</i>	1877, 246
	1877, 219	<i>rusticata</i>	1877, 207
<i>pilosa</i>	1877, 206	<i>sandwichensis</i>	1877, 223
	1877, 228	<i>sanguinea</i>	1877, 203
<i>pirainii</i>	1877, 220		1877, 223
<i>planata</i>	1877, 205	<i>scabra</i>	1877, 201
<i>planulata</i>	1877, 205	<i>scabriuscula</i>	1877, 206
<i>plumulata</i>	1877, 207	<i>scacchi</i>	1877, 216
<i>porri</i>	1877, 206	<i>schembrii</i>	1877, 206
<i>prætenera</i>	1877, 211	<i>schmeltziana</i>	1877, 209
	1877, 258	<i>schultziana</i>	1877, 219
	1877, 269	<i>seposita</i>	1877, 210
<i>pretiosa</i>	1877, 221	<i>setigera</i>	1877, 211
<i>prismatica</i>	1877, 220	<i>setosa</i>	1877, 206
<i>propinquata</i>	1877, 217	<i>similis</i>	1877, 228
<i>proxima</i>	1877, 225	<i>sismondæ</i>	1877, 208
<i>pseudo-argus</i>	1877, 204	<i>smaragdina</i>	1877, 209
<i>pulchella</i>	1877, 216	<i>solea</i>	1877, 201
<i>pulcherrima</i>	1877, 214	<i>sordida</i>	1877, 206
<i>pulehra</i>	1877, 217	<i>sordidata</i>	1877, 206
<i>punctata</i>	1877, 201	<i>sparsa</i>	1877, 227
	1877, 202	<i>speciosa</i>	1877, 203
	1877, 243		1877, 250
<i>punctifera</i>	1877, 202		1877, 268
<i>punctulifera</i>	1877, 219	<i>spiraculata</i>	1877, 202
<i>punctuolata</i>	1877, 202	<i>spongiosa</i>	1877, 206
<i>purpurea</i>	1877, 217		1877, 246
<i>pusilla</i>	1877, 227	<i>stellata</i>	1877, 228
<i>pustulata</i>	1877, 205	<i>stragulata</i>	1877, 203
	1877, 256		1877, 251
	1877, 268		1877, 268
<i>pustulosa</i>	1877, 206	<i>striata</i>	1877, 202
<i>quadrangulata</i>	1877, 228	<i>sublævis</i>	1877, 228
<i>quadricolor</i>	1877, 214	<i>sublutea</i>	1877, 208
<i>quadricornis</i>	1877, 238	<i>subquadrata</i>	1877, 228
<i>quadrilineata</i>	1877, 239	<i>subtumida</i>	1877, 203
<i>ramosa</i>	1877, 231		1877, 250
<i>rappii</i>	1877, 211		1877, 268
<i>rariopilosa</i>	1877, 205	<i>sumptuosa</i>	1877, 223
	1877, 257	<i>superbus</i>	1877, 223
	1877, 269	<i>tabulata</i>	1877, 203
<i>repanda</i>	1877, 196		1877, 249
	1877, 200		1877, 268
	1877, 205	<i>tenella</i>	1877, 227
<i>reticulata</i>	1877, 207	<i>tennentiana</i>	1877, 221

	Page		Page
<i>Doris testudinaria</i>	1877, 205	<i>Doris (Pterodoris) brachy-</i>	
<i>tigrina</i>	1877, 243	<i>phylla</i>	1877, 221
<i>tinctoria</i>	1877, 216	(—) <i>picturata</i>	1877, 221
<i>tomentifera</i>	1877, 209	(<i>Rhacodoris</i>) <i>krebsii</i>	1877, 243
<i>tomentosa</i>	1877, 209	<i>Dorvillia agariciformis</i>	1872, 117
	1877, 228	<i>Dorycha bryantæ</i>	1878, 40
<i>tricolor</i>	1877, 215		1878, 70
<i>trifida</i>	1877, 233	<i>Doryphora æstuans</i>	1878, 992
<i>trilobata</i>	1877, 233	<i>albovirens</i>	1880, 597
<i>tristis</i>	1877, 208		1880, 609
<i>tuberculata</i>	1877, 198	<i>alumna</i>	1880, 597
	1877, 200	<i>ambigua</i>	1880, 597
	1877, 203		1880, 609
	1877, 204	<i>antennalis</i>	1877, 516
<i>tuberculosa</i>	1877, 241	<i>batesi</i>	1880, 596
<i>ulidiana</i>	1877, 226		1880, 608
<i>varia</i>	1877, 209	<i>bicolor</i>	1877, 515
<i>variabilis</i>	1877, 208	<i>bisbimaculata</i>	1877, 518
	1877, 209	<i>brunneiipennis</i>	1878, 989
<i>variolata</i>	1877, 207	<i>buckleyi</i>	1880, 597
<i>venosa</i>	1877, 206		1880, 608
<i>venulosa</i>	1877, 221	<i>celsa</i>	1880, 596
<i>vermicelli</i>	1877, 207	<i>chapuisi</i>	1880, 597
<i>verrucosa</i>	1877, 196		1880, 609
	1877, 200	<i>chrysomeloides</i>	1877, 517
	1877, 210	<i>connexa</i>	1880, 599
	1877, 226		1880, 609
	1877, 228	<i>costata</i>	1876, 816
<i>vestita</i>	1877, 204	<i>decorata</i>	1878, 992
	1877, 252	<i>degaudei</i>	1880, 597
	1877, 268		1880, 609
<i>vibrata</i>	1877, 217	<i>dorsomaculata</i>	1878, 146
<i>villæ</i>	1877, 221	<i>12-guttata</i>	1880, 598
<i>villafranca</i>	1877, 214	<i>fabricii</i>	1880, 597
<i>villosa</i>	1877, 206		1880, 609
	1877, 209	<i>festiva</i>	1880, 597
<i>violacea</i>	1877, 245		1880, 609
<i>viperina</i>	1877, 203	<i>flavipennis</i>	1878, 989
<i>virescens</i>	1877, 243	<i>flavoguttata</i>	1878, 145
<i>vulgaris</i>	1877, 226	<i>flavomarginata</i>	1878, 146
<i>wellingtonensis</i>	1877, 211		1880, 599
	1877, 259	<i>flexuosa</i>	1880, 597
	1877, 269		1880, 609
<i>zetlandica</i>	1877, 200	<i>fulgora</i>	1880, 596
	1877, 204		1880, 608
(<i>Actinocyclus</i>) <i>sand-</i>		<i>fulvicornis</i>	1880, 597
<i>diegensis</i>	1877, 246		1880, 609
(<i>Actinodoris</i>) <i>sponsa</i>	1877, 221	<i>funebri</i>	1880, 597
(<i>Argus</i>) <i>cruenta</i>	1877, 201		1880, 609
(<i>Dendrodoris</i>) <i>cru-</i>		<i>hebe</i>	1880, 597
<i>cis</i>	1877, 204		1880, 609
(—) <i>cuprea</i>	1877, 246	<i>hybrida</i>	1878, 991
(—) <i>granulata</i>	1877, 246	<i>imperialis</i>	1878, 991
(—) <i>lugubris</i>	1877, 246	<i>insularis</i>	1878, 147
(—) <i>ornata</i>	1877, 212	<i>javeti</i>	1880, 597
(<i>Glossodoris</i>) <i>ery-</i>			1880, 609
<i>thræa</i>	1877, 220	<i>johannæ</i>	1873, 287
(—) <i>xantholeuca</i>	1877, 220	<i>limbatipennis</i>	1878, 990

	Page		Page
Doryphora ludovicæ ..	1875,	Drassus ægyptius.....	1874,
marginicollis.....	1880,		393
	1880,		1874,
	1880,		394
militaris	1878,		1874,
nitidissima	1877,		417
nympha	1880,		418
	1880,		1876,
	1880,		552
ocellata	1878,		1876,
ornata	1877,		626
porosa	1878,	alexandrinus.....	1874,
pluviata.....	1880,		393
	1880,		1874,
princeps	1880,		417
	1880,		418
	1880,		1876,
pulchella	1880,		551
punctatissima	1880,		1876,
	1880,		626
	1880,	astrologus.....	1874,
punctipennis.....	1878,		395
rubropuncta	1880,		1874,
	1880,		417
	1880,		418
rugosa	1876,		1874,
salvini	1880,		418
selecta	1880,		1876,
	1880,		551
	1880,		1876,
sexguttata.....	1880,		626
	1880,	clavator	1872,
	1880,		232
sexmaculata	1877,	dalmatensis	1872,
sheppardi	1877,		235
thomsoni	1880,		1872,
	1880,		347
	1880,	denotatus	1874,
trifasciata	1880,		398
vespertina	1880,		1874,
	1880,		417
	1880,		1874,
vittaticollis	1878,		418
vittatipennis.....	1878,		1876,
Doryura berdmorei	1875,		552
	1876,		1876,
	1876,		626
	1876,	ensiger	1874,
Doththa thermusalis ..	1880,		389
Doydixodon freminvillii	1877,		1874,
Draco bimaculatus	1879,		417
cornutus	1872,		1874,
	1879,		418
	1879,		1874,
crystalellus	1872,		402
	1872,		1874,
	1872,		390
	1872,		1874,
dussumieri	1871,		417
	1871,		418
	1872,		1874,
fimbriatus	1872,		417
hæmatopogon	1872,		1874,
ornatus	1873,		418
	1879,		1872,
	1879,		238
spilonotus	1873,		1872,
spilopterus	1872,		347
	1872,		347
	1872,		353
	1873,		1876,
	1879,		551
volans	1872,		1876,
	1873,		626
	1873,	invalidus	1872,
	1879,		237
	1879,		1872,
	1879,		347
	1879,		1872,
	1879,		353
	1879,	lacertosus	1872,
	1879,		235
	1879,		1872,
	1879,		347
	1879,		1872,
	1879,		353
	1879,	lapidicolens	1872,
	1879,		232
	1879,		1872,
	1879,		235
	1879,		1872,
	1879,		236
	1879,		1872,
	1879,		237
	1879,		1872,
	1879,		238
	1879,		1872,
	1879,		239
	1879,		1872,
	1879,		347

	Page		Page
Drassus lapidicolens	1874, 392	Drassus tenerrimus	1872, 233
	1874, 393		1872, 347
	1874, 394		1872, 353
	1879, 687	troglodytes	1872, 232
listeri	1876, 628		1872, 347
luridus	1874, 396		1874, 389
	1874, 417		1874, 390
	1874, 418		1874, 391
lutescens	1872, 233	unicolor	1872, 240
	1872, 347		1872, 347
lyonettii	1876, 628		1872, 353
macilentus	1874, 392	vulpinus	1874, 396
	1874, 417		1874, 397
	1874, 418		1874, 417
malagassicus	1879, 730		1874, 418
	1879, 734		1876, 552
morosus	1872, 232		1876, 626
	1872, 237	(Micaria) nitens	1872, 250
	1872, 347	Dreata petola	1878, 848
	1872, 353	plumipes	1879, 409
	1874, 391	subcurvifera	1875, 393
mundulus	1872, 234	taoensis	1878, 848
	1872, 236		1878, 857
	1872, 347		1878, 859
	1872, 353	triseriata	1875, 393
	1876, 551	Drepana specularis	1879, 407
	1876, 626	Drepania fusca	1877, 239
nanus	1872, 237	Drepanis coccinea	1878, 347
	1872, 347	flava	1878, 348
	1872, 353	sanguinea	1878, 347
nigrofemoratus	1874, 385	Drepanodes scitaria	1877, 611
	1874, 417	Drepanoptila holosericea	1878, 504
	1874, 418		1878, 505
omissus	1872, 239		1878, 506
	1872, 347		1878, 513
	1872, 353	Drepanornis albertisi	1873, 557
ornatus	1874, 388		1873, 558
	1874, 417		1873, 560
	1876, 551		1873, 697
	1876, 626		1876, 776
pugnax	1874, 399	Drillia æmula	1877, 36
	1874, 417		1877, 40
	1874, 418		1877, 184
	1876, 552	candens	1879, 192
	1876, 626		1879, 217
romanus	1874, 402	flavonodulosa	1879, 194
	1874, 419		1879, 217
scrutatus	1872, 239	fortilirata	1879, 194
	1872, 347		1879, 217
	1872, 353	gracilentata	1879, 195
senilis	1872, 236		1879, 217
	1872, 347	harpularia	1877, 37
	1872, 353	humilis	1879, 193
	1876, 551		1879, 217
	1876, 626	intermaculata	1879, 193
sericeus	1872, 234		1879, 217
	1872, 236	japonica	1879, 191
	1874, 397		1879, 217

	Page		Page
<i>Drillia longispira</i>	1879, 190	<i>Dromolæa picata</i>	1874, 241
	1879, 217	<i>Dromornis australis</i>	1872, 682
<i>nakasakiensis</i>	1879, 190	<i>Drucina leonata</i>	1874, 338
	1879, 217	<i>Drusilla anableps</i>	1874, 280
<i>obliquata</i>	1879, 191		1877, 143
	1879, 193		1879, 157
<i>peradmirabilis</i>	1879, 189	<i>bioculatus</i>	1871, 523
	1879, 217	<i>catops</i>	1878, 645
<i>pyramidata</i>	1871, 731	<i>mylœcha</i>	1874, 279
<i>raricostata</i>	1879, 192	<i>myops</i>	1878, 645
	1879, 217	<i>phorcas</i>	1874, 279
<i>subauriformis</i>	1879, 195	<i>Drymacedus beccarii</i> ..	1878, 91
	1879, 217		1878, 97
<i>subobliquata</i>	1879, 191	<i>Drymocataphus cinerei-</i>	
	1879, 217	<i>ceps</i>	1878, 611
<i>texta</i>	1879, 195		1878, 617
	1879, 217	<i>fuscicapillus</i>	1872, 405
(<i>Crassispira</i>) <i>carbo-</i>			1872, 447
<i>naria</i>	1871, 731	<i>Drymochæra badiceps</i> . .	1876, 20
<i>Dromæocercus brunneus</i>	1877, 23	<i>Drymocichla incana</i> . . .	1880, 626
	1879, 177	<i>Drymœca affinis</i>	1878, 356
<i>seebohmi</i>	1879, 77	<i>brevicaudata</i>	1878, 980
<i>Dromæus novæ-hollandiæ</i>	1873, 470		1878, 982
	1873, 644	<i>flavicans</i>	1875, 42
	1877, 307	<i>isodactyla</i>	1873, 712
	1877, 314		1878, 356
	1880, 315	<i>Drymœpus extensicauda</i>	1871, 351
<i>Dromaius novæ-hollandiæ</i>	1875, 488	<i>flavirostris</i>	1871, 351
	1876, 119	<i>inornata</i>	1871, 351
<i>Dromas ardeola</i>	1872, 472	<i>longicauda</i>	1871, 351
<i>Dromius æneus</i>	1874, 67	<i>Drymoipus inornatus</i> ..	1872, 456
<i>chilensis</i>	1874, 69		1872, 457
<i>macrocephalus</i>	1874, 69	<i>jerdoni</i>	1872, 456
<i>nigrotestaceus</i>	1874, 69	<i>longicaudatus</i>	1872, 457
<i>pictus</i>	1874, 69	<i>robustus</i>	1872, 457
<i>sulcatus</i>	1874, 69	<i>validus</i>	1872, 405
<i>Dromolæa æquatorialis</i> .	1874, 232		1872, 457
	1874, 241	<i>Drymophila alecto</i>	1877, 100
<i>albipileata</i>	1874, 233	<i>cinerascens</i>	1878, 83
	1874, 241	<i>Drymornis bridgesi</i> . . .	1871, 546
<i>chrysopygia</i>	1874, 241	<i>Dryococcyx harringtoni</i> .	1878, 613
<i>cinerea</i>	1874, 241	<i>Dryocopus albirostris</i> ..	1874, 546
<i>cursoria</i>	1874, 241	<i>fuscipennis</i>	1879, 532
<i>incompta</i>	1874, 241	<i>hæmatogaster</i>	1874, 546
<i>leucocephala</i>	1874, 228	<i>lineatus</i>	1873, 291
	1874, 241		1874, 546
<i>leucopygia</i>	1874, 228		1879, 532
	1874, 241	<i>martius</i>	1871, 392
<i>leucura</i>	1874, 228		1879, 386
	1874, 241	<i>richardsi</i>	1879, 386
<i>monacha</i>	1874, 228	<i>Dryoscopus affinis</i>	1878, 357
	1874, 241	<i>coronatus</i>	1874, 205
<i>monticola</i>	1874, 232	<i>cubla</i>	1873, 714
	1874, 241		1878, 357
<i>nigra</i>	1874, 228	<i>gambensis</i>	1878, 128
<i>opistholeuca</i>	1874, 229	<i>leucorhynchus</i>	1871, 611
	1874, 241		1871, 615
<i>picata</i>	1874, 227	<i>major</i>	1878, 128

	Page		Page
Dryoscopus salimæ	1873, 714	Dysithamnus gutturalis .	1879, 624
	1878, 357	mentalis	1879, 624
Dryotriorchis spectabilis	1880, 621	plumbeus	1880, 158
Dubusia selysia	1879, 500		1880, 159
tæniata	1879, 500	schistaceus	1873, 273
Dudusa sphingiformis . .	1872, 577		1879, 624
	1872, 583	semicinereus	1874, 530
Dumetia albogularis . .	1872, 447		1875, 235
Dumeticola affinis	1871, 354		1878, 60
thoracica	1871, 354		1879, 232
	1871, 355		1879, 525
Dyctis agondas	1871, 523	striaticeps	1878, 60
bammakoo	1871, 525	subplumbeus	1880, 158
bioculatus	1871, 523	unicolor	1879, 525
borneensis	1871, 525		1879, 550
cumæa	1871, 524	Dysopes abrasus	1876, 712
cybele	1871, 524	albus	1876, 709
egialina	1871, 525	alecto	1873, 246
esaca	1871, 523		1876, 709
hewitsonii	1871, 523	aurispinosus	1876, 729
hicetas	1871, 524	auritus	1876, 729
leucocyma	1878, 826	brachypterus	1876, 722
	1878, 853	cæcus	1876, 729
melane	1871, 523	cestonii	1876, 719
melantho	1871, 523	cheiropus	1876, 704
melias	1871, 525	fumarius	1876, 710
mimalon	1871, 523	geoffroyi	1876, 721
	1871, 524	glaucinus	1876, 714
papua	1871, 524	gracilis	1876, 731
patna	1871, 525	holosericeus	1876, 709
phegea	1871, 525	laticaudatus	1876, 729
vasudeva	1871, 525	leucopleura	1876, 712
vitellia	1871, 524	limbatus	1876, 724
Dynamine dyonis	1874, 344	longimanus	1876, 712
Dynastor stygianus	1874, 339	midas	1876, 719
Dysauxes indica	1879, 390	mops	1876, 726
punctata	1879, 390	murinus	1876, 721
Dysdera crocota	1873, 210	naso	1876, 731
	1873, 212	nasutus	1876, 731
	1876, 547	nigrogriseus	1876, 719
erythrina	1872, 223	obscurus	1873, 247
	1872, 224	olivaceo-fuscus	1876, 710
	1876, 628	perotis	1876, 713
lata	1876, 547	plicatus	1876, 721
	1876, 626	pumilus	1876, 723
maurusia	1876, 547	rufus	1876, 713
rubicunda	1872, 223	rùppelli	1876, 719
	1873, 210	temminckii	1876, 707
	1873, 212	tenuis	1876, 722
westringii	1872, 223	ursinus	1876, 709
	1872, 347	velox	1876, 710
	1872, 351	(Molossus) gigas . .	1876, 713
Dysidea conica	1873, 26	(—) rùppelli	1876, 719
	1873, 32	Dysporus cyanops	1871, 125
fragilis	1872, 124		1878, 652
	1873, 27	fuscus	1871, 125
Dysithamnus ardesiacus	1873, 274	leucogaster	1871, 125
	1874, 530	piscator	1872, 90

	Page		Page
Dysporus piscator	1876, 504	Echinorhynchus echino-	
	1878, 651	discus	1876, 202
sula	1872, 90	elegans	1876, 202
	1875, 441		1876, 204
	1876, 498	transversus	1876, 202
	1876, 504	Echinus carinatus	1880, 34
	1877, 777	ovatus	1880, 34
	1878, 114	unicolor	1880, 34
	1878, 954	ventricosus	1879, 657
	1879, 9		1880, 222
	1879, 16	Echis carinata	1871, 153
	1880, 577		1871, 196
variegatus	1874, 554	carinatus	1878, 977
			1878, 978
Earias insulana	1880, 674	coloratus	1878, 977
Ebaeus thoracicus	1877, 79		1878, 978
Ebalia bituberculata	1879, 21	Ecionemia acervus	1873, 322
	1879, 43		1873, 332
minor	1879, 21	densa	1873, 323
	1879, 43		1873, 332
pennantii	1879, 43	Eclectus grandis	1876, 692
rhomboidalis	1879, 20		1878, 78
	1879, 42	linnaei	1877, 107
	1879, 43		1878, 92
tuberosa	1879, 43		1879, 12
Eburia amabilis	1877, 82	linnei	1877, 801
Echidna hystrix	1875, 491		1877, 802
	1875, 494	megalorhynchus	1878, 78
	1877, 161	personatus	1878, 86
Echimys brachyurus	1876, 748	polychlorus	1874, 587
	1876, 750		1877, 106
brevicauda	1876, 748		1877, 107
	1876, 749		1877, 801
	1875, 750		1877, 802
cayennensis	1876, 749		1878, 79
dimidiatus	1876, 747		1878, 92
ferrugineus	1876, 750		1878, 93
hispidus	1876, 750		1878, 289
inermis	1876, 750		1878, 290
semispinosus	1876, 750		1879, 12
spinosus	1876, 750		1880, 65
Echinocidaris dufresnii	1879, 436		1880, 66
	1879, 437	rhodops	1878, 81
grandinosa	1879, 437	roratus	1878, 78
nigra	1879, 437	Ectima liria	1874, 344
pustulosa	1879, 437		1874, 345
stellata	1879, 437	rectifascia	1874, 345
Echinodoris eolida	1877, 222	Ectocemus pterygorhi-	
Echinolampas depressa	1880, 46	nus	1877, 156
	1880, 47	ruficauda	1877, 156
	1880, 357		1877, 159
	1880, 358	Ectopistes migratorius	1874, 250
hellei	1880, 358		1874, 256
orientalis	1880, 357		1880, 314
oviformis	1880, 46	Eczemotes guttulata	1877, 158
	1880, 47		1877, 159
	1880, 357	Edela ruficeps	1878, 619
	1880, 358	Edoliosoma, sp. inc.	1878, 671

	Page		Page
Edoliosoma muelleri ..	1877, 101	Elainea pagana	1871, 271
	1878, 95		1873, 279
plumbeum	1877, 101		1876, 16
schisticeps	1877, 101		1878, 38
	1878, 96		1878, 63
tenuirostre	1878, 95		1879, 513
Edolius forficatus	1871, 377	placens	1873, 279
	1879, 677		1876, 16
longus	1871, 377		1876, 17
megarhynchus	1877, 101		1877, 325
musicus	1877, 465	pudica	1879, 513
paradiseus	1872, 439	riisii	1871, 271
Egretta alba	1871, 412	subpagana	1878, 63
flavirostris	1871, 412	Elanoides furcatus	1872, 626
intermedia	1871, 412		1878, 45
leuce	1871, 412		1879, 541
	1874, 555		1879, 638
modesta	1871, 412	Elanus axillaris	1875, 579
Eilema caniola	1878, 17	hypoleucos	1871, 337
Elænea cayennensis ...	1871, 752		1877, 757
luteiventris	1871, 754		1878, 939
miles	1871, 753		1879, 69
Elænia mexicana	1871, 753		1879, 314
texensis	1871, 753	melanopterus	1872, 80
Elainea albiceps	1873, 185		1872, 415
	1873, 279	Elaphodus cephalophus.	1873, 663
	1874, 536		1874, 453
	1876, 16		1876, 757
	1878, 433		1876, 758
	1879, 234		1876, 760
	1879, 614		1876, 764
caniceps	1873, 279		1877, 9
	1877, 326		1877, 14
cayanensis	1874, 537		1877, 17
elegans	1879, 614		1878, 790
frantzii	1878, 63		1878, 887
	1879, 513		1878, 899
gigas	1873, 185	michianus	1878, 887
	1874, 536		1878, 900
	1876, 16		1880, 538
griseogularis	1876, 17	Elaphrus riparius	1873, 157
implacens	1876, 17	Elaphurus davidianus ..	1874, 36
leucospodia	1877, 325		1877, 14
	1880, 203		1877, 16
martinica	1871, 266		1877, 17
	1871, 271		1877, 18
	1872, 650	Elaps tetratænia	1872, 591
	1874, 175	Elasmognathus bairdii .	1879, 666
	1879, 765	dowii	1879, 666
modesta	1873, 279	Electra clancula	1873, 144
	1874, 536	Electrina succinea	1871, 477
	1877, 326	Elephantopus planiceps .	1873, 724
obscura	1874, 536	Elephas africanus	1874, 580
	1876, 16		1875, 492
	1879, 235		1876, 279
	1879, 614		1876, 291
	1880, 203		1877, 453
obsoleta	1873, 578		1879, 420

	Page		Page
<i>Elephas africanus</i>	1879, 421	<i>Elymnias bammakoo</i> ..	1875, 407
	1879, 427	<i>borneensis</i>	1871, 525
	1879, 428	<i>casiphone</i>	1871, 519
	1879, 429		1871, 522
	1879, 435	<i>caudata</i>	1871, 520
<i>falconeri</i>	1880, 306	<i>ceryx</i>	1871, 519
<i>indicus</i>	1873, 557		1871, 522
	1871, 145	<i>cottonis</i>	1877, 583
	1874, 580		1877, 624
	1875, 365	<i>fraterna</i>	1871, 520
	1875, 492	<i>hainana</i>	1878, 696
	1875, 494		1878, 706
	1875, 542	<i>hecate</i>	1871, 520
	1876, 463		1873, 340
	1879, 426	<i>hewitsonii</i>	1871, 523
	1879, 428	<i>hicetas</i>	1871, 524
	1879, 429	<i>jynx</i>	1871, 520
	1879, 430	<i>kamara</i>	1871, 522
	1879, 431	<i>lais</i>	1871, 519
	1879, 434		1871, 522
	1879, 435		1873, 340
	1880, 306		1874, 104
<i>melitensis</i>	1873, 557		1878, 638
<i>mnaidriensis</i>	1873, 557	<i>leucocyma</i>	1871, 522
<i>Elhamma cervinata</i>	1877, 381		1871, 525
<i>Eligma narcissus</i>	1878, 7	<i>lutescens</i>	1871, 521
<i>Eliomys melanurus</i>	1877, 40		1873, 340
	1877, 42	<i>mehida</i>	1871, 523
<i>Ellisia longicaudata</i>	1877, 299	<i>melantho</i>	1871, 523
	1877, 302	<i>modesta</i>	1871, 522
<i>typica</i>	1875, 65	<i>nigrescens</i>	1871, 520
	1877, 299		1873, 340
<i>Ellobium oryza</i>	1871, 470		1877, 811
<i>Elminia longicauda</i>	1878, 129		1878, 638
<i>Elodina angulipennis</i> ..	1871, 526		1878, 696
<i>bouruensis</i>	1871, 526		1880, 667
<i>egnatia</i>	1871, 526	<i>panthera</i>	1871, 519
<i>hypatia</i>	1871, 526		1871, 521
	1877, 146	<i>papua</i>	1871, 524
<i>padusa</i>	1871, 526	<i>patna</i>	1871, 519
<i>signata</i>	1871, 526	<i>penanga</i>	1871, 519
	1874, 286		1871, 521
<i>therasia</i>	1871, 526	<i>phegea</i>	1875, 407
<i>Elopichthys bambusa</i> ..	1875, 534	<i>singhala</i>	1874, 568
<i>dahuricus</i>	1875, 534	<i>sumatrana</i>	1871, 521
	1875, 535		1871, 522
	1875, 536	<i>thycana</i>	1871, 525
<i>Elousa albicans</i>	1878, 486	<i>timandra</i>	1871, 522
<i>Elseya dentata</i>	1872, 512	<i>tinctoria</i>	1878, 826
	1872, 513		1878, 853
<i>intermedia</i>	1872, 512	<i>undularis</i>	1871, 519
<i>latisternum</i>	1872, 509		1871, 520
	1872, 510		1873, 340
	1872, 511		1874, 104
	1872, 512		1878, 826
	1872, 514	<i>vasudeva</i>	1871, 525
<i>spinosa</i>	1872, 512		1878, 826
<i>Elvia glaucata</i>	1877, 398		1878, 853

	Page		Page
<i>Elymnias viminalis</i>	1871,	<i>Emberiza luteocephala</i>	1879,
<i>Elytrophæra flammi-</i>	524	<i>luteola</i>	607
<i>gera</i>	1880,	<i>manimbe</i>	764
	600	<i>matutina</i>	1879,
	1880,	<i>melanoleuca</i>	606
<i>Emarginula candida</i> ..	1877,	<i>melanoleuca</i>	1879,
<i>dilecta</i>	189	<i>nivalis</i>	605
	1871,	<i>nivalis</i>	1871,
	97	<i>obscura</i>	113
	1877,	<i>obscura</i>	1879,
	189	<i>olivascens</i>	642
	1878,	<i>olivascens</i>	1879,
<i>modesta</i>	868	<i>personata</i>	643
	1872,	<i>personata</i>	1871,
	10	<i>pithyornis</i>	388
	1872,	<i>pithyornis</i>	1871,
<i>rugosa</i>	15	<i>pityornis</i>	388
	1872,	<i>pityornis</i>	1873,
	10	<i>pusilla</i>	650
	1872,	<i>pusilla</i>	1871,
	15		389
	1878,		650
<i>tasmaniae</i>	868		1877,
<i>tenuicostata</i>	868	<i>rustica</i>	806
<i>Emballonura fuliginosa</i> .	1878,		1871,
<i>monticola</i>	868		388
<i>nigrescens</i>	96		1873,
	1874,	<i>rutila</i>	473
	96	<i>rutila</i>	1871,
	1877,	<i>schoeniclus</i> , var.	387
	123	<i>minor</i>	1871,
	1878,	<i>minor</i>	389
	876	<i>sinensis</i>	1871,
<i>raffrayana</i>	877	<i>sinensis</i>	387
<i>semicaudata</i>	876	<i>speculifera</i>	1879,
	96	<i>speculifera</i>	606
	1880,	<i>spodocephala</i>	1871,
	11	<i>spodocephala</i>	388
<i>Emberiza</i> — ?	1871,	<i>stracheyi</i>	1871,
<i>araguira</i>	388	<i>stracheyi</i>	388
<i>atriceps</i>	1879,	<i>sulphurata</i>	1871,
<i>aureola</i>	605	<i>sulphurata</i>	388
	1879,	<i>tahapisi</i>	1880,
	606	<i>tahapisi</i>	491
	1871,	<i>torquata</i>	1879,
	387	<i>torquata</i>	605
	1874,	<i>tristrami</i>	1871,
<i>brasiliensis</i>	519	<i>tristrami</i>	388
<i>canescens</i>	1879,	<i>unicolor</i>	1879,
<i>canescens</i>	607	<i>unicolor</i>	606
<i>castaneiceps</i>	1871,	<i>uropygialis</i>	1879,
	389	<i>uropygialis</i>	642
	1871,	<i>Emberizoides macrurus</i> .	1875,
	389		237
	1873,	<i>sphenurus</i>	1879,
	556	<i>sphenurus</i>	607
<i>chrysophrys</i>	1871,	<i>Embernagra chrysoma</i> . .	1877,
	388	<i>olivascens</i>	332
	1873,	<i>olivascens</i>	1879,
	434	<i>platensis</i>	606
<i>cioides</i>	1871,	<i>platensis</i>	1872,
<i>ciopsis</i>	388	<i>platensis</i>	548
	1871,	<i>rufinucha</i>	1879,
	388	<i>rufinucha</i>	603
	1873,	<i>silens</i>	1879,
	556	<i>silens</i>	603
<i>citrinella</i>	1872,	<i>striaticeps</i>	1878,
	681	<i>striaticeps</i>	56
	1875,	<i>torquata</i>	1879,
	490	<i>torquata</i>	602
	1877,	<i>Emesis cypria</i>	1874,
	45	<i>furor</i>	353
<i>cristata</i>	1875,	<i>furor</i>	1874,
<i>elegans</i>	490	<i>mandana</i>	353
<i>elegans</i>	1871,	<i>mandana</i>	1876,
<i>elegantula</i>	388	<i>mandana</i>	238
<i>fucata</i>	1871,	<i>olivæ</i>	1874,
<i>fucata</i>	388	<i>olivæ</i>	353
<i>fulviceps</i>	1871,	<i>tenedia</i>	1874,
<i>fulviceps</i>	388	<i>tenedia</i>	353
<i>gayi</i>	1879,	<i>Eminia lepida</i>	1880,
<i>gayi</i>	603	<i>lepida</i>	625
<i>gigliolii</i>	1879,	<i>Empidagra suiriri</i>	1879,
<i>gigliolii</i>	606	<i>suiriri</i>	614
<i>griseo-cristata</i>	1871,	<i>Empidochanes</i> , sp.	1879,
<i>griseo-cristata</i>	388	<i>fuscatus</i>	615
<i>guttata</i>	1879,	<i>fuscatus</i>	1873,
<i>guttata</i>	605		281
<i>hortulana</i>	1879,		1874,
<i>hortulana</i>	606	<i>olivus</i>	538
<i>hypochondriaca</i>	1879,	<i>olivus</i>	1879,
<i>hypochondriaca</i>	764	<i>olivus</i>	615
<i>impetuani</i>	1879,	<i>pœcilurus</i>	1873,
<i>impetuani</i>	605	<i>pœcilurus</i>	186
<i>jacarini</i>	1880,		1874,
<i>jacarini</i>	491		538
<i>lapponica</i>	1879,		1879,
<i>lapponica</i>	605		235
<i>lathamii</i>	1871,		1879,
<i>lathamii</i>	113	<i>Empidonax andinus</i>	515
<i>leucocephala</i>	1871,	<i>andinus</i>	1874,
<i>leucocephala</i>	387		501
<i>luctuosa</i>	1871,		1874,
<i>luctuosa</i>	388		539
<i>lutea</i>	1879,		235
<i>lutea</i>	606	<i>flavescens</i>	1879,
<i>lutea</i>	1879,	<i>flavescens</i>	64
<i>lutea</i>	607		

	Page		Page
<i>Empidonax minimus</i> ..	1876, 517	<i>Engraulis encrasicolus</i> .	1879, 758
	1879, 235	<i>Engystoma carnicum</i> .	1875, 568
<i>Empidonomus varius</i> ..	1873, 281	<i>interlineatum</i>	1871, 202
	1879, 615	<i>rubrum</i>	1875, 568
<i>Empusa coronata</i>	1878, 586	<i>Enhydrina schistosa</i> ..	1871, 152
<i>Empyreuma pugione</i> ..	1878, 484		1871, 193
<i>Emyda ceylonensis</i>	1873, 72		1871, 194
<i>granosa</i>	1873, 72	<i>valacadyen</i>	1872, 401
<i>punctata</i>	1873, 71	<i>valakadyen</i>	1871, 193
	1873, 72		1871, 194
<i>scutata</i>	1873, 72	<i>Enicognathus javanicus</i> .	1872, 590
<i>senegalensis</i>	1873, 70	<i>Enicurus schistaceus</i> ..	1871, 365
<i>vittata</i>	1873, 72	<i>speciosus</i>	1871, 365
<i>Emydura macquaria</i> ..	1872, 506	<i>Ennea anodon</i>	1880, 347
<i>Emys amazonica</i>	1871, 746	<i>blanfordiana</i>	1872, 515
<i>bellii</i>	1872, 873		1872, 518
<i>caspica</i>	1875, 488	<i>crassilabris</i>	1880, 616
<i>crassicollis</i>	1872, 588		1880, 619
<i>erythrocephala</i>	1871, 747	<i>infans</i>	1880, 616
<i>expansa</i>	1871, 747		1880, 619
<i>flavipes</i>	1872, 603	<i>lata</i>	1880, 347
<i>grayi</i>	1873, 761		1880, 352
<i>hamiltonii</i>	1876, 751	<i>natalensis</i>	1880, 619
<i>macquaria</i>	1872, 504	<i>papillifera</i>	1880, 347
<i>macrocephala</i>	1871, 746	<i>perakensis</i>	1879, 735
<i>nigra</i>	1872, 873		1879, 740
	1873, 396	<i>stenopylis</i>	1872, 516
<i>olivacea</i>	1872, 873		1872, 518
	1873, 396	<i>ujijiensis</i>	1879, 736
<i>oregonensis</i>	1872, 873		1880, 347
<i>reevesi</i>	1873, 517	<i>vara</i>	1880, 352
<i>speciosa</i>	1872, 873		1872, 516
<i>spengleri</i>	1872, 588	<i>Ennomos testacearia</i> ..	1878, 643
<i>thurgi</i>	1871, 517	<i>Ensiforma caerulea</i>	1876, 817
<i>trijuga</i>	1875, 488	<i>Entheus peleus</i>	1876, 247
<i>Endodonta acetabulum</i> .	1871, 455	<i>Entomobia gularis</i>	1877, 536
	1871, 474		1877, 537
<i>binaria</i>	1871, 474		1877, 538
<i>celsa</i>	1871, 455		1877, 541
	1871, 474		1877, 690
<i>fabrefacta</i>	1871, 474		1877, 758
<i>ficta</i>	1871, 455		1877, 823
	1871, 474		1878, 282
<i>frickii</i>	1871, 474		1878, 341
<i>huaheinensis</i>	1871, 474		1878, 379
<i>lamellosa</i>	1871, 474		1878, 937
<i>laminata</i>	1871, 474		1878, 943
<i>obolus</i>	1871, 455	<i>pileata</i>	1875, 101
	1871, 474		1879, 331
<i>rugata</i>	1871, 474	<i>Entomogramma faultrix</i> .	1877, 609
<i>Endrosis fenestrella</i> ...	1877, 405		1877, 628
<i>Engina stricta</i>	1878, 807		1878, 849
<i>crocostoma</i>	1877, 69		1878, 857
<i>Engraulis boelama</i>	1871, 653	<i>Entomophila rufigularis</i>	1877, 350
	1871, 671	<i>Entomyza albipennis</i> ..	1875, 597
<i>encrasicolus</i>	1871, 672	<i>cyanotis</i>	1875, 597
	1871, 673	<i>Enyo atriceps</i>	1872, 271
	1875, 486		

	Page		Page
<i>Enyo atriceps</i>	1872, 272	<i>Epeira calva</i>	1872, 298
	1872, 348		1876, 575
<i>camertus</i>	1878, 483	<i>chloris</i>	1876, 576
<i>expers</i>	1876, 560		1876, 577
	1876, 626	<i>chrysogaster</i>	1876, 627
<i>germanica</i>	1872, 270		1877, 284
<i>græca</i>	1872, 270	<i>circe</i>	1872, 301
	1872, 348		1872, 349
<i>longipes</i>	1876, 628		1876, 577
<i>luctuosa</i>	1872, 270		1876, 627
	1872, 271	<i>clypeata</i>	1873, 428
	1872, 348	<i>cognata</i>	1880, 320
<i>lutipes</i>	1872, 272	<i>conica</i>	1872, 299
	1872, 348	<i>cooksonii</i>	1877, 76
<i>nitida</i>	1876, 559		1877, 93
	1876, 560	<i>cornuta</i>	1876, 577
	1876, 626	<i>cucurbitina</i>	1872, 299
<i>Eolis papillosa</i>	1877, 196		1872, 349
<i>Eolophus roseicapillus</i> ..	1874, 587	<i>cupidinea</i>	1875, 135
(<i>Cacatua</i>) <i>roseica-</i>			1875, 149
<i>pillus</i>	1873, 465	<i>cyanoospina</i>	1873, 420
<i>Eonycteris spelæa</i>	1877, 119	<i>diversa</i>	1872, 285
	1878, 877		1876, 568
<i>Eophona melanura</i>	1871, 386	<i>dromedaria</i>	1876, 577
<i>personata</i>	1871, 386		1876, 627
	1873, 664	<i>edulis</i>	1875, 131
<i>Eopsaltria australis</i>	1875, 588		1875, 132
<i>capito</i>	1875, 588		1875, 134
<i>inornata</i>	1874, 603	<i>feredayi</i>	1875, 138
	1874, 604	<i>gracilis</i>	1873, 425
	1875, 588	<i>herii</i>	1872, 298
<i>Eos cyanogenys</i>	1878, 86		1872, 349
<i>fuscatus</i>	1873, 697	<i>higginsii</i>	1875, 138
<i>indica</i>	1873, 465	<i>incongrua</i>	1872, 299
	1873, 634		1872, 349
	1874, 587	<i>inconveniens</i>	1872, 298
	1878, 578		1872, 349
<i>reticulata</i>	1875, 62	<i>isabella</i>	1879, 730
	1876, 692	<i>locuples</i>	1879, 732
<i>riciniata</i>	1873, 684		1879, 734
	1874, 587	<i>lucina</i>	1872, 299
	1878, 86		1872, 349
<i>rubra</i>	1878, 86		1876, 575
	1879, 170		1876, 576
	1879, 173	<i>madagascariensis</i> ..	1875, 134
	1879, 174	<i>malabarensis</i>	1871, 619
<i>Epeira adianta</i>	1872, 300	<i>maritima</i>	1875, 137
	1872, 349	<i>neta</i>	1872, 298
<i>albomaculata</i>	1876, 557		1872, 349
<i>antriada</i>	1872, 300	<i>oaxacensis</i>	1877, 76
	1872, 349	<i>oculata</i>	1872, 299
<i>apoclista</i>	1872, 300	<i>opuntia</i>	1872, 278
	1872, 349		1872, 279
	1876, 577		1872, 280
<i>armida</i>	1876, 628		1872, 301
<i>atomaria</i>	1876, 577		1872, 349
	1876, 627	<i>perplicata</i>	1872, 300
	1876, 630		1872, 349

	Page		Page
<i>Epeira perplicata</i>	1876, 577	<i>Epimachus magnus</i>	1871, 581
	1876, 627		1873, 743
<i>sexspinosa</i>	1873, 422	<i>maximus</i>	1873, 558
	1873, 426		1873, 697
<i>similis</i>	1872, 298	<i>paradiseus</i>	1871, 583
<i>slateri</i>	1879, 730	<i>regius</i>	1871, 582
	1879, 734	<i>speciosus</i>	1874, 486
<i>solers</i>	1872, 300		1875, 31
	1872, 301	<i>splendidus</i>	1871, 583
	1872, 349	<i>Epinephele davendra</i> ..	1880, 405
	1873, 211	<i>hispulla</i>	1880, 406
<i>suspicax</i>	1876, 577	<i>interposita</i>	1880, 405
	1876, 627		1880, 415
<i>trifasciata</i>	1872, 298	<i>maiza</i>	1874, 265
<i>tuberculosa</i>	1878, 799		1874, 274
<i>tubulosa</i>	1876, 576	<i>neoza</i>	1874, 265
<i>umbratica</i>	1876, 628		1874, 566
<i>Ephialtes hakkamuna</i> ..	1872, 417	<i>pallescens</i>	1880, 406
<i>glabripes</i>	1871, 343	<i>pulchella</i>	1874, 566
<i>griseus</i>	1875, 25	<i>roxane</i>	1880, 405
	1875, 26	<i>Epiodon australe</i>	1876, 12
<i>hambroecki</i>	1871, 344	<i>australis</i>	1880, 237
	1873, 667	<i>chathamensis</i>	1874, 263
<i>lempigi</i>	1872, 417		1880, 236
<i>lempiji</i>	1873, 667	<i>desmarestii</i>	1880, 237
<i>lettia</i>	1871, 344	<i>novæ-zealandiæ</i> ..	1876, 481
<i>menadensis</i>	1871, 337		1876, 483
<i>pennatus</i>	1872, 418		1880, 236
	1875, 25	<i>urganantus</i>	1876, 477
	1875, 26	<i>Epiphile adrasta</i>	1874, 346
<i>plumipes</i>	1871, 343	<i>grandis</i>	1874, 347
<i>sunia</i>	1872, 418	<i>iblis</i>	1876, 225
	1875, 25	<i>lampethusa</i>	1876, 225
	1875, 26	<i>Episinus antipodanus</i> ..	1879, 682
	1876, 781		1879, 701
<i>Epiblemum paludivagum</i>	1876, 624		1879, 702
	1876, 627		1879, 703
<i>scenicum</i>	1876, 624	<i>truncatus</i>	1879, 701
<i>tricinctum</i>	1876, 624	<i>Episparis signata</i>	1877, 611
	1876, 627	<i>varialis</i>	1877, 611
<i>Epicalia nyctimus</i>	1874, 347		1877, 629
<i>obrinus</i>	1874, 347	<i>Epitelarus neglectus</i> ..	1878, 184
<i>numilia</i>	1876, 225	<i>Epomophorus comptus</i> .	1878, 879
<i>pierretii</i>	1874, 347	<i>crypturus</i>	1873, 247
<i>Epicopeia mencia</i>	1874, 578	<i>franqueti</i>	1873, 247
	1874, 579	<i>gambianus</i>	1872, 364
<i>Epicrates angulifer</i>	1878, 789		1873, 247
<i>Epicrium carnosum</i>	1875, 577		1879, 716
<i>glutinosum</i>	1872, 404		1879, 717
	1872, 591	<i>labiatus</i>	1873, 247
<i>monochroum</i>	1872, 591		1879, 716
<i>Epidromus brazieri</i>	1872, 22		1879, 717
<i>Epimachus alberti</i>	1876, 752	<i>macrocephalus</i>	1872, 364
<i>brisbani</i>	1871, 582		1873, 247
<i>elliotti</i>	1873, 743		1879, 715
<i>magnificus</i>	1871, 583		1879, 716
	1876, 414	<i>minor</i>	1879, 715
	1876, 752		1879, 716

	Page		Page
<i>Epomophorus monstrosus</i>	1878, 879	<i>Eresia laias</i>	1879, 155
<i>pusillus</i>	1879, 715	<i>mechanitis</i>	1878, 269
<i>Equus asinus</i>	1875, 492	<i>mundina</i>	1876, 221
	1880, 2		1876, 250
<i>burchellii</i>	1875, 492	<i>nana</i>	1876, 222
	1876, 282	<i>nauplia</i>	1874, 350
	1876, 291		1876, 222
	1876, 293	<i>nigripennis</i>	1874, 348
	1880, 306	<i>nussia</i>	1876, 222
<i>caballus</i>	1875, 492		1876, 250
	1875, 494	<i>otanes</i>	1874, 348
— <i>nanus</i>	1880, 306	<i>pearcei</i>	1876, 222
<i>hemionus</i>	1875, 492		1876, 250
	1876, 634	<i>perilla</i>	1876, 221
<i>montanus</i>	1876, 282	<i>polina</i>	1876, 222
	1876, 291	<i>Eressa affinis</i>	1877, 596
	1877, 453		1877, 626
<i>onager</i>	1874, 1		1877, 632
	1876, 697	<i>confinis</i>	1877, 596
<i>quagga</i>	1876, 281	<i>Eresus acanthophilus</i>	1872, 260
	1876, 291		1872, 348
	1877, 453	<i>dufourii</i>	1876, 554
<i>Erana crassirostris</i>	1874, 636		1876, 626
<i>plena</i>	1877, 386	<i>frontalis</i>	1876, 554
<i>Erastria includens</i>	1878, 486	<i>fuscifrons</i>	1876, 628
<i>Erato angiotoma</i>	1877, 182	<i>guérinii</i>	1875, 144
<i>bimaculata</i>	1878, 866	<i>imperialis</i>	1876, 554
<i>corrugata</i>	1877, 182	<i>lituratus</i>	1876, 628
<i>Ercheia charon</i>	1880, 678	<i>mærens</i>	1872, 261
<i>cyllaria</i>	1880, 678		1872, 348
<i>fusifera</i>	1880, 678	<i>molitor</i>	1876, 628
<i>tenebrosa</i>	1877, 606	<i>petagnæ</i>	1876, 554
	1877, 628		1876, 626
<i>Erebia kalinda</i>	1880, 147	<i>pharaonius</i>	1876, 628
<i>Erebophis asper</i>	1877, 128	<i>ruficapillus</i>	1872, 261
	1877, 132		1872, 348
<i>Erebus agarista</i>	1878, 488	<i>semicinctus</i>	1876, 628
<i>odora</i>	1878, 488	<i>Erethizon dorsatum</i>	1875, 491
<i>odorata</i>	1878, 488	<i>Ergolis alternus</i>	1878, 698
<i>Eremias cæruleo-ocellata</i>	1872, 373		1878, 706
<i>variabilis</i>	1872, 374	<i>ariadne</i>	1873, 342
<i>Eremonia elongata</i>	1873, 398		1874, 105
	1873, 408		1878, 698
	1873, 409		1880, 667
<i>Eremophila alpestris</i>	1874, 651		1880, 670
<i>Eresia acraïna</i>	1876, 221	<i>enotrea</i>	1875, 409
<i>actinote</i>	1876, 222	<i>Ericulus nigricans</i>	1875, 64
<i>angusta</i>	1876, 222	<i>Erigone affinis</i>	1873, 445
<i>carne</i>	1879, 151	<i>affinitata</i>	1875, 199
<i>clara</i>	1876, 222	<i>agrestis</i>	1875, 335
<i>cœla</i>	1874, 370	<i>alexandrina</i>	1872, 747
<i>dismorphina</i>	1874, 350		1876, 572
<i>drypetis</i>	1878, 269		1876, 626
<i>eranites</i>	1874, 350	<i>apicata</i>	1873, 446
<i>eunice</i>	1874, 350		1874, 433
	1878, 269	<i>alpigena</i>	1875, 335
<i>ithomiola</i>	1875, 36	<i>alpina</i>	1875, 208
<i>laïas</i>	1879, 151	<i>antennata</i>	1875, 197

	Page		Page
<i>Erigone antennata</i>	1875, 222	<i>Erigone cristata</i>	1875, 208
<i>antica</i>	1875, 204		1875, 335
<i>atra</i>	1874, 429	<i>cucullata</i>	1872, 767
	1875, 394		1875, 208
	1875, 395		1875, 335
<i>atriceps</i>	1874, 436	<i>cuspidata</i>	1873, 447
	1874, 439		1874, 440
	1874, 441	<i>dentata</i>	1872, 290
<i>avicula</i>	1875, 335		1872, 349
<i>beckii</i>	1875, 335		1873, 445
<i>bicuspis</i>	1875, 335	—, var. <i>orientalis</i> ..	1872, 290
<i>bifrons</i>	1875, 215	<i>dentigera</i>	1874, 429
	1875, 216		1875, 394
	1875, 215		1875, 405
<i>biovata</i>	1875, 222	<i>dentipalpis</i>	1872, 291
	1875, 224		1872, 349
	1872, 765		1874, 430
<i>blackwallii</i>	1872, 769		1875, 395
	1875, 335	—, var. <i>syriaca</i>	1872, 291
<i>brevipalpis</i>	1875, 335	<i>depressa</i>	1874, 435
<i>brevipes</i>	1874, 435		1875, 335
	1875, 335	<i>diceros</i>	1873, 450
<i>bucephala</i>	1875, 206	<i>diluta</i>	1875, 331
	1875, 217		1875, 334
	1875, 222	<i>directa</i>	1874, 439
	1875, 224		1874, 440
<i>capito</i>	1874, 439		1874, 441
	1875, 210		1874, 442
	1875, 211		1875, 200
	1875, 222	<i>dorsuosa</i>	1875, 196
	1875, 223		1875, 222
	1875, 335	<i>eborodunensis</i>	1875, 204
<i>castellana</i>	1875, 219		1875, 222
	1875, 222		1875, 223
	1875, 224	<i>elegans</i>	1875, 335
<i>clara</i>	1875, 195	<i>emertoni</i>	1874, 435
<i>coccinea</i>	1875, 205		1874, 441
	1875, 222	<i>excisa</i>	1874, 433
	1875, 223	<i>fastigata</i>	1875, 215
<i>conigera</i>	1875, 401		1875, 335
	1875, 402	<i>femoralis</i>	1872, 291
<i>consimilis</i>	1875, 190		1872, 349
	1875, 192	<i>fissiceps</i>	1874, 436
	1875, 221		1874, 438
	1875, 222		1874, 441
<i>corallipes</i>	1875, 328		1875, 208
	1875, 334	<i>flavida</i>	1875, 204
<i>corniculans</i>	1875, 199	<i>florens</i>	1875, 403
	1875, 222		1875, 405
	1875, 223	<i>fluctuans</i>	1875, 329
<i>cornupalpis</i>	1875, 398	<i>foraminifera</i>	1875, 207
	1875, 401		1875, 208
	1875, 405		1875, 222
<i>corrugis</i>	1875, 214		1875, 223
	1875, 222	<i>fugax</i>	1873, 443
	1875, 224	<i>fuscipalpis</i>	1875, 333
<i>crassiceps</i>	1875, 199		1875, 335
<i>cristata</i>	1874, 438	<i>fuscipes</i>	1875, 215

	Page		Page
<i>Erigone fuscipes</i>	1875, 335	<i>Erigone monoceros</i>	1875, 200
<i>graminicola</i>	1873, 445		1875, 201
<i>grouvellii</i>	1875, 332		1875, 335
	1875, 335	<i>multesima</i>	1875, 402
<i>habilis</i>	1875, 195		1875, 405
	1875, 222	<i>neglecta</i>	1875, 335
<i>herbigrada</i>	1875, 335	<i>nemoralis</i>	1875, 214
<i>heterogaster</i>	1875, 211		1875, 335
	1875, 222	<i>nemorivaga</i>	1875, 326
	1875, 223		1875, 334
<i>humilis</i>	1875, 194	<i>nigrolimbata</i>	1875, 201
	1875, 199		1875, 222
	1875, 335		1875, 223
<i>incauta</i>	1872, 289	<i>obscura</i>	1875, 335
	1872, 349	<i>ornata</i>	1875, 393
<i>indirecta</i>	1874, 440		1875, 395
	1874, 442		1875, 405
	1875, 300	<i>pabulatrix</i>	1875, 324
<i>inedita</i>	1875, 209		1875, 334
	1875, 222	<i>pætula</i>	1875, 333
	1875, 223		1875, 335
<i>inexpedibilis</i>	1872, 289	<i>pallens</i>	1875, 197
	1872, 349		1875, 335
<i>insecta</i>	1872, 755	<i>pallipes</i>	1875, 335
	1875, 335	<i>paradoxa</i>	1875, 329
<i>intercepta</i>	1875, 335	<i>parallela</i>	1874, 437
<i>interpres</i>	1874, 430		1875, 335
	1874, 441	<i>pastoralis</i>	1872, 292
<i>isabellina</i>	1875, 335		1872, 349
<i>justa</i>	1875, 200	<i>pavida</i>	1872, 293
	1875, 222		1872, 349
	1875, 224		1875, 214
<i>kochii</i>	1873, 447	<i>penicillata</i>	1875, 335
	1873, 449	<i>perforata</i>	1874, 439
<i>læta</i>	1874, 433	<i>permixta</i>	1875, 208
	1874, 435	<i>persimilis</i>	1875, 394
	1874, 441		1875, 395
<i>lætabilis</i>	1874, 435		1875, 405
	1874, 441	<i>persoluta</i>	1875, 400
<i>latifrons</i>	1874, 437		1875, 402
	1875, 218		1875, 405
	1875, 335	<i>pertinens</i>	1875, 399
<i>leprieuri</i>	1875, 202		1875, 405
	1875, 222	<i>picina</i>	1873, 450
	1875, 223	<i>pictilis</i>	1875, 393
<i>livida</i>	1875, 400		1875, 395
<i>longipalpis</i>	1872, 285		1875, 396
	1872, 292		1875, 405
	1873, 445	<i>præcox</i>	1875, 335
	1874, 429	<i>probata</i>	1874, 431
	1875, 395		1874, 441
<i>longiuscula</i>	1875, 192	<i>prominula</i>	1872, 747
	1875, 221	<i>promiscua</i>	1874, 430
	1875, 222	<i>protuberans</i>	1875, 218
<i>lucasi</i>	1875, 208		1875, 222
	1875, 222		1875, 224
	1875, 223	<i>provida</i>	1875, 398
<i>monoceros</i>	1875, 199		1875, 405

	Page		Page
<i>Erigone pumila</i>	1875,	<i>Erigone vaporariorum</i> ..	1875,
<i>pusilla</i>	1875,		1875,
<i>pygmæa</i>	1875,		1875,
<i>quisquiliarum</i>	1875,		1875,
<i>retroversa</i>	1875,	<i>viaria</i>	1875,
	1875,		1875,
	1875,		1875,
<i>retusa</i>	1874,	<i>vigilax</i>	1875,
	1875,	<i>viva</i>	1875,
<i>rubens</i>	1875,		1875,
<i>rurestris</i>	1872,	(<i>Neriene</i>) <i>alexan-</i>	
	1872,	<i>drina</i>	1872,
	1872,		1872,
	1875,	(—) <i>arietans</i>	1872,
<i>scabricula</i>	1872,	(—) <i>digitata</i>	1872,
	1875,		1872,
<i>serrata</i>	1875,	(—) <i>flavescens</i> ..	1873,
	1875,		1873,
<i>sila</i>	1875,	(—) <i>forensis</i>	1872,
<i>simonii</i>	1875,	(—) <i>incompta</i> ..	1872,
<i>sollers</i>	1873,	(—) <i>inconspi-</i>	
<i>spinifera</i>	1874,	<i>cua</i>	1872,
	1874,	(—) <i>intercepta</i> ..	1873,
<i>spinosa</i>	1872,		1873,
	1872,	(—) <i>prolata</i>	1873,
	1872,		1873,
	1876,	(—) <i>prominula</i> ..	1872,
	1876,	(—) <i>romana</i>	1872,
<i>straminea</i>	1875,	(—) <i>sarcinata</i> ..	1872,
<i>stylifrons</i>	1875,		1872,
	1875,	(—) <i>sila</i>	1872,
	1875,	(—) <i>sollers</i>	1873,
<i>subtilis</i>	1875,		1873,
	1875,	(—) <i>taczanows-</i>	
<i>sundevallii</i>	1872,	<i>kii</i>	1873,
	1875,		1873,
	1875,	(—) <i>sylvatica</i> ..	1874,
<i>sylvatica</i>	1875,	(—) <i>wagæ</i>	1873,
	1875,		1873,
<i>thoracata</i>	1875,	(<i>Walckenaëra</i>) <i>al-</i>	
	1875,	<i>pina</i>	1872,
	1875,		1872,
<i>trifrons</i>	1875,		1872,
<i>truncatifrons</i>	1875,	(—) <i>biscissa</i>	1872,
	1875,		1872,
	1875,	(—) <i>blackwallii</i> .	1872,
<i>uncana</i>	1875,		1872,
<i>unicornis</i>	1873,	(—) <i>cito</i>	1872,
	1873,		1872,
	1875,	(—) <i>dybowski</i> ..	1873,
	1875,		1873,
<i>vagabunda</i>	1874,		452
	1875,		
<i>vagans</i>	1875,		
	1876,		

	Page		Page
<i>Erigone</i> (Walckenaëra)		<i>Eriphia smithii</i>	1877, 135
<i>elegans</i>	1872, 766	<i>Eriphyla umbonata</i>	1879, 132
	1872, 768	<i>Eriphylopsis gregaria</i> ..	1879, 132
	1872, 769	<i>Eriphus heterogaster</i>	1877, 566
(—) <i>græca</i>	1872, 755	<i>quinquegibbosus</i> ..	1877, 564
	1872, 768		1877, 566
	1872, 769		1877, 577
(—) <i>karpinskii</i> ..	1873, 447		1877, 578
	1873, 449	<i>spinipes</i>	1877, 566
	1873, 451	<i>Erismatura australis</i> ..	1880, 530
(—) <i>kochii</i>	1872, 759		1880, 535
	1872, 768	<i>cyanorhyncha</i>	1876, 404
	1872, 769	<i>dominica</i>	1876, 405
(—) <i>monodon</i> ..	1872, 759		1876, 411
	1872, 768		1880, 530
	1872, 769	<i>dominicana</i>	1876, 411
(—) <i>pallens</i>	1872, 753	<i>ferruginea</i>	1872, 368
(—) <i>prægracilis</i> .	1872, 762		1872, 370
	1872, 768		1872, 549
	1872, 769		1874, 554
(—) <i>saltuensis</i> ..	1872, 763		1876, 383
	1872, 768		1876, 404
	1872, 769		1876, 405
(—) <i>scurrilis</i> ..	1872, 760		1876, 411
	1877, 768		1880, 530
	1877, 769	<i>leucocephala</i>	1880, 530
(—) <i>similis</i>	1872, 761	<i>leucogenys</i>	1876, 408
	1872, 768	<i>mersa</i>	1876, 403
	1872, 769		1876, 404
(—) <i>simonii</i>	1872, 756	<i>mocoa</i>	1880, 530
	1872, 768		1880, 534
	1872, 769	<i>ortygoides</i>	1876, 405
(—) <i>subrostrata</i> .	1873, 450		1876, 406
	1873, 452	<i>rubida</i>	1876, 403
<i>Erinaceus collaris</i>	1873, 518		1876, 405
<i>ecaudatus</i>	1871, 58		1876, 410
<i>europæus</i>	1875, 493		1876, 411
	1877, 272		1880, 530
	1880, 51	<i>spinicauda</i>	1876, 392
<i>frontalis</i>	1877, 681	<i>spinosa</i>	1876, 405
<i>madagascariensis</i> ..	1871, 58	<i>vittata</i>	1876, 404
<i>semispinosus</i>	1871, 58	<i>Erites angularis</i>	1878, 825
<i>Eriocnemis alinæ</i>	1873, 784		1878, 853
	1874, 677	<i>argentina</i>	1873, 340
<i>aureliæ</i>	1871, 505	<i>elegans</i>	1873, 340
	1879, 530	<i>madura</i>	1878, 825
	1879, 630	<i>Erithacus akahige</i>	1871, 359
<i>cupreiventris</i>	1874, 140		1873, 652
	1875, 235	<i>komadori</i>	1873, 652
<i>glaucopoides</i>	1879, 630	<i>rubecula</i>	1871, 317
<i>lugens</i>	1879, 530		1873, 462
<i>russata</i>	1871, 505		1875, 490
<i>saphiropygia</i>	1874, 139	<i>Ero tuberculata</i>	1872, 287
	1874, 545		1872, 349
<i>Eriodes frontatus</i>	1871, 225	<i>Eroessa tenella</i>	1875, 65
	1872, 4	<i>Eromene auriscriptella</i> .	1877, 401
	1880, 302	<i>metallifera</i>	1877, 401
<i>Eriphia lævimana</i>	1877, 135		1877, 407

	Page		Page
<i>Eronia argia</i>	1875,	<i>Erythropitta kochi</i>	1878,
<i>buqueti</i>	1875,	<i>Erythropus amurensis</i> ..	1871,
<i>lutescens</i>	1878,		1871,
	1878,	<i>cenchris</i>	1876,
<i>naraka</i>	1877,	<i>pekinensis</i>	1876,
	1877,	<i>vespertinus</i>	1871,
<i>pingasa</i>	1872,	<i>Erythropygia galtoni</i> ..	1874,
	1877,	<i>paena</i>	1880,
<i>valeria</i>	1873,	<i>pectoralis</i>	1880,
	1874,	<i>Erythrospiza mongolica</i> .	1873,
<i>Erosia incongrua</i>	1878,	<i>Erythrosterina albicilla</i> .	1871,
<i>Errina aspera</i>	1871,	<i>erythaca</i>	1871,
<i>cochleata</i>	1871,		1879,
<i>fissurata</i>	1872,	<i>hyperythra</i>	1872,
	1872,		1872,
<i>glabra</i>	1871,		1872,
<i>Ervilia australis</i>	1877,		1872,
	1877,	<i>leucura</i>	1871,
	1877,		1872,
<i>Erycides charonotis</i>	1876,	<i>luteola</i>	1871,
<i>corytas</i>	1876,	<i>mugimaki</i>	1871,
<i>matho</i>	1879,	<i>parva</i>	1872,
<i>oratus</i>	1876,	<i>Erythrotriorchis radiatus</i>	1875,
	1876,	<i>Erythrura</i> , sp.	1877,
<i>oreides</i>	1876,	<i>cyanovirens</i>	1871,
<i>palemon</i>	1879,		1876,
<i>peleus</i>	1879,	<i>pealei</i>	1875,
<i>pygmalion</i>	1876,		1876,
<i>pyres</i>	1879,	<i>prasina</i>	1880,
<i>scython</i>	1879,	<i>trichroa</i>	1880,
<i>socius</i>	1874,	<i>Eryx johnii</i>	1871,
<i>socrata</i>	1876,		1871,
<i>urania</i>	1879,		1871,
<i>vida</i>	1874,		1875,
<i>Erycina aulestes</i>	1876,	<i>Esacus magnirostris</i> ..	1876,
<i>colubra</i>	1876,		1877,
<i>euclides</i>	1874,		1877,
<i>melibceus</i>	1876,		1879,
<i>Erynnis marrubii</i>	1880,	<i>recurvirostris</i>	1872,
<i>Erythra phoenicura</i>	1875,		1874,
	1877,		1874,
	1878,	<i>Esox lucius</i>	1875,
	1879,		1875,
<i>Erythrauchaena humera-</i>	1876,		1876,
<i>lis</i>	1878,		1880,
	1878,	<i>Esthemopsis clonia</i>	1874,
<i>Erythrina crista-galli</i> ..	1876,	<i>Estrelida amandava</i>	1872,
<i>Erythrodryas rosea</i>	1875,	<i>cyanogastra</i>	1873,
<i>Erythrocenas pulcherrima</i>	1874,		1878,
	1875,	<i>lipiniana</i>	1880,
	1875,	<i>melpoda</i>	1873,
<i>Erythromachus leguati</i> .	1875,	<i>rufopicta</i>	1874,
<i>Erythropitta erythrogas-</i>	1877,	<i>squamifrons</i>	1880,
<i>tra</i>	1877,	<i>Ethalia brazieri</i>	1877,
	1877,		1877,
	1877,	<i>lirata</i>	1871,
	1877,		1871,
	1878,		1877,
	1878,		1877,
	1879,		1877,

	Page		Page
<i>Ethalia plicata</i>	1871,	<i>Euchromia orientalis</i> ..	1880,
	1871,	<i>polymena</i>	1877,
<i>Etisus dentatus</i>	1877,		626
<i>Etroplus maculatus</i>	1878,		1880,
<i>Eubagis dyonis</i>	1874,	<i>Euclidia hectori</i>	1877,
<i>egæa</i>	1874,		407
	1878,	<i>Eucometis albicollis</i> ..	1879,
<i>gisella</i>	1876,	<i>cassini</i>	1879,
<i>immarginata</i>	1877,		549
<i>ines</i>	1876,	<i>penicillata</i>	1873,
<i>mæon</i>	1876,	<i>Euctenogobius andama-</i>	
<i>mylitta</i>	1874,	<i>nensis</i>	1873,
<i>postverta</i>	1877,	<i>cristatus</i>	1873,
<i>racidula</i>	1876,	<i>Eucyane glauca</i>	1871,
<i>salpensa</i>	1874,	<i>hystaspes</i>	1871,
	1876,	<i>Eudamus albofasciatus</i> .	1874,
<i>serina</i>	1876,	<i>alcæus</i>	1874,
<i>thalassina</i>	1874,	<i>capucinus</i>	1878,
<i>tithia</i>	1874,	<i>trinitad</i>	1878,
<i>Eubalæna antipodarum</i> .	1873,	<i>vectilucis</i>	1874,
<i>australis</i>	1873,	<i>Eudocimus albus</i>	1877,
	1873,		478
	1873,		1877,
	1873,		479
	1873,		485
	1873,		1877,
	1873,		508
	1873,		1877,
	1873,		509
<i>Eublepharis fasciatus</i> ..	1872,	<i>erythrorhynchus</i> ..	1877,
<i>hardwickii</i>	1871,	<i>falcinellus</i>	1877,
	1871,	<i>guarana</i>	1877,
	1872,	<i>longirostris</i>	1877,
<i>macularius</i>	1871,		509
	1871,	<i>ruber</i>	1877,
	1871,		478
	1872,		1877,
	1872,		479
	1872,		484
	1872,		1877,
	1872,		485
<i>Eubucco aurantiicollis</i> ..	1873,		1877,
<i>hartlaubi</i>	1873,		509
<i>Eucalodium decollatum</i> ..	1875,		1877,
<i>walpoleanum</i>	1875,		510
<i>Eucephala cærulea</i>	1873,	<i>Eudromia elegans</i>	1872,
<i>Euchaetes insulata</i>	1878,		545
<i>Euchelymys spinosa</i>	1872,		1872,
	1872,	<i>Eudromias geoffroyi</i>	1878,
<i>sulcifera</i>	1872,		281
<i>Euchelys macropus</i>	1873,		1878,
	1873,		288
	1873,		1878,
	1873,		344
<i>Euchloë coliagenes</i>	1876,		1878,
<i>daphalis</i>	1874,		624
	1880,		1878,
<i>eucharis</i>	1876,	<i>modesta</i>	1879,
<i>jobina</i>	1876,	<i>modestus</i>	1871,
<i>simplonia</i>	1880,		261
<i>venosa</i>	1880,		1878,
	1880,	<i>mongolicus</i>	1878,
	1880,		344
<i>Euchromia æmulina</i> ..	1877,	<i>morinellus</i>	1878,
<i>aruica</i>	1877,		711
<i>fraterna</i>	1880,	<i>morinellus</i>	1871,
<i>irus</i>	1877,		115
	473	<i>veredus</i>	1875,
	473		98
	473	<i>veredus</i>	1871,
	473		403
	473		1878,
	473	<i>Eudynamis</i> , sp.	1877,
	473	<i>cycnocephala</i>	1879,
	473	<i>flindersi</i>	1875,
	473	<i>honorata</i>	1872,
	473	<i>maculata</i>	1871,
	473		394

	Page		Page
<i>Eudynamis malayana</i> ..	1871, 394	<i>Eugenes spectabilis</i>	1878, 68
	1879, 12	<i>Euglandina lignaria</i>	1879, 479
	1879, 328	<i>Euglyphia hieroglyphica</i>	1878, 485
<i>mindanensis</i>	1877, 536	<i>Euglyphis procopialis</i> ..	1878, 850
	1877, 538		1878, 858
	1877, 543	<i>Eugnatha filiformis</i>	1876, 575
	1877, 688	<i>Eulabeornis bernieri</i> ..	1875, 68
	1877, 691	<i>Eulabes hainanus</i>	1871, 384
	1877, 823	<i>ptilogenys</i>	1872, 405
	1878, 946		1872, 463
	1879, 70	<i>religiosa</i>	1872, 463
<i>orientalis</i>	1871, 394	<i>sinensis</i>	1871, 383
	1872, 432	<i>Eulaceura osteria</i>	1871, 726
	1875, 343		1873, 346
	1877, 106	<i>Eulampis chlorolæmus</i> .	1871, 272
	1879, 328	<i>holosericus</i>	1871, 272
<i>picata</i>	1878, 671		1872, 651
	1879, 12		1874, 175
<i>picatus</i>	1877, 106	<i>jugularis</i>	1871, 266
<i>rufiventer</i>	1877, 106		1871, 272
	1879, 12		1872, 651
<i>taitensis</i>	1876, 491	<i>Eulima bilineata</i>	1871, 735
<i>taitianus</i>	1877, 407	<i>distorta</i>	1871, 735
<i>taitiensis</i>	1875, 427	<i>paivensis</i>	1873, 364
	1876, 501		1873, 391
	1876, 505	<i>porcellana</i>	1872, 15
	1877, 773	<i>Eumæus minyas</i>	1874, 354
	1877, 778	<i>toxana</i>	1874, 354
	1877, 783	<i>Eumeces albofasciolatus</i>	1877, 128
<i>Eudynamys flindersi</i> ..	1873, 519	<i>albopunctatus</i>	1871, 150
<i>Eudyoptis indica</i>	1880, 685		1871, 158
<i>Eudyptes catarractes</i> ..	1873, 642	<i>aruensis</i>	1877, 128
<i>chrysome</i>	1873, 683	<i>himalayanus</i>	1871, 158
	1878, 577	<i>indicus</i>	1871, 150
	1878, 654		1871, 158
	1878, 655	<i>ladacensis</i>	1872, 375
	1879, 311	<i>sikimensis</i>	1871, 150
<i>chrysolophus</i>	1878, 654		1871, 158
	1879, 311	<i>Eumelia aureliata</i>	1880, 687
<i>diadematus</i>	1878, 654	<i>ludovicata</i>	1877, 621
<i>nigriventris</i>	1878, 654		1877, 631
<i>pachyrhynchus</i>	1878, 655	<i>rosalia</i>	1877, 151
<i>saltator</i>	1878, 654		1878, 851
<i>Eudyptula albosignata</i> ..	1874, 207		1878, 858
<i>minor</i>	1874, 207	<i>Eumenis thelephassa</i> ..	1880, 405
<i>undina</i>	1874, 207	<i>Eumeta pryeri</i>	1880, 674
	1874, 208	<i>Eumetopias elongatus</i> ..	1873, 776
<i>Eueides aliphera</i>	1876, 220		1873, 777
<i>cleobæa</i>	1874, 351		1873, 778
<i>heleconioides</i>	1876, 220	<i>stelleri</i>	1872, 737
<i>isabella</i>	1876, 220		1872, 738
<i>lineata</i>	1874, 350		1872, 739
<i>lybia</i>	1876, 220		1872, 740
<i>unifasciatus</i>	1876, 220		1872, 741
<i>vibilia</i>	1874, 350		1873, 776
<i>vulgiformis</i>	1874, 351	<i>Eumichtis sistens</i>	1877, 385
<i>Eugenes fulgens</i>	1878, 68	<i>Eumolpus prasinus</i>	1880, 594
<i>spectabilis</i>	1878, 40		1880, 608

	Page		Page
<i>Eumolpus surinamensis</i>	1880, 594	<i>Eupagurus forceps</i>	1879, 49
	1880, 608	<i>obesocarpus</i>	1877, 659
<i>Eumomota superciliaris</i>	1873, 464	<i>Eupetes cærulescens</i>	1873, 696
	1873, 631		1875, 531
	1876, 511	<i>leucostictus</i>	1873, 690
	1878, 49		1873, 696
	1878, 100		1875, 641
<i>Eumyias ceylonensis</i>	1872, 442	<i>Eupetomena hirundo</i>	1876, 16
<i>melanops</i>	1871, 381		1876, 18
	1872, 442	<i>Euphema aurantia</i>	1873, 311
	1873, 665		1874, 587
<i>sordida</i>	1872, 405	<i>bourkii</i>	1873, 465
	1872, 441		1873, 634
<i>Eunectes murinus</i>	1878, 378		1874, 587
<i>occidentalis</i>	1877, 77	<i>pulchella</i>	1873, 465
	1877, 82		1873, 634
<i>Eunetta falcata</i>	1871, 419		1874, 587
<i>formosa</i>	1871, 418		1879, 166
<i>Eunica amelia</i>	1876, 224	<i>splendida</i>	1871, 102
<i>anna</i>	1874, 349		1873, 465
<i>aspasia</i>	1877, 53		1873, 634
<i>augusta</i>	1874, 349		1874, 587
<i>bechina</i>	1876, 224	<i>Eupherusa egregia</i>	1878, 71
<i>brunnea</i>	1876, 224	<i>Eupholus amalixæ</i>	1877, 155
<i>cærula</i>	1877, 64	<i>browni</i>	1877, 155
<i>caralis</i>	1876, 224		1877, 159
<i>carias</i>	1876, 224	<i>Euphone chlorotica</i>	1874, 518
<i>celma</i>	1876, 224	<i>Euphonia, sp. inc.</i>	1876, 17
<i>chlorochroa</i>	1876, 225	<i>chlorotica</i>	1879, 598
<i>cinara</i>	1876, 224		1880, 146
<i>cinaria</i>	1877, 63		1880, 194
<i>clytia</i>	1876, 224		1880, 312
<i>elegans</i>	1876, 224	<i>chrysopasta</i>	1873, 261
<i>europa</i>	1876, 224		1879, 598
<i>excelsa</i>	1877, 63	<i>concinna</i>	1877, 19
<i>mira</i>	1877, 63	<i>crassirostris</i>	1877, 320
<i>mygdonia</i>	1876, 223		1878, 54
<i>norica</i>	1876, 225		1879, 598
<i>orphise</i>	1876, 224	<i>elegantissima</i>	1878, 54
<i>pomona</i>	1876, 224	<i>finschi</i>	1877, 19
<i>sophronisba</i>	1877, 63	<i>flavifrons</i>	1871, 265
<i>tatila</i>	1877, 64		1876, 14
	1878, 480	<i>fulvicrissa</i>	1879, 498
<i>tenebrosa</i>	1876, 224		1879, 549
<i>tithonia</i>	1876, 223	<i>gouldi</i>	1878, 54
<i>venusia</i>	1877, 63	<i>insignis</i>	1877, 521
<i>Euophrys plebeja</i>	1876, 629	<i>lanirostris</i>	1876, 17
<i>vigoratus</i>	1876, 622		1879, 598
<i>Euoploteuthis unguiculata</i>	1874, 181	<i>melanura</i>	1873, 260
<i>Euotaria cinerea</i>	1875, 667	<i>minuta</i>	1873, 260
<i>nigrescens</i>	1873, 758		1879, 226
	1873, 759		1879, 498
<i>Euoticus pallidus</i>	1872, 860	<i>nigricollis</i>	1873, 260
<i>Eupagurus cavimanus</i>	1879, 21		1874, 518
	1879, 48		1877, 521
	1879, 49		1879, 225
	1879, 61		1879, 488
			1880, 194

	Page		Page
<i>Euphonia pectoralis</i>	1875, 529	<i>Euplocamus albocrista-</i>	
	1880, 146	<i>tus</i>	1876, 464
<i>ruficeps</i>	1879, 598		1879, 363
<i>rufiventris</i>	1871, 749		1879, 364
	1873, 261	<i>andersoni</i>	1871, 137
	1880, 146		1871, 138
<i>saturata</i>	1877, 19		1876, 274
	1877, 744	<i>claviger</i>	1877, 230
<i>serrirostris</i>	1879, 598	<i>crawfurdi</i>	1876, 274
	1880, 194	<i>cristatus</i>	1877, 307
<i>trinitatis</i>	1879, 498	<i>croceus</i>	1877, 230
	1880, 146	<i>erythrophthalmus</i> .	1871, 138
<i>violacea</i>	1873, 462		1873, 468
	1876, 17		1873, 640
	1880, 144		1874, 113
	1880, 145	<i>frondosus</i>	1877, 231
	1880, 146	<i>holbölli</i>	1877, 230
<i>xanthogastra</i>	1873, 185	<i>horsfieldii</i>	1871, 138
	1873, 260		1873, 468
	1873, 780		1873, 640
	1874, 518		1874, 113
	1879, 498	<i>ignitus</i>	1871, 138
<i>Euphysetes grayii</i>	1874, 260		1875, 380
	1874, 261	<i>lacinosus</i>	1877, 237
<i>pottsii</i>	1874, 260	<i>lineatus</i>	1871, 137
	1874, 262		1871, 138
<i>Eupithecia, sp. inc.</i>	1880, 688		1876, 274
<i>absynthiata</i>	1873, 156	<i>melanotis</i>	1871, 138
<i>bilineolata</i>	1877, 395	<i>nobilis</i>	1871, 138
<i>cidariaria</i>	1877, 395		1875, 380
<i>implicata</i>	1880, 688	<i>nychthemerus</i>	1871, 137
<i>indicataria</i>	1877, 395		1871, 138
<i>muscosata</i>	1877, 395		1871, 390
<i>pimpinellata</i>	1873, 156		1875, 317
<i>tristrigosa</i>	1880, 688		1876, 274
<i>Euplagia hera</i>	1878, 847		1879, 363
	1878, 848	<i>plumosus</i>	1877, 230
<i>Euplectella aspergillum</i>	1875, 503	<i>prælatatus</i>	1871, 138
<i>cucumer</i>	1875, 503		1876, 274
<i>Euplectes afer</i>	1880, 313		1879, 363
<i>capensis</i>	1873, 462	<i>pyronotus</i>	1871, 138
	1878, 358		1873, 194
	1874, 306		1873, 468
<i>flammiceps</i>	1874, 306		1873, 640
<i>franciscana</i>	1878, 130		1875, 380
<i>nigriventris</i>	1873, 715		1875, 380
	1878, 358	<i>swinhoii</i>	1871, 138
	1880, 476		1872, 399
<i>phoenicomerus</i>	1871, 615		1872, 550
<i>taha</i>	1880, 491		1873, 667
<i>Eupleres goudoti</i>	1871, 297		1879, 363
	1879, 770		1879, 364
<i>Euplexia cuprea</i>	1874, 578	<i>vieilloti</i>	1873, 468
<i>insignis</i>	1877, 385		1873, 640
<i>Euplocamus albocristatus</i>	1871, 138		1874, 113
	1873, 468		1875, 280
	1873, 640		1879, 651
	1874, 113		1880, 15
	1876, 200	<i>Euplocia membliaria</i> . .	1877, 598

	Page		Page
<i>Euplocia membliaria</i>	1877, 626	<i>Euploea helcita</i>	1874, 278
<i>Euploea adyte</i>	1874, 276		1875, 611
<i>æthiops</i>	1877, 467		1878, 297
<i>alcatthoë</i>	1878, 823	<i>herrichii</i>	1874, 278
	1878, 853	<i>hisme</i>	1874, 276
<i>andamanensis</i>	1873, 736	<i>imitata</i>	1874, 277
	1877, 582	<i>incompta</i>	1874, 277
	1877, 623	<i>iphianassa</i>	1874, 276
<i>angasii</i>	1877, 467		1878, 644
	1878, 297	<i>jessica</i>	1874, 277
<i>bremeri</i>	1873, 338		1878, 733
	1878, 638	<i>kadu</i>	1873, 338
<i>brenchleyi</i>	1874, 278	<i>lætifica</i>	1880, 666
<i>browni</i>	1877, 142		1880, 669
	1877, 151	<i>lapeyrousei</i>	1871, 521
	1879, 156		1874, 277
<i>callithoë</i>	1871, 525		1875, 611
	1878, 644	<i>layardi</i>	1874, 103
<i>camaralzeman</i>	1874, 103		1874, 109
<i>camorta</i>	1877, 582		1878, 695
	1877, 623	<i>ledereri</i>	1871, 523
<i>climene</i>	1871, 524	<i>limborgii</i>	1878, 823
<i>cœnobita</i>	1874, 276		1878, 853
<i>core</i>	1874, 265		1878, 858
	1878, 823	<i>lorenzo</i>	1874, 277
<i>crameri</i>	1873, 338	<i>macleayii</i>	1874, 276
<i>crassa</i>	1878, 822	<i>margarita</i>	1874, 103
<i>cuvieri</i>	1877, 141		1878, 823
<i>deione</i>	1878, 823	<i>mazares</i>	1871, 520
<i>distincta</i>	1874, 278		1873, 338
	1878, 296	<i>melina</i>	1874, 277
	1878, 297	<i>ménétriésii</i>	1873, 338
<i>dolosa</i>	1876, 766		1874, 103
<i>duponcheli</i>	1879, 157		1878, 638
<i>eleusina</i>	1874, 276	<i>mesocala</i>	1877, 466
<i>eleutho</i>	1874, 276		1877, 467
	1874, 278	<i>midamus</i>	1871, 522
	1878, 296		1874, 103
	1878, 297	<i>mniszechii</i>	1871, 524
<i>erimas</i>	1878, 733	<i>modesta</i>	1874, 103
	1879, 156	<i>mœsta</i>	1873, 338
	1879, 160		1877, 467
<i>eschscholtzii</i>	1874, 278	<i>montrouzieri</i>	1874, 278
<i>esperii</i>	1877, 582	<i>mulciber</i>	1873, 338
	1877, 623		1878, 638
<i>eupator</i>	1878, 733	<i>nemertes</i>	1874, 276
<i>eurianassa</i>	1878, 644	<i>novaræ</i>	1877, 582
<i>felderi</i>	1878, 695		1877, 623
	1878, 706	<i>nox</i>	1878, 644
<i>forsteri</i>	1874, 276	<i>occulta</i>	1877, 466
<i>gloriosa</i>	1871, 524		1877, 467
<i>godartii</i>	1878, 824	<i>ochsenheimeri</i>	1873, 338
	1878, 853	<i>orope</i>	1874, 275
<i>græffiana</i>	1874, 276	<i>pasithea</i>	1879, 156
<i>grotei</i>	1878, 824	<i>paykullei</i>	1874, 278
<i>guerinii</i>	1876, 766	<i>perryi</i>	1874, 278
<i>hamata</i>	1874, 275		1874, 291
	1877, 467	<i>philomela</i>	1878, 637

	Page		Page
<i>Euplœa phœbus</i>	1873, 338	<i>Euprepes olivaceus</i>	1872, 589
	1874, 103	<i>percarinatus</i>	1872, 588
<i>proserpina</i>	1874, 278	<i>rufescens</i>	1871, 157
	1875, 619		1871, 158
<i>prothoë</i>	1877, 141		1872, 588
	1877, 142		1879, 76
<i>rhadamanthus</i>	1873, 338	<i>trivittatus</i>	1871, 150
	1874, 103		1871, 158
<i>rumphii</i>	1874, 276	(<i>Tiliqua</i>) <i>brevis</i> ..	1875, 225
<i>saundersii</i>	1874, 276	<i>Euproctis auriflua</i>	1879, 400
<i>schmeltzi</i>	1874, 277	<i>discinota</i>	1877, 601
<i>semicirculus</i>	1877, 141		1877, 627
<i>sepulchralis</i>	1871, 521	<i>flavonigra</i>	1879, 400
<i>seriata</i>	1874, 276		1879, 417
<i>siamensis</i>	1874, 103	<i>postincisa</i>	1879, 400
<i>splendens</i>	1871, 525		1879, 416
<i>subdita</i>	1878, 823	<i>subdita</i>	1879, 400
	1878, 853	<i>subnigra</i>	1879, 400
<i>superba</i>	1871, 525	<i>Euproctus fasciatus</i>	1874, 70
<i>swainsoni</i>	1871, 525	<i>Eupsilostoma pusillum</i> .	1873, 577
<i>swinhoei</i>	1877, 811		1874, 536
	1880, 666		1877, 325
<i>thoosa</i>	1878, 638	<i>Eupsychortyx crista-</i>	
<i>torvina</i>	1875, 611	<i>tus</i>	1873, 468
<i>transfixa</i>	1874, 276		1873, 640
<i>treitschkei</i>	1874, 277	<i>leucotis</i>	1879, 544
	1877, 142	<i>Eupterote canaraica</i> ..	1879, 410
	1878, 644	<i>fabia</i>	1879, 410
	1879, 157	<i>ochripicta</i>	1879, 410
<i>tristis</i>	1874, 276	<i>Euptoieta hegesia</i>	1874, 349
<i>unibrunnea</i>	1877, 141		1878, 481
	1879, 156	<i>Euptychia angularis</i> ..	1874, 336
<i>vitella</i>	1871, 524	<i>argentella</i>	1874, 337
	1874, 277		1878, 265
<i>zonata</i>	1873, 338	<i>arnæa</i>	1874, 337
<i>Eupodotis australis</i>	1874, 471	<i>camerta</i>	1874, 335
	1874, 472		1876, 213
	1874, 473	<i>disaffecta</i>	1874, 336
	1874, 674	<i>erigone</i>	1876, 213
	1880, 478	<i>fallax</i>	1874, 336
<i>caffra</i>	1872, 603	<i>hermes</i>	1874, 336
<i>denhami</i>	1872, 603	<i>hesione</i>	1876, 213
	1873, 640	<i>hiemalis</i>	1876, 213
	1874, 473	<i>insolata</i>	1874, 337
	1880, 477	<i>ithama</i>	1874, 337
<i>edwardsi</i>	1873, 315		1878, 266
	1873, 672	<i>libye</i>	1874, 336
	1880, 486		1876, 213
<i>ruficollis</i>	1872, 603	<i>ocirrhoë</i>	1874, 335
<i>Euprepes australis</i>	1875, 487	<i>ocypete</i>	1876, 213
<i>beddomii</i>	1875, 225	<i>philodice</i>	1878, 264
<i>belcheri</i>	1872, 589		1878, 265
<i>ceramensis</i>	1872, 589	<i>phocion</i>	1878, 265
<i>coctei</i>	1873, 703	<i>peria</i>	1874, 336
	1873, 704	<i>pyracmon</i>	1874, 337
<i>macularius</i>	1871, 150		1878, 265
	1871, 157	<i>renata</i>	1874, 336
	1871, 158	<i>rogersi</i>	1878, 265

	Page		Page
<i>Euptychia rustica</i>	1876,	<i>Eurylæmus javanicus</i> ..	1880,
<i>tiessa</i>	1874,	<i>ochromelas</i>	1875,
<i>usitata</i>	1874,		1877,
<i>variabilis</i>	1874,		1877,
<i>vetones</i>	1878,		1879,
<i>westwoodii</i>	1874,		1880,
<i>Eurema arabella</i>	1871,		1880,
<i>arbela</i>	1871,		1880,
<i>arçæi</i>	1874,	<i>steerii</i>	1878,
<i>atropos</i>	1874,		1879,
<i>demoditas</i>	1871,	<i>Eurylaimus nasutus</i>	1872,
<i>dina</i>	1874,		1872,
<i>dione</i>	1876,		1872,
<i>formosa</i>	1871,	<i>Eurynorhynchus griseus</i>	1871,
	1878,	<i>orientalis</i>	1871,
<i>godmanii</i>	1874,	<i>pygmæus</i>	1871,
<i>jodutta</i>	1871,		1871,
<i>kefersteinii</i>	1874,	<i>Euryope batesi</i>	1880,
	1876,	<i>minuta</i>	1880,
<i>Eurynorhynchus orienta-</i>	1871,	<i>nigripes</i>	1880,
<i>lis</i>	409	<i>sanguinea</i>	1880,
<i>pygmæus</i>	1871,	<i>Euryopis acuminata</i> ..	1876,
<i>Euripus consimilis</i>	1874,		1876,
<i>halitherses</i>	1873,	<i>quadrimaculata</i> ..	1876,
<i>hallirothius</i>	1874,		1876,
<i>Eurocephalus anguiti-</i>	1880,	<i>scripta</i>	1876,
<i>mens</i>	491		1876,
<i>Eurostopodus albugu-</i>	1875,	<i>Euryphene mardania</i> ..	1871,
<i>laris</i>	113		1875,
	1875,	<i>phantasia</i>	1875,
<i>guttatus</i>	113		1879,
	1875,	<i>plautilla</i>	1875,
<i>Eurostus heteraspis</i>	1872,	<i>plistonax</i>	1875,
<i>Eurybia dardus</i>	1876,	<i>ribensis</i>	1871,
<i>donna</i>	1876,	<i>sophus</i>	1875,
<i>halimede</i>	1876,	<i>Eurypyga helias</i>	1873,
<i>juturna</i>	1874,		1875,
<i>lamia</i>	1876,		1877,
<i>salome</i>	1876,		1877,
<i>Eurycantha horrida</i>	1877,	<i>major</i>	1879,
<i>Euryceros prevosti</i>	1875,	<i>Euryrhynchus wrzesni-</i>	1877,
<i>Eurycoleus belti</i>	1878,	<i>owskii</i>	1877,
<i>Eurycratera farafanga</i> ..	1875,		1877,
	1875,	<i>Eurysoma thorntoni</i> ..	1879,
<i>Eurycus cressida</i>	1877,	<i>Eurystomus afer</i>	1873,
<i>troilus</i>	1877,		1873,
<i>Eurygona amphidecta</i> ..	1878,	<i>crassirostris</i>	1877,
<i>aurantia</i>	1874,		1878,
<i>chrysippe</i>	1874,	<i>glaucurus</i>	1875,
<i>eutychnus</i>	1876,		1879,
<i>hypophæa</i>	1878,		1879,
<i>inconspicua</i>	1878,	<i>gularis</i>	1879,
<i>labiena</i>	1874,		1880,
<i>leucorrhœa</i>	1878,		468
<i>regipennis</i>	1874,		
<i>russata</i>	1878,		
<i>Eurylæmus javanicus</i> ..	1878,		
	1880,		
	14		

	Page		Page
<i>Eurystomus madagascariensis</i>	1879, 675	<i>Euschema malayana</i> ..	1878, 846
<i>orientalis</i>	1871, 347	<i>militaris</i>	1878, 704
	1872, 423		1878, 708
	1873, 649		1878, 846
	1873, 650		1878, 857
	1877, 537	<i>primicolor</i>	1879, 415
	1877, 540	<i>roepstorffi</i>	1879, 414
	1877, 690	<i>semiplena</i>	1877, 600
	1877, 757	<i>subrepleta</i>	1879, 392
	1877, 822	<i>vilis</i>	1879, 414
	1878, 108	<i>Eusemia africana</i>	1879, 415
	1878, 282	<i>albomarginata</i>	1878, 381
	1878, 341		1872, 569
	1878, 379		1877, 596
	1878, 613	<i>funebri</i>	1877, 626
	1879, 69	<i>incongruens</i>	1872, 569
	1879, 332	<i>Eusmerinthus kinder-</i>	1878, 381
<i>pacificus</i>	1875, 582	<i>manni</i>	1880, 413
	1879, 332		1880, 415
<i>Eurystopodus</i> , sp.	1879, 447	<i>Euspiza americana</i>	1878, 58
<i>Euryta brazieri</i>	1875, 390		1879, 508
<i>Eurytela dryope</i>	1871, 722	<i>aureola</i>	1875, 387
	1875, 409	<i>personata</i>	1871, 388
<i>hiarbas</i>	1875, 409	<i>rutila</i>	1871, 387
<i>horsfieldi</i>	1877, 585		1873, 434
	1877, 624	<i>sulphurata</i>	1871, 388
<i>ophione</i>	1875, 409	<i>Eustephanus fernandensis</i>	1878, 434
<i>stephensi</i>	1877, 585	<i>galeritus</i>	1878, 433
<i>Eurytrachelus thomsoni</i>	1877, 154	<i>Euterpe arechiza</i>	1874, 357
<i>Euscarthmus cinereus</i> ..	1874, 534	<i>calymnia</i>	1872, 59
<i>fulviceps</i>	1871, 497	<i>charops</i>	1874, 357
	1871, 498	<i>corecyra</i>	1872, 58
	1877, 325	<i>dismorphites</i>	1874, 357
	1880, 202	<i>emeris</i>	1874, 358
<i>granadensis</i>	1879, 512	<i>leucadia</i>	1872, 52
<i>gularis</i>	1879, 612	<i>nimbice</i>	1874, 357
<i>margaritaceiventris</i> .	1879, 612	<i>notha</i>	1872, 58
<i>pyrrhops</i>	1874, 535	<i>ochracea</i>	1874, 357
<i>rufigularis</i>	1874, 130	<i>pieridoides</i>	1872, 58
	1874, 534	<i>pitana</i>	1874, 358
<i>spicifer</i>	1873, 277	<i>potamea</i>	1874, 358
	1873, 278	<i>tereas</i>	1874, 357
<i>squamicristatus</i> ..	1871, 498	<i>teutila</i>	1874, 357
	1878, 62		1874, 358
<i>wuchereri</i>	1876, 16	<i>Euthisanotia timais</i>	1878, 485
<i>zosterops</i>	1878, 138	<i>Euthria aracanensis</i>	1873, 182
<i>Euschema andamana</i> ..	1877, 599		1875, 184
	1877, 626	<i>ferrea</i>	1879, 206
<i>aurilimbata</i>	1878, 846		1879, 217
	1878, 857	<i>Eutogenius fuscus</i>	1874, 57
<i>auristriga</i>	1877, 600	<i>Eutolmaëtus bonellii</i> ..	1872, 75
<i>bellissima</i>	1879, 414		1872, 623
<i>bellona</i>	1877, 600	<i>Eutoxeres condaminii</i> ..	1874, 541
<i>bernsteini</i>	1877, 600	<i>Eutresis hyperia</i>	1877, 60
<i>excubitor</i>	1878, 846		1879, 150
	1878, 857	<i>hyspa</i>	1879, 150
<i>horsfieldi</i>	1878, 846	<i>theope</i>	1877, 60
	1878, 857		1879, 150

	Page		Page
<i>Eutricha cheela</i>	1879, 408	<i>Falcinellus magnificus</i> .	1871, 583
<i>pini</i>	1879, 408	<i>ordi</i>	1874, 562
<i>Eutriorchis astur</i>	1875, 73		1877, 505
<i>Eutrochus alternatus</i> ..	1873, 719	<i>ridgwayi</i>	1877, 480
<i>gemmosus</i>	1873, 722		1877, 485
<i>jujubinus</i>	1873, 719		1877, 506
	1873, 720	<i>thalassinus</i>	1877, 480
<i>perspectivus</i>	1873, 719		1877, 484
<i>pulchellus</i>	1873, 719		1877, 485
<i>scitulus</i>	1873, 719		1877, 507
<i>zonamestus</i>	1873, 719	<i>Falco æsalon</i>	1871, 340
<i>Eutropiichthys vacha</i> ..	1871, 287	<i>amurensis</i>	1873, 649
	1871, 713	<i>anatum</i>	1874, 550
<i>Eutrygon terrestris</i>	1873, 697	<i>arcticus</i>	1873, 414
<i>Exanthemops rossii</i>	1880, 501		1873, 415
<i>Excalfactoria australis</i> ..	1876, 119	<i>atriceps</i>	1871, 678
<i>chinensis</i>	1871, 401		1871, 679
	1872, 470		1871, 680
	1879, 350	<i>aurantius</i>	1874, 550
	1879, 447	<i>babylonicus</i>	1875, 17
<i>Excavata fabricii</i>	1879, 564		1876, 311
<i>Exocetus evolans</i>	1879, 758		1878, 2
<i>Exostoma andersoni</i> ..	1871, 715	<i>barbarus</i>	1871, 147
	1876, 783		1872, 356
	1876, 804		1878, 2
<i>berdmorei</i>	1871, 715	<i>biarmicus</i>	1875, 316
	1876, 783	<i>candicans</i>	1871, 112
	1876, 804		1873, 414
<i>blythii</i>	1871, 715		1873, 415
	1876, 783		1873, 416
<i>davidi</i>	1876, 783		1873, 417
	1876, 804		1873, 419
<i>labiatum</i>	1871, 715		1875, 115
	1876, 783		1877, 29
	1876, 804	<i>cenchris</i>	1879, 764
<i>stoliczkæ</i>	1876, 782	—, var. <i>pekinensis</i> .	1871, 341
	1876, 783	<i>cinereus</i>	1875, 117
	1876, 799	<i>communis</i>	1879, 323
	1876, 804	<i>concolor</i>	1875, 74
<i>Exygrus carinatus</i>	1877, 128	<i>deiroleucus</i>	1874, 550
		<i>feldegii</i>	1880, 449
		<i>femoralis</i>	1874, 678
			1879, 638
<i>Falcinellus erythrorhyn-</i>		<i>grœnlandicus</i>	1871, 112
<i>chus</i>	1877, 505		1873, 415
<i>guarauna</i>	1877, 484	<i>gyrfalco</i>	1873, 415
	1877, 478		1875, 114
	1877, 485		1875, 115
	1877, 505		1875, 116
	1877, 506		1875, 117
<i>igneus</i>	1872, 479	— <i>norwegicus</i>	1875, 117
	1875, 68	<i>hemilasius</i>	1871, 339
	1877, 478	<i>hendersoni</i>	1878, 262
	1877, 479	<i>hiogaster</i>	1878, 80
	1877, 484	<i>holbœelli</i>	1873, 415
	1877, 485		1873, 416
	1877, 503	<i>hypoleucus</i>	1875, 339
	1877, 505		1875, 579
<i>magnificus</i>	1871, 580		

	Page		Page
<i>Falco hypoleucus</i>	1877,	<i>Falco sparverius</i>	1872,
	350		536
<i>imperialis</i>	1871,		1874,
	683		550
<i>islandicus</i>	1871,		1879,
	681	<i>subbuteo</i>	638
	1873,		1871,
	414		340
	1873,		1871,
	415		681
	1873,		1875,
	416	<i>subniger</i>	491
<i>islandus</i>	1875,		1875,
	115		339
<i>jugger</i>	1871,	<i>tinnunculus</i>	1875,
	677		579
	1871,		1871,
	680		340
	1872,		1875,
	626	<i>Fannyella rossii</i>	1872,
	1875,		745
	17		1872,
	1876,		747
	779	<i>Farrea aculeata</i>	1875,
<i>labradorus</i>	1875,		561
	114		1875,
	1875,		562
	115		1875,
	1875,		565
	116	<i>fistulata</i>	1875,
<i>lanarius</i>	1873,		276
	634		1875,
<i>lunatus</i>	1876,		280
	500	<i>gassioti</i>	1875,
<i>lunulatus</i>	1875,		272
	339		1875,
	1875,		274
	579		1875,
	1879,		276
	447		1875,
<i>melanogenys</i>	1873,		278
	466		1875,
	1873,		279
	634		1875,
<i>minor</i>	1877,		280
	302		1875,
<i>nisus</i>	1875,		560
	491		1875,
<i>norvegicus</i>	1875,		561
	117	<i>inermis</i>	1876,
<i>peregrinator</i>	1871,		536
	678		1876,
	1871,		540
	679	<i>irregularis</i>	1876,
	1871,		539
	680		1876,
	1872,		540
	410	<i>lævis</i>	1875,
	1875,		278
	18		1875,
<i>peregrinus</i>	1871,		279
	112		1875,
	1871,		280
	340	<i>occa</i>	1875,
	1871,		277
	677		1875,
	1871,		278
	681		1875,
	1872,		279
	88		1875,
	1872,		560
	89		1875,
	1872,		561
	90	<i>parasitica</i>	1875,
	1872,		279
	410		1875,
	1873,		281
	466	<i>perarmata</i>	1876,
	1873,		538
	634		1876,
	1875,		540
	18	<i>pocillum</i>	1875,
	1875,		273
	491		1875,
	1876,		274
	311		1875,
	1879,		276
	323		1875,
<i>polyagrus</i>	1872,		278
	626		1875,
<i>ptilorhynchus</i>	1877,		279
	821		1875,
<i>rufipes</i>	1875,		280
	491	<i>robusta</i>	1875,
<i>sacer</i>	1871,		562
	147		1875,
	1871,		565
	340	<i>spinifera</i>	1875,
	1875,		509
	115		1875,
	1875,		558
	116		1875,
	1875,		562
	117		1875,
	1876,		565
	778	<i>spinosissima</i>	1875,
	1876,		508
	779		1875,
<i>semitorquata</i>	1880,		509
	490	<i>spinulenta</i>	1875,
<i>severus</i>	1880,		279
	65		1875,
<i>spadiceus</i>	1875,		560
	114		1875,
	1875,		564
	117		

	Page		Page
<i>Farrea spinulenta</i>	1875, 565	<i>Felis lanca</i>	1878, 655
<i>tabulata</i>	1875, 579		1878, 656
<i>valida</i>	1875, 507	<i>leo</i>	1875, 493
	1875, 509		1876, 293
<i>Fascellina castanea</i>	1877, 612		1880, 303
	1877, 629	<i>leopardus</i>	1874, 147
<i>chromataria</i>	1877, 612		1874, 148
<i>Fasciolaria coronata</i>	1877, 181		1875, 493
<i>Felis aurata</i>	1871, 758		1878, 289
	1871, 759	<i>lynx</i>	1877, 272
	1873, 311		1880, 52
	1873, 312	<i>macroura</i>	1877, 704
<i>badia</i>	1874, 322		1877, 705
	1874, 323		1877, 706
<i>bengalensis</i>	1871, 760		1880, 396
	1873, 198	<i>manul</i>	1876, 633
	1875, 493	<i>margay</i>	1877, 706
<i>brasiliensis</i>	1877, 707	<i>minuta</i>	1874, 32
<i>caligata</i>	1874, 32		1879, 75
<i>caracal</i>	1871, 547	<i>mitis</i>	1877, 704
	1875, 493		1877, 705
	1877, 273		1877, 706
	1880, 52	<i>moormensis</i>	1871, 758
<i>catus</i>	1877, 272		1871, 759
	1880, 52		1873, 1
<i>celidogaster</i>	1871, 759		1873, 312
<i>cervaria</i>	1875, 493	<i>neglecta</i>	1871, 759
<i>chalybeata</i>	1871, 759	<i>onca</i>	1872, 826
<i>chati</i>	1877, 706	<i>pardalis</i>	1875, 493
<i>chaus</i>	1874, 32		1877, 704
	1880, 52		1880, 396
<i>chinensis</i>	1874, 32	<i>pardina</i>	1877, 273
<i>concolor</i>	1872, 826		1880, 52
	1875, 493	<i>pardinoides</i>	1872, 203
<i>domestica</i>	1875, 493	<i>pardus</i>	1872, 817
<i>elegans</i>	1877, 707		1874, 149
<i>euptilura</i>	1871, 761		1874, 150
	1874, 32		1876, 463
<i>eyra</i>	1873, 2		1877, 680
<i>fontanieri</i>	1874, 147		1880, 51
	1874, 148		1880, 303
	1874, 150		1880, 358
<i>geoffroyi</i>	1872, 203	<i>passerum</i>	1871, 700
<i>guigna</i>	1877, 706	<i>planiceps</i>	1873, 1
<i>guttata</i>	1877, 532	<i>rubiginosa</i>	1871, 756
<i>isabellina</i>	1876, 633		1871, 757
	1877, 272		1871, 760
<i>javanensis</i>	1871, 760	<i>rufa</i>	1871, 479
	1871, 761		1880, 380
<i>jerdoni</i>	1871, 758	<i>rutila</i>	1871, 758
	1871, 760		1871, 759
<i>jubata</i>	1875, 493		1873, 312
	1876, 463	<i>serval</i>	1874, 31
	1877, 532		1874, 495
	1877, 533		1875, 493
	1878, 656	<i>servalina</i>	1874, 31
	1880, 52		1874, 495
<i>lanca</i>	1877, 532		1876, 413

	Page		Page
<i>Felis smithii</i>	1877,	706	
<i>temmincki</i>	1871,	759	
	1874,	322	
	1874,	323	
<i>tigrina</i>	1877,	704	
	1877,	705	
	1877,	706	
	1880,	396	
<i>tigris</i>	1871,	102	
	1872,	817	
	1873,	153	
	1874,	147	
	1874,	494	
	1875,	493	
	1875,	494	
	1876,	463	
	1876,	694	
	1880,	303	
— <i>amurensis</i>	1871,	480	
— <i>bengalensis</i>	1871,	480	
<i>tulliana</i>	1877,	272	
	1880,	51	
<i>uncia</i>	1871,	480	
	1871,	481	
	1876,	633	
	1877,	272	
	1878,	289	
	1880,	51	
<i>undata</i>	1871,	760	
	1871,	761	
	1874,	32	
<i>unicolor</i>	1875,	493	
<i>viverrina</i>	1876,	463	
<i>(Leopardus) onca</i> ..	1874,	206	
<i>(Noctifelis) guigna</i> ..	1877,	706	
<i>Fennecus caama</i>	1875,	82	
<i>dorsalis</i>	1875,	420	
<i>Ferania sieboldii</i>	1871,	151	
	1871,	179	
	1871,	180	
<i>Feranoides jamnætica</i> ..	1871,	180	
	1871,	181	
<i>Feronia calathoides</i>	1877,	82	
<i>galapagoënsis</i>	1877,	82	
<i>insularis</i>	1877,	82	
<i>marginata</i>	1874,	61	
<i>meticulosa</i>	1874,	61	
<i>obscuripennis</i>	1874,	61	
<i>parvula</i>	1874,	61	
<i>(Platysma) convex-</i>			
<i>ipennis</i>	1874,	60	
<i>(Steropus) blanda</i> ..	1874,	61	
<i>Feronomorpha ærea</i>	1874,	59	
<i>fischeri</i>	1874,	59	
<i>lucida</i>	1874,	59	
<i>rufescens</i>	1874,	60	
<i>sulcata</i>	1874,	60	
<i>Ferussacia abnormis</i>	1880,	134	
	1880,	135	
<i>Ferussacia abnormis</i> ..	1880,	142	
	1880,	665	
<i>amblya</i>	1880,	133	
	1880,	134	
<i>barclayi</i>	1880,	664	
<i>cylichna</i>	1880,	665	
<i>folliculus</i>	1880,	134	
<i>forbesii</i>	1880,	134	
<i>gronoviana</i>	1880,	133	
	1880,	134	
	1880,	135	
	1880,	142	
	1880,	662	
	1880,	664	
	1880,	666	
<i>hohenwarti</i>	1880,	665	
<i>leacockiana</i>	1880,	665	
<i>mitriformis</i>	1880,	664	
<i>monodonta</i>	1880,	665	
<i>procchia</i>	1880,	134	
<i>procerula</i>	1880,	664	
<i>pupæformis</i>	1880,	665	
<i>subamblya</i>	1880,	133	
<i>subfolliculus</i>	1880,	134	
<i>subforbesi</i>	1880,	134	
<i>tornatellina</i>	1880,	665	
<i>triticea</i>	1880,	664	
<i>vescoi</i>	1880,	134	
<i>Fiber zibethicus</i>	1872,	804	
<i>Fidia guatemalensis</i>	1879,	778	
<i>Fidonia abrogata</i>	1877,	392	
<i>acidaliaria</i>	1877,	390	
<i>anceps</i>	1877,	392	
	1877,	407	
<i>brephos</i>	1877,	391	
<i>brephosata</i>	1877,	391	
<i>catapyrrha</i>	1877,	392	
	1877,	407	
<i>catocalaria</i>	1877,	391	
<i>ensyii</i>	1877,	391	
	1877,	407	
<i>ferox</i>	1877,	392	
	1877,	407	
<i>perornata</i>	1877,	393	
<i>servularia</i>	1877,	392	
<i>Filaria cervina</i>	1876,	201	
<i>gracilis</i>	1874,	124	
	1874,	128	
<i>hebetata</i>	1873,	741	
	1873,	742	
<i>horrida</i>	1873,	737	
	1873,	742	
<i>immitis</i>	1873,	738	
	1873,	739	
	1873,	742	
<i>terebra</i>	1876,	201	
<i>Filistata albimaculata</i> ..	1872,	216	
	1872,	347	
	1872,	351	

	Page		Page
Filistata attalica	1872, 216	Formicarius nigrifrons	1873, 277
	1872, 217	Formicivora atra	1874, 530
	1872, 347		1879, 625
	1876, 543	bicolor	1873, 185
bicolora	1876, 543		1873, 780
condita	1873, 210	boucardi	1878, 61
	1873, 211	caloptera	1879, 233
	1873, 227	caudata	1879, 525
hirsuta	1872, 217	consobrina	1879, 525
	1872, 347	domicella	1879, 625
nana	1872, 217	lafresnayana	1879, 644
puta	1876, 544	quixensis	1873, 275
	1876, 626	rufatra	1876, 16
testacea	1876, 543		1879, 624
	1876, 544	Fortax blanda	1874, 61
	1876, 626	meticulosa	1874, 61
Fischeria bætica	1878, 580	Fossa daubentonii	1872, 869
laticeps	1878, 580		1872, 872
ocellata	1878, 580		1875, 78
Fissurella mutabilis	1871, 738		1879, 769
obscura	1877, 71	Fossarina brazieri	1871, 18
obtusa	1871, 738		1871, 95
scutella	1878, 868	patula	1871, 95
Fissurellidæa scutella	1878, 868	Foudia algonidæ	1877, 300
Fistulana clava	1878, 967		1877, 302
Flabellum matricidum	1871, 276		1879, 677
	1871, 285	comorensis	1877, 300
Flata candelaria	1874, 97		1879, 677
lathurii	1874, 98	erythropro	1880, 312
maculata	1874, 100	madagascariensis	1871, 319
Florisuga mellivora	1873, 287		1875, 66
	1879, 529		1877, 300
	1880, 204		1877, 302
Fluvicola albiventris	1873, 277	rodericana	1875, 42
	1879, 611	sechellarum	1877, 300
atripennis	1877, 319	Francolinus afer	1873, 468
	1877, 325		1873, 639
bicolor	1879, 611	bicalcaratus	1877, 307
icterophrys	1879, 611	clappertoni	1873, 468
leucophrys	1879, 610		1873, 639
nigerrima	1879, 611		1876, 194
cenanthoides	1879, 610	granti	1878, 359
perspicillata	1879, 612	gularis	1873, 468
pica	1873, 277		1873, 639
	1875, 237	maculatus	1871, 400
rufipectoralis	1873, 781	perlatus	1871, 400
	1879, 611	phayrei	1873, 661
Fodina stola	1878, 849	pictus	1872, 469
	1878, 857	ponticerianus	1873, 468
Fordia africana	1873, 43		1873, 639
	1873, 44	rovuma	1878, 359
	1873, 69	sinensis	1871, 400
Fordonia unicolor	1872, 590	vulgaris	1873, 468
	1880, 648		1873, 639
Formicarius analis	1873, 277		1875, 489
	1879, 625		1876, 464
hoffmanni	1878, 62		1877, 307
	1879, 526		1879, 372

	Page		Page		
<i>Francolinus vulgaris</i> ..	1879,	373	<i>Fringilla montifringilla</i> .	1871,	385
<i>Fregata aquila</i>	1871,	626		1877,	45
	1873,	467	<i>nitens</i>	1880,	476
	1876,	335	<i>sinica</i>	1871,	385
	1876,	341	<i>spinus</i>	1871,	385
	1878,	273		1875,	490
	1878,	650	<i>Fringillauda nemoricola</i>	1871,	385
	1879,	310	<i>Fritzia muelleri</i>	1879,	120
	1880,	163	<i>Frugilegus pastinator</i> ..	1871,	383
<i>ariel</i>	1877,	555	<i>Fulgora brevirostris</i>	1874,	97
<i>minor</i>	1878,	650		1874,	102
	1878,	651	<i>candelaria</i>	1874,	97
<i>Fregatta albogularis</i> ..	1879,	130		1874,	98
<i>grallaria</i>	1878,	735	<i>clavata</i>	1874,	98
	1878,	736		1874,	99
<i>melanogastra</i>	1878,	763	<i>coccinea</i>	1874,	101
	1879,	130	<i>coelestina</i>	1874,	100
	1879,	311	<i>cultellata</i>	1874,	102
	1880,	164	<i>cyanirostris</i>	1874,	97
<i>mœstissima</i>	1879,	130	<i>decorata</i>	1874,	101
	1879,	131	<i>delessertii</i>	1874,	100
<i>tropica</i>	1879,	130	<i>ducalis</i>	1874,	100
<i>Fregilupus borbonicus</i> ..	1874,	476	<i>gemma</i>	1874,	101
	1874,	480	<i>gigantea</i>	1874,	99
<i>capensis</i>	1874,	476		1874,	102
	1874,	480	<i>guttifera</i>	1874,	101
<i>madagascariensis</i> ..	1874,	476	<i>guttulata</i>	1874,	101
	1874,	478	<i>intricata</i>	1874,	100
	1874,	479	<i>lathburii</i>	1874,	98
	1874,	480	<i>maculata</i>	1874,	100
<i>varia</i>	1874,	476	<i>nigrirostris</i>	1874,	98
<i>varius</i>	1874,	474	<i>oculata</i>	1874,	99
	1874,	475	<i>ponderosa</i>	1874,	98
	1874,	476	<i>pyrorrhina</i>	1874,	100
	1874,	480	<i>pyrorhyncha</i>	1874,	99
	1874,	486	<i>pyrrhochlora</i>	1874,	101
	1874,	488	<i>rajah</i>	1874,	100
<i>Fregilus graculus</i>	1871,	383	<i>spinolæ</i>	1874,	98
	1873,	659	<i>stellata</i>	1874,	100
	1874,	486		1874,	102
	1875,	490	<i>subocellata</i>	1874,	99
	1877,	306	<i>sultana</i>	1874,	99
—, var. <i>brachypus</i> .	1871,	383	<i>virescens</i>	1874,	102
<i>Frenula jeffreysii</i>	1878,	407	<i>viridirostris</i>	1874,	98
<i>Fringalauda nemoricola</i>	1873,	659	<i>Fulica alai</i>	1878,	351
	1873,	666	<i>alba</i>	1877,	96
<i>Fringilla amadava</i>	1875,	490	<i>americana</i>	1871,	111
<i>canaria</i>	1875,	490		1871,	117
<i>cannabina</i>	1875,	490	<i>ardesiaca</i>	1874,	559
<i>carduelis</i>	1875,	490		1877,	633
<i>chloris</i>	1875,	490		1879,	641
<i>coelebs</i>	1875,	490	<i>armillata</i>	1878,	291
<i>cyanea</i>	1875,	490	<i>atra</i>	1871,	117
<i>erythrorhyncha</i>	1871,	497		1871,	415
<i>linaria</i>	1875,	490		1875,	343
<i>melanictera</i>	1871,	387		1875,	488
<i>minuta</i>	1878,	287		1877,	306
<i>montana</i>	1871,	386	<i>australis</i>	1874,	129

	Page		Page
<i>Fulica cornuta</i>	1879,	<i>Fuligula nyroca</i>	1880,
<i>gallinuloides</i>	1878,	<i>peposaca</i>	1876,
<i>gigantea</i>	1874,	<i>rufina</i>	1875,
<i>leucoptera</i>	1878,		1875,
	1879,		1876,
<i>rufigula</i>	1877,		1876,
<i>wilsonii</i>	1871,		1877,
<i>Fuligula affinis</i>	1876,		1878,
	1876,		1880,
	1876,		1880,
	1876,		1880,
	1880,	<i>rufitorques</i>	1876,
<i>americana</i>	1876,	<i>valisneria</i>	1876,
	1876,		1876,
	1876,		1876,
	1880,		1880,
<i>australis</i>	1880,	<i>Fulix affinis</i>	1873,
	1880,		1873,
<i>capensis</i>	1880,		1876,
	1880,	<i>baeri</i>	1871,
<i>cinerea</i>	1876,	<i>collaris</i>	1876,
<i>collaris</i>	1876,	<i>cristata</i>	1871,
	1876,		1873,
	1877,	<i>marila</i>	1871,
	1878,		1873,
	1880,		1873,
<i>cristata</i>	1872,		1873,
	1873,		1876,
	1873,	<i>mariloides</i>	1873,
	1880,	<i>Fulmarus giganteus</i>	1879,
	1880,	<i>Funchalia woodwardi</i> ..	1878,
	1880,		1878,
	1880,	<i>Funingus madagascari-</i>	
<i>ferina</i>	1875,	<i>ensis</i>	1879,
	1876,	<i>sganzini</i>	1877,
	1880,	<i>Furcifer chilensis</i>	1875,
	1880,		1875,
	1880,		1878,
	1880,	<i>Furnarius cinnamomeus</i>	1877,
<i>leucophthalma</i>	1876,		1877,
<i>marila</i>	1876,		1877,
	1876,	<i>commersoni</i>	1879,
	1876,	<i>fasciatus</i>	1880,
	1878,	<i>figulus</i>	1878,
	1880,	<i>minor</i>	1873,
	1880,		1873,
<i>marilodes</i>	1873,		1879,
	1876,	<i>pileatus</i>	1878,
	1880,	<i>rufus</i>	1877,
	1880,		1877,
<i>melanocephala</i>	1876,		1877,
<i>metopias</i>	1876,	<i>torridus</i>	1873,
<i>nationi</i>	1877,	<i>tricolor</i>	1879,
	1878,	<i>Fusus abnormis</i>	1878,
	1878,		1878,
	1878,	<i>coreanicus</i>	1879,
	1880,		1879,
<i>novæ-zealandiæ</i> ...	1880,	<i>imbricatus</i>	1879,
<i>nyroca</i>	1880,		

	Page		Page
<i>Fusus inconstans</i>	1879, 202	<i>Galbula albirostris</i>	1873, 631
<i>laticostatus</i>	1877, 179	1875, 346
<i>nigrirostratus</i>	1879, 202	<i>leucogastra</i>	1876, 510
.	1879, 217	1873, 294
<i>niponicus</i>	1879, 203	1874, 548
.	1879, 217	<i>melanogenia</i>	1878, 47
<i>nodoso-plicatus</i>	1879, 202	<i>ruficauda</i>	1879, 535
<i>novæ-hollandiæ</i>	1877, 179	<i>rufoviridis</i>	1879, 633
<i>pachyrhapse</i>	1879, 205	<i>tombacea</i>	1873, 186
.	1879, 217	1873, 294
<i>perplexus</i>	1879, 202	1874, 547
<i>simplex</i>	1879, 204	<i>Galeocerdes rayneri</i>	1873, 312
.	1879, 217	<i>Galeopithecus philippi-</i>	
<i>viridulus</i>	1879, 206	<i>nensis</i>	1876, 735
		1879, 74
<i>Gabianus bathyrhyn-</i>		<i>Galera barbata</i>	1875, 493
<i>chus</i>	1878, 182	<i>Galerida cristata</i>	1871, 390
<i>georgii</i>	1878, 182	1876, 314
<i>pacificus</i>	1878, 181	<i>leautungensis</i>	1871, 390
<i>Gadira acerella</i>	1877, 399	<i>Galerita crassirostris</i>	1874, 636
<i>Gadirtha impingens</i>	1880, 678	<i>cristata</i>	1874, 635
<i>Gadus æglefinus</i>	1875, 486	<i>pyrrhonota</i>	1874, 623
<i>esmarkii</i>	1878, 330	<i>Galeus canis</i>	1871, 673
<i>fabricii</i>	1877, 294	1879, 762
.	1877, 476	<i>Galictis barbara</i>	1880, 396
<i>luscus</i>	1872, 834	<i>vittata</i>	1875, 493
.	1875, 486	1879, 307
<i>merlangus</i>	1878, 330	<i>Galidia concolor</i>	1871, 297
<i>morrhua</i>	1875, 486	<i>elegans</i>	1871, 297
.	1878, 330	1875, 64
.	1878, 338	<i>Galidictis striata</i>	1879, 770
<i>pollachius</i>	1879, 754	<i>Gallicrex cinerea</i>	1878, 953
<i>Gagata typus</i>	1871, 287	<i>cristata</i>	1871, 414
.	1871, 716	1872, 475
<i>Galago allenii</i>	1872, 857	<i>Gallinago andina</i>	1874, 501
<i>crassicaudata</i>	1871, 544	1874, 561
.	1872, 860	1876, 17
.	1873, 493	1876, 19
.	1873, 502	1880, 213
<i>demidoffii</i>	1872, 858	<i>australis</i>	1877, 339
<i>gabonensis</i>	1872, 860	<i>bernieri</i>	1879, 772
<i>garnetti</i>	1872, 689	<i>biclava</i>	1871, 407
.	1872, 860	<i>burka</i>	1871, 407
<i>maholi</i>	1872, 859	<i>frenata</i>	1874, 561
.	1876, 293	1876, 19
.	1876, 678	1879, 310
<i>moholi</i>	1880, 490	<i>gallinula</i>	1871, 39
<i>monteiri</i>	1871, 544	1871, 407
.	1872, 860	1872, 473
.	1876, 413	1873, 203
<i>senegalensis</i>	1872, 859	1873, 469
<i>sennariensis</i>	1872, 859	1873, 641
<i>Galathea orientalis</i>	1879, 21	<i>heterocerca</i>	1871, 407
.	1879, 51	<i>horsfieldi</i>	1871, 407
<i>Galbalcyrhynchus leu-</i>		<i>jamesoni</i>	1879, 641
<i>cotis</i>	1873, 294	<i>major</i>	1879, 772
<i>Galbula albirostris</i>	1873, 294	<i>media</i>	1871, 407
.	1873, 464	<i>megala</i>	1871, 407

	Page		Page
Gallinago megalis	1877, 768	Gallus bankiva	1872, 89
	1878, 345		1872, 103
	1878, 953		1873, 468
nemoricola	1872, 473		1873, 627
nobilis	1879, 547		1873, 640
paraguaiæ	1878, 438		1874, 255
scolopacina	1871, 407		1875, 341
	1872, 473		1875, 343
	1873, 469		1875, 348
	1873, 641		1876, 464
	1877, 703		1878, 953
	1878, 345		1879, 73
	1878, 712		1879, 377
solitaria	1871, 407		1879, 378
stenura	1871, 407	domesticus	1873, 35
	1872, 473		1875, 489
	1877, 537		1877, 306
	1877, 550	ferrugineus	1871, 399
	1879, 351		1873, 655
uniclava	1871, 407		1877, 780
wilsoni	1879, 547	sonnerati	1880, 315
Gallinula bailloni	1871, 414	stanleyi	1872, 405
cayanea	1874, 558		1872, 468
chloropus	1871, 26		1873, 683
	1871, 414	stramineicollis	1879, 317
	1872, 475	varius	1873, 679
	1873, 469	Gamasus marinus	1875, 302
	1873, 641		1875, 307
	1875, 488		1875, 308
	1876, 200		1875, 311
	1877, 702	Gambetta flavipes	1873, 310
	1877, 767		1873, 469
	1878, 344		1873, 641
	1878, 953		1874, 560
euryzona	1872, 106		1879, 547
euryzonoides	1877, 767	melanoleuca	1879, 547
	1878, 288	pulverulenta	1878, 127
	1878, 345	Gampola fasciata	1878, 27
galeata	1874, 559		1878, 37
	1879, 546	Gampsonyx swainsoni	1873, 303
	1879, 765		1877, 745
nesiotis	1878, 577	Gandhara serva	1878, 15
phœnicura	1871, 414		1878, 16
	1872, 476		1878, 36
	1879, 352	Ganoris manni	1880, 411
pileata	1874, 559	Gargaphia muriferata	1877, 391
porzana	1875, 488	Garrulax — ?	1871, 352
pyrrhorrhoa	1875, 68	albogularis	1871, 371
ruficrissa	1877, 344		1873, 667
	1879, 451		1877, 2
stenura	1878, 83	albo-superciliaris	1874, 45
tenebrosa	1877, 344	auritus	1871, 371
(Leguatia) gigantea	1873, 195	belangeri	1873, 662
Galloperdix bicalcarata	1872, 405		1873, 679
	1872, 469	bicolor	1873, 679
ceylonensis	1871, 625	cærulatus	1873, 667
spadiceus	1877, 768	canorus	1871, 371
Gallophasis albocristatus	1873, 655	chinensis	1871, 371

	Page		Page
Garrulax chinensis	1877, 306	Gasteracantha acroso-	
cinereifrons	1872, 405	moides	1879, 289
	1872, 448		1879, 293
	1874, 45		1879, 731
galbanus	1874, 44	blackwalli	1879, 288
gularis	1874, 45	borbonica	1879, 731
leucolophus	1876, 695	callida	1879, 284
lugubris	1873, 679		1879, 293
mitrata	1873, 679	cambridgii	1879, 280
monachus	1871, 372	canestrinii	1879, 282
	1873, 668		1879, 293
	1873, 679	canningensis	1879, 291
moniliger	1872, 554	cicatricosa	1879, 291
palliata	1873, 679	clavea	1879, 289
perspicillatus	1871, 371		1879, 293
	1873, 555	crepidophora	1879, 281
picticollis	1872, 554		1879, 287
	1873, 761		1879, 293
pœcilorhynchus	1871, 372	crucigera	1879, 289
	1873, 667		1879, 293
ruficeps	1871, 371	curvispina	1879, 279
	1873, 667	flebilis	1879, 284
rufifrons	1873, 678		1879, 293
	1874, 45	formosa	1879, 279
rugillatus	1871, 371		1879, 285
sannio	1871, 371		1879, 286
strepitans	1873, 662		1879, 293
taëwanus	1871, 371	fornicata	1878, 283
Garrulus bispecularis	1871, 381		1879, 284
	1873, 666		1879, 286
	1873, 667	frontata	1879, 283
brandti	1871, 382		1879, 285
	1873, 556		1879, 286
californicus	1876, 268		1879, 293
chrysops	1879, 609	geminata	1879, 282
cristatus	1875, 490	globulata	1873, 428
	1876, 268	harpax	1879, 284
	1876, 269		1879, 293
cyanomelas	1879, 609	helva	1879, 287
glandarius	1873, 462		1879, 288
	1875, 490		1879, 293
	1880, 312	importuna	1879, 286
himalayanus	1874, 211		1879, 293
lanceolatus	1874, 211	insulana	1877, 76
	1879, 384		1877, 93
ornatus	1871, 381	lepelletieri	1879, 288
peruvianus	1879, 609		1879, 293
pileatus	1875, 490	madagascariensis	1879, 283
sinensis	1871, 381		1879, 285
	1873, 556		1879, 293
taivanus	1871, 381	malayensis	1879, 281
	1873, 667	mammosa	1879, 291
viridicyaneus	1879, 609	mengii	1879, 281
Garzetta candidissima	1873, 305	milvoides	1879, 285
egretta	1871, 412		1879, 286
eulophotes	1871, 412	molesta	1879, 286
Gasteracantha acroso-			1879, 293
moides	1879, 281	nana	1879, 268

	Page		Page
<i>Gasteracantha observa-</i>		<i>Gavia gelastes</i>	1878, 192
<i>trix</i>	1879, 291	<i>glaucotis</i>	1871, 578
	1879, 293		1878, 204
<i>pallida</i>	1879, 282	<i>gouldi</i>	1878, 186
<i>panisicca</i>	1877, 283	<i>hartlaubi</i>	1878, 188
	1877, 285	<i>jamesoni</i>	1878, 185
<i>parvula</i>	1879, 293	<i>kittlitzii</i>	1871, 273
<i>pavesi</i>	1879, 282		1878, 205
	1879, 293	<i>maculipennis</i>	1878, 202
<i>peccans</i>	1879, 283	<i>melanocephala</i>	1878, 200
	1879, 293	<i>minuta</i>	1878, 206
<i>pentagona</i>	1879, 290	<i>nivea</i>	1878, 162
<i>petersii</i>	1879, 285	<i>personata</i>	1871, 577
	1879, 286		1878, 196
<i>proba</i>	1879, 291	<i>pomarre</i>	1878, 185
	1879, 293		1878, 186
<i>propinqua</i>	1879, 288		1878, 187
	1879, 293		1878, 190
<i>quadridens</i>	1879, 282		1878, 191
<i>quadrispinosa</i>	1879, 281	<i>ridibunda</i>	1878, 200
	1879, 293	<i>roseiventris</i>	1871, 578
<i>rimata</i>	1879, 282		1874, 294
	1879, 293		1878, 204
<i>rogersi</i>	1879, 281	<i>sabini</i>	1878, 209
	1879, 292	<i>serrana</i>	1878, 196
<i>roseolimbata</i>	1871, 617	<i>subulirostris</i>	1878, 207
	1879, 291	<i>tridactyla</i>	1878, 164
<i>simoni</i>	1879, 289	<i>Gavialis gangeticus</i>	1873, 1
	1879, 290		1873, 710
	1879, 293		1875, 2
<i>sororna</i>	1879, 288	<i>schlegelii</i>	1872, 588
<i>transversa</i>	1879, 285	<i>Gavina audouini</i>	1878, 179
	1879, 286	<i>bruchi</i>	1878, 177
<i>varians</i>	1879, 285	<i>cana</i>	1878, 177
<i>wealii</i>	1879, 290	<i>heinei</i>	1878, 177
	1879, 293	<i>kamtschatkensis</i> ..	1878, 177
(<i>Plectana</i>) <i>clavatrix</i> ..	1879, 289	<i>zonorhynchus</i>	1878, 177
(—) <i>mauricia</i> ..	1879, 284	<i>Gazella arabica</i>	1873, 319
<i>Gasterosteus aculeatus</i> ..	1878, 330		1873, 537
	1879, 752		1873, 539
<i>gymnurus</i>	1879, 752		1873, 542
<i>leiurus</i>	1875, 486		1873, 543
	1879, 752		1873, 544
<i>pungitius</i>	1875, 487		1874, 141
<i>semiarmatus</i>	1879, 752		1874, 142
<i>spinachia</i>	1879, 753		1874, 494
<i>trachurus</i>	1879, 752		1877, 4
<i>Gastrimargus infumatus</i> ..	1871, 219		1877, 6
<i>Gastrochæna tasmanica</i> ..	1878, 869		1877, 10
<i>Gastropacha vishnu</i>	1878, 848	<i>bennetti</i>	1872, 601
<i>Gavia andersoni</i>	1878, 186		1873, 313
	1878, 187		1873, 314
<i>audouini</i>	1878, 179		1873, 315
<i>atricilla</i>	1878, 194		1873, 316
<i>bonapartii</i>	1878, 207		1873, 317
<i>capistrata</i>	1878, 200		1873, 318
<i>cirrhocephala</i>	1878, 204		1873, 319
<i>citrirostris</i>	1878, 164		1873, 537
<i>eburnea</i>	1878, 162		1873, 544

	Page		Page
Gazella bennetti	1873, 545	Gazella gutturosa.....	1873, 537
brevicornis	1873, 551		1873, 546
	1873, 552		1873, 547
	1873, 553		1874, 324
christii	1873, 316	isabella	1873, 537
	1873, 317		1873, 539
	1873, 319		1873, 540
cora.....	1873, 544		1873, 553
corinna	1873, 539		1874, 142
cuvieri	1873, 537	kevella	1873, 541
	1873, 542	lævipes	1873, 537
dama	1872, 601		1873, 541
	1873, 537		1874, 142
	1873, 547	leptoceros	1873, 537
	1873, 549		1873, 543
	1878, 726	melanura	1873, 537
	1880, 307		1873, 542
deperdita	1873, 552	mohr	1872, 601
dorcax	1873, 313		1873, 537
	1873, 319		1873, 548
	1873, 537		1873, 549
	1873, 538		1878, 726
	1873, 539	muscatensis	1874, 142
	1873, 540		1877, 4
	1873, 541	picticauda	1872, 601
	1873, 542		1873, 537
	1873, 543		1876, 634
	1873, 545	picticaudata	1873, 547
	1873, 552	ruficollis	1873, 548
	1873, 553	rufifrons	1873, 474
	1874, 142		1873, 537
	1875, 171		1873, 538
	1877, 4		1873, 540
	1877, 276		1873, 541
	1878, 929		1873, 542
	1878, 930		1877, 4
	1880, 55		1877, 10
	1880, 307	scemmerringii	1871, 701
euchore	1872, 601		1872, 601
	1873, 550		1872, 602
	1873, 553		1873, 537
	1876, 282		1873, 543
	1876, 291		1873, 549
	1878, 741		1874, 142
fuscifrons	1873, 314		1878, 726
	1873, 317	spekii	1873, 537
	1873, 319		1873, 543
	1873, 537	subgutturosa	1873, 313
	1873, 545		1873, 314
granti.....	1872, 602		1873, 316
	1873, 537		1873, 318
	1873, 550		1873, 319
	1875, 527		1873, 537
	1877, 4		1873, 545
	1878, 723		1873, 546
	1878, 724		1873, 553
	1878, 725		1877, 4
	1878, 726		1877, 10

	Page		Page
<i>Gazella subgutturosa</i> ..	1877, 276	<i>Gelechia innotella</i>	1877, 405
	1880, 55	<i>intactella</i>	1877, 405
<i>vera</i>	1873, 542	<i>monospilella</i>	1877, 405
	1873, 544	<i>subditella</i>	1877, 405
<i>walleri</i>	1878, 929	<i>Gelochelidon anglica</i> ..	1871, 572
	1878, 930		1872, 480
<i>Gebia major</i>	1879, 21		1875, 374
	1879, 52		1875, 379
<i>Gecinulus viridis</i>	1873, 661		1876, 644
<i>Gecinus</i> — ?	1871, 392	<i>aranea</i>	1876, 644
<i>canus</i>	1871, 392	<i>balthica</i>	1876, 644
	1873, 649	<i>innotata</i>	1876, 641
<i>erythropygus</i>	1874, 212	<i>macrotarsa</i>	1876, 644
	1875, 317		1877, 348
<i>guerini</i>	1871, 392	<i>meridionalis</i>	1876, 644
<i>nigrigenis</i>	1875, 317	<i>nilotica</i>	1876, 644
<i>sharpei</i>	1872, 153	<i>Genetta fossa</i>	1872, 872
<i>tancola</i>	1871, 392	<i>vulgaris</i>	1877, 273
<i>vallantii</i>	1872, 153		1880, 53
	1872, 154		1880, 304
<i>viridis</i>	1872, 153	<i>Geobasileus chrysor-</i>	
	1873, 463	<i>rhous</i>	1875, 590
	1873, 630	<i>Geoblastes squamigera</i> ..	1871, 316
	1875, 346		1875, 70
	1878, 934		1880, 470
	1880, 210	<i>Geocarcinus lagostoma</i> ..	1876, 464
<i>Gecko albofasciolatus</i> ..	1872, 589	<i>Geocichla</i> , n. sp.	1871, 367
<i>anamallensis</i>	1875, 226	<i>citrina</i>	1872, 445
<i>monarchus</i>	1872, 589		1877, 2
	1879, 76	<i>compsonota</i>	1873, 625
<i>smithii</i>	1871, 150	<i>cyanota</i>	1872, 445
	1871, 159	<i>dissimilis</i>	1879, 804
	1872, 589		1879, 805
<i>verus</i>	1876, 51	<i>layardi</i>	1872, 405
	1879, 76		1872, 445
<i>vittatus</i>	1877, 128		1877, 160
<i>Gegenes carnosus</i>	1875, 577	<i>rubecula</i>	1872, 445
<i>hainanus</i>	1878, 703	<i>tricolor</i>	1879, 804
	1878, 707		1879, 805
<i>nostrodamus</i>	1878, 703	<i>unicolor</i>	1873, 675
<i>Gehyra oceanica</i>	1874, 296	<i>Geococcyx affinis</i>	1877, 307
<i>Gelada rueppelli</i>	1879, 451		1877, 311
	1879, 456	<i>Geocoraphus javanica</i> ..	1874, 638
<i>Gelasimus forcipatus</i> ..	1879, 37	<i>Geodia barretti</i>	1872, 198
<i>lacteus</i>	1879, 20		1872, 202
	1879, 36		1873, 11
	1879, 37	<i>carinata</i>	1874, 298
<i>Gelastes andersonii</i>	1878, 186		1874, 304
<i>columbinus</i>	1878, 192		1875, 295
<i>corallinus</i>	1878, 186	<i>depressa</i>	1873, 5
<i>gouldi</i>	1878, 186		1873, 6
<i>lambruschini</i>	1878, 192		1873, 22
<i>leucocephalus</i>	1878, 192	<i>dysoni</i>	1873, 14
<i>rubriventris</i>	1878, 122		1873, 23
<i>Gelechia collitella</i>	1877, 405	<i>flemingii</i>	1873, 3
<i>contextella</i>	1877, 405		1873, 22
<i>convulsella</i>	1877, 405	<i>gibberosa</i>	1873, 4
<i>flavidella</i>	1877, 405		1873, 6

	Page		Page
<i>Geodia gibberosa</i>	1873,	<i>Geopelia placida</i>	1876,
<i>imperfecta</i>	1874,	<i>striata</i>	1873,
	1874,		1873,
<i>inæqualis</i>	1873,		1874,
	1873,		1877,
<i>m'andrewii</i>	1872,		1877,
	1872,	<i>tranquilla</i>	1880,
	1872,		1876,
	1873,		1878,
<i>media</i>	1873,	<i>Geophaps scripta</i>	1876,
	1873,	<i>Geophis microcephalus</i> ..	1875,
<i>parasitica</i>	1873,	<i>stenorhynchus</i>	1875,
	1873,	<i>Geopsittacus occiden-</i>	1875,
<i>paupera</i>	1873,	<i>talis</i>	1873,
	1873,		1874,
<i>perarmatus</i>	1873,	<i>Georissa monterosatiana</i>	1879,
	1873,		1879,
	1875,	<i>multilirata</i>	1874,
<i>reticulata</i>	1874,		1874,
	1874,	<i>semisculpta</i>	1879,
<i>tuberculosa</i>	1872,	<i>Georychus hottentottus</i> .	1872,
	1872,	<i>Geositta cunicularia</i> ...	1872,
<i>tumulosa</i>	1872,		1874,
	1872,		1879,
<i>zetlandica</i>	1873,	<i>peruviana</i>	1874,
<i>Geoemyda spinosa</i>	1871,		1874,
	1871,		1879,
	1872,	<i>saxicolina</i>	1874,
	1872,		1874,
<i>Geoffroi</i> <i>aruensis</i>	1878,	<i>tenuirostris</i>	1874,
<i>cyaniceps</i>	1877,		1879,
	1878,		1880,
	1878,	<i>Geospiza fortis</i>	1871,
	1878,	<i>fuliginosa</i>	1871,
	1879,		1877,
<i>heteroclitus</i>	1877,	<i>nebulosa</i>	1871,
	1878,	<i>parvula</i>	1871,
	1878,		1877,
	1878,	<i>strenua</i>	1871,
<i>keyensis</i>	1878,	<i>Geothlypis æquinoctialis</i>	1880,
<i>pucherani</i>	1878,	<i>philadelphia</i>	1879,
<i>rhodops</i>	1878,	<i>poliocephala</i>	1877,
<i>schlegelii</i>	1878,		1878,
	1878,		1880,
<i>simplex</i>	1878,	<i>trichas</i>	1878,
<i>Geometra alboviridis</i> ..	1872,	<i>velata</i>	1876,
	1872,		1879,
<i>papilionaria</i>	1873,	<i>Geotria allporti</i>	1871,
<i>Geomys hispidus</i>	1877,		1871,
<i>Geopelia cuneata</i>	1873,	<i>australis</i>	1871,
	1873,	<i>chilensis</i>	1874,
	1874,	<i>Geotrochus fergusonii</i> ..	1872,
	1875,	<i>turris</i>	1872,
<i>humeralis</i>	1873,	<i>Geotrygon bourcierii</i> ..	1873,
	1873,	<i>cæruleiceps</i>	1878,
	1878,	<i>chiriquensis</i>	1878,
<i>humilis</i>	1874,	<i>costaricensis</i>	1878,
<i>placida</i>	1873,		39
	1873,		
	1874,		

	Page		Page
<i>Geotrygon costaricensis</i>	1878, 40	<i>Gerygone culicivora</i>	1875, 587
	1878, 43	<i>Ghoria albocinerea</i>	1878, 13
<i>frenata</i>	1873, 780		1878, 36
	1873, 783	<i>sericeipennis</i>	1878, 13
	1874, 556	<i>Gibbula pulcherrima</i>	1878, 818
	1879, 640	<i>Ginglymostoma cirratum</i>	1878, 117
	1880, 213	<i>Girasia brunnea</i>	1880, 294
<i>linearis</i>	1879, 544	<i>burtii</i>	1880, 294
<i>montana</i>	1873, 306		1880, 299
	1874, 556	<i>crocea</i>	1880, 294
	1878, 43	<i>extranea</i>	1880, 291
	1879, 640	<i>gigas</i>	1880, 293
<i>mystacea</i>	1871, 267		1880, 295
	1879, 765		1880, 297
<i>Geranaëtos aguia</i>	1874, 550	<i>hookeri</i>	1880, 291
<i>Geranoaëtus aguia</i>	1877, 307		1880, 292
	1877, 745		1880, 294
<i>melanoleucus</i>	1872, 536		1880, 297
	1872, 549		1880, 299
	1878, 434	<i>magnifica</i>	1880, 294
	1879, 540		1880, 298
	1879, 637	<i>nagaensis</i>	1880, 294
<i>Geranospiza cærulescens</i>	1877, 329	<i>peguensis</i>	1880, 294
<i>Geranospizias hemidac-</i>		<i>problematica</i>	1880, 292
<i>tyla</i>	1879, 638	<i>radha</i>	1880, 294
<i>Gerbillus brantsii</i>	1880, 490	<i>rutellum</i>	1880, 291
<i>erythrurus</i>	1880, 60	<i>shillongensis</i>	1880, 293
	1880, 64		1880, 294
<i>indicus</i>	1872, 69		1880, 298
<i>paeba</i>	1880, 490		1880, 299
<i>Geronticus æthiopicus</i>	1877, 486	<i>Gladius (Rimella) can-</i>	
<i>bernieri</i>	1877, 488	<i>cellatus</i>	1878, 818
<i>cærulescens</i>	1877, 503	<i>Glandina aurantiaca</i>	1879, 481
<i>calvus</i>	1877, 478		1879, 486
	1877, 479	<i>aurata</i>	1879, 480
	1877, 484		1879, 486
	1877, 494	<i>conularis</i>	1879, 481
	1880, 356	<i>dactylus</i>	1872, 637
<i>cayanensis</i>	1877, 503	<i>fusiformis</i>	1875, 647
<i>comatus</i>	1877, 493	<i>isabellina</i>	1879, 480
	1877, 494		1879, 481
	1880, 356	<i>lignaria</i>	1875, 647
<i>cristatus</i>	1875, 68		1879, 479
<i>davisoni</i>	1877, 480		1879, 480
	1877, 490	<i>minutissima</i>	1875, 321
<i>hagedash</i>	1877, 500	<i>monilifera</i>	1875, 647
<i>infuscatus</i>	1877, 495	<i>obtusa</i>	1879, 481
<i>melanopis</i>	1871, 261	<i>pseudo-turris</i>	1879, 481
<i>nippon</i>	1877, 496	<i>saccata</i>	1872, 637
<i>olivaceus</i>	1877, 507	<i>sowerbyana</i>	1879, 479
<i>papillata</i>	1877, 492		1879, 480
<i>papillosus</i>	1877, 484	<i>turris</i>	1879, 481
	1877, 492		1879, 482
<i>spinicollis</i>	1877, 491	(<i>Oleacina</i>) <i>anomala</i>	1879, 481
<i>strictipennis</i>	1877, 486		1879, 486
<i>Gervaisia albispecularis</i>	1875, 66	(—) <i>mitriformis</i>	1879, 481
<i>albospecularis</i>	1872, 866		1879, 486
<i>Gerygone albugularis</i>	1875, 587	(—) <i>strebelsi</i>	1879, 482

	Page		Page
<i>Glandina</i> (<i>Oleacina</i>)		<i>Glossopsitta pusilla</i>	1875, 602
<i>strebeli</i>	1879, 486	<i>Glottis glottoides</i>	1877, 338
<i>Glareola lactea</i>	1874, 455	<i>Glottula radians</i>	1877, 605
	1874, 460	<i>Gluphisia sinuata</i>	1879, 405
<i>melanoptera</i>	1874, 454	<i>Glycera alba</i>	1874, 328
<i>orientalis</i>	1871, 403	<i>cinnamomea</i>	1874, 327
	1879, 351	<i>Glyciophila fasciata</i>	1875, 594
<i>pratricula</i>	1874, 454	<i>subfasciata</i>	1875, 594
	1879, 764	<i>Glycymeris argentea</i>	1879, 584
<i>Glaucidium brodiaei</i>	1873, 665	<i>Glycyphila fasciata</i>	1878, 655
<i>capense</i>	1878, 354	<i>gouldi</i>	1878, 655
<i>jardinii</i>	1879, 539	<i>Glyphodes actorionalis</i>	1877, 618
<i>nanum</i>	1872, 536		1877, 630
	1872, 549	<i>bivitalis</i>	1878, 849
	1872, 550		1878, 857
<i>phalænoides</i>	1875, 235		1880, 684
	1877, 329	<i>italis</i>	1880, 684
	1879, 241		1880, 685
<i>Glaucis affinis</i>	1873, 286	<i>lacteata</i>	1880, 685
<i>hirsuta</i>	1879, 528	<i>malayana</i>	1880, 684
<i>melanura</i>	1873, 286	<i>marginalis</i>	1877, 618
<i>Glaucus argentatoides</i>	1878, 167		1877, 630
<i>argentatus</i>	1878, 167		1877, 632
<i>audouini</i>	1878, 179	<i>stolalis</i>	1878, 849
<i>borealis</i>	1878, 179		1878, 857
<i>canus</i>	1878, 177	<i>zelimalis</i>	1880, 685
<i>consul</i>	1878, 165	<i>Glyphorhynchus castel-</i>	
<i>glacialis</i>	1878, 166	<i>naudi</i>	1873, 270
<i>glaucescens</i>	1878, 167		1873, 271
<i>glaucopterus</i>	1878, 167	<i>cuneatus</i>	1873, 270
<i>lacrymosus</i>	1878, 177		1873, 271
<i>leucophæus</i>	1878, 169		1878, 60
<i>leucopterus</i>	1878, 166		1879, 523
<i>michahellesii</i>	1878, 169	<i>pectoralis</i>	1873, 271
<i>occidentalis</i>	1878, 172	<i>Glyphostoma paucima-</i>	
	1878, 176	<i>culata</i>	1880, 416
<i>zonorhynchus</i>	1878, 176		1880, 420
<i>Glaucococyx cæruleus</i>	1873, 608	<i>Glyptolenus rugicollis</i>	1878, 595
	1873, 616	<i>Glyptosternum dekka-</i>	
<i>Glauconycteris argenta-</i>		<i>nense</i>	1871, 714
<i>tus</i>	1875, 383		1873, 748
<i>poensis</i>	1875, 383	<i>lonah</i>	1873, 747
<i>variegatus</i>	1875, 383		1873, 748
<i>Gliessa variegata</i>	1878, 485	<i>modestum</i>	1871, 714
<i>Globocephalus indicus</i>	1871, 143	<i>pectinopterum</i>	1871, 714
<i>macrorhynchus</i>	1873, 144	<i>reticulatum</i>	1871, 714
<i>melas</i>	1876, 689	<i>striatum</i>	1871, 714
<i>Glomeris marginata</i>	1877, 665	<i>sykesi</i>	1873, 748
<i>Glomus</i>	1879, 587	<i>telchitta</i>	1871, 288
<i>nitens</i>	1879, 573	<i>trilineatum</i>	1871, 289
	1879, 588	<i>Gnaphosa cambridgii</i>	1872, 227
<i>Glossodoris bertheloti</i>	1877, 210		1872, 228
<i>brachyphylla</i>	1877, 221		1872, 229
<i>d'orbigny</i>	1877, 210		1872, 347
<i>erythræa</i>	1877, 220		1872, 351
<i>picturata</i>	1877, 221		1872, 353
<i>verrucosa</i>	1877, 210		1874, 373
<i>xantholeuca</i>	1877, 220	<i>conspersa</i>	1872, 230
<i>Glossopsitta australis</i>	1875, 602		1872, 347

	Page		Page
Gnaphosa conspersa	1872, 353	Gnaphosa venatrix	1874, 417
	1874, 373		1876, 551
	1874, 374		1876, 626
	1876, 550	Gnathospiza raimondii	1877, 320
	1876, 626		1877, 750
corcyracea	1874, 375		1878, 137
	1874, 417	Gnoma ctenostomoides	1877, 158
	1874, 418	giraffa	1877, 158
corcyæa	1874, 376	Gnophos obscurata	1873, 155
excerpta	1872, 226		1873, 156
	1872, 347	pannularia	1877, 390
	1872, 353	Gnophria ceramensis	1878, 14
exornata	1872, 224	Gobio fluviatilis	1876, 801
	1872, 226	Gobioides rubicundus	1873, 110
	1874, 373	Gobiosoma nilssonii	1878, 331
harpax	1874, 371	stuvitzii	1878, 319
	1874, 417	Gobius albus	1878, 319
kochii	1872, 229		1878, 320
	1872, 230		1878, 321
	1872, 347		1878, 322
	1872, 353	brevirostris	1873, 108
	1874, 373	elapoides	1871, 653
lentiginosa	1876, 628		1871, 665
linnæi	1876, 628	gracilis	1879, 750
lugubris	1873, 210	leucostictus	1871, 653
	1873, 212		1871, 664
	1873, 227	linearis	1878, 332
lunata	1874, 373	masoni	1873, 107
lutata	1872, 228	minutus	1879, 750
	1872, 229	mucosus	1871, 653
	1872, 347		1871, 663
	1872, 353	nilssonii	1878, 331
marginata	1874, 374	ocellatus	1873, 107
	1874, 375	pellucidus	1878, 319
	1874, 417		1878, 321
	1876, 551		1878, 322
	1876, 626	planifrons	1873, 108
palæstina	1872, 231	platynotus	1871, 664
	1872, 347	platystoma	1871, 653
	1872, 353		1871, 664
plumalis	1872, 225	rhodopterus	1879, 750
	1872, 347	ruthensparri	1879, 750
	1872, 353	stuwitzii	1878, 319
	1874, 373		1878, 320
	1874, 375	unipunctatus	1879, 750
	1874, 376	Godara comalis	1880, 686
	1876, 550	Godartia ansellica	1875, 410
	1876, 551	trajanus	1875, 410
	1876, 626	Goisachius melanolo-	
procera	1874, 373	phus	1871, 413
	1874, 417		1872, 406
	1876, 550		1872, 478
	1876, 626	Golofa imperator	1875, 125
ripariensis	1872, 224	Gomalia albofasciata	1879, 144
	1872, 225	Gonatonotus pentagonus	1879, 19
	1872, 347		1879, 29
	1872, 353	Gonatus amœnus	1878, 652
schaefferi	1876, 628	Gonerda perornata	1879, 395
venatrix	1874, 375		1879, 416

	Page		Page
<i>Gongylus capensis</i>	1871, 241	<i>Goniodoris purpurea</i> ..	1877, 217
	1871, 242	<i>reticulata</i>	1877, 220
	1871, 244	<i>souverbiei</i>	1877, 218
<i>igneocaudatus</i>	1871, 241	<i>splendida</i>	1877, 218
	1871, 242	<i>tunctoria</i>	1877, 216
<i>ocellatus</i>	1871, 242	<i>trilineata</i>	1877, 214
	1871, 243	<i>trioni</i>	1877, 216
	1871, 244	<i>verrieri</i>	1877, 218
	1872, 377	<i>verrucosa</i>	1877, 237
	1878, 977	<i>villafranca</i>	1877, 214
<i>polleni</i>	1871, 241	<i>webbii</i>	1877, 234
	1871, 242	<i>whitei</i>	1877, 214
<i>viridanus</i>	1871, 241	<i>Goniosoma callianassa</i> ..	1879, 33
	1871, 242	<i>ornatum</i>	1879, 20
	1871, 244	<i>variegatum</i>	1879, 33
<i>Goniobranchus albomaculatus</i>	1877, 216	<i>variegatum</i>	1879, 33
<i>picta</i>	1877, 217	<i>Goniurus albofasciatus</i> ..	1874, 366
<i>propinquata</i>	1877, 217	<i>alcæus</i>	1874, 366
<i>pulchra</i>	1877, 217	<i>catillus</i>	1878, 482
<i>reticulata</i>	1877, 212	<i>exadeus</i>	1874, 366
<i>vibrata</i>	1877, 217	<i>proteus</i>	1874, 366
<i>Goniodactylus wynaden- sis</i>	1875, 226	<i>simplicius</i>	1878, 481
<i>Goniodoris albescens</i> ..	1877, 215	<i>zilpa</i>	1874, 366
<i>aspersa</i>	1877, 236	<i>Gonodonta nutrix</i>	1878, 486
<i>atromarginata</i>	1877, 229	<i>Gonodontis felix</i>	1877, 389
<i>bennetti</i>	1877, 217	<i>nelsonaria</i>	1877, 407
<i>cærulea</i>	1877, 215	<i>Gonoplax angulatus</i>	1877, 389
<i>castanea</i>	1877, 236	<i>angulatus</i>	1874, 29
<i>citrina</i>	1877, 236	<i>angulatus</i>	1874, 30
<i>crosei</i>	1877, 218	<i>Gonorhynchus brevis</i> ..	1876, 793
<i>danielsseni</i>	1877, 236	<i>brevis</i>	1880, 226
<i>daphne</i>	1877, 218	<i>fimbriatus</i>	1880, 226
<i>elegans</i>	1877, 219	<i>macrostomus</i>	1880, 226
<i>elegantula</i>	1877, 216	<i>Gonyocephalus chamæ- leontinus</i>	1872, 589
<i>elongata</i>	1877, 236	<i>doriae</i>	1872, 589
<i>emarginata</i>	1877, 236	<i>Gonyosoma dorsale</i>	1872, 395
<i>erinaceus</i>	1877, 212	<i>margaritatum</i>	1872, 590
<i>festiva</i>	1877, 218	<i>oxycephalum</i>	1872, 590
<i>flavidula</i>	1877, 236	<i>Gorgonia flabellum</i>	1873, 329
<i>infucata</i>	1877, 219	<i>Gouldia langsdorffi</i>	1873, 288
<i>lamberti</i>	1877, 218	<i>mactracea</i>	1879, 132
<i>lemniscata</i>	1877, 214	<i>melanosternon</i>	1873, 288
<i>lineata</i>	1877, 214	<i>pacifica</i>	1879, 132
<i>loringi</i>	1877, 217	<i>Goura coronata</i>	1873, 468
<i>magnifica</i>	1877, 214	<i>coronata</i>	1873, 560
<i>mariei</i>	1877, 217	<i>coronata</i>	1873, 639
<i>modesta</i>	1877, 236	<i>coronata</i>	1874, 250
<i>montrouzieri</i>	1877, 218	<i>coronata</i>	1874, 256
<i>nodosa</i>	1877, 236	<i>coronata</i>	1875, 380
<i>obsOLEta</i>	1877, 218	<i>coronata</i>	1875, 631
<i>pallida</i>	1877, 216	<i>coronata</i>	1875, 632
<i>paretii</i>	1877, 236	<i>coronata</i>	1877, 307
<i>petiti</i>	1877, 218	<i>minor</i>	1875, 632
<i>picta</i>	1877, 219	<i>scheepmakeri</i>	1875, 631
<i>picturata</i>	1877, 214	<i>scheepmakeri</i>	1875, 633
<i>pulchella</i>	1877, 216	<i>sclateri</i>	1876, 752
<i>pulcherrima</i>	1877, 214		

	Page		Page
<i>Goura victoriae</i>	1873, 468	<i>Grallaria guatemalensis</i>	1877, 524
	1873, 639		1877, 526
	1874, 250	<i>hypoleuca</i>	1873, 783
	1874, 256	<i>monticola</i>	1876, 357
	1875, 380	<i>nana</i>	1879, 527
	1875, 632	<i>nuchalis</i>	1873, 729
<i>Gracilaria arenosella</i> ..	1877, 406	<i>perspicillata</i>	1878, 62
<i>linearis</i>	1877, 406	<i>regulus</i>	1879, 232
	1877, 407	<i>ruficapilla</i>	1879, 527
<i>Gracula</i> — ?	1871, 384		1879, 550
<i>anais</i>	1873, 697		1880, 161
<i>barita</i>	1871, 271		1880, 201
<i>caudata</i>	1877, 694	<i>ruficeps</i>	1873, 729
	1877, 695		1875, 541
<i>crystalata</i>	1871, 384		1879, 487
<i>dumonti</i>	1877, 104		1879, 526
	1877, 195	<i>rufo-cinerea</i>	1879, 487
<i>gnathoptila</i>	1877, 104		1879, 526
	1877, 195	<i>rufula</i>	1873, 780
<i>intermedia</i>	1874, 485		1879, 526
	1874, 486		1879, 527
<i>javanensis</i>	1875, 107	<i>squamigera</i>	1874, 678
	1878, 622		1875, 235
	1879, 346		1879, 625
<i>kreffti</i>	1877, 104		1880, 161
	1877, 195	<i>Grallaricula cucullata</i> ..	1879, 527
	1878, 289	<i>flavirostris</i>	1879, 527
	1878, 671	<i>nana</i>	1879, 527
	1879, 17	<i>Grammatoptila striata</i> ..	1877, 303
<i>nobilis</i>	1878, 347	<i>Grammodes ammonia</i> ..	1880, 679
<i>religiosa</i>	1873, 462	<i>grandirena</i>	1878, 487
	1875, 490	<i>mygdon</i>	1880, 679
<i>saularis</i>	1871, 359	<i>Grampus cuvieri</i>	1877, 808
<i>sturnina</i>	1871, 384		1877, 809
<i>Graculus africanus</i>	1875, 69	<i>griseus</i>	1871, 506
<i>bicristatus</i>	1871, 420		1877, 808
<i>bougainvillei</i>	1874, 554		1877, 809
<i>brasilianus</i>	1874, 553	<i>Grandala coelicolor</i>	1871, 360
<i>gaimardi</i>	1874, 553		1873, 659
<i>javanicus</i>	1872, 483		1873, 664
<i>layardi</i>	1872, 437		1873, 666
<i>macei</i>	1872, 437	<i>Graphiphora rhomboidea</i>	1877, 384
	1872, 438	<i>tartarea</i>	1877, 384
<i>pusillus</i>	1872, 437		1877, 407
<i>sinensis</i>	1872, 483	<i>Graphiurus capensis</i> ..	1875, 317
<i>Gracupica nigricollis</i> ..	1871, 384		1880, 40
<i>Grallaria albiloris</i>	1880, 201	<i>elegans</i>	1875, 317
<i>andicola</i>	1874, 531	<i>murinus</i>	1875, 317
<i>brevicauda</i>	1873, 277		1877, 279
<i>dignissima</i>	1880, 160	<i>Grapholitha novarana</i> ..	1877, 623
<i>erythroleuca</i>	1873, 780		1877, 631
	1873, 783	<i>Grapsodes notatus</i>	1877, 133
<i>erythrotis</i>	1876, 357		1877, 136
	1879, 589	<i>Grapsus altifrons</i>	1877, 74
	1879, 625	<i>pictus</i>	1877, 73
<i>flavo-tincta</i>	1879, 487		1877, 74
	1879, 526		1877, 136
<i>griseinucha</i>	1879, 527	<i>strigosus</i>	1877, 136
<i>guatemalensis</i>	1877, 450		

	Page		Page
<i>Grapta agnicula</i>	1872,	<i>Grus leucauchen</i>	1871,
<i>c-album</i>	1872,		1873,
	1874,		1873,
<i>Graptocephalus davisoni</i>	1877,	<i>leucogeranus</i>	1876,
	480		1871,
	483		1871,
	484		1873,
	490	<i>longirostris</i>	1874,
<i>Graucalus caledonicus</i> ..	1878,	<i>monachus</i>	1871,
<i>hypoleucus</i>	87		1876,
	584	<i>regulorum</i>	1880,
	122	<i>virgo</i>	1871,
<i>lineatus</i>	1879,	<i>viridirostris</i>	1871,
<i>macei</i>	448		1873,
<i>melanops</i>	1873,	<i>Grypotes insularis</i>	1878,
	462		1878,
	583	<i>Guara ruber</i>	1877,
	95	<i>Gubernatrix cristatella</i> .	1872,
<i>melanolorus</i>	1873,		1872,
<i>mentalis</i>	3		1880,
<i>papuensis</i>	583	<i>Gubernetes yperu</i>	1879,
<i>personatus</i>	1877,	<i>Guesteria branickii</i>	1879,
<i>pollens</i>	101	<i>Guira piringua</i>	1873,
<i>rex-pineti</i>	87		1873,
	87		1877,
	378	<i>Guiraca cinerea</i>	1877,
	668		1878,
<i>sclateri</i>	1879,	<i>concreta</i>	1873,
<i>striatus</i>	447	<i>cyanea</i>	1873,
	693		1879,
	759	<i>cyanoides</i>	1873,
	826		1879,
	108	<i>Gundlachia crepidulina</i> .	1875,
	283	<i>Gunellus vulgaris</i>	1875,
	380	<i>Guppya vacans</i>	1875,
	947	<i>Gygis alba</i>	1871,
	70		1871,
<i>sublineatus</i>	1879,		1872,
	447		1872,
	448		1875,
<i>sumatrensis</i>	1878,		1876,
<i>swainsoni</i>	614		1876,
<i>temmincki</i>	1875,		504
<i>Graucopicoides rafflesi</i> ..	1878,		667
	87		1877,
	103		1877,
	327		1877,
<i>Grillivora capensis</i>	1879,		782
<i>Grimmia burchellii</i>	1874,		786
	232		1880,
	589	<i>candida</i>	1876,
<i>campbelliæ</i>	1871,		1876,
	589		1877,
	592		1878,
<i>irrorata</i>	1871,		273
	589		1880,
	590		162
	591		163
<i>nictitans</i>	1871,	<i>decorata</i>	1876,
	589		1876,
	590	<i>microrhyncha</i>	1876,
<i>splendidula</i>	1871,		661
	589		668
	590		797
	743		273
<i>Grus americana</i>	1880,		162
<i>antigone</i>	315		163
	469		661
	640		668
	277		777
	315		782
<i>australasiana</i>	1880,		786
<i>carunculata</i>	1877,		577
<i>cinerea</i>	340		667
	307		668
	402		797
	681		273

	Page		Page
<i>Gygis microrhyncha</i> ..	1877,	<i>Gymnorhina tibicen</i> ..	1875,
<i>napoleonis</i>	1876,	<i>Gymnotus electricus</i> ..	1875,
<i>Gymnasteria carinifera</i> .	1877,		1878,
<i>Gymnelis imberbis</i>	1879,		221
<i>viridis</i>	1877,	<i>Gymnura rafflesii</i> , var.	
	1877,	<i>candida</i>	1876,
<i>Gymnobucco calvus</i>	1871,	<i>Gynæcia dirce</i>	1876,
<i>pele</i>	1871,		1878,
	1871,	<i>Gynautocera macularia</i> .	1879,
<i>Gymnocranium rivula-</i>		<i>papilionaria</i>	1878,
<i>tus</i>	1871,	<i>Gypaëtus barbatus</i>	1871,
<i>Gymnodactylus collega-</i>			1875,
<i>lensis</i>	1875,	<i>Gypagus papa</i>	1879,
	1877,		1879,
<i>consobrinus</i>	1872,	<i>Gyparchus papa</i>	1873,
<i>fasciolatus</i>	1871,		1873,
	1871,		1873,
<i>gracilis</i>	1875,		1877,
<i>jeyporensis</i>	1877,	<i>Gypogeranus serpenta-</i>	
<i>khasiensis</i>	1871,	<i>rius</i>	1875,
	1871,	<i>Gypohierax angolensis</i> .	1876,
	1872,	<i>Gypoictinia melano-</i>	
<i>littoralis</i>	1875,	<i>sterna</i>	1875,
<i>lunatus</i>	1871,	<i>Gyps bengalensis</i>	1871,
<i>maculatus</i>	1875,		1871,
<i>malabaricus</i>	1875,		1871,
<i>marmoratus</i>	1872,		1872,
<i>nebulosus</i>	1875,		1875,
<i>planiceps</i>	1875,		1876,
<i>speciosus</i>	1875,	<i>fulvescens</i>	1875,
<i>variegatus</i>	1871,	<i>fulvus</i>	1871,
	1871,		1873,
<i>wynadensis</i>	1875,		1873,
<i>Gymnoderus foetidus</i> ..	1873,		1880,
<i>Gymnoderis maculata</i> ..	1877,	<i>himalayensis</i>	1875,
<i>Gymnodytes nigrovitta-</i>		<i>indicus</i>	1871,
<i>tus</i>	1871,		1871,
<i>Gymnomystax melanic-</i>		<i>Gypsophoca cinerea</i>	1872,
<i>terus</i>	1873,	<i>subtropicalis</i>	1873,
<i>Gymnopelia erythrotho-</i>		<i>tropicalis</i>	1872,
<i>rax</i>	1874,		1872,
<i>Gymnopleurus ærugino-</i>			1872,
<i>sus</i>	1876,		1872,
<i>Gymnopodus ægyptiacus</i>	1875,		1873,
	1875,		1875,
<i>Gymnopus ægyptiacus</i> .	1873,		1875,
<i>duvaucelii</i>	1873,		1875,
<i>euphraticus</i>	1873,	<i>Habropus carnifex</i>	1874,
<i>indicus</i>	1873,	<i>Habrura minima</i>	1879,
<i>javanicus</i>	1873,	<i>Hadena abida</i>	1878,
	1873,	<i>debilis</i>	1877,
	1873,		1877,
<i>lineatus</i>	1873,	<i>insignis</i>	1877,
<i>muticus</i>	1873,	<i>lignana</i>	1877,
<i>ocellatus</i>	1873,	<i>lignifusca</i>	1877,
<i>spiniferus</i>	1873,	<i>mutans</i>	1877,
	1873,	<i>nervata</i>	1877,
<i>Gymnorhina leuconota</i> .	1880,	<i>pictula</i>	1877,
<i>organica</i>	1874,		386
	487		

	Page		Page
<i>Hadena plusiata</i>	1877,	<i>Halcyon capensis</i>	1872,
	383		423
<i>Hades noctula</i>	1874,	<i>cassini</i>	1872,
	353		94
<i>Hadrostomus aglaiae</i> ..	1876,		1875,
	517		427
<i>audax</i>	1874,		1876,
	130		505
<i>homochrous</i>	1874,		1877,
	540		731
<i>minor</i>	1879,	<i>chelicutensis</i>	1873,
	517		712
	1879,		1873,
	550		716
	1879,		1878,
	284	<i>chloris</i>	1872,
	1879,		89
	617		1872,
<i>Hæmatopus</i> , sp.	1879,		93
	310		1872,
<i>ater</i>	1878,		94
	438		1873,
<i>leucopus</i>	1878,		3
	437		1877,
<i>longirostris</i>	1871,		105
	405		1879,
<i>niger</i>	1873,		246
	469		1879,
	1873,		312
	641		1879,
<i>osculans</i>	1871,		332
	405	<i>cinnamominus</i>	1877,
<i>ostralegus</i>	1871,		778
	405	<i>coromanda</i>	1871,
	1872,		347
	472		1879,
	1875,		331
	488	<i>coromandeliana</i> ..	1871,
	1877,		347
	417	<i>cyanoleuca</i>	1871,
	1880,		603
	316		1871,
<i>palliatus</i>	1871,		614
	125	<i>diops</i>	1878,
	1877,		79
	748	<i>dryas</i>	1871,
<i>unicolor</i>	1878,		603
	578	<i>erythrogastra</i>	1871,
<i>Hæmatornis cheela</i>	1872,		614
	412	<i>fusca</i>	1878,
<i>chrysorrhoides</i>	1871,		577
	370	<i>godeffroyi</i>	1872,
<i>elgini</i>	1871,		424
	495		1877,
<i>Hæmophila stolzmanni</i> .	1877,		408
	322		1877,
	1877,		409
	750	<i>juliæ</i>	1877,
	1878,		739
	137	<i>leucocephala</i>	1872,
<i>Hætera helvina</i>	1874,		423
	337	<i>lilacina</i>	1879,
<i>Hagedashia caffrensis</i> ..	1877,		331
	500	<i>macleayi</i>	1878,
<i>chalcoptera</i>	1877,		122
	484	<i>nigrocyanæa</i>	1876,
	1877,		752
	500	<i>pealei</i>	1876,
<i>olivacea</i>	1877,		491
	507		1877,
<i>Halacarus ctenopus</i>	1875,		731
	302		1879,
	1875,		129
	310	<i>pileata</i>	1872,
<i>granulatus</i>	1875,		424
	302		1875,
	1875,		101
	309		1878,
	1875,		578
	310		1879,
<i>oculatus</i>	1875,		331
	302	<i>pileatus</i>	1871,
	1875,		347
	309		1873,
	1875,	<i>pyrrhopygia</i>	1877,
	310		349
<i>rhodostigma</i>	1875,	<i>recurvirostris</i>	1871,
	302		23
	1875,		1876,
	309		491
	1875,	<i>reichenbachi</i>	1872,
	310		89
<i>Halarachne halichæri</i> ..	1875,	<i>sacra</i>	1872,
	302		94
	1875,		1875,
	309		427
<i>Halcyon albicilla</i>	1872,		1876,
	89		19
	1872,		1876,
	93		501
	1873,		1876,
	3		505
	1877,		1877,
	105		723
	1877,		1877,
	408		731
	1877,		1877,
	409		739
	1878,		1877,
	671		773
	1879,		129
	10	<i>sancta</i>	1878,
<i>atricapilla</i>	1871,		94
	347		
	1872,		
	424		

	Page		Page
<i>Halcyon sancta</i>	1878,	<i>Haliaeus albigula</i>	1874,
	1880,	<i>gaimardi</i>	1874,
<i>sanctus</i>	1872,	<i>Haliastur girrenera</i>	1877,
	1873,		1878,
	1875,	<i>indus</i>	1879,
	1877,		1872,
	1879,		1872,
<i>saurophaga</i>	1879,		1872,
	1877,	<i>intermedius</i>	1879,
	1879,		1877,
<i>semicaerulea</i>	1873,		1877,
<i>senegalensis</i>	1871,		1877,
	1871,		1877,
	1873,		1877,
	1878,		1877,
<i>smyrnensis</i>	1871,		1877,
	1872,		1877,
<i>sordida</i>	1878,	<i>leucosternus</i>	1875,
<i>striolata</i>	1878,	<i>sphenurus</i>	1875,
<i>tuta</i>	1877,	<i>Halibalaena britannica</i> ..	1873,
<i>venerata</i>	1876,		1873,
	1877,		1873,
<i>winchelli</i>	1878,	<i>Halichoerus barbatus</i> ..	1873,
<i>Halia priamus</i>	1880,	<i>grypus</i>	1871,
<i>Haliaëtus albicilla</i>	1871,		1871,
	1872,		1875,
	1872,	<i>Halichondria aspera</i>	1875,
	1873,	<i>compressa</i>	1875,
	1873,	<i>couchii</i>	1875,
	1875,	<i>crassa</i>	1875,
	1875,	<i>elegantia</i>	1875,
<i>aguia</i>	1875,	<i>forcipis</i>	1875,
<i>brooksii</i>	1872,	<i>frondifera</i>	1875,
<i>girrenera</i>	1878,	<i>hispida</i>	1873,
<i>leucocephalus</i>	1875,	<i>purpurea</i>	1875,
	1880,	<i>rigida</i>	1875,
<i>leucogaster</i>	1876,	<i>varia</i>	1875,
	1877,	<i>Halicyon richardi</i>	1873,
	1878,		1873,
	1879,		1873,
	1879,	<i>Halidesmus scapularis</i> ..	1871,
	1879,		1871,
	1879,	<i>Halieus (Hypoleucus)</i>	
<i>leucoryphus</i>	1879,	<i>verrucosus</i>	1878,
	1872,	<i>Haliotis hargreavesi</i>	1871,
	1872,	<i>varia</i>	1878,
	1872,	(Padollus) <i>brazieri</i> ..	1871,
	1878,	<i>Haliphysema tubulatum</i>	1873,
<i>melanoleucus</i>	1879,		1873,
<i>pelagicus</i>	1871,	<i>Haliplana anætheta</i>	1871,
	1872,	<i>anosthætus</i>	1876,
	1873,	<i>crissalis</i>	1876,
<i>plumbeus</i>	1875,	<i>discolor</i>	1871,
	1876,		
<i>vocifer</i>	1873,		
	1873,		
	1877,		
(Cuncuma) <i>leuco-</i>			
<i>gaster</i>	1872,		

	Page		Page
<i>Haliplana discolor</i>	1876,	<i>Hamodes discistriga</i> ..	1877,
<i>fuliginosa</i>	1871,	<i>Hanisa subnotata</i>	1879,
<i>lunata</i>	1876,	<i>Hapa contorta</i>	1878,
<i>panaya</i>	1871,		1878,
<i>panayensis</i>	1871,		1878,
	1876,	<i>Hapale argentata</i>	1875,
<i>Halispongia choanoides</i> .	1872,	<i>chrysoleucus</i>	1871,
	1872,	<i>chrysoleucus</i>	1876,
<i>mantelli</i>	1874,	<i>geoffroi</i>	1872,
	1874,	<i>geoffroyi</i>	1871,
<i>stellifera</i>	1877,	<i>jacchus</i>	1873,
<i>ventriculoides</i>	1874,		1880,
	1874,	<i>leucopus</i>	1876,
	1874,	<i>melanura</i>	1875,
	1874,		1875,
	1874,	<i>œdipus</i>	1872,
<i>Halmaturus agilis</i>	1875,		1876,
<i>apicalis</i>	1874,	<i>penicillata</i>	1879,
<i>bennetti</i>	1877,		1879,
	1880,	<i>pygmæa</i>	1871,
<i>billardieri</i>	1875,		1877,
<i>brownii</i>	1877,		1880,
<i>crassipes</i>	1877,	<i>ursulus</i>	1876,
<i>derbianus</i>	1875,	<i>Hapalemur griseus</i>	1872,
<i>erubescens</i>	1871,		1872,
	1871,		1875,
<i>luctuosus</i>	1874,	<i>olivaceus</i>	1879,
	1874,	<i>simus</i>	1873,
	1875,		1873,
	1875,		1873,
	1877,		1873,
	1877,		1879,
<i>ruficollis</i>	1877,		1879,
	1877,		1879,
<i>ualabatus</i>	1877,	<i>Hapalocercus acutipen-</i>	1879,
<i>Halpe beturia</i>	1878,	<i>nis</i>	1873,
	1878,		1873,
<i>ceylonica</i>	1878,		1879,
	1878,	<i>flaviventris</i>	1873,
<i>dolopia</i>	1878,	<i>Hapalochrota caudata</i> ..	1875,
<i>lutelsquama</i>	1878,	<i>Hapaloderma narina</i> ..	1871,
<i>radians</i>	1878,	<i>Hapalogaster cavicauda</i> .	1879,
	1878,	<i>dentatus</i>	1879,
<i>Haltica galapagoënsis</i> ..	1877,		1879,
<i>Halys himalayanus</i>	1871,	<i>mertensii</i>	1879,
	1871,	<i>Hapalura minima</i>	1879,
	1872,	<i>Haplocheilus panchax</i> ..	1880,
<i>pallasi</i>	1872,	<i>Hara buchhanani</i>	1871,
<i>Hamadryas æquicineta</i> .	1877,	<i>elongata</i>	1871,
	1879,	<i>Harelda glacialis</i>	1871,
<i>callirhoë</i>	1877,		1871,
<i>elaps</i>	1872,		1875,
<i>undata</i>	1877,		1877,
<i>zoilus</i>	1877,		1877,
	1878,		1880,
<i>Hammaticherus aurifa-</i>	1877,	<i>Harma adelina</i>	1875,
<i>ber</i>	1877,	<i>æmilius</i>	1879,
<i>Hamodes discistriga</i> ..	1877,	<i>beckeri</i>	1875,

	Page		Page
<i>Harma beckeri</i>	1879,		707
<i>cœnis</i>	1875,		412
<i>corsandra</i>	1875,		412
<i>frederica</i>	1879,		707
	1879,		709
<i>hesiodus</i>	1875,		412
<i>lucasii</i>	1879,		706
	1879,		709
<i>lurida</i>	1871,		80
	1875,		412
<i>sangaris</i>	1875,		412
<i>theobene</i>	1875,		412
	1879,		708
<i>theodota</i>	1875,		412
	1879,		707
<i>Harpactes ardens</i>	1877,		537
	1877,		540
	1878,		107
	1878,		943
<i>diardi</i>	1875,		102
	1879,		326
<i>duvauceli</i>	1875,		102
	1879,		326
<i>erythrocephalus</i> ..	1875,		102
<i>fasciatus</i>	1872,		422
	1872,		448
<i>hodgsoni</i>	1873,		657
<i>Harpago</i> (Millipes)			
<i>scorpio</i>	1877,		186
<i>Harpagornis moorei</i> ..	1875,		470
<i>Harpagus bidentatus</i> ..	1873,		303
	1874,		550
	1879,		638
<i>diodon</i>	1873,		303
<i>Harpalus æquilatus</i> ..	1874,		61
<i>alienus</i>	1878,		591
<i>cæruleatus</i>	1878,		714
<i>grateloupi</i>	1872,		517
<i>guineensis</i>	1872,		517
<i>indicola</i>	1878,		714
<i>liodes</i>	1878,		715
<i>masoreoides</i>	1878,		715
<i>melaneus</i>	1878,		714
<i>munipurensis</i>	1872,		517
<i>sulcatulus</i>	1878,		592
<i>turculus</i>	1878,		714
<i>Harpiprion cærulescens</i> .	1877,		485
	1877,		503
<i>carunculata</i>	1877,		502
<i>cayennensis</i>	1873,		306
	1877,		479
	1877,		485
	1877,		502
	1879,		543
<i>dentirostris</i>	1877,		479
<i>hagedash</i>	1877,		500
<i>plumbea</i>	1877,		479
	1877,		503
<i>Harpyhaliaëtus corona-</i>			
<i>tus</i>	1872,		536
	1872,		549
<i>Harpyia cephalotes</i>	1877,		117
	1877,		118
<i>destructor</i>	1879,		637
<i>major</i>	1877,		117
	1877,		118
<i>Harpyiocephalus hut-</i>			
<i>tonii</i>	1872,		711
<i>Hebomoia borneensis</i> ..	1873,		356
<i>glaucippe</i>	1874,		108
	1877,		590
	1877,		625
	1877,		814
	1878,		837
	1878,		855
<i>Hecaërge maculata</i>	1872,		257
	1872,		348
<i>opiniosa</i>	1872,		258
	1872,		348
	1872,		354
<i>Hectarthrum bistriatum</i>	1877,		152
<i>Hedymeles ludoviciana</i> .	1873,		462
	1878,		58
	1879,		506
<i>Helarctos malayanus</i> ..	1875,		493
<i>Helastia bilineolata</i>	1877,		395
<i>indicataria</i>	1877,		395
<i>invexata</i>	1877,		395
<i>muscosata</i>	1877,		395
<i>Heleona fenestrata</i>	1877,		474
<i>Heleotragus reduncus</i> ..	1878,		745
<i>Heliangelus amethysti-</i>			
<i>collis</i>	1874,		543
	1874,		677
	1879,		629
<i>clarissæ</i>	1871,		504
<i>squamigularis</i>	1871,		503
<i>Helianthea aurora</i>	1880,		204
<i>bonapartei</i>	1871,		503
<i>dichroura</i>	1874,		138
	1874,		543
<i>eos</i>	1875,		235
<i>osculans</i>	1871,		503
	1873,		191
	1874,		677
<i>typica</i>	1879,		530
<i>violifera</i>	1871,		503
	1879,		629
<i>Helias albiplaga</i>	1876,		250
<i>lactifera</i>	1874,		370
<i>phalænoides</i>	1874,		370
<i>Heliaster microbrachia</i> .	1877,		92
<i>Heliastes lepidurus</i>	1878,		216
<i>Helicarion auriforme</i> ..	1880,		298
<i>bensoni</i>	1880,		298
<i>birmanicum</i>	1880,		298

	Page		Page
<i>Helicarium brazieri</i>	1873,	<i>Helicina fulva</i>	1875,
<i>cassida</i>	1880,	<i>funki</i>	1879,
<i>christianæ</i>	1880,	<i>guppyi</i>	1871,
<i>croceus</i>	1872,	<i>heloisæ</i>	1879,
<i>cuvieri</i>	1880,	<i>humilis</i>	1871,
<i>edgarianum</i>	1880,		1871,
<i>extraneum</i>	1880,	<i>ignicomma</i>	1875,
<i>flemingeanum</i>	1880,		1875,
<i>gigas</i>	1872,	<i>inconspicua</i>	1871,
	1872,	<i>interna</i>	1871,
	1880,	<i>jana</i>	1871,
<i>heteroconcha</i>	1880,	<i>kusteriana</i>	1871,
<i>hilli</i>	1873,	<i>laciniosa</i>	1871,
	1873,	<i>lamellosa</i>	1875,
<i>irradians</i>	1880,	<i>lenticularis</i>	1871,
<i>layardi</i>	1880,	<i>lindenii</i>	1879,
<i>membranaceum</i>	1880,	<i>lyrata</i>	1879,
<i>monticola</i>	1880,	<i>mangoënsis</i>	1871,
<i>ovatum</i>	1880,	<i>marchionissa</i>	1871,
<i>planospira</i>	1880,	<i>maugeris</i>	1871,
<i>præstans</i>	1880,		1871,
<i>resplendens</i>	1880,	—, var. <i>albinea</i>	1871,
<i>scutella</i>	1880,		1871,
<i>tennentii</i>	1880,	<i>miniata</i>	1871,
<i>theobaldi</i>	1880,	<i>minuta</i>	1871,
<i>verrucosum</i>	1880,	<i>multicolor</i>	1871,
(<i>Hoplites</i>) <i>croceus</i>	1872,	<i>musiva</i>	1871,
(—) <i>solidus</i>	1872,	<i>nemoralis</i>	1875,
(—) <i>theobaldi</i>	1872,		1875,
<i>Helice tridens</i>	1879,	<i>norfolkensis</i>	1871,
	1879,	<i>oceanica</i>	1871,
<i>Helichroma idiotica</i>	1872,	<i>pacifica</i>	1871,
<i>Helicina albolabris</i>	1871,		1871,
<i>amœna</i>	1875,	<i>parvula</i>	1871,
<i>anaensis</i>	1871,	<i>pazi</i>	1871,
	1871,	<i>pisum</i>	1871,
<i>anozona</i>	1875,		1871,
<i>barbata</i>	1875,	<i>plicatilis</i>	1871,
	1875,		1871,
<i>beatrice</i>	1879,	<i>plicatula</i>	1875,
	1879,	<i>rohrii</i>	1871,
<i>beryllina</i>	1871,	<i>rostrata</i>	1875,
—, var. <i>flavida</i>	1871,	<i>rotelloidea</i>	1871,
<i>bicolor</i>	1871,	<i>rotunda</i>	1875,
<i>bronniana</i>	1871,	<i>rubicunda</i>	1871,
<i>calliostoma</i>	1871,	<i>rugulosa</i>	1871,
	1871,	<i>rustica</i>	1871,
<i>colorata</i>	1871,	<i>sandwichensis</i>	1871,
	1871,	<i>solidula</i>	1871,
<i>columbiana</i>	1875,	<i>tahitensis</i>	1871,
<i>constricta</i>	1871,		1871,
<i>corrugata</i>	1871,	<i>tectiformis</i>	1871,
<i>crassilabris</i>	1871,	<i>trochlea</i>	1871,
<i>discoidea</i>	1871,	<i>trosula</i>	1875,
<i>exigua</i>	1871,	<i>uberta</i>	1871,
<i>flavescens</i>	1871,	<i>vernalis</i>	1875,
	1871,	<i>villosa</i>	1871,
<i>fulgora</i>	1871,	<i>zigzag</i>	1871,
	1871,		1871,

	Page		Page
<i>Helicina zonata</i>	1871,	476	
(<i>Trochatella</i>) <i>tecti-</i>			
<i>formis</i>	1871,	322	
<i>Helicodes hippona</i>	1873,	773	
<i>Heliconisa impar</i>	1871,	83	
<i>Heliconius aglaope</i>	1876,	219	
<i>annette</i>	1874,	333	
<i>arcuella</i>	1876,	220	
<i>aristona</i>	1876,	219	
<i>aurora</i>	1876,	220	
<i>bartletti</i>	1876,	219	
<i>bicoloratus</i>	1876,	250	
<i>bicoloratus</i>	1875,	36	
<i>charithonia</i>	1874,	351	
<i>clytia</i>	1878,	481	
<i>cydno</i>	1876,	218	
<i>doris</i>	1874,	351	
<i>erato</i>	1876,	219	
<i>estella</i>	1873,	773	
<i>eucrate</i>	1877,	62	
<i>fasciatus</i>	1874,	351	
<i>formosus</i>	1874,	351	
<i>galanthus</i>	1874,	351	
<i>ismenius</i>	1877,	62	
<i>lamirus</i>	1874,	330	
<i>leucadia</i>	1876,	219	
<i>melpomene</i>	1876,	219	
<i>montanus</i>	1874,	351	
<i>pachinus</i>	1874,	351	
<i>pardalinus</i>	1879,	151	
<i>peruviana</i>	1876,	219	
<i>petiverana</i>	1874,	351	
<i>rhea</i>	1874,	351	
<i>rosina</i>	1876,	218	
<i>sisyphus</i>	1874,	351	
<i>telchinia</i>	1876,	220	
<i>telesiphe</i>	1874,	351	
<i>telesiphe</i>	1876,	219	
<i>thelxiope</i>	1876,	219	
<i>victorine</i>	1874,	333	
<i>xenoclea</i>	1876,	219	
<i>zobeide</i>	1876,	218	
<i>zuleika</i>	1874,	351	
<i>Helicopsis aurulenta</i> ..	1871,	475	
<i>callifera</i>	1871,	475	
<i>chamissoi</i>	1871,	475	
<i>cicercula</i>	1871,	475	
<i>conula</i>	1871,	475	
<i>cryptoportica</i>	1871,	475	
<i>cultrata</i>	1871,	475	
<i>electrina</i>	1871,	475	
<i>ensifera</i>	1871,	475	
<i>firmostyla</i>	1871,	475	
<i>fornicata</i>	1871,	475	
<i>frivola</i>	1871,	475	
<i>kauaiensis</i>	1871,	475	
<i>lardy</i>	1871,	475	
<i>Helicopsis minutalis</i> ..	1871,	475	
<i>normalis</i>	1871,	475	
<i>orbis</i>	1871,	475	
<i>pauxillus</i>	1871,	475	
<i>perpolita</i>	1871,	475	
<i>pertenuis</i>	1871,	475	
<i>samo</i>	1871,	475	
<i>samoensis</i>	1871,	475	
<i>simillima</i>	1871,	475	
<i>striolata</i>	1871,	475	
<i>subrutila</i>	1871,	475	
<i>subtilis</i>	1871,	475	
<i>subtilissima</i>	1871,	475	
<i>upolensis</i>	1871,	475	
<i>venosa</i>	1871,	475	
<i>verticillata</i>	1871,	475	
<i>Helictis moschata</i>	1874,	666	
<i>nipalensis</i>	1879,	305	
<i>nipalensis</i>	1879,	305	
<i>orientalis</i>	1879,	305	
<i>personata</i>	1874,	666	
<i>subaurantiaca</i>	1874,	666	
<i>subaurantiaca</i>	1879,	305	
<i>subaurantiaca</i>	1879,	307	
<i>Heliochera rubrocris-</i>			
<i>tata</i>	1874,	540	
<i>tata</i>	1874,	678	
<i>tata</i>	1879,	237	
<i>tata</i>	1879,	520	
<i>tata</i>	1879,	618	
<i>tata</i>	1880,	203	
<i>rufaxilla</i>	1879,	237	
<i>Heliophilus soumagnii</i> ..	1879,	175	
<i>soumagnii</i>	1879,	176	
<i>Heliodoxa henryi</i>	1878,	69	
<i>jacula</i>	1878,	69	
<i>leadbeateri</i>	1879,	627	
<i>otero</i>	1879,	627	
<i>Heliomaster albicrissa</i> ..	1871,	504	
<i>albicrissa</i>	1877,	745	
<i>constanti</i>	1878,	69	
<i>longirostris</i>	1871,	504	
<i>longirostris</i>	1873,	288	
<i>longirostris</i>	1879,	530	
<i>pallidiceps</i>	1871,	504	
<i>sclateri</i>	1871,	504	
<i>stuartæ</i>	1871,	504	
<i>Heliophanus cupreus</i> ..	1876,	624	
<i>decoratus</i>	1876,	624	
<i>decoratus</i>	1876,	627	
<i>facetus</i>	1876,	624	
<i>melinus</i>	1872,	346	
<i>Heliophobus disjun-</i>			
<i>gens</i>	1877,	338	
<i>Heliophorus belenus</i> ..	1878,	702	
<i>Heliornis fulica</i>	1873,	309	
<i>fulica</i>	1879,	546	
<i>Heliopsis armigera</i>	1880,	676	

	Page		Page
<i>Heliothis conferta</i>	1877,	<i>Helix bellengerensis</i>	1872,
<i>succinea</i>	1880,	<i>belmorei</i>	1871,
<i>Heliothrix auritus</i>	1873,	<i>benneti</i>	1880,
	1873,	<i>bensoni</i>	1880,
	1874,	<i>bewsheriana</i>	1875,
<i>barroti</i>	1879,	<i>bifasciata</i>	1879,
	1879,	<i>biocheana</i>	1872,
<i>Heliotrypha micraster</i>	1880,	<i>bisulcata</i>	1871,
<i>parzudakii</i>	1871,	<i>bitæniata</i>	1876,
	1879,	<i>bituberculata</i>	1872,
<i>viola</i>	1879,	<i>blomfieldi</i>	1871,
	1880,		1872,
	1880,		1872,
<i>Helix adamsii</i>	1871,		1873,
<i>adela</i>	1878,	<i>boivini</i>	1876,
	1878,		1878,
<i>adelaidæ</i>	1871,	<i>boucardi</i>	1878,
<i>adonis</i>	1873,		1878,
<i>ædesima</i>	1880,		1879,
<i>æquatoria</i>	1872,	<i>bougainvillei</i>	1876,
<i>æquatoriana</i>	1872,	<i>brenchleyi</i>	1878,
<i>æsupus</i>	1878,		1878,
	1878,	<i>broughami</i>	1875,
	1879,	<i>brumeriensis</i>	1876,
<i>alata</i>	1871,	<i>brunnea</i>	1871,
<i>alfredi</i>	1871,	<i>bursatella</i>	1871,
	1871,	<i>cæca</i>	1875,
<i>allasteri</i>	1873,	<i>calypso</i>	1877,
<i>alticola</i>	1880,	<i>candidula</i>	1880,
<i>ambrosia</i>	1876,		1880,
<i>amœnula</i>	1871,	<i>cantiana</i>	1880,
<i>anconæ</i>	1880,	<i>caperata</i>	1871,
	1880,	<i>carthusiana</i>	1880,
	1880,	<i>casca</i>	1876,
	1880,	<i>cassandra</i>	1875,
<i>andersoni</i>	1871,	<i>cavernula</i>	1871,
	1871,	<i>cemenelea</i>	1880,
<i>andicola</i>	1879,		1880,
<i>angasiana</i>	1876,		1880,
	1876,	<i>cerata</i>	1872,
	1876,	<i>cerea</i>	1872,
<i>appendiculata</i>	1871,	<i>cespitum</i>	1880,
<i>arbustorum</i>	1880,		1880,
<i>ardua</i>	1871,		1880,
<i>aspersa</i>	1880,		1880,
	1880,		1880,
	1880,	<i>ciliata</i>	1880,
	1880,	<i>cineracea</i>	1873,
<i>auriculina</i>	1878,	<i>cingulata</i>	1880,
<i>balstoni</i>	1877,	<i>clarencensis</i>	1872,
	1877,	<i>clayi</i>	1876,
	1877,	<i>cleryi</i>	1873,
<i>barkasi</i>	1876,	<i>coactiliata</i>	1875,
	1876,		1875,
<i>beatrice</i>	1876,		1875,
	1876,	<i>coarctata</i>	1871,
<i>bellengerensis</i>	1871,	<i>colorata</i>	1880,
	1871,		1880,

	Page		Page
<i>Helix compluviatus</i>	1871, 646	<i>Helix fatigata</i>	1873, 152
	1871, 647	<i>fenneriffensis</i>	1876, 489
<i>comriei</i>	1876, 489	<i>ferneri</i>	1880, 120
<i>concreta</i>	1880, 119	<i>filiceti</i>	1871, 455
<i>congener</i>	1878, 496	<i>flexilabris</i>	1871, 646
	1878, 497	<i>flindersi</i>	1876, 268
<i>conula</i>	1871, 456	<i>flora</i>	1872, 687
<i>cordovana</i>	1875, 318	<i>forbesii</i>	1872, 806
<i>corne</i>	1871, 456	<i>forrestiana</i>	1875, 389
<i>cornu-giganteum</i> ..	1877, 527		1875, 390
	1878, 312	<i>fosteriana</i>	1871, 639
	1879, 728	<i>fraseri</i>	1875, 33
<i>coronula</i>	1873, 365	<i>fringilla</i>	1871, 323
<i>costaricensis</i>	1879, 476		1873, 566
	1879, 477	<i>furcillata</i>	1872, 687
<i>coxeni</i>	1871, 54	<i>gaertneriana</i>	1872, 805
	1871, 55	<i>galloprovincialis</i> ..	1880, 117
<i>coxi</i>	1872, 18	<i>ghiesbreghti</i>	1875, 648
	1872, 806	<i>glandula</i>	1871, 456
<i>coxianus</i>	1873, 567	<i>globosus</i>	1880, 619
<i>crassilabris</i>	1880, 119	<i>griftonensis</i>	1872, 807
<i>crassior</i>	1880, 110	<i>gratiosa</i>	1871, 53
<i>crimoda</i>	1880, 119		1871, 55
<i>crustulum</i>	1873, 150	<i>grayi</i>	1871, 641
<i>cubensis</i>	1871, 455	<i>greenhilli</i>	1871, 640
<i>cultrata</i>	1871, 456	<i>grimaldiensis</i>	1880, 113
<i>cyclostomata</i>	1872, 19	<i>guadalcanarensis</i> ..	1871, 645
<i>cyrtopleura</i>	1873, 183		1871, 647
	1876, 490		1876, 489
<i>decollata</i>	1878, 967	<i>guesteriana</i>	1878, 312
<i>delacourti</i>	1880, 118		1879, 728
<i>depressiformis</i>	1871, 475	<i>guevarriana</i>	1880, 118
<i>detecta</i>	1873, 209	<i>gyrella</i>	1879, 720
<i>devali</i>	1877, 527	<i>herklotsi</i>	1878, 106
<i>diæga</i>	1880, 101	<i>hortensis</i>	1880, 290
	1880, 118	<i>hova</i>	1877, 803
	1880, 119		1877, 804
<i>dismasthia</i>	1880, 120		1877, 805
<i>distans</i>	1871, 475	<i>howinsulæ</i>	1873, 148
<i>dupuyana</i>	1872, 805	<i>hunteri</i>	1871, 646
	1872, 806		1871, 647
<i>eddystonensis</i>	1873, 150	<i>ierensis</i>	1875, 320
<i>ekongensis</i>	1877, 528	<i>illuvinosa</i>	1880, 123
	1877, 530	<i>illuviosa</i>	1880, 123
<i>ericetorum</i>	1875, 318	<i>incei</i>	1871, 641
	1875, 319		1875, 32
<i>erinaceus</i>	1873, 566	<i>isabellensis</i>	1871, 647
<i>eros</i>	1873, 566	<i>jacquinoti</i>	1871, 452
	1873, 567	<i>jervisensis</i>	1871, 641
<i>exæquata</i>	1871, 475	<i>jugosa</i>	1871, 452
<i>excavata</i>	1871, 452	<i>juloidea</i>	1871, 697
<i>eximia</i>	1875, 648	<i>kempseyensis</i>	1871, 645
<i>exserta</i>	1871, 475		1871, 647
<i>eyrei</i>	1876, 490	<i>kooringensis</i>	1880, 419
<i>farafanga</i>	1877, 527	<i>labyrinthica</i>	1875, 318
<i>farrisi</i>	1872, 687		1875, 319
<i>fatigata</i>	1873, 149	<i>lactea</i>	1880, 110

	Page		Page
<i>Helix lactiflua</i>	1871, 647	<i>Helix niciensis</i>	1880, 97
<i>lamellosa</i>	1871, 454		1880, 98
<i>leei</i>	1873, 565		1880, 101
	1873, 569	<i>nystiana</i>	1875, 318
<i>legrandi</i>	1871, 697	<i>obvoluta</i>	1880, 101
<i>leptogramma</i>	1872, 618	<i>oceanica</i>	1871, 452
<i>leucocheilus</i>	1871, 54	<i>o'connellensis</i>	1871, 55
	1872, 805		1873, 564
<i>lousiadensis</i>	1872, 611	<i>oedesima</i>	1880, 111
	1873, 566	<i>obvoluta</i>	1880, 101
<i>lubrica</i>	1880, 665	<i>omphaloides</i>	1877, 527
<i>lucasi</i>	1880, 110	<i>onslowi</i>	1871, 697
<i>lucida</i>	1880, 106	<i>oparica</i>	1871, 451
<i>luhuana</i>	1878, 106	<i>orbis</i>	1871, 456
<i>luteofasciata</i>	1880, 123	<i>ornatella</i>	1871, 455
<i>macleayi</i>	1871, 54	<i>oualauensis</i>	1871, 475
<i>mac-neili</i>	1879, 476	<i>pachystyla</i>	1872, 610
<i>macquariensis</i>	1871, 645	<i>paretiana</i>	1880, 99
	1871, 647		1880, 100
<i>macromphalus</i>	1874, 609		1880, 105
	1874, 612		1880, 108
	1874, 613		1880, 110
<i>magnifica</i>	1879, 729		1880, 112
<i>major</i>	1880, 123		1880, 113
<i>malantensis</i>	1876, 488		1880, 116
	1876, 490		1880, 120
<i>maritima</i>	1880, 122		1880, 121
<i>marquesana</i>	1871, 455		1880, 133
<i>maureliana</i>	1880, 114		1880, 139
<i>mendana</i>	1872, 21		1880, 140
	1872, 23		1880, 141
<i>mendanæ</i>	1873, 148		1880, 142
<i>mentonica</i>	1880, 110	<i>parkeri</i>	1875, 318
<i>merziana</i>	1876, 267	<i>parsoni</i>	1873, 152
<i>meta</i>	1872, 805	<i>pelewana</i>	1871, 449
	1876, 266	<i>peliomphala</i>	1878, 105
<i>metula</i>	1872, 805		1878, 106
<i>migratoria</i>	1872, 20	<i>pellicula</i>	1871, 455
<i>millicentæ</i>	1871, 323	<i>perarcta</i>	1874, 609
	1871, 325	<i>pexa</i>	1871, 696
	1872, 611	<i>phillipsiana</i>	1876, 490
	1873, 566	<i>phillyrina</i>	1873, 209
<i>minor</i>	1880, 123	<i>philomela</i>	1872, 611
<i>miranda</i>	1878, 495		1873, 566
<i>monacensis</i>	1880, 108	<i>pictella</i>	1871, 455
<i>moreletiana</i>	1872, 687	<i>pinnocki</i>	1876, 100
<i>moresbyi</i>	1876, 267		1876, 101
	1876, 268	<i>planospira</i>	1880, 114
<i>morti</i>	1872, 618	<i>pomatia</i>	1880, 290
<i>moutoni</i>	1880, 118	<i>primitiva</i>	1880, 115
	1880, 119		1880, 116
<i>mozambicensis</i>	1880, 216		1880, 117
<i>myomphala</i>	1878, 496	<i>princei</i>	1876, 100
<i>nemoralis</i>	1880, 101		1876, 101
	1880, 110	<i>prodigium</i>	1874, 612
	1880, 111	<i>prostrata</i>	1871, 475
	1880, 112	<i>prunum</i>	1871, 640
<i>newcombii</i>	1871, 475	<i>pseudophis</i>	1874, 609

	Page		Page
<i>Helix pulvinaris</i>	1874, 612	<i>Helix subsepulchralis</i> ..	1877, 805
<i>pyramidata</i>	1880, 123	<i>subtecta</i>	1873, 150
<i>quadridentata</i>	1878, 73	<i>subtilis</i>	1871, 456
<i>quintakæ</i>	1871, 699	<i>suturalis</i>	1875, 318
<i>quintali</i>	1871, 699	<i>symmetrica</i>	1880, 614
<i>rainbirdi</i>	1871, 55		1880, 619
	1873, 152	<i>telonensis</i>	1880, 118
<i>ramoriniana</i>	1880, 98		1880, 119
<i>ramsdeni</i>	1876, 266	<i>tenella</i>	1871, 475
	1876, 268	<i>terveri</i>	1880, 121
<i>rhoda</i>	1876, 267	<i>tiara</i>	1871, 475
	1876, 268	<i>torresiana</i>	1871, 640
<i>robillardi</i>	1876, 489	<i>tortilis</i>	1879, 720
	1876, 490	<i>trifaciella</i>	1871, 455
<i>robusta</i>	1880, 114	<i>trigonostoma</i>	1875, 648
<i>rockhamptonensis</i> .	1873, 151	<i>triplicata</i>	1879, 476
<i>rotella</i>	1871, 697	<i>turricula</i>	1871, 452
<i>rubella</i>	1880, 117		1880, 139
<i>rubiginosa</i>	1871, 452	<i>turriculata</i>	1872, 806
<i>sarda-labiata</i>	1871, 54	<i>usambarica</i>	1880, 216
	1871, 55		1880, 219
<i>sakalava</i>	1877, 804	<i>ustulata</i>	1873, 365
	1877, 805	<i>vannæ lavæ</i>	1871, 699
<i>sargi</i>	1875, 648	<i>ventricosa</i>	1880, 119
<i>scabra</i>	1871, 95	<i>ventrosus</i>	1880, 119
<i>scalenostoma</i>	1872, 687	<i>vermicularia</i>	1880, 109
<i>scandens</i>	1871, 645	<i>vermiculata</i>	1880, 100
	1871, 647		1880, 113
<i>sellersi</i>	1871, 646		1880, 140
	1871, 647	<i>vesicalis</i>	1878, 312
<i>semidecussata</i>	1877, 528	<i>villandrei</i>	1872, 805
	1877, 530	<i>vitrinella</i>	1871, 456
<i>sepulchralis</i>	1877, 527	<i>watersi</i>	1877, 527
	1877, 528		1877, 530
	1877, 803	<i>whartoni</i>	1871, 55
	1877, 804	<i>wilcoxi</i>	1872, 806
	1877, 805	<i>williamsiana</i>	1880, 110
<i>serena</i>	1873, 149	<i>yatalaensis</i>	1873, 149
<i>silveri</i>	1877, 34		1873, 152
	1880, 419	<i>yulei</i>	1871, 645
<i>simodæ</i>	1878, 106		1876, 267
<i>souverbei</i>	1877, 527	<i>zanguebarica</i>	1880, 217
<i>sowerbyana</i>	1871, 449		1880, 219
<i>spanias</i>	1880, 112	<i>zonata</i>	1880, 114
<i>speluncarum</i>	1880, 116	(<i>Aglaia</i>) <i>macasi</i> ..	1872, 686
<i>splendescens</i>	1872, 21		1872, 687
<i>stellula</i>	1871, 451	(<i>Ammonoceras</i>) <i>tro-</i>	
	1871, 452	<i>chilioneides</i> ..	1879, 719
<i>stenostrepta</i>	1872, 687	(<i>Ampelita</i>) <i>percyana</i>	1880, 485
<i>streptaxon</i>	1871, 452	(<i>Angasella</i>) <i>phillip-</i>	
<i>stylodon</i>	1873, 209	<i>siana</i>	1873, 183
<i>subarenarum</i>	1880, 121		1873, 184
<i>subfossilis</i>	1880, 118	(<i>Callicochlias</i>) <i>coxi</i>	1872, 806
<i>subnemorialis</i>	1880, 112	(<i>Camæna</i>) <i>arthu-</i>	
<i>subrepta</i>	1876, 266	<i>riana</i>	1873, 564
<i>subrugata</i>	1872, 807		1873, 569
<i>subsepulchralis</i> ...	1877, 803	(—) <i>aureedensis</i> .	1871, 640
	1877, 804	(—) <i>barneyi</i>	1873, 148

	Page		Page
<i>Helix</i> (<i>Camæna</i>) <i>barneyi</i>	1873, 152	<i>Helix</i> (<i>Galaxias</i>) <i>liverpool-</i>	
(—) <i>challisi</i>	1873, 565	<i>ensis</i>	1872, 618
	1873, 569	(<i>Geotrochus</i>) <i>adonis</i>	1872, 805
(—) <i>mulgravensis</i>	1872, 21	(—) <i>blanda</i>	1873, 147
(—) <i>rawnesleyi</i>	1873, 564	(—) <i>brodiei</i>	1872, 20
	1873, 569		1872, 23
(<i>Camæna</i>) <i>congener</i>	1878, 105	(—) <i>choiseulensis</i>	1872, 21
	1878, 106		1872, 23
(—) <i>congenita</i>	1878, 496	(—) <i>dupuyana</i>	1872, 806
	1878, 497	(—) <i>gelata</i>	1873, 149
(—) <i>lewisii</i>	1878, 495		1873, 152
	1878, 496	(—) <i>hermione</i>	1872, 805
(<i>Campylæa</i>) <i>cingu-</i>		(—) <i>leucophaea</i>	1872, 20
<i>lata</i>	1880, 101		1872, 23
	1880, 115	(—) <i>macfarlanei</i>	1873, 567
(—) <i>maureliana</i>	1880, 114	(—) <i>mendoza</i>	1872, 21
(—) <i>ramoriniana</i>	1880, 115	(—) <i>miser</i>	1873, 146
(<i>Caracolla</i>) <i>papy-</i>		(—) <i>philomela</i>	1872, 610
<i>racea</i>	1873, 565		1872, 614
(<i>Charopa</i>) <i>ammoni-</i>		(—) <i>quirosi</i>	1873, 147
<i>toides</i>	1871, 699	(—) <i>redempta</i>	1873, 566
(—) <i>bassi</i>	1871, 699		1873, 569
(? —) <i>dispar</i>	1871, 699	(—) <i>xanthochila</i>	1873, 567
(—) <i>midsoni</i>	1872, 806		1873, 569
(—) <i>milligani</i>	1872, 807	(—) <i>zelina</i>	1873, 150
(—) <i>scrupulus</i>	1872, 807		1873, 152
(—) <i>subdepressa</i>	1871, 641	(<i>Gonostoma</i>) <i>obvo-</i>	
(<i>Cochlicella</i>) <i>acuta</i>	1880, 119	<i>luta</i>	1880, 108
(—) <i>barbara</i>	1880, 119	(<i>Hadra</i>) <i>bellenden-</i>	
(<i>Conulus</i>) <i>elleryi</i>	1874, 668	<i>kerensis</i>	1875, 32
	1874, 672		1875, 34
(—) <i>liardeti</i>	1872, 618	(—) <i>bennetti</i>	1871, 639
(—) <i>russelli</i>	1874, 668	(—) <i>coxenæ</i>	1875, 32
	1874, 672		1875, 34
(—) <i>umbracu-</i>		(—) <i>darwinii</i>	1871, 639
<i>lorum</i>	1872, 806	(—) <i>hilli</i>	1875, 32
(<i>Corasia</i>) <i>balcom-</i>			1875, 34
<i>bei</i>	1873, 565	(—) <i>johnstonei</i>	1875, 32
	1873, 569		1875, 34
(<i>Discus</i>) <i>atkinsoni</i>	1872, 806	(—) <i>mossmani</i>	1875, 33
(—) <i>cerealis</i>	1873, 147		1875, 34
	1873, 152	(—) <i>mourilyani</i>	1875, 31
(<i>Euparypha</i>) <i>pisana</i>	1880, 119		1875, 34
(<i>Eurycratera</i>) <i>bet-</i>		(—) <i>parsoni</i>	1872, 18
<i>sileoensis</i>	1879, 728		1872, 23
	1879, 729	(—) <i>stephenso-</i>	
(—) <i>ibaraensis</i>	1879, 729	<i>niana</i>	1871, 639
(<i>Fruticicola</i>) <i>an-</i>		(<i>Helicostyla</i>) <i>crof-</i>	
<i>conæ</i>	1880, 117	<i>toni</i>	1872, 18
(—) <i>cemenelea</i>	1880, 117		1872, 23
(—) <i>ciliata</i>	1880, 118	(<i>Hygromia</i>) <i>bednalli</i>	1871, 641
(—) <i>cinctella</i>	1880, 118	(<i>Isomeria</i>) <i>gealei</i>	1877, 361
(—) <i>diæga</i>	1880, 119		1877, 365
(—) <i>everetti</i>	1873, 207	(—) <i>stolzmanni</i>	1879, 720
	1873, 209		1879, 728
(—) <i>gelida</i>	1880, 118	(<i>Lysinoë</i>) <i>alsophila</i>	1879, 720
(—) <i>moutoni</i>	1880, 118	(<i>Macularia</i>) <i>nicien-</i>	
(—) <i>telonensis</i>	1880, 119	<i>sis</i>	1880, 115

	Page		Page
<i>Helix</i> (<i>Macularia</i>) <i>vermiculata</i>	1880, 113	<i>Helix</i> (<i>Tachea</i>) <i>mentonica</i>	1880, 109
(<i>Merope</i>) <i>novæ-hollandiæ</i>	1872, 805	(—) <i>nemoralis</i> ..	1880, 112
(<i>Microcystis</i>) <i>catletti</i>	1872, 617	(—) <i>oedesima</i> ..	1880, 110
(<i>Oxychona</i>) <i>zhorquiniensis</i>	1879, 475 1879, 486	(—) <i>paretiana</i> ..	1880, 108
(<i>Patula</i>) <i>abietina</i> ..	1880, 108	(—) <i>williamsiana</i> ..	1880, 111
(—) <i>pygmæa</i> ..	1880, 108	(<i>Trachia</i>) <i>endeavourensis</i>	1871, 640
(—) <i>rupestris</i> ..	1880, 108	(—) <i>dryanderensis</i>	1872, 19
(<i>Pella</i>) <i>planti</i> ..	1880, 614	(<i>Trochomorpha</i>) <i>fessonia</i>	1871, 322
(<i>Pitys</i>) <i>architectonica</i>	1871, 696	(—) <i>juanita</i>	1873, 183 1873, 184
(—) <i>assimilis</i> ..	1871, 697	(<i>Videna</i>) <i>bellenge-nensis</i>	1872, 805
(—) <i>dispar</i>	1871, 699	(—) <i>floodi</i>	1871, 697
(—) <i>petterdi</i> ...	1871, 696 1871, 697	(—) <i>milligani</i> ..	1871, 698 1872, 807
(—) <i>subrugosa</i> ..	1871, 697	(—) <i>pascoei</i>	1871, 698
(<i>Plectopylis</i>) <i>municipurensis</i>	1874, 610 1874, 612 1874, 613	(<i>Xanthomelon</i>) <i>daintreei</i>	1875, 33 1875, 34
(—) <i>nagaensis</i> ..	1874, 609 1874, 612 1874, 613	(—) <i>lyndi</i>	1872, 610 1872, 614
(—) <i>pseudophis</i> ..	1874, 610 1874, 613	(<i>Xerophila</i>) <i>cespitum</i>	1880, 120
(—) <i>serica</i>	1874, 608 1874, 612 1874, 613	(—) <i>conspurcata</i> ..	1880, 123
(—) <i>shiroiensis</i> ..	1874, 609 1874, 613	(—) <i>lineata</i>	1880, 122
(—) <i>trilamellaris</i> ..	1875, 43	(—) <i>neglecta</i> ...	1880, 122
(<i>Polita</i>) <i>santanaensis</i>	1879, 719	(—) <i>paladilhi</i> ..	1880, 122
(<i>Pomatia</i>) <i>aperta</i> ..	1880, 113	(—) <i>pseudenhalia</i> ..	1880, 122
(—) <i>aspersa</i>	1880, 112	(—) <i>pyramidata</i> ..	1880, 123
(<i>Rhagada</i>) <i>bordaensis</i>	1880, 419 1880, 420	(—) <i>sclera</i>	1880, 121
(—) <i>kooringensis</i> ..	1877, 33	(—) <i>subcespitem</i> ..	1880, 120
(<i>Rhyssota</i>) <i>subrugata</i>	1872, 807	(—) <i>terrestris</i> ..	1880, 122
(<i>Rhytida</i>) <i>boydi</i> ..	1872, 805	(—) <i>terveri</i>	1880, 121
(—) <i>sheridani</i> ..	1875, 33 1875, 34	(—) <i>unifasciata</i> ..	1880, 123
(—) <i>villandrei</i> ..	1872, 805	(—) <i>variabilis</i> ..	1880, 122
(<i>Semicornu</i>) <i>silenus</i> ..	1873, 182 1873, 184	(<i>Zonites</i>) <i>gawleri</i> ..	1872, 618
(<i>Solaropsis</i>) <i>tiloriensis</i>	1879, 477 1879, 486	<i>Helminthophaga chrysoptera</i>	1879, 494
(<i>Systrophia</i>) <i>pseudoplanorbis</i>	1879, 719 1879, 728	<i>peregriana</i>	1878, 52 1879, 494
(<i>Tachea</i>) <i>bennetiana</i> ..	1880, 111	<i>Helopus caspius</i>	1876, 657
		<i>Helotarsus ecaudatus</i> ..	1873, 466 1873, 634 1880, 308
		<i>typicus</i>	1875, 491
		<i>Hemaris alternata</i>	1875, 239
		<i>mandarina</i>	1875, 239 1875, 261
		<i>radians</i>	1875, 239
		<i>sieboldi</i>	1875, 239
		<i>whitelyi</i>	1875, 239
		<i>Hemerophila caprimulgata</i>	1877, 390
		<i>sulpitiata</i>	1877, 390

	Page		Page
Hemicentetes madagascariensis.....	1871, 58	Hemipus obscurus	1873, 662
Hemichelidon ferruginea	1871, 379	picatus	1872, 437
fuliginosa	1871, 379		1873, 678
griseisticta	1871, 379	Hemiramphus cirrhatus.	1880, 16
latirostris	1871, 379	unifasciatus	1873, 709
rufilata	1871, 379		1877, 67
Hemichromis subocellatus	1871, 653		1877, 69
	1871, 667	Hemirhamphus acutus .	1871, 653
Hemidaenia albiventris .	1873, 259	dussumieri.....	1871, 671
Hemidactylus bengalensis	1875, 226	gamberur	1871, 671
	1876, 636	Hemispingus auricularis	1874, 516
	1876, 637	Hemistephania ludoviciae	1879, 528
brookii	1872, 589		1879, 627
coctæi	1875, 226	Hemithylaca warcewiczii	1879, 530
	1876, 535	Hemixos flavala	1877, 303
	1876, 636	Hemixus castanonotus..	1871, 369
	1876, 637		1873, 668
frenatus	1872, 589	flavata	1873, 668
giganteus	1875, 226	Heniconetta stelleri...	1880, 527
giganticus	1876, 636	Henicopernis longicauda	1879, 447
	1876, 637		1879, 450
leschenaulti	1876, 637	Henicorhina leucophrys.	1874, 504
maculatus	1871, 150		1878, 51
	1871, 160		1879, 223
meyeri	1872, 594		1879, 493
persicus	1872, 378		1879, 593
trihedrus	1872, 379	leucosticta	1878, 51
variegatus	1872, 589	Henicurus chinensis...	1871, 365
vittatus	1872, 589	leschenaultii	1871, 365
zosterophorus	1872, 589	leucoschistus.....	1871, 365
Hemidoris cæruleata ..	1877, 213	schistaceus	1871, 365
	1877, 222	scouleri	1871, 365
Hemifusus corona	1878, 796		1873, 556
	1878, 798		1873, 666
Hemilophus leucogaster.	1879, 326	sinensis	1871, 365
Hemipalama himantopus	1874, 561		1873, 556
Hemiphaga poliocephala	1878, 113	Hepatus angustatus...	1877, 657
	1878, 952	chilensis	1877, 653
Hemipimelodus cenia ..	1871, 288		1877, 656
	1871, 713	decorus	1877, 657
jatus	1876, 794	tuberculatus	1877, 653
viridescens	1871, 713		1877, 657
Hemipipo tschudii ...	1874, 539	van-benedeni	1877, 657
Hemipodius dussumieri.	1871, 401	Hepialus murinus.....	1879, 413
asciatus	1877, 701	sexnotatus.....	1879, 413
maculatus	1871, 402	virescens	1877, 380
maculosus	1871, 402	Heptabranhus burnettii	1877, 224
melanotus	1878, 127	Heptathyra aubryi	1873, 42
tachydromus.....	1873, 469	frenata	1873, 42
	1877, 416	Heptranchus griseus ..	1873, 312
viciarius	1871, 402	Heraclides lycophron ..	1874, 365
Hemiproctone zonaris...	1878, 67	Herbivocula flemingi ..	1871, 354
	1879, 531	Herbivox cantans.....	1871, 353
	1879, 626	canturiens.....	1871, 353
Hemipus intermedius ..	1880, 16	minuta	1871, 353
		Herminia lilacina	1877, 388

	Page		Page
<i>Herminia lilacina</i>	1877, 407	<i>Herpetotheres cachin-</i>	
<i>Hermotimia aspasioides</i>	1878, 81	<i>nans</i>	1877, 329
<i>auriceps</i>	1878, 80		1879, 541
<i>chlorocephala</i>	1877, 103		1879, 638
<i>Herodias alba</i>	1871, 412	<i>Herpornis tyrannulus</i>	1871, 373
	1872, 477		1873, 668
	1877, 341	<i>xanthochlora</i>	1871, 373
	1877, 342	<i>xantholeuca</i>	1871, 373
<i>asha</i>	1871, 413		1873, 668
<i>egretta</i>	1873, 305	<i>Herpsilochmus argenta-</i>	
<i>egrettoides</i>	1871, 412	<i>tus</i>	1873, 275
	1872, 477	<i>atricapillus</i>	1874, 137
	1877, 341	<i>frater</i>	1880, 159
<i>eulophotes</i>	1871, 412	<i>motacilloides</i>	1874, 136
<i>garzetta</i>	1871, 412		1874, 530
	1872, 477	<i>pileatus</i>	1879, 624
	1872, 478	<i>rufimarginatus</i>	1874, 530
	1877, 342	<i>Herse forsteri</i>	1877, 408
	1877, 488	<i>Hersilia caudata</i>	1872, 276
	1877, 703		1876, 560
	1878, 345		1876, 561
	1878, 712		1876, 626
<i>intermedia</i>	1871, 412	<i>diversa</i>	1876, 629
	1878, 953		1876, 561
<i>nigripes</i>	1879, 352	<i>indica</i>	1872, 276
<i>Herona andamana</i>	1877, 585	<i>oraniensis</i>	1872, 276
	1877, 624	<i>Hersilidia lucasii</i>	1876, 562
<i>angustata</i>	1878, 829		1876, 626
	1878, 854		1876, 629
<i>marathus</i>	1877, 585	<i>oraniensis</i>	1876, 563
	1878, 829	<i>simonii</i>	1872, 275
<i>Herpænia criphia</i>	1872, 67		1872, 348
	1875, 415		1872, 352
<i>tritogenia</i>	1871, 725		1876, 563
<i>Herpestes auropuncta-</i>		<i>Hesione ceylonica</i>	1874, 327
<i>tus</i>	1879, 665	<i>splendida</i>	1874, 327
<i>fasciatus</i>	1875, 493	<i>Hesperia ares</i>	1874, 369
	1876, 413	<i>aurifer</i>	1879, 155
<i>ferrugineus</i>	1874, 661	<i>bada</i>	1878, 688
	1874, 662		1880, 669
	1875, 540	<i>baracoa</i>	1878, 483
<i>griseus</i>	1871, 3	<i>benjamini</i>	1878, 841
	1874, 662	<i>beturia</i>	1877, 594
	1875, 493		1877, 625
	1875, 540		1878, 690
<i>ichneumon</i>	1877, 273		1878, 703
	1880, 53		1878, 707
	1880, 304	<i>bevani</i>	1878, 688
<i>javanicus</i>	1875, 493	<i>cahira</i>	1877, 593
<i>malaccensis</i>	1875, 540		1877, 625
<i>persicus</i>	1874, 662		1877, 631
	1874, 663		1878, 843
	1875, 540	<i>cinnara</i>	1877, 594
<i>smithii</i>	1875, 493	<i>colaca</i>	1877, 594
<i>urinatrix</i>	1875, 493		1877, 625
<i>widdringtoni</i>	1880, 288		1877, 631
<i>Herpetotheres cachin-</i>		<i>contigua</i>	1878, 687
<i>nans</i>	1873, 302		

	Page		Page
<i>Hesperia democritus</i> ..	1880, 667	<i>Hesperocharis avivolans</i>	1872, 38
<i>dirpha</i>	1874, 291	<i>catagramma</i>	1876, 241
<i>divodasa</i>	1878, 703	<i>catogramma</i>	1872, 38
<i>dolophia</i>	1878, 690	<i>costaricensis</i>	1872, 38
<i>eltola</i>	1878, 688	1874, 357
<i>exclamationis</i>	1874, 291	<i>crocea</i>	1872, 39
<i>farri</i>	1878, 688	1874, 357
<i>gremius</i>	1878, 689	<i>erota</i>	1872, 38
.....	1878, 703	<i>fulvinota</i>	1872, 40
.....	1878, 707	<i>gayi</i>	1872, 39
<i>hobomok</i>	1874, 369	<i>graphites</i>	1872, 38
<i>karsana</i>	1874, 576	<i>helvia</i>	1872, 39
.....	1874, 579	<i>hirlandi</i>	1872, 39
<i>kumara</i>	1878, 687	<i>idiotica</i>	1872, 39
.....	1878, 688	<i>lenoris</i>	1872, 39
.....	1878, 843	<i>leucania</i>	1872, 39
<i>malvarum, var. mar-</i>		<i>marchalii</i>	1872, 38
<i>rubii</i>	1880, 411	<i>nera</i>	1872, 39
<i>mangala</i>	1878, 688	<i>neraina</i>	1876, 241
.....	1878, 703	<i>nereis</i>	1872, 39
.....	1878, 757	1876, 241
<i>matthias</i>	1877, 594	<i>Hesperomys angouya</i> ..	1880, 696
.....	1877, 625	<i>couesi</i>	1876, 756
.....	1877, 815	1876, 757
.....	1878, 703	1880, 696
.....	1878, 707	<i>eliurus</i>	1877, 32
.....	1878, 843	<i>leucopus</i>	1877, 124
.....	1880, 669	1879, 645
<i>mercatus</i>	1874, 366	<i>palustris</i>	1876, 756
<i>minos</i>	1874, 368	<i>panamensis</i>	1880, 11
<i>moolata</i>	1878, 843	<i>sumichrasti</i>	1880, 696
.....	1878, 856	<i>teguina</i>	1876, 755
<i>murdava</i>	1878, 689	1877, 446
<i>narooa</i>	1878, 687	<i>vulpinus</i>	1877, 32
.....	1878, 694	(<i>Tylomys</i>) <i>nudicau-</i>	
<i>oceia</i>	1877, 593	<i>dus</i>	1876, 757
.....	1877, 625	<i>Hesperophanes cribri-</i>	
<i>pandia</i>	1877, 594	<i>collis</i>	1878, 720
<i>plinius</i>	1880, 667	<i>Hestia agamarschana</i> ..	1877, 582
<i>pocahontas</i>	1874, 369	1877, 623
<i>polites</i>	1879, 154	<i>clara</i>	1878, 637
.....	1879, 155	<i>hypermnestra</i>	1873, 337
<i>quadraquina</i>	1874, 369	<i>leuconoe</i>	1873, 337
<i>quinigera</i>	1878, 703	1878, 637
.....	1878, 707	<i>Hestina nama</i>	1874, 270
<i>sacrator</i>	1879, 154	<i>Hesudra divisa</i>	1878, 12
.....	1879, 155	1878, 36
<i>saptine</i>	1879, 155	<i>Hetæra diaphana</i>	1874, 337
<i>seriata</i>	1878, 688	<i>hypæsia</i>	1876, 212
<i>strabo</i>	1880, 667	<i>macleannania</i>	1876, 212
<i>subgrisea</i>	1878, 689	<i>piera</i>	1876, 212
.....	1878, 694	<i>Heteralocha gouldi</i>	1872, 643
<i>synna</i> ..	1879, 155	1872, 645
<i>toona</i>	1878, 688	1873, 462
<i>zabulon</i>	1874, 369	<i>Heterocercus aurantii-</i>	
<i>Hesperiphona affinis</i>	1873, 666	<i>vertex</i>	1880, 157
.....	1873, 690	<i>flavivertex</i>	1880, 157
<i>Hesperocharis anguitia</i> .	1872, 39	<i>linteatus</i>	1873, 284

	Page		Page
Heterochroa abyla	1873, 480	Heteropelma chrysoce-	
alala	1876, 231	phalum	1871, 750
aricia	1876, 231	flavicapilla	1871, 750
basilea	1874, 342	igniceps	1871, 750
boreas	1876, 231	veræ-pacis	1876, 517
calliphiclea	1876, 231		1877, 525
cytherea	1876, 231	wallacii	1873, 283
demialba	1874, 343		1874, 539
erosia	1876, 231		1877, 332
erotia	1874, 342	Heterophasia simillima .	1880, 16
felderi	1874, 343	Heteroplax nitidus	1879, 20
fessonina	1874, 343		1879, 39
iphicla	1874, 342		1879, 61
	1876, 231	Heteropoda kochii	1872, 312
iacina	1874, 343		1872, 350
lara	1876, 231		1872, 352
lerna	1874, 343	viridis	1875, 143
melantho	1874, 343	(Olios) leucosia	1871, 617
mesentina	1876, 231	(—) tridentigera	1873, 211
plesaura	1874, 342	Heterops cristata	1874, 635
tizona	1876, 231	Heterornis sinensis	1871, 384
tracta	1874, 343	Heterostoma browni	1877, 282
ximena	1876, 231	sulcidens	1877, 282
Heteroclitus tartaricus	1878, 261	Hexabranclus adamsii	1877, 224
Heterocnemis argentata	1871, 749	aneitensis	1877, 224
	1873, 275		1877, 261
nævia	1876, 512	aneiteumensis	1877, 224
Heterocorys breviunguis	1874, 626		1877, 261
Heterocuma granulata	1879, 22		1877, 262
	1879, 58	burnettii	1877, 224
sarsi	1879, 22	cardinalis	1877, 223
	1879, 58	faustus	1877, 224
	1879, 61	flammulatus	1877, 224
Heterodon madagascari-		lacerus	1877, 224
ensis	1875, 487	marginatus	1877, 223
Heterofusus bulimoides	1871, 99	mauritiensis	1877, 224
Heterognomon excessana	1877, 403		1877, 261
Heterograpus longitarsis	1879, 20	nebulosus	1877, 242
	1879, 37	orbicularis	1877, 224
	1879, 61		1877, 260
penicillatus	1879, 37		1877, 269
sanguineus	1879, 37	pellucidulus	1877, 224
Heteromeles mauritani-		prætextus	1877, 223
cus	1871, 241	pulchellus	1877, 224
	1871, 244	sandwichensis	1877, 223
Heteromorpha unicolor	1871, 372	sanguineus	1877, 223
	1873, 664	suezensis	1877, 223
	1873, 666	sumptuosus	1877, 223
Heteromys desmaresti-		superbus	1877, 223
anus	1877, 446	Hiaticula inornata	1871, 404
Heteronetta melanoce-			1878, 127
phala	1876, 382	leschenaultii	1872, 471
	1876, 411	Hieracoglax connivens	1875, 580
	1876, 412	Hieraëtus morphnoides	1875, 578
	1880, 520	Hierax erythrogyens	1877, 689
Heteronota kendallii	1872, 589	eutolmus	1873, 657
Heteropelma amazonum	1873, 186	fringillarius	1873, 662
aurifrons	1871, 750	Hierococyx fugax	1871, 394

	Page		Page
<i>Hierococcyx pectoralis</i> ..	1878,	<i>Hipparchia diffusa</i>	1880,
<i>sparverioides</i>	1879,	<i>hübneri</i>	1874,
<i>strenuus</i>	1879,	<i>parisatis</i>	1880,
<i>varius</i>	1872,	<i>semele</i>	1880,
<i>Hierodula deflexa</i>	1878,	<i>thelephassa</i>	1880,
(Rhombodera) <i>atri-</i>		<i>Hippolyte leptognatha</i> .	1879,
<i>coxis</i>	1878,		1879,
	582	<i>Hipponoë depressa</i>	1879,
(—) <i>butleri</i>	1878,	<i>esculenta</i>	1879,
	587		1879,
(—) <i>fratricida</i> ..	1878,	<i>sardica</i>	1880,
	580	<i>variegata</i>	1879,
	587	<i>Hipponyx grayana</i>	1877,
(—) <i>laticollis</i> ..	1878,	<i>Hippopotamus amphi-</i>	
	581	<i>bius</i>	1871,
(—) <i>macropsis</i> ..	1878,		145
(—) <i>pustulifera</i> .	1878,		1871,
	583		255
	587		1871,
(—) <i>taprobanæ</i> ..	1878,		256
	583		1871,
	587		329
(—) <i>tectiformis</i> ..	1878,		1872,
	580		185
	581		1872,
	582		194
	582		1872,
<i>Hierofalco gyrfalco</i>	1875,		795
	115		1872,
	117		821
<i>Himantopus autumnalis</i>	1872,		862
<i>brasiliensis</i>	1873,		1874,
<i>candidus</i>	1871,		579
	405		1875,
	475		492
	68		1879,
	376	<i>liberiensis</i>	1873,
<i>leucocephalus</i>	1874,	<i>Hipposideros armiger</i> ..	434
	459		1872,
	337		700
<i>melanopterus</i>	1871,	<i>aruensis</i>	1871,
<i>melanurus</i>	1873,	<i>fulvus</i>	513
<i>mexicanus</i>	1873,	<i>galeritus</i>	1871,
<i>nigricollis</i>	1873,	<i>murinus</i>	121
	3	<i>nobilis</i>	1871,
	310	<i>nobilis</i>	513
	453	<i>speoris</i>	1872,
	641		702
	748		1872,
<i>novæ-zealandiæ</i> ..	1874,	<i>Hippotragus equinus</i> ..	703
	459		1876,
	460		288
<i>Hinulia acuta</i>	1879,		1876,
<i>megaspila</i>	1877,		292
<i>nævia</i>	1872,		293
	588		1876,
	165		455
	166		1879,
<i>nigrolabris</i>	1873,	<i>leucophaeus</i>	438
<i>variegata</i>	1873,	<i>niger</i>	1873,
	165		473
	166		1873,
(Eumeces) <i>aruensis</i>	1877,		474
<i>Hipistes hydrinus</i>	1871,		1876,
	151		288
	179		1876,
	181		292
<i>Hiposcritia pandione</i> ..	1872,		1878,
<i>Hipparchia cadesia</i>	1874,		745
	565	<i>Hippuraria egertoni</i> ...	1874,
	579		29
	579		1874,
	579	<i>Hircus bezoarticus</i>	1875,
	579	<i>Hirundinapus giganteus</i>	1879,
	579	<i>Hirundinea bellicosa</i> ..	335
	579		1874,
	579		537
	579		1879,
	579	<i>rupestris</i>	615
	579	<i>Hirundo æquatorialis</i> ..	1879,
	579	<i>æthiopica</i>	615
	579	<i>albiventris</i>	258
	579		1873,
	579		259
	579		1879,
	579		595

	Page		Page
<i>Hirundo albiventris</i>	1880,	<i>Hirundo montei</i>	1873,
<i>alpestris</i>	1871,	<i>nigricans</i>	1878,
<i>americana</i>	1874,	<i>nipalensis</i>	1871,
<i>andicola</i>	1874,	<i>pacifica</i>	1879,
	1879,	<i>panayana</i>	1871,
<i>caudacuta</i>	1880,	<i>puella</i>	1873,
<i>ciris</i>	1871,	<i>purpurea</i>	1871,
	1880,		1879,
<i>concolor</i>	1871,	<i>pyrrhonota</i>	1871,
<i>cyanoleuca</i>	1879,	<i>rufula</i>	1871,
<i>daurica</i>	1871,	<i>rustica</i>	1871,
	1872,		1872,
<i>domestica</i>	1872,		1873,
<i>domicola</i>	1872,		1875,
	1877,		1877,
<i>erythrogastra</i>	1873,		1878,
	1874,		1879,
<i>erythropygia</i>	1871,	<i>subfusca</i>	1877,
	1872,	<i>tahitica</i>	1875,
<i>flavigastra</i>	1879,		1877,
<i>francica</i>	1878,		1877,
<i>frontalis</i>	1875,	<i>urbica</i>	1875,
	1878,		1875,
<i>fuciphaga</i>	1878,		1876,
<i>fusca</i>	1879,		1879,
<i>gutturalis</i>	1871,	<i>Histia papilionaria</i>	1878,
	1872,		1878,
	1877,	<i>Histiophorus macula-</i>	
	1877,	<i>tus</i>	1877,
	1877,	<i>Histiopterus labiosus</i> ..	1871,
	1877,		1871,
	1878,	<i>recurvirostris</i>	1877,
	1879,	<i>typus</i>	1877,
<i>horreorum</i>	1874,	<i>Histrionicus torquatus</i> ..	1880,
<i>hyperythra</i>	1872,	<i>Hodgsonius phœnicuro-</i>	
	1872,	<i>ides</i>	1871,
<i>javanica</i>	1877,		1873,
	1877,	<i>Holacanthus tricolor</i> ..	1880,
	1878,		1880,
	1878,	<i>Holocentrum diploxi-</i>	
	1878,	<i>phus</i>	1871,
	1878,		1871,
	1878,	<i>microstoma</i>	1871,
	1879,		1871,
	1879,	<i>sammara</i>	1871,
	1879,	<i>tahiticum</i>	1871,
	1879,	<i>Holochilus, sp. inc.</i>	1880,
<i>leucoptera</i>	1879,	<i>Holocnemis flammata</i> ..	1876,
<i>leucopygia</i>	1880,	<i>Hologerrhum philippi-</i>	
<i>leucorrhœa</i>	1871,	<i>num</i>	1873,
	1871,		1879,
	1872,	<i>Holopneustes porosissi-</i>	
	1872,	<i>mus</i>	1880,
	1872,	<i>purpurascens</i>	1880,
	1873,	<i>Holothryus coccinelloi-</i>	
<i>meyeni</i>	1878,	<i>des</i>	1879,
<i>modesta</i>	1871,	<i>Homalopsis buccata</i>	1872,
	1871,		1872,

	Page		Page
<i>Homalopsis doriae</i>	1872,	<i>Horqueta tricolor</i>	1874,
<i>sieboldii</i>	1871,	<i>Hotinus candelarius</i>	1874,
<i>Homammatus clarki</i>	1879,	<i>clavatus</i>	1874,
<i>Homarus capensis</i>	1878,	<i>coccineus</i>	1874,
<i>Homodes crocea</i>	1877,	<i>coelestinus</i>	1874,
	1877,	<i>cultellatus</i>	1874,
	1877,	<i>cyanirostris</i>	1874,
<i>thermesioides</i>	1880,	<i>ducalis</i>	1874,
<i>Homophceta æquatori-</i>		<i>fulvirostris</i>	1874,
<i>alis</i>	1879,	<i>gemmaus</i>	1874,
<i>affinis</i>	1880,	<i>guttifer</i>	1874,
<i>albofasciata</i>	1879,	<i>intricatus</i>	1874,
	1880,	<i>lathburii</i>	1874,
<i>bitæniatus</i>	1880,	<i>maculatus</i>	1874,
	1880,	<i>nigrirostris</i>	1874,
<i>insolita</i>	1879,	<i>oculatus</i>	1874,
<i>militaris</i>	1880,	<i>ponderosus</i>	1874,
	1880,	<i>pyrorhyncus</i>	1874,
<i>octoguttata</i>	1879,	<i>pyrrhochlora</i>	1874,
<i>signata</i>	1879,	<i>semiannulus</i>	1874,
<i>variabilis</i>	1879,	<i>spinola</i>	1874,
<i>Homoptera posterior</i>	1878,	<i>subocellatus</i>	1874,
<i>terrosa</i>	1878,	<i>sultanus</i>	1874,
<i>Homopus areolatus</i>	1872,	<i>viridirostris</i>	1874,
	1873,	<i>Houbara macqueeni</i>	1873,
	1873,	<i>Huamela leucotis</i>	1875,
<i>Homorus gutturalis</i>	1872,	<i>Huhua nipalensis</i>	1872,
	1872,		1872,
	1872,	<i>orientalis</i>	1872,
<i>unirufus</i>	1872,		1872,
	1879,	<i>pectoralis</i>	1872,
<i>Hookerella pulchella</i>	1872,		1872,
	1872,	<i>Humphreyia coxi</i>	1872,
<i>Hoplites auriformis</i>	1880,		1872,
<i>heteroconcha</i>	1880,		1877,
<i>magnificus</i>	1880,	<i>strangei</i>	1872,
<i>peguensis</i>	1880,		1878,
<i>resplendens</i>	1880,	<i>Hunterius temminckii</i>	1873,
<i>solidus</i>	1880,	<i>Huttonia palpimanoides</i>	1879,
<i>Hoplopterus cayanus</i>	1873,		1879,
<i>spinosus</i>	1874,	<i>Hyæna brunnea</i>	1877,
<i>ventralis</i>	1871,		1877,
	1874,		1877,
	1874,		1877,
<i>Horeites assimilis</i>	1873,		1878,
<i>brunneifrons</i>	1871,		1878,
	1878,		1878,
<i>brunnescens</i>	1878,		1878,
	1878,		1879,
	1878,		1879,
<i>major</i>	1878,		1879,
<i>pallidus</i>	1878,		1879,
	1878,		1879,
<i>robustipes</i>	1871,		1879,
	1873,		1879,
	1878,		1879,
	1878,		1879,
<i>Horornis assimilis</i>	1871,		1879,
<i>fortipes</i>	1873,		1879,
	1878,		1879,

<i>Hyæna brunnea</i>	1879,	Page 95	<i>Hyæna striata</i>	1878,	Page 423
	1879,	96		1878,	425
	1879,	97		1878,	426
	1879,	105		1878,	427
<i>crocuta</i>	1875,	493		1878,	428
	1876,	293		1879,	80
	1877,	369		1879,	81
	1877,	375		1879,	82
	1877,	376		1879,	83
	1877,	377		1879,	84
	1877,	378		1879,	85
	1877,	379		1879,	86
	1878,	416		1879,	87
	1878,	417		1879,	88
	1878,	419		1879,	89
	1878,	421		1879,	91
	1878,	422		1879,	92
	1878,	423		1879,	93
	1878,	424		1879,	94
	1878,	425		1879,	95
	1878,	426		1879,	96
	1878,	427		1879,	97
	1878,	428		1879,	98
	1879,	79		1879,	99
	1879,	80		1879,	100
	1879,	81		1879,	101
	1879,	83		1879,	102
	1879,	84		1879,	103
	1879,	85		1879,	104
	1879,	86		1879,	105
	1879,	87		1880,	53
	1879,	88		1880,	303
	1879,	89	<i>vulgaris</i>	1875,	493
	1879,	90	<i>Hyalina, sp. inc.</i>	1880,	107
	1879,	91	<i>albida</i>	1878,	866
	1879,	92	<i>alicea</i>	1875,	321
	1879,	93		1875,	322
	1879,	94	<i>blauneri</i>	1880,	106
	1879,	95		1880,	107
	1879,	96	<i>blondiana</i>	1880,	105
	1879,	97		1880,	106
	1879,	99	<i>cellaria</i>	1880,	106
	1879,	100	<i>concolor</i>	1875,	321
	1879,	101	<i>eugyrus</i>	1880,	101
	1879,	102		1880,	106
	1879,	103	<i>fodereana</i>	1880,	106
	1879,	104		1880,	107
	1879,	105	<i>glabra</i>	1880,	105
	1879,	106	<i>herculæa</i>	1880,	100
	1879,	107		1880,	104
<i>maculata</i>	1879,	79	<i>leopoldiana</i>	1880,	104
<i>striata</i>	1877,	273	<i>lucida</i>	1880,	106
	1877,	374		1880,	107
	1877,	375	<i>maceana</i>	1880,	101
	1877,	376		1880,	106
	1877,	377		1880,	107
	1877,	378	<i>macrobiota</i>	1880,	104
	1878,	422	<i>mentonica</i>	1880,	107

	Page		Page
<i>Hyalina mentonica</i> ..	1880, 142	<i>Hydrochelidon fissipes</i> ..	1871, 573
<i>olivetorum</i>	1880, 100		1876, 642
<i>paretiana</i>	1880, 104	<i>fluviatilis</i>	1876, 640
<i>planorbioides</i>	1880, 106		1877, 348
<i>subincerta</i>	1880, 104	<i>fuliginosa</i>	1871, 572
<i>villæ</i>	1880, 106	<i>hybrida</i>	1871, 421
(Geotrochus) <i>perakensis</i>	1879, 736		1876, 640
(Retinella) <i>herculæa</i>	1880, 104		1876, 642
(—) <i>likes</i>	1880, 105		1876, 646
(—) <i>olivetorum</i>	1880, 104		1877, 536
	1880, 105		1877, 551
(Vitrea) <i>tenebræria</i>	1880, 107	<i>indica</i>	1877, 794
(Volvarina) <i>mustelina</i>	1871, 14		1871, 421
	1871, 90		1872, 480
<i>Hyalomma puta</i>	1876, 260		1876, 640
	1876, 265	<i>javanica</i>	1871, 421
<i>Hyalonema anomalum</i>	1877, 461		1876, 641
	1877, 462	<i>lariformis</i>	1876, 643
<i>mirabile</i>	1875, 607	<i>leucopareia</i>	1872, 480
	1877, 463		1875, 377
<i>Hyastenus diacanthus</i> ..	1879, 19		1875, 379
	1879, 26	<i>leucoptera</i>	1876, 640
<i>oryx</i>	1879, 27		1876, 641
<i>verrucosipes</i>	1879, 27		1876, 642
(Chorilia) <i>japonicus</i>	1879, 19		1876, 643
	1879, 23	<i>melanogastra</i>	1876, 645
	1879, 27	<i>niger</i>	1876, 641
	1879, 61	<i>nigra</i>	1871, 421
			1876, 640
<i>Hybernia boreophilaria</i> ..	1877, 394		1876, 641
<i>indociliaria</i>	1877, 394		1876, 642
<i>Hyblæa puera</i>	1878, 486	<i>nigricans</i>	1878, 95
<i>Hydata spectabilis</i>	1877, 466	<i>plumbea</i>	1871, 573
	1877, 474		1876, 643
<i>Hydatina albocincta</i> ..	1877, 189	<i>somalensis</i>	1876, 665
<i>Hydraspis australis</i>	1872, 506	<i>subleucoptera</i>	1876, 641
<i>macquaria</i>	1872, 506	<i>Hydrochcerus capybara</i> ..	1875, 491
<i>victoriæ</i>	1872, 506		1875, 494
<i>Hydrilodes indistincta</i> ..	1880, 681		1876, 20
<i>subbasalis</i>	1877, 613	<i>Hydrocissa albirostris</i> ..	1875, 102
	1877, 629	<i>convexa</i>	1879, 329
	1877, 632		1880, 14
<i>transversalis</i>	1877, 613	<i>coronata</i>	1872, 425
	1877, 629	<i>Hydrocolceus minutus</i> ..	1878, 206
<i>Hydrobata cashmiriensis</i> ..	1873, 689	<i>Hydrophasianus chirurgus</i> ..	1871, 414
<i>marila</i>	1871, 369		1872, 475
<i>pallasi</i>	1871, 368		1877, 307
<i>Hydrobia ulvæ</i>	1873, 391	<i>sinensis</i>	1871, 414
<i>Hydrocampa aquatilis</i> ..	1880, 685	<i>Hydrophis brookii</i>	1872, 591
<i>Hydrocea raiatensis</i>	1871, 471		1872, 597
<i>Hydrocena milium</i>	1872, 515	<i>cærulescens</i>	1871, 190
	1872, 518	<i>cantoris</i>	1871, 152
<i>Hydrochelidon albigena</i> ..	1876, 648		1871, 192
<i>albistriata</i>	1876, 646		1872, 398
<i>alboistriata</i>	1876, 646	<i>carinata</i>	1872, 597
<i>delalandii</i>	1876, 640		

	Page		Page
Hydrophis chloris	1871, 152	Hydropsalis segmentata	1874, 545
	1871, 191		1879, 532
	1872, 396		1879, 626
coronata	1871, 152	trifurcata	1873, 289
	1871, 192		1873, 290
crassicollis	1872, 399		1879, 626
cyanocincta	1871, 152	Hydrornis nipalensis ..	1873, 657
	1871, 191		1878, 430
gracilis	1871, 190	Hydrosaurus cumingi ..	1879, 76
	1871, 191	cumingii	1872, 145
	1871, 192		1873, 165
	1872, 396	marmoratus	1872, 107
granosa	1871, 152		1873, 165
	1871, 190	nuchalis	1872, 145
jerdoni	1871, 152		1873, 165
	1871, 190		1879, 76
	1871, 191	salvator	1872, 145
	1872, 401		1872, 146
lindsayi	1871, 152		1872, 372
	1871, 191		1872, 588
	1872, 396	Hydrus gracilis	1871, 192
	1872, 397	Hygromia similis	1871, 474
loreata	1872, 591	Hyla annectens	1875, 576
nigra	1872, 399	arborea	1872, 403
schistosus	1872, 591		1879, 741
spiralis	1872, 397	chinensis	1875, 576
stewartii	1872, 399	papillaris	1872, 663
stokesii	1871, 190	punctata	1872, 662
stricticollis	1872, 397		1872, 663
viparina	1872, 400	rhodoporus	1872, 662
	1872, 401		1872, 663
Hydropotes affinis	1872, 524	variolosa	1872, 662
inermis	1871, 258	viridis	1875, 487
	1871, 702	Hylactes megapodius ..	1873, 463
	1872, 522		1876, 510
	1872, 523		1877, 450
	1872, 524		1877, 523
	1872, 815		1877, 526
	1873, 473	Hylambates palmatus ..	1874, 442
	1873, 517	Hylaplesia borbonica ..	1872, 598
	1873, 572	brevipes	1872, 598
	1874, 38		1872, 599
	1874, 110	Hylobates hoolock	1875, 493
	1875, 184	leucogenys	1875, 494
	1877, 12		1877, 679
	1877, 14	rafflesii	1875, 494
	1877, 15	Hylocharis cyanea	1873, 289
	1877, 17		1879, 631
	1877, 533	sapphirina	1873, 289
	1877, 789	Hylochelidon nigricans	1875, 582
	1877, 790	Hyloicus asiaticus	1875, 260
	1877, 791		1875, 261
	1877, 792	pynastri	1875, 260
	1878, 887		1875, 261
	1878, 916	uniformis	1875, 261
Hydroprogne caspica ..	1876, 656	Hylomanes gularis	1878, 100
Hydropsalis lyra	1874, 545	momotula	1872, 678
	1879, 532	Hylophilus decurtatus ..	1878, 53

	Page		Page
<i>Hylophilus ferruginei-</i>		<i>Hypanis hithyia</i>	1875, 409
<i>frons</i>	1874, 509	<i>Hypena dentilinealis</i> ..	1877, 613
<i>flaviventris</i>	1874, 129		1877, 629
	1874, 509		1877, 632
<i>fuscicapillus</i>	1880, 155	<i>lunifera</i>	1878, 492
<i>ruficeps</i>	1879, 602	<i>quinquelinealis</i>	1877, 612
<i>semibrunneus</i>	1879, 495		1877, 629
	1880, 155	<i>subcyanea</i>	1880, 681
<i>Hylorana erythræa</i>	1871, 198	<i>subviolacea</i>	1880, 681
	1872, 403	<i>Hypercompa equitalis</i> ..	1879, 397
	1872, 591	<i>flavicolor</i>	1879, 397
	1872, 599	<i>hera</i>	1872, 575
<i>flavescens</i>	1875, 569	<i>regalis</i>	1872, 575
<i>jerboa</i>	1872, 591		1872, 582
	1872, 599		1878, 848
	1872, 600	<i>similis</i>	1879, 397
<i>luctuosa</i>	1872, 591	<i>Hyperythra angulifascia</i>	1878, 851
<i>nicobariensis</i>	1871, 153		1878, 858
	1871, 206		1878, 859
<i>nigrovittata</i>	1871, 153	<i>limbolaria</i>	1877, 620
	1871, 205		1878, 851
<i>temporalis</i>	1875, 569		1878, 858
<i>tytleri</i>	1871, 207	<i>lutea</i>	1877, 620
<i>Hyloterpe griseola</i>	1879, 341		1877, 630
<i>philippinensis</i>	1878, 109	<i>penicillaria</i>	1877, 620
<i>Hymedesmia johnsonia</i>	1875, 277	<i>susceptaria</i>	1877, 620
<i>Hymenia fascialis</i>	1880, 683	<i>Hyphantornis aurantia</i> .	1871, 612
<i>perspectalis</i>	1878, 493		1871, 615
<i>Hymeniacidon angulata</i>	1872, 632	<i>brachyptera</i>	1873, 715
	1872, 634		1878, 130
<i>celata</i>	1872, 633	<i>castaneo-fuscus</i> ..	1873, 462
<i>pulvinatus</i>	1872, 126	<i>cincta</i>	1873, 717
	1872, 127	<i>flavigula</i>	1871, 612
<i>Hymenitis annetta</i>	1874, 333		1871, 615
<i>lyra</i>	1874, 333	<i>grayi</i>	1871, 612
<i>nephele</i>	1874, 333	<i>luteolus</i>	1874, 306
<i>nero</i>	1874, 333	<i>nigriceps</i>	1873, 715
<i>oto</i>	1874, 333		1878, 358
<i>zavaletta</i>	1874, 333	<i>ocularius</i>	1873, 715
<i>Hymenolæmus malaco-</i>		<i>pensilis</i>	1879, 771
<i>rhynchus</i>	1876, 463	<i>personata</i>	1880, 313
	1880, 527	<i>textor</i>	1871, 612
	1880, 535		1871, 615
<i>Hymenopus bicornis</i>	1878, 586		1878, 130
<i>coronatus</i>	1878, 586	<i>xanthops</i>	1873, 717
<i>Hymenaphia simplex</i>	1875, 283	<i>Hypherpes corallirostris</i>	1871, 317
<i>spinularia</i>	1875, 282	<i>Hypna clytemnestra</i> ..	1876, 233
<i>Hyomoschus aquaticus</i>	1874, 34	<i>huebneri</i>	1877, 649
	1875, 180	<i>Hypocala biarcuata</i>	1877, 606
	1878, 682	<i>lativitta</i>	1877, 606
	1878, 686		1877, 628
<i>crassus</i>	1875, 180		1877, 632
<i>Hypætra stigmata</i>	1877, 610	<i>Hypochalcia corrupta</i> ..	1877, 399
	1877, 629		1877, 407
<i>Hypanartia arcaeï</i>	1874, 346	<i>indistinctalis</i>	1877, 389
<i>godmanii</i>	1874, 346	<i>submarginalis</i>	1877, 389
<i>kefersteinii</i>	1874, 346	<i>Hypocheira chalybeata</i> ..	1878, 130
<i>lethe</i>	1874, 346	<i>nigerrima</i>	1871, 133

	Page		Page
<i>Hypocheira nigerrima</i> ..	1880,	<i>Hypolycæna andamana</i> .	1877,
<i>nitens</i>	1871,	<i>antifaunus</i>	1875,
	1880,	<i>eleala</i>	1875,
	1880,	<i>eltola</i>	1877,
<i>Hypochroma nycete-</i>			1877,
<i>rata</i>	1877,	<i>erylus</i>	1873,
<i>perfectaria</i>	1877,		1877,
	1877,	<i>etolus</i>	1873,
<i>ruginaria</i>	1880,	<i>faunus</i>	1875,
<i>Hypochrysis aurora</i> ...	1880,	<i>hatila</i>	1875,
<i>Hypochrysops elegans</i> ..	1873,	<i>lebona</i>	1875,
	1873,	<i>lisias</i>	1878,
	1873,		1878,
<i>Hypocnemis cantator</i> ..	1873,	<i>philippus</i>	1875,
<i>hemileuca</i>	1873,	<i>thecloides</i>	1873,
<i>lepidonota</i>	1880,	<i>Hyponomeuta assamen-</i>	
<i>leucophrys</i>	1875,	<i>sis</i>	1880,
<i>melanopogon</i>	1873,	<i>circumdatellus</i>	1880,
<i>melanura</i>	1873,	<i>lapidellus</i>	1880,
<i>myiotherina</i>	1873,		1880,
	1874,	<i>multipunctella</i>	1880,
<i>nævia</i>	1879,		1880,
<i>pæcilonota</i>	1873,	<i>ordinatellus</i>	1880,
	1874,		1880,
	1880,	<i>Hypophthalmus goonga-</i>	
<i>stellata</i>	1880,	<i>rensis</i>	1871,
<i>subflava</i>	1874,	<i>goongwaree</i>	1871,
	1874,		1871,
	1874,		1871,
<i>theresæ</i>	1873,		1871,
	1873,	<i>taakree</i>	1871,
	1874,		1871,
	1874,		1871,
	1880,		1871,
	1880,		1871,
<i>Hypocolius ampelinus</i> ..	1875,		1871,
<i>Hypoderma peronii</i>	1877,	<i>Hypopicus poliopsis</i> ...	1871,
<i>Hypogramma confusa</i> ..	1878,	<i>Hypopyra feniseca</i>	1877,
<i>sublucida</i>	1878,		1878,
<i>Hypolais caligata</i>	1874,	<i>ossigera</i>	1877,
	1875,	<i>persimilis</i>	1877,
	1879,		1877,
<i>elaica</i>	1874,	<i>Hypopyrrhus pyrrogas-</i>	
	1875,	<i>ter</i>	1879,
<i>icterina</i>	1874,		1879,
<i>languida</i>	1874,	<i>Hyposidra ochrea</i>	1878,
<i>olivetorum</i>	1874,	<i>Hypotaenidia ferrea</i> ...	1877,
<i>opaca</i>	1878,	<i>obscuriora</i>	1877,
<i>pallida</i>	1874,	<i>philippensis</i>	1877,
	1874,		1877,
	1875,		1877,
<i>polyglotta</i>	1874,	<i>striata</i>	1871,
	1875,		1877,
<i>rama</i>	1874,		1877,
	1874,		1878,
	1875,		1879,
<i>Hypolimnas kezia</i>	1880,		1880,
<i>missippus</i>	1880,	<i>torquata</i>	1877,
<i>Hypolithus chlænioides</i> .	1878,		1877,
<i>perlucens</i>	1878,		1877,
<i>puberulus</i>	1878,		1878,
<i>Hypolycæna andamana</i> .	1877,		1878,
	58		288

	Page		Page
<i>Hypotaenidia torquata</i> ..	1878,	<i>Hypsa intacta</i>	1877,
<i>Hypothymis azurea</i>	1877,		1879,
	1877,	<i>leuconeura</i>	1879,
	1877,	<i>sericea</i>	1878,
	1877,	<i>silvandra</i>	1878,
	1877,	<i>subsimilis</i>	1878,
	1877,		1878,
	1878,	<i>venalba</i>	1877,
	1878,		1877,
	1878,	<i>zebrina</i>	1877,
	1878,		1880,
	1879,	<i>Hypselurus macrolepis</i> ..	1877,
	1879,	<i>Hypsibamon andicolus</i> ..	1874,
<i>cœlestis</i>	1878,	<i>Hypsibates nigricollis</i> ..	1873,
	1878,	<i>Hypsinephus ellipticus</i> .	1878,
<i>cyanomelæna</i>	1871,	<i>Hypsipetes concolor</i> ..	1871,
<i>occipitalis</i>	1879,	<i>ganeesa</i>	1871,
<i>superciliaris</i>	1879,		1872,
<i>Hypotriorchis æsalon</i> ..	1871,	<i>holti</i>	1871,
<i>chicquera</i>	1872,	<i>leucocephalus</i>	1871,
<i>columbarius</i>	1879,	<i>maccelellandi</i>	1871,
<i>concolor</i>	1876,	<i>madagascariensis</i> ..	1871,
<i>femoralis</i>	1871,		1875,
	1872,	<i>neilgherriensis</i>	1871,
	1879,		1872,
	1879,		1873,
<i>rufigularis</i>	1879,	<i>nigerrima</i>	1871,
<i>severus</i>	1872,		1871,
	1878,		1873,
<i>subbuteo</i>	1871,		1873,
	1873,	<i>niveiceps</i>	1871,
	1873,	<i>ourovang</i>	1871,
<i>Hypoxanthus atriceps</i> ..	1876,		1877,
	1879,		1877,
<i>brevirostris</i>	1874,		1879,
	1874,	<i>perniger</i>	1871,
	1879,		1871,
	1880,		1873,
<i>rivoli</i>	1873,	<i>philippinensis</i>	1877,
	1873,		1877,
	1874,		1877,
	1874,		1877,
	1876,		1877,
	1879,		1877,
<i>Hypsa alciphron</i>	1878,		1878,
<i>andamana</i>	1877,		1878,
	1877,		1878,
	1877,	<i>psaroides</i>	1871,
<i>canaraica</i>	1878,		1871,
<i>dama</i>	1877,		1873,
	1877,	<i>rufigularis</i>	1877,
	1877,		1877,
<i>doryca</i>	1879,		1877,
<i>egens</i>	1877,		1877,
	1880,		1878,
	1879,		1879,
<i>eusemioides</i>	1879,	<i>tickelli</i>	1873,
<i>heliconia</i>	1878,	<i>yunanensis</i>	1871,
	1878,		1871,
	1878,		1871,

	Page		Page
<i>Hypsiprymnus brunii</i> ..	1877, 352	<i>Iacchus rufiventer</i>	1872, 8
<i>gilberti</i>	1875, 54	<i>vulgaris</i>	1875, 493
<i>murinus</i>	1875, 54	<i>Ianthia cyanura</i>	1871, 359
<i>platyops</i>	1875, 54	<i>rutilata</i>	1871, 359
<i>setosus</i>	1875, 491	<i>superciliaris</i>	1873, 665
<i>Hypsirhina enhydria</i> ..	1872, 590	<i>Ianthina balteata</i>	1871, 734
<i>plumbea</i>	1872, 590	<i>Ianthocinclia artemisiae</i> ..	1873, 690
<i>Hypudæus brecciensis</i> ..	1874, 467	<i>lanceolata</i>	1873, 665
<i>bucklandii</i>	1874, 467	<i>lugubris</i>	1880, 15
<i>minimus</i>	1874, 468	<i>lunulata</i>	1873, 665
<i>spelæus</i>	1874, 462	<i>maxima</i>	1873, 665
<i>Hyrax abyssinicus</i>	1876, 527	<i>mitrata</i>	1879, 248
<i>capensis</i>	1875, 492	<i>pæcilorhyncha</i>	1879, 249
<i>dorsalis</i>	1875, 494	<i>treacheri</i>	1871, 372
<i>leucocoma</i>	1876, 528	<i>Ianthenas albigularis</i> ..	1879, 316
<i>minuta</i>	1879, 94	<i>griseigularis</i>	1878, 288
<i>obsoleta</i>	1879, 99	<i>leucolæma</i>	1879, 73
<i>ovata</i>	1876, 528	<i>leucolæma</i>	1879, 316
<i>peruviana</i>	1876, 529	<i>Ibacus antarcticus</i>	1875, 367
<i>peruviana</i>	1876, 535	<i>Ibidorhynchus struthersi</i> ..	1877, 138
<i>Hyria vinacea</i>	1878, 491	<i>Ibis æthiopica</i>	1871, 411
<i>Hystrix africæ-australis</i> ..	1871, 233	<i>albicauda</i>	1873, 651
<i>bengalensis</i>	1871, 234	<i>æthiops</i>	1877, 479
<i>crassispinis</i>	1876, 736	<i>berni</i>	1877, 484
<i>crispata</i>	1876, 737	<i>berni</i>	1877, 485
<i>crispata</i>	1876, 738	<i>berni</i>	1877, 486
<i>crispata</i>	1871, 233	<i>berni</i>	1877, 487
<i>crispata</i>	1871, 234	<i>berni</i>	1877, 489
<i>crispata</i>	1871, 235	<i>berni</i>	1877, 510
<i>crispata</i>	1875, 491	<i>berni</i>	1880, 316
<i>crispata</i>	1877, 281	<i>berni</i>	1877, 479
<i>crispata</i>	1880, 64	<i>berni</i>	1877, 508
<i>crispata</i>	1880, 305	<i>berni</i>	1877, 746
<i>crispata</i>	1871, 235	<i>berni</i>	1877, 498
<i>crispata</i>	1876, 738	<i>berni</i>	1877, 488
<i>crispata</i>	1871, 233	<i>berni</i>	1877, 479
<i>crispata</i>	1871, 234	<i>berni</i>	1877, 484
<i>crispata</i>	1871, 234	<i>berni</i>	1877, 487
<i>crispata</i>	1871, 235	<i>berni</i>	1877, 506
<i>crispata</i>	1876, 736	<i>berni</i>	1877, 478
<i>crispata</i>	1871, 233	<i>berni</i>	1877, 479
<i>crispata</i>	1871, 234	<i>berni</i>	1877, 482
<i>crispata</i>	1871, 235	<i>berni</i>	1877, 503
<i>crispata</i>	1876, 736	<i>berni</i>	1877, 479
<i>crispata</i>	1871, 233	<i>berni</i>	1877, 494
<i>crispata</i>	1871, 234	<i>berni</i>	1877, 479
<i>crispata</i>	1871, 235	<i>berni</i>	1877, 482
<i>crispata</i>	1871, 236	<i>berni</i>	1877, 501
<i>crispata</i>	1876, 738	<i>berni</i>	1877, 479
<i>crispata</i>	1876, 741	<i>berni</i>	1877, 503
<i>crispata</i>	1871, 234	<i>berni</i>	1877, 500
<i>crispata</i>	1871, 235	<i>berni</i>	1877, 501
<i>crispata</i>	1871, 235	<i>berni</i>	1877, 506
<i>Iacchus melanurus</i>	1875, 419	<i>coco</i>	1877, 508
		<i>comata</i>	1877, 482

	Page		Page
<i>Ibis comata</i>	1877, 493	<i>Ibis nippon</i>	1877, 482
<i> cristata</i>	1877, 499		1877, 495
<i> davisoni</i>	1877, 480	<i> nudifrons</i>	1877, 479
	1877, 490		1877, 495
<i> dentirostris</i>	1877, 479	<i> olivacea</i>	1877, 479
	1877, 502		1877, 483
<i> egretta</i>	1877, 485		1877, 507
<i> erythrorhyncha</i> ..	1877, 504	<i> ordii</i>	1877, 504
<i> falcinellus</i>	1871, 411	<i> oxycerca</i>	1877, 478
	1877, 307		1877, 479
	1877, 504		1877, 482
	1877, 505		1877, 497
	1877, 506	<i> papillata</i>	1877, 479
<i> fusca</i>	1877, 510		1877, 492
<i> gigantea</i>	1877, 480	<i> papillosa</i>	1877, 478
	1877, 483		1877, 479
	1877, 489		1877, 482
<i> gonocephala</i>	1877, 479		1877, 490
<i> guarauna</i>	1877, 479		1877, 491
	1877, 506		1877, 492
	1877, 507	<i> peregrina</i>	1877, 505
<i> hagedash</i>	1877, 500	<i> plumbea</i>	1877, 478
<i> infuscata</i>	1877, 478		1877, 503
	1877, 479	<i> propinqua</i>	1871, 411
	1877, 482		1877, 480
	1877, 495		1877, 488
<i> lamellicollis</i>	1877, 491	<i> religiosa</i>	1871, 614
<i> leucon</i>	1877, 478		1871, 615
	1877, 488		1877, 479
<i> leucopygia</i>	1877, 510		1877, 485
<i> longirostris</i>	1877, 479		1877, 488
	1877, 508		1877, 489
<i> macei</i>	1877, 479	<i> ruber</i>	1875, 488
	1877, 488	<i> rubra</i>	1873, 467
<i> melanocephala</i>	1873, 467		1873, 638
	1873, 638		1875, 343
	1877, 479		1877, 307
	1877, 480		1877, 479
	1877, 484		1877, 509
	1877, 486	<i> sacra</i>	1877, 504
	1877, 487	<i> sinensis</i>	1877, 496
	1877, 488		1877, 497
	1877, 489	<i> spinicollis</i>	1873, 638
	1877, 493		1877, 479
<i> melanopis</i>	1872, 549		1877, 482
	1877, 498		1877, 484
<i> melanotis</i>	1876, 107		1877, 491
<i> mexicana</i>	1877, 506	<i> strictipennis</i>	1873, 467
<i> minuta</i>	1877, 510		1873, 638
<i> moluca</i>	1877, 479		1877, 485
	1877, 485		1877, 486
<i> nandapoa</i>	1877, 478		1877, 489
<i> nippon</i>	1871, 411		1877, 492
	1872, 862	<i> sylvatica</i>	1877, 502
	1873, 467	<i> thalassina</i>	1877, 480
	1873, 638		1877, 507
	1873, 649	(<i>Falcinellus</i>) <i>ig-</i>	
	1877, 478	<i>neus</i>	1877, 340

	Page		Page
<i>Ibis (Geronticus) comata</i> 1877,	479	<i>Ictinia plumbea</i>	1873, 303
	1877, 493		1874, 552
(—) <i>nippon</i>	1877, 476		1877, 329
(<i>Harpiprion</i>) <i>carunculata</i>	1877, 502		1879, 541
<i>Ibycter americanus</i>	1873, 301		1879, 638
	1874, 550	<i>Ictonyx zorilla</i>	1877, 274
	1879, 541		1879, 307
<i>ater</i>	1873, 301		1880, 53
<i>gymnocephalus</i>	1879, 645	<i>Ida ornata</i>	1873, 55
<i>Icelus hamatus</i>	1877, 293	<i>Idalia aspersa</i>	1877, 238
	1877, 476	<i>caudata</i>	1877, 238
<i>Ichneumon caui</i>	1880, 490	<i>cirrigera</i>	1877, 237
<i>ratlamuchi</i>	1880, 490		1877, 238
<i>Ichthyscopus inermis</i>	1878, 220	<i>crocea</i>	1877, 231
<i>Icterus abeillæi</i>	1873, 462	<i>dubia</i>	1877, 240
<i>auduboni</i>	1875, 380	<i>elegans</i>	1877, 237
<i>badius</i>	1879, 608	<i>inæqualis</i>	1877, 238
<i>baltimore</i>	1878, 59	<i>laciniosa</i>	1877, 237
<i>bonana</i>	1871, 267	<i>leachii</i>	1877, 237
	1871, 271	<i>pulchella</i>	1877, 238
<i>cayanensis</i>	1873, 266	<i>quadricornis</i>	1877, 238
<i>chrysocephalus</i>	1873, 266	<i>ramosa</i>	1877, 231
<i>chrysopterus</i>	1879, 643	<i>tentaculata</i>	1877, 237
<i>croconotus</i>	1873, 265	<i>Idas</i>	1879, 587
	1873, 266	<i>argenteus</i>	1879, 570
	1879, 608		1879, 588
<i>dominicensis</i>	1871, 270	<i>Ideopsis daos</i>	1873, 337
<i>giraudi</i>	1879, 509	<i>Idiops syriacus</i>	1872, 215
<i>grace-annæ</i>	1877, 323		1872, 216
	1878, 137		1872, 347
<i>hypomelas</i>	1871, 270	<i>Idmais amata</i>	1876, 133
<i>jamaicensis</i>	1879, 608	<i>amelia</i>	1876, 128
<i>laudabilis</i>	1871, 266	<i>arne</i>	1876, 136
	1871, 270	<i>calais</i>	1876, 134
	1871, 273		1876, 139
	1872, 649	<i>chrysonome</i>	1875, 415
	1872, 650		1876, 129
<i>maxillaris</i>	1879, 643	<i>dynamene</i>	1875, 415
<i>mesomelas</i>	1877, 323		1876, 133
	1879, 509	<i>eris</i>	1875, 415
	1880, 200		1876, 127
<i>militaris</i>	1879, 608		1876, 123
<i>portoricensis</i>	1871, 270	<i>fatma</i>	1876, 128
<i>prothemelas</i>	1878, 59	<i>fausta</i>	1876, 134
<i>pyrrhopterus</i>	1879, 608	<i>faustina</i>	1876, 134
<i>tanagrinus</i>	1873, 267	<i>fulvia</i>	1876, 135
<i>vulgaris</i>	1876, 518	<i>halimede</i>	1876, 133
(<i>Potamopsar</i>) <i>minor</i> 1873,	267	<i>hewitsoni</i>	1875, 415
<i>Icticyon crassivultus</i>	1880, 71		1876, 128
<i>major</i>	1880, 70	<i>miriam</i>	1876, 133
<i>venaticus</i>	1879, 664	<i>phisadia</i>	1876, 136
	1880, 70	<i>pleione</i>	1876, 133
	1880, 253	<i>tripuncta</i>	1876, 135
	1880, 268		1880, 149
	1880, 269	<i>velleda</i>	1876, 128
	1880, 288	<i>vesta</i>	1876, 128
	1880, 288		1876, 129
<i>Ictinia mississippiensis</i>	1872, 626	<i>Iguana cyclura</i>	1875, 481

	Page		Page
<i>Iguana cyclura</i>	1875, 487	<i>Indris diadema</i>	1873, 496
<i>tuberculata</i>	1874, 71		1873, 498
	1874, 79	<i>laniger</i>	1873, 484
	1875, 481		1873, 485
	1875, 487		1873, 486
<i>Hierda androcles</i>	1880, 149		1873, 494
<i>belena</i>	1878, 702		1873, 496
	1878, 707	<i>variegatus</i>	1872, 848
<i>sena</i>	1880, 149	<i>Ingura cristatrix</i>	1877, 605
<i>superba</i>	1873, 350		1877, 627
	1873, 360	<i>Inocotis papillosus</i>	1877, 492
<i>tamu</i>	1880, 149	<i>Inuus ecaudatus</i>	1872, 780
<i>Illatia cephusalis</i>	1877, 604		1872, 786
	1877, 627	<i>maurus</i>	1872, 722
<i>Iluzia pyralina</i>	1877, 610	<i>rhesosimilis</i>	1872, 532
	1877, 629	<i>rhesus</i>	1872, 529
<i>Imbricaria conica</i>	1872, 843		1872, 530
<i>punctata</i>	1872, 843		1872, 531
<i>virgo</i>	1872, 843		1872, 532
<i>Inachus lorina</i>	1879, 25		1872, 533
<i>Inca mystacalis</i>	1871, 567	<i>sancti-johannis</i>	1871, 222
	1876, 667		1872, 772
<i>Incurvaria solenobiella</i> .	1880, 82	<i>speciosus</i>	1872, 786
	1880, 92	<i>Iodopleura isabellæ</i>	1873, 284
<i>Indicator archipelagicus</i>	1873, 680		1873, 285
	1878, 794	<i>Iolæma schreibersi</i>	1873, 287
	1878, 795	<i>whitelyana</i>	1873, 188
<i>barianus</i>	1878, 795		1874, 676
<i>conirostris</i>	1878, 793	<i>Iolaus cippus</i>	1873, 351
	1878, 794	<i>mantra</i>	1873, 351
	1878, 795	<i>vidura</i>	1873, 351
<i>exilis</i>	1878, 794	<i>Iole olivacea</i>	1878, 618
	1878, 795	<i>Ionolæma schreibersi</i> ..	1874, 543
<i>maculatus</i>	1878, 795	<i>Ionotreron ionogastra</i> ..	1878, 559
<i>major</i>	1873, 465	<i>melanocephala</i>	1878, 552
	1873, 633	<i>nana</i>	1878, 550
	1873, 711	<i>occipitalis</i>	1878, 569
	1878, 795	<i>rivoli</i>	1878, 561
	1878, 930	<i>viridis</i>	1878, 560
	1878, 935	<i>Iora lafresnayi</i>	1873, 661
<i>malayanus</i>	1878, 794	<i>lafresnayei</i>	1875, 640
	1878, 795	<i>scapularis</i>	1875, 106
<i>minor</i>	1878, 794		1878, 619
	1878, 795		1879, 339
<i>sparrmani</i>	1878, 795	<i>typhia</i>	1872, 452
<i>variegatus</i>	1878, 795	<i>viridis</i>	1878, 619
<i>xanthonotus</i>	1878, 794	<i>viridissima</i>	1879, 339
	1878, 795	<i>zeylonica</i>	1872, 452
<i>Indris albus</i>	1872, 848	<i>Iotreron chrysorrhoea</i> ..	1878, 553
<i>brevicaudatus</i>	1872, 848	<i>eugeniæ</i>	1878, 561
	1873, 484	<i>hyogaster</i>	1878, 559
	1873, 485	<i>iogaster</i>	1878, 504
	1873, 494	<i>melanocephala</i>	1871, 337
	1873, 496		1878, 504
	1875, 63		1878, 552
<i>diadema</i>	1873, 484	<i>melanospila</i>	1878, 552
	1873, 485	<i>nana</i>	1878, 504
	1873, 494		1878, 549

	Page		Page
<i>Iotreron rivolii</i>	1878, 504	<i>Ismene malayana</i>	1877, 625
	1878, 561	<i>murdava</i>	1873, 359
<i>viridis</i>	1878, 504	<i>œdipodea</i>	1873, 358
	1878, 560	<i>sena</i>	1873, 359
<i>xanthorrhœa</i>	1878, 553	<i>subfasciata</i>	1878, 686
<i>Ipana leptomera</i>	1877, 382	<i>vitta</i>	1873, 358
<i>Iphiteon ingalli</i>	1875, 504	<i>Ismenia reevei</i>	1871, 300
<i>Ipoborus stictoptilus</i> . .	1874, 528		1871, 308
(<i>Automolus</i>) <i>stic-</i>		<i>sanguinea</i>	1871, 300
<i>toptilus</i>	1874, 129		1871, 308
<i>Irena crinigera</i>	1879, 338	<i>Isodictya aspera</i>	1877, 458
<i>cyanea</i>	1879, 338	<i>donnani</i>	1873, 28
<i>cyanogastra</i>	1873, 520		1873, 32
	1879, 71	<i>mirabilis</i>	1873, 319
<i>melanochlamys</i> . .	1879, 71		1873, 331
<i>puella</i>	1872, 452	<i>rudis</i>	1875, 293
	1879, 338	<i>virgata</i>	1875, 294
<i>Iridina exotica</i>	1880, 350	<i>Isognathus fasciata</i> . . .	1875, 258
<i>nilotica</i>	1880, 350	<i>fumosa</i>	1875, 258
<i>Iridornis analis</i>	1873, 185	<i>metascyron</i>	1875, 258
	1874, 514	<i>swainsonii</i>	1875, 258
<i>dubusia</i>	1879, 500	<i>Isognomon samoensis</i> . .	1878, 820
<i>jelskii</i>	1874, 130	<i>Isola peguensis</i>	1873, 51
	1874, 514		1873, 52
	1879, 599	<i>Isoleinon atkinsoni</i> . . .	1878, 693
<i>porphyrocephala</i> . .	1879, 500		1878, 695
	1879, 549		1878, 844
<i>reinhardti</i>	1874, 514	<i>khasianus</i>	1878, 693
	1876, 271	<i>masuriensis</i>	1878, 693
<i>Iris leucophthalmus</i> . . .	1878, 193		1878, 694
<i>Irrisor erythrorhynchus</i> .	1873, 712	<i>subtestaceus</i>	1878, 844
	1878, 355		1878, 856
<i>Ischiopachys bicolor</i> . .	1880, 591	<i>Ispidina madagascariensis</i>	1872, 868
	1880, 608		1875, 65
<i>fulgidipennis</i>	1880, 591	<i>picta</i>	1871, 603
	1880, 608		1871, 614
<i>Ischnocolus syriacus</i> . .	1872, 215		1872, 666
	1872, 347		1872, 672
<i>Ischnurus complanatus</i> .	1871, 617		1872, 674
	1874, 297		1872, 675
<i>Ismene aria</i>	1878, 686		1872, 676
	1878, 703		1878, 131
	1878, 707	<i>Issus coleoptratus</i>	1878, 462
<i>benjamini</i>	1873, 358		1878, 463
	1878, 841		1878, 471
	1878, 856	<i>rostrifer</i>	1877, 90
<i>chromus</i>	1877, 593	<i>varius</i>	1877, 90
	1877, 625	<i>Ithaginis cruentata</i> . . .	1873, 658
<i>chuza</i>	1873, 358	<i>geoffroyi</i>	1871, 400
<i>druna</i>	1878, 842		1873, 555
	1878, 856		1873, 665
<i>jaina</i>	1873, 358		1879, 359
<i>jeffreysi</i>	1878, 406	<i>Ithomeis eulema</i>	1874, 353
	1878, 407		1878, 362
<i>libeon</i>	1875, 416		1878, 363
<i>mahintha</i>	1874, 575	<i>imitatrix</i>	1878, 362
	1874, 579	<i>mimica</i>	1876, 237
<i>malayana</i>	1877, 593	<i>Ithomia adelphina</i> . . .	1874, 332

	Page		Page
<i>Ithomia alcmena</i>	1877, 61	<i>Ithomia zavaletta</i>	1874, 333
<i>anchialia</i>	1876, 209		1876, 210
<i>andronica</i>	1877, 61	<i>zygia</i>	1877, 61
<i>antisao</i>	1876, 210	<i>Ituna lamirus</i>	1874, 330
<i>artena</i>	1874, 332	<i>phenarete</i>	1876, 206
	1877, 61	<i>Ixalus beddomii</i>	1875, 575
<i>attalia</i>	1876, 209	<i>chalazodes</i>	1875, 574
<i>avella</i>	1874, 333		1875, 577
<i>azara</i>	1874, 332	<i>diplostictus</i>	1875, 574
<i>cassotis</i>	1874, 334		1875, 577
<i>chrysodonia</i>	1876, 210	<i>femoralis</i>	1875, 575
<i>cidonia</i>	1876, 210	<i>glandulosus</i>	1875, 573
<i>diasia</i>	1874, 333	<i>guttatus</i>	1872, 600
<i>elaru</i>	1876, 210	<i>jerdonii</i>	1875, 575
<i>euchytma</i>	1874, 332	<i>montanus</i>	1875, 574
<i>eurimedia</i>	1876, 210		1875, 577
<i>excelsa</i>	1874, 334	<i>natator</i>	1879, 79
<i>fenestella</i>	1874, 334	<i>pictus</i>	1872, 591
<i>gedera</i>	1874, 332	<i>pulchellus</i>	1875, 575
<i>gonussa</i>	1874, 331	<i>stictomerus</i>	1875, 575
	1877, 61		1875, 577
<i>heraldica</i>	1874, 333	<i>variabilis</i>	1875, 573
<i>hezia</i>	1874, 331	<i>Ixias agniverna</i>	1880, 150
<i>hippocrenis</i>	1874, 333	<i>andamana</i>	1877, 590
<i>iledina</i>	1876, 209		1877, 625
<i>janarilla</i>	1876, 209		1878, 837
<i>latilla</i>	1874, 332	<i>anexibia</i>	1871, 253
<i>lyra</i>	1874, 333	<i>annæ</i>	1871, 254
	1877, 61	<i>balice</i>	1871, 253
<i>nephele</i>	1874, 333		1871, 254
	1876, 211	<i>bebryce</i>	1871, 253
<i>nero</i>	1874, 333	<i>citrina</i>	1878, 837
<i>olyras</i>	1874, 331		1878, 855
<i>onega</i>	1876, 209	<i>dharmalakæ</i>	1880, 150
<i>oriana</i>	1876, 211		1880, 151
<i>oto</i>	1874, 333		1880, 152
<i>parva</i>	1874, 332	<i>evippe</i>	1871, 252
<i>patilla</i>	1874, 333	<i>eulimene</i>	1871, 254
<i>phono</i>	1876, 210	<i>frequens</i>	1880, 151
<i>plaginota</i>	1874, 333		1880, 152
<i>primula</i>	1876, 210	<i>goiavier</i>	1878, 110
<i>pusio</i>	1877, 61		1878, 285
<i>quintina</i>	1876, 209		1878, 342
<i>salonina</i>	1876, 210		1878, 710
<i>salvinia</i>	1874, 332		1878, 949
<i>sao</i>	1876, 210	<i>latifasciata</i>	1871, 252
<i>seba</i>	1876, 210		1871, 253
<i>simplex</i>	1874, 332		1878, 837
<i>terra</i>	1874, 333	<i>ludekingii</i>	1871, 252
<i>theudelinda</i>	1876, 211	<i>marianne</i>	1871, 253
<i>timna</i>	1876, 210		1871, 254
<i>tolosa</i>	1874, 334		1880, 150
<i>tutia</i>	1874, 332	<i>moulmeinensis</i>	1878, 837
	1876, 210		1878, 855
<i>vicina</i>	1874, 333	<i>pallida</i>	1878, 837
<i>victorina</i>	1874, 333		1878, 855
<i>virginiana</i>	1874, 332	<i>pirenassa</i>	1878, 837
<i>zalmunna</i>	1876, 211	<i>pyrene</i>	1871, 253

	Page		Page
<i>Ixias pyrene</i>	1874,	108	
reinwardtii	1871,	254	
sesia	1871,	252	
	1871,	253	
undatus	1871,	252	
	1871,	253	
	1873,	356	
venatrix	1871,	254	
venatus	1871,	254	
venilia	1871,	254	
verna	1874,	103	
	1874,	108	
	1874,	109	
vollenhovii	1871,	254	
watti	1880,	151	
	1880,	152	
<i>Ixidia leucogrammica</i> ..	1880,	15	
squamata	1880,	14	
<i>Ixonotus guttatus</i>	1871,	609	
	1871,	615	
<i>Ixos blanfordi</i>	1873,	661	
luteolus	1872,	450	
xanthopygius	1873,	648	
<i>Ixulus castaneiceps</i>	1871,	374	
<i>Ixus analis</i>	1877,	695	
andersoni	1871,	214	
	1871,	370	
ashanteus	1871,	132	
chrysorrhoides	1871,	370	
goiavier	1877,	537	
	1877,	538	
	1877,	546	
	1877,	695	
	1877,	827	
	1879,	72	
hæmorrhous	1871,	370	
hainanus	1871,	369	
	1873,	668	
jocosus	1871,	370	
nigricans	1878,	356	
sinensis	1871,	369	
	1873,	668	
tricolor	1871,	131	
xanthorrhous	1871,	369	
<i>Jacamerope grandis</i>	1873,	294	
	1879,	536	
isidori	1873,	294	
<i>Japalura microlepis</i>	1871,	164	
	1871,	165	
nigrilabris	1872,	589	
planidorsata	1871,	164	
	1871,	166	
swinhonis	1871,	166	
variegata	1871,	150	
	1871,	164	
	1871,	165	
	1871,	166	
<i>Jartheza biplagella</i>	1872,	582	
	1872,	583	
chrysographella ..	1880,	690	
simplex	1880,	690	
<i>Jassus lucidus</i>	1877,	91	
planus	1877,	91	
striolaris	1877,	91	
wollastoni	1878,	462	
	1878,	476	
<i>Javania insignis</i>	1876,	429	
	1876,	430	
	1876,	435	
	1876,	442	
<i>Jerdonia agricolensis</i> ..	1875,	97	
blanfordi	1875,	448	
dickoyensis	1875,	446	
Jodis kinstonensis	1878,	490	
Jolaus bowkeri	1875,	414	
Jouannetia cumingi	1877,	190	
Juliamyia feliciana	1877,	332	
typica	1879,	530	
<i>Julus ovalis</i>	1873,	178	
	1873,	180	
ovatus	1873,	178	
testaceus	1873,	179	
<i>Junonia ænone</i>	1874,	269	
albicincta	1877,	469	
almana	1874,	269	
	1877,	812	
	1878,	699	
	1878,	706	
	1878,	828	
	1878,	854	
asterie	1874,	105	
	1874,	269	
	1877,	812	
cebrene	1875,	408	
delia	1871,	722	
	1875,	408	
cloantha	1871,	722	
crebrene	1871,	722	
genoveva	1878,	480	
ida	1873,	342	
	1878,	639	
iphita	1878,	646	
	1879,	157	
laomedia	1873,	342	
	1874,	105	
	1878,	639	
	1878,	670	
	1878,	698	
	1878,	828	
	1878,	854	
lavinia	1876,	223	
lemonias	1874,	105	
	1874,	269	
	1878,	698	
	1878,	706	
	1878,	828	
	1878,	854	

	Page		Page
<i>Junonia nicobariensis</i> ..	1877, 584	<i>Kerivoula hardwickii</i> ..	1877, 123
	1877, 624	<i>pallida</i>	1872, 711
<i>cenone</i>	1877, 584	<i>poensis</i>	1875, 387
	1877, 624	<i>Ketupa ceylonensis</i>	1871, 343
	1878, 698		1872, 81
	1878, 706		1872, 417
<i>orithyia</i>	1873, 342		1873, 648
	1874, 269		1877, 418
	1877, 813	<i>javanensis</i>	1873, 466
	1878, 828		1879, 324
	1878, 854	<i>javanica</i>	1873, 635
<i>pallens</i>	1874, 346	<i>javensis</i>	1871, 627
<i>villida</i>	1874, 281	<i>Kinixys erosa</i>	1873, 727
	1875, 620		1873, 728
	1876, 251	<i>Kittacincla auricularis</i> ..	1871, 370
	1877, 144	<i>macrura</i>	1872, 453
	1878, 297	—, var. <i>minor</i> ..	1871, 359
	1878, 646	<i>stricklandi</i>	1875, 106
<i>Kachuga berdmorei</i>	1871, 517	<i>Klaboana macularia</i>	1879, 393
<i>oldhami</i>	1871, 517	<i>Klais guimeti</i>	1878, 69
<i>peguensis</i>	1871, 517	<i>merriti</i>	1878, 69
<i>trilineata</i>	1871, 517	<i>Korawa pallida</i>	1878, 12
<i>Kalabana albifera</i>	1879, 415	<i>Kosala sanguinea</i>	1879, 408
<i>leucomela</i>	1879, 416		1879, 417
<i>picaria</i>	1879, 415	<i>Krausia persicum</i>	1876, 439
	1879, 416	<i>Kraussia lamarckiana</i> ..	1878, 871
<i>Kalinga ornata</i>	1877, 229	<i>Kricogonia lyside</i>	1878, 481
<i>Kallima albofasciata</i> ..	1877, 584	<i>terissa</i>	1878, 481
	1877, 624	<i>Kullima rumia</i>	1875, 409
<i>inachis</i>	1873, 155	<i>Kurukuru clementinæ</i> ..	1878, 535
<i>limborgii</i>	1878, 828	<i>dupetit-thouarsi</i> ..	1878, 541
	1878, 854	<i>mercieri</i>	1878, 536
<i>paralekta</i>	1873, 155	<i>nebouxii</i>	1878, 541
	1873, 342	<i>purpuratus</i>	1878, 507
<i>hügeli</i>	1874, 269		1878, 541
<i>inachis</i>	1874, 269	<i>roseicapilla</i>	1878, 533
<i>Katha apicalis</i>	1878, 17		1878, 537
<i>cucullata</i>	1878, 17	<i>samoensis</i>	1878, 545
<i>immaculata</i>	1880, 671	<i>superbus</i>	1878, 543
<i>intermixta</i>	1880, 671	<i>swainsonii</i>	1878, 532
<i>nigrifrons</i>	1878, 17	<i>taitensis</i>	1878, 542
	1878, 36	<i>temminckii</i>	1878, 544
<i>terminalis</i>	1878, 17	<i>xanthogaster</i>	1878, 540
	1878, 36	<i>Kurutreron chrysogaster</i>	1878, 505
<i>Kelaartia penicillata</i> ..	1872, 406		1878, 541
	1872, 450	<i>coralensis</i>	1878, 505
<i>Kellia solida</i>	1877, 176		1878, 528
	1877, 177	<i>oopa</i>	1878, 505
	1877, 192		1878, 542
<i>Kemas hodgsoni</i>	1876, 697	<i>Labdacus monastoides</i> ..	1873, 118
<i>Keneuxia smaragdina</i> ..	1877, 128		1873, 128
	1879, 76		1873, 129
<i>Kentrodoris annuligera</i> .	1877, 213	<i>Labeo cæruleus</i>	1880, 229
<i>gigas</i>	1877, 213		1880, 230
<i>rubescens</i>	1877, 212	<i>calbasu</i>	1880, 230
<i>Kerivoula formosa</i>	1872, 711	<i>curchius</i>	1873, 744
<i>hardwickii</i>	1877, 122	<i>diplostomus</i>	1872, 150

	Page		Page
<i>Labeo diplostomus</i> . . .	1872, 151	<i>Lagomys curzoniae</i> . . .	1871, 559
	1880, 225		1871, 560
	1880, 229		1871, 562
	1880, 230		1871, 563
	1880, 231		1876, 634
<i>dyocheilus</i>	1880, 229	<i>hodgsoni</i>	1871, 563
	1880, 230	<i>ladacensis</i>	1876, 634
	1880, 231	<i>nepalensis</i>	1871, 563
<i>rohita</i>	1880, 230	<i>roylei</i>	1871, 563
<i>sindensis</i>	1880, 230	<i>tibetanus</i>	1876, 634
<i>varicorhinus</i>	1876, 806	<i>Lagoptera coronata</i> . . .	1877, 609
<i>Labrax lupus</i>	1879, 746		1877, 628
<i>Labrus comber</i>	1879, 753	<i>dotata</i>	1880, 679
<i>maculatus</i>	1879, 753	<i>honesta</i>	1877, 609
<i>mixtus</i>	1879, 753		1877, 628
<i>Labyrinthus manueli</i> . .	1872, 686	<i>leonina</i>	1877, 609
	1872, 687	<i>magica</i>	1877, 609
<i>Lacerta argulus</i>	1872, 374	<i>Lagopus albus</i>	1871, 118
<i>strigata</i>	1872, 372	<i>alpinus</i>	1873, 650
<i>velox</i>	1872, 374	<i>mutus</i>	1873, 651
<i>viridis</i>	1872, 373		1878, 793
	1875, 487		1879, 368
	1875, 495		1879, 370
<i>Lachesis blackwallii</i> . .	1872, 266	<i>rupestris</i>	1871, 117
	1872, 348		1877, 29
	1872, 351		1877, 30
<i>japonica</i>	1879, 198		1877, 31
	1879, 217	<i>scoticus</i>	1877, 307
<i>meadii</i>	1872, 265		1878, 793
	1872, 348		1879, 367
	1872, 351		1879, 368
<i>perversa</i>	1872, 265		1879, 370
	1872, 348		1879, 371
	1876, 628	<i>Lagostomus trichodac-</i>	
<i>Lachnophorus leuco-</i>		<i>tylus</i>	1872, 822
<i>scelis</i>	1878, 603		1872, 844
<i>longulus</i>	1878, 603	<i>Lagothrix castelnauii</i> . .	1871, 219
<i>sculptifrons</i>	1878, 604	<i>humboldti</i>	1880, 634
<i>semirufus</i>	1878, 603	<i>infumata</i>	1872, 664
<i>Lactica macula</i>	1880, 172		1880, 394
<i>Lælia venosa</i>	1877, 601	<i>infumatus</i>	1871, 219
	1877, 627	<i>Lagyra picaria</i>	1879, 415
	1877, 632		1879, 416
<i>Læmanotus longipes</i> . .	1880, 188	<i>Laimodonta anaaensis</i> . .	1871, 470
<i>Lafresnaya gayi</i>	1874, 543		1871, 477
	1879, 528	<i>bronni</i>	1871, 477
	1880, 204	<i>conica</i>	1871, 470
			1871, 477
<i>Lagarus chilensis</i>	1874, 60	<i>sandwichensis</i>	1871, 477
<i>erythropus</i>	1874, 60	<i>Lalage banksiana</i>	1875, 150
<i>Lagenoplastes ariel</i> . . .	1875, 582	<i>dominica</i>	1877, 536
<i>Lagenorhynchus albi-</i>			1877, 545
<i>rostris</i>	1876, 690		1877, 688
	1876, 691		1877, 693
	1879, 311		1877, 759
<i>clanculus</i>	1873, 144		1877, 826
<i>Lagocheilus hispidus</i> . .	1876, 101		1878, 103
<i>townsendi</i>	1879, 739	<i>Lagomys auritus</i>	1876, 634
<i>Lagomys auritus</i>	1876, 634		1878, 284

	Page		Page
Lalage dominica	1878, 342	Lampides aelianus	1875, 615
	1878, 709		1875, 616
	1878, 948		1877, 588
	1879, 70		1877, 624
karu	1877, 101		1878, 833
	1878, 87		1878, 855
	1878, 671	alexis	1878, 833
	1879, 11		1878, 855
maculosa	1877, 724	argentina	1874, 285
	1877, 735		1875, 616
	1877, 773	armillata	1875, 614
nigrogularis	1875, 149	bætica	1880, 406
	1876, 20		1880, 407
polygrammica	1878, 87	bæticus	1871, 723
terat	1875, 107		1877, 146
	1875, 433		1878, 702
	1876, 494		1878, 707
	1876, 502	berenice	1877, 146
	1877, 725	caledonica	1874, 284
	1877, 773		1875, 614
	1879, 336	candrena	1874, 285
Lama peruana	1880, 306		1875, 615
Lambrus affinis	1879, 30		1875, 620
gracilis	1879, 30		1876, 252
intermedius	1879, 19	carissima	1875, 615
	1879, 29		1875, 619
lamellifrons	1879, 30	cassius	1874, 354
Lamellaria ophione	1880, 416	ceraunus	1878, 481
perforata	1876, 101	cnejus	1877, 588
Lamellidoris acutiuscula	1877, 225		1877, 624
aspera	1877, 225		1880, 407
bilamellata	1877, 198	contracta	1880, 406
	1877, 225		1880, 407
	1877, 226		1880, 415
depressa	1877, 227	cyta	1874, 285
derelicta	1877, 226	deplorans	1875, 614
diademata	1877, 226	democritus	1875, 615
diaphana	1877, 226		1880, 667
echinata	1877, 227		1880, 669
eubalia	1877, 228	dipora	1880, 149
grisea	1877, 227	dyopa	1874, 285
inconspicua	1877, 227	elpis	1878, 833
leachii	1877, 226	evanescens	1875, 615
loveni	1877, 225	galba	1880, 407
luteocincta	1877, 227	goodenovii	1876, 252
muricata	1877, 226	hintza	1871, 723
oblonga	1877, 226	kandarpa	1878, 702
proxima	1877, 225		1878, 707
pusilla	1877, 227		1878, 833
sparsa	1877, 227	kankena	1877, 588
tenella	1877, 227		1877, 624
tuberculata	1877, 226	kinkurka	1877, 588
ulidiana	1877, 226		1877, 624
Lamellina lævis	1871, 473	kondulana	1877, 588
serrata	1881, 473		1877, 625
Lamna cornubica	1875, 487	macrophthalma ..	1877, 588
	1878, 117	pandava	1877, 588
	1879, 762		1877, 624

	Page		Page
Lampides perasia.....	1875,	Lamprosar tanagrinus	1873,
platissa	1875,		1873,
	1876,	warcewiczii	1877,
plinius	1880,	Lampropygia boliviana	1879,
samoa	1874,	cœligena	1874,
	1875,		1879,
strabo	1876,		1879,
	1877,	columbiana	1879,
	1877,	Lamprosomea chapuisi ..	1878,
	1880,	coruscum	1878,
taitensis	1874,	cyaneum	1878,
	1876,		1880,
varunana	1880,	dives	1879,
zachæina	1874,	guatemalensis	1880,
Lampornis iridescens ..	1877,	hypochryseum	1879,
mango.....	1873,	ignicaudatum	1878,
	1879,	ignicolle	1880,
violicauda.....	1875,	inornatum.....	1878,
	1879,	nicaraguense.....	1879,
	1879,	politum	1880,
	1879,	pretiosum	1879,
Lampraster branickii ..	1874,	scintillans	1880,
	1874,	speciosum	1880,
Lampribis olivacea	1877,	testudineum	1878,
	1877,	violaceum	1880,
	1877,	Lamprotornis æneus ..	1874,
Lamprococyx chrysites	1873,		1880,
chrysochlorus	1873,	bicolor.	1876,
cupreus	1873,	fusca	1877,
kleasi.....	1873,	metallicus	1877,
maculatus.....	1872,		1878,
minutillus	1875,		1878,
plagosus	1875,	Lamprotreron apicalis..	1878,
resplendens	1873,	cyanovirens	1876,
Lamprocolius cupreo-		porphyracea	1878,
cauda	1871,	porphyreus	1878,
chalybeus	1880,	porphyria	1878,
purpureiceps.....	1871,	porphyrostictus....	1878,
	1871,		1878,
Lamprolæma rhami....	1878,		1879,
Lamprolenis nitida	1880,	superba	1878,
	1880,		1878,
Lamprolia minor	1876,		1878,
victoriæ.....	1873,	superbus	1876,
	1873,	swainsonii.....	1876,
	1873,	Landemania irrorata ..	1873,
	1875,		1873,
	1875,	perocellata	1873,
Lampromorpha chalco-			1873,
pepla	1873,	Langia khasiana	1872,
plagosus	1871,	zenzeroides	1872,
Lampronetta fischeri ..	1880,	Laniagra guyanensis ..	1879,
Lampronia oregonella ..	1880,	Laniarius affinis	1878,
	1880,	atrococcineus	1880,
rubiella	1880,	atrocroceus	1880,
tripunctella	1880,	bakbakiri	1874,
	1880,	barbarus	1874,
Lamprosar guianensis	1873,	cubla.....	1873,
	267		714

	Page		Page
<i>Laniarius hypopyrrhus</i>	1871, 611	<i>Lanius mollis</i>	1871, 375
	1871, 615	<i>nasutus</i>	1877, 688
<i>multicolor</i>	1871, 611		1877, 692
	1871, 615		1877, 758
<i>salimæ</i>	1873, 714		1878, 341
	1878, 357		1878, 708
<i>Lanio versicolor</i>	1873, 185		1878, 709
	1873, 262		1878, 947
	1874, 513	<i>nigriceps</i>	1877, 692
	1879, 601		1877, 758
<i>Lanistes affinis</i>	1877, 716	<i>phoenicurus</i>	1871, 375
	1877, 721	<i>schach</i>	1871, 375
<i>farleri</i>	1880, 219	—, var. <i>formosæ</i>	1871, 375
<i>nyassanus</i>	1877, 715	<i>schwaneri</i>	1871, 376
	1877, 716	<i>silens</i>	1877, 466
	1877, 721	<i>smithii</i>	1873, 717
<i>ovum</i>	1877, 716		1878, 128
<i>solidus</i>	1877, 716	<i>superciliosus</i>	1871, 375
	1877, 721		1871, 376
<i>Lanius bucephalus</i>	1871, 375		1871, 377
<i>chinensis</i>	1871, 375		1872, 436
<i>collurio</i>	1873, 462	<i>tephronotus</i>	1871, 375
	1875, 490	<i>tricolor</i>	1877, 758
	1877, 753	<i>waldeni</i>	1871, 375
<i>cristatus</i>	1871, 375	<i>Laphygma infecta</i>	1880, 676
	1871, 376	<i>Laqueus rubella</i>	1871, 306
	1871, 377		1871, 312
	1872, 436	<i>suffusa</i>	1871, 306
	1873, 204	<i>Larentia catocalaria</i>	1877, 391
<i>cucullatus</i>	1878, 79	<i>clarata</i>	1877, 397
<i>erythronotus</i>	1872, 436	<i>corcularia</i>	1877, 394
<i>excubitor</i>	1875, 481	<i>invexata</i>	1877, 395
	1875, 490	<i>megaspilata</i>	1877, 397
	1875, 494	<i>productata</i>	1877, 394
<i>fuscatus</i>	1871, 375	<i>quadririgata</i>	1877, 394
<i>incertus</i>	1871, 376	<i>semisignata</i>	1877, 394
	1871, 377	<i>Laroides americanus</i>	1878, 175
<i>karu</i>	1878, 87	<i>argentaceus</i>	1878, 167
<i>lahtora</i>	1871, 375	<i>argentatoides</i>	1878, 167
<i>leucorhynchus</i>	1877, 544	<i>argentatus</i>	1878, 167
<i>lucionensis</i>	1871, 376	<i>argenteus</i>	1878, 167
	1871, 377	<i>audouini</i>	1878, 179
	1872, 436	<i>borealis</i>	1878, 169
	1877, 536	<i>cachinnans</i>	1878, 169
	1877, 544	<i>californicus</i>	1878, 175
	1877, 692	<i>canescens</i>	1878, 177
	1877, 759	<i>chalcopterus</i>	1878, 166
	1878, 342	<i>cinerea</i>	1878, 164
	1878, 380	<i>fuscus</i>	1878, 173
	1878, 614	<i>glacialis</i>	1878, 166
	1878, 709	<i>glaucescens</i>	1878, 167
	1878, 947	<i>glaucoides</i>	1878, 166
	1879, 341	<i>glaucus</i>	1878, 165
<i>magnirostris</i>	1871, 375	<i>harengorum</i>	1878, 173
	1871, 376	<i>leucophæus</i>	1878, 169
<i>major</i>	1871, 375	<i>leucopterus</i>	1878, 166
<i>melanocephalus</i>	1878, 618	<i>major</i>	1878, 167
<i>melanthes</i>	1871, 375	<i>melanotus</i>	1878, 173

	Page		Page
Laroides michahellesii ..	1878, 169	Larus atricilla	1877, 749
occidentalis	1878, 172		1878, 160
	1878, 177		1878, 194
procellosus	1878, 177		1878, 195
rissa	1878, 164		1878, 200
subleucopterus	1878, 166	atricilloides	1878, 206
tridactylus	1878, 164	audouini	1874, 494
Laropis anglica	1876, 644		1878, 158
Larosterna inca	1871, 567		1878, 160
	1876, 667		1878, 177
Larus, sp.	1879, 310		1878, 17
affinis	1878, 171	azaræ	1871, 565
	1878, 172		1871, 576
	1878, 174	bathyrinchus	1878, 181
	1878, 175	belcheri	1871, 574
albipennis	1871, 578		1871, 575
	1874, 294		1871, 579
	1878, 203		1874, 562
albus	1878, 162		1878, 160
	1878, 163		1878, 182
	1878, 180		1878, 183
	1878, 206	bicolor	1876, 649
antipodum	1874, 293	bonapartii	1871, 577
antipodus	1878, 180		1878, 196
arabicus	1878, 193		1878, 206
arcticus	1878, 166	borealis	1871, 421
argentatoides	1878, 167	brachyrhynchus ..	1878, 164
	1878, 169		1878, 178
	1878, 175		1878, 179
	1878, 176	brachytarsus	1878, 162
argentatus	1871, 122	brehmii	1878, 192
	1871, 421	brevirostris	1878, 165
	1871, 576	bridgesi	1871, 573
	1873, 34		1878, 183
	1873, 469	bruchi	1878, 177
	1873, 641	brunneicephalus ..	1878, 197
	1874, 293		1878, 200
	1875, 158	bulleri	1878, 187
	1875, 566		1878, 190
	1878, 166		1878, 191
	1878, 167	cachinnans	1871, 421
	1878, 168		1875, 566
	1878, 169		1878, 160
	1878, 170		1878, 161
	1878, 171		1878, 168
	1878, 172		1878, 169
	1878, 173		1878, 170
	1878, 174		1878, 171
	1878, 175		1878, 172
	1878, 176		1878, 173
	1878, 180	cahiricus	1878, 201
	1880, 318	cahirinus	1878, 201
—, var. cachin-		californicus	1878, 175
nans	1871, 421		1878, 176
argenteus	1878, 167		1878, 177
atricilla	1871, 496		1878, 178
	1871, 565	candidus	1878, 162
	1871, 576	canescens	1878, 200

	Page		Page
<i>Larus canus</i>	1871, 420	<i>Larus delawarensis</i>	1878, 175
	1875, 488		1878, 176
	1877, 799		1878, 177
	1878, 160		1878, 178
	1878, 163	<i>dominicanus</i>	1871, 545
	1878, 175		1871, 565
	1878, 176		1871, 576
	1878, 177		1874, 293
	1878, 178		1877, 799
	1878, 179		1878, 161
	1880, 318		1878, 180
—, var. <i>major</i> ..	1871, 420		1878, 181
<i>canus major</i>	1878, 177		1879, 310
<i>capistratus</i>	1878, 158	<i>d'orbignyi</i>	1878, 206
	1878, 200	<i>eburneus</i>	1871, 122
	1878, 206		1878, 158
<i>catarractes</i>	1876, 318		1878, 162
	1876, 319		1880, 538
<i>chalcopterus</i>	1878, 166	<i>epargyrus</i>	1878, 169
	1878, 167	<i>erythropus</i>	1878, 200
<i>cinerarius</i>	1878, 163	<i>fabricii</i>	1878, 180
	1878, 200	<i>flavipes</i>	1878, 173
<i>cinereo-caudatus</i> ..	1871, 577	<i>franklini</i>	1871, 57
	1871, 578		1871, 58
	1878, 195		1871, 565
<i>cinereus</i>	1878, 167		1871, 577
	1878, 173		1871, 578
	1878, 177		1874, 562
<i>cirrhocephalus</i>	1871, 4		1878, 195
	1871, 258		1878, 205
	1871, 565	<i>fritzei</i>	1878, 181
	1871, 578	<i>frobenii</i>	1871, 575
	1874, 292		1878, 182
	1874, 294	<i>frontalis</i>	1878, 181
	1878, 197	<i>fuliginosus</i>	1871, 125
	1878, 202		1871, 573
	1878, 204		1871, 574
	1878, 205		1876, 670
<i>collaris</i>	1878, 208		1878, 156
	1878, 209		1878, 157
	1878, 210		1878, 160
<i>columbinus</i>	1876, 649		1878, 182
	1878, 192		1878, 184
<i>consul</i>	1878, 165	<i>furcatus</i>	1878, 160
<i>corallinus</i>	1878, 187		1878, 210
<i>crassirostris</i>	1871, 421	<i>fuscescens</i>	1878, 170
	1871, 575		1878, 173
	1874, 293	<i>fuscus</i>	1871, 421
	1878, 160		1871, 576
	1878, 174		1874, 293
	1878, 183		1875, 158
	1878, 193		1876, 319
<i>crepidatus</i>	1876, 326		1878, 158
	1876, 328		1878, 161
<i>cucullatus</i>	1871, 577		1878, 167
	1871, 578		1878, 170
	1878, 195		1878, 171
<i>cyanorhynchus</i>	1878, 177		1878, 172

	Page		Page
<i>Larus fuscus</i>	1878,	<i>Larus heuglini</i>	1878,
	1878,	<i>hutchinsii</i>	1878,
	1878,		1878,
	1878,	<i>hybernus</i>	1878,
	1878,	<i>ichthyaëtus</i>	1878,
<i>gavia</i>	1878,		1878,
<i>gelastes</i>	1878,	— <i>minor</i>	1878,
	1878,	<i>islandicus</i>	1878,
	1878,		1878,
<i>genei</i>	1878,	<i>jamesoni</i>	1874,
<i>georgii</i>	1878,		1875,
<i>giganteus</i>	1878,		1877,
<i>glacialis</i>	1878,		1878,
<i>glaucescens</i>	1878,	<i>keeask</i>	1876,
<i>glaucodes</i>	1871,		1876,
	1871,	<i>kitlitzii</i>	1878,
	1874,	<i>kotzebui</i>	1878,
	1877,	<i>kroicocephalus</i>	1878,
	1878,	<i>lacrymosus</i>	1878,
<i>glaucoïdes</i>	1878,	<i>lambruschini</i>	1878,
<i>glaucopterus</i>	1878,	<i>leuceretes</i>	1878,
<i>glaucotes</i>	1878,	<i>leucocephalus</i>	1878,
<i>glaucotis</i>	1871,	<i>leucomelas</i>	1878,
	1878,	<i>leucophæus</i>	1875,
	1878,		1878,
<i>glaucus</i>	1871,		1878,
	1873,	<i>leucophthalmus</i> ..	1878,
	1873,		1878,
	1874,	<i>leucopterus</i>	1874,
	1877,		1878,
	1877,	<i>littoreus</i>	1878,
	1877,	<i>maculatus</i>	1878,
	1878,	<i>maculipennis</i>	1871,
	1878,		1871,
	1878,		1871,
<i>hæmatorhynchus</i> ..	1871,		1874,
	1878,		1878,
<i>hartlaubi</i>	1874,		1878,
	1874,		1878,
	1877,		1878,
	1878,		1878,
	1878,		1878,
	1878,	<i>major</i>	1878,
	1878,		1878,
<i>heermanni</i>	1871,		1878,
	1871,	<i>marinus</i>	1871,
	1874,		1874,
	1878,		1877,
	1878,		1878,
	1878,		1878,
	1878,		1878,
	1878,		1878,
	1878,		1878,
<i>heinei</i>	1878,		1878,
<i>hemprichi</i>	1876,		1878,
	1878,		1880,
	1878,	<i>masauanus</i>	1878,
	1878,	<i>maximus</i>	1878,
	1878,	<i>medius</i>	1878,
	1878,		1878,

	Page		Page
<i>Larus melanocephalus</i> ..	1878, 199	<i>Larus phæocephalus</i> ..	1874, 294
<i>melanorhynchus</i> ..	1871, 496		1874, 295
	1878, 190		1878, 189
	1878, 206		1878, 204
<i>melanurus</i>	1871, 421	<i>philadelphiae</i>	1878, 206
	1874, 293		1878, 207
	1878, 174	<i>pipixcan</i>	1871, 577
	1878, 183		1871, 578
<i>merulinus</i>	1876, 642		1878, 195
<i>mexicanus</i>	1878, 177	<i>plumbiceps</i>	1878, 159
<i>minor</i>	1878, 166	<i>poiocephalus</i>	1874, 292
<i>minutus</i>	1878, 159		1878, 189
	1878, 206		1878, 204
<i>modestus</i>	1871, 573	<i>poliocephalus</i>	1871, 578
	1871, 574	<i>polo-candor</i>	1876, 652
	1878, 160	<i>pomare</i>	1874, 294
	1878, 183		1878, 190
	1878, 184		1878, 191
<i>mülleri</i>	1878, 180	<i>procellosus</i>	1878, 177
<i>nævius</i>	1878, 163	<i>quadricolor</i>	1878, 179
	1878, 179	<i>ridibundus</i>	1871, 576
	1878, 200		1874, 293
<i>nigrotis</i>	1878, 206		1874, 294
<i>niveus</i>	1871, 420		1875, 488
	1878, 162		1877, 307
	1878, 175		1877, 536
	1878, 177		1877, 551
	1878, 178		1877, 798
<i>novæ-hollandiæ</i> ..	1874, 293		1878, 158
	1877, 799		1878, 190
	1878, 185		1878, 193
	1878, 186		1878, 194
	1878, 187		1878, 198
	1878, 188		1878, 200
	1878, 189		1878, 201
	1878, 190		1880, 318
<i>occidentalis</i>	1871, 122	<i>riga</i>	1878, 163
	1871, 421	<i>rissa</i>	1878, 163
	1873, 411	<i>roseiventris</i>	1871, 578
	1875, 158		1878, 204
	1878, 171	<i>roseus</i>	1878, 159
	1878, 172		1878, 208
	1878, 173	<i>rossii</i>	1872, 1
	1878, 174		1878, 208
<i>pacificus</i>	1877, 347	<i>sabini</i>	1871, 111
	1878, 159		1878, 209
	1878, 161	<i>sabinii</i>	1871, 122
	1878, 181	<i>saundersi</i>	1878, 195
<i>parasiticus</i>	1876, 318		1878, 205
	1876, 324	<i>schimperi</i>	1871, 273
	1876, 326		1871, 274
	1876, 330		1878, 195
<i>payraudei</i>	1878, 179		1878, 205
<i>personatus</i>	1871, 577	<i>scopulinus</i>	1874, 293
	1878, 196		1877, 799
<i>phæocephalus</i>	1871, 579		1878, 185
	1874, 292		1878, 187
	1874, 293		1878, 188

	Page		Page
<i>Larus scopulinus</i>	1878,	<i>Lasiocampa bhira</i>	1879,
	1878,	<i>Lasiommata muirheadi</i> ..	1878,
	1878,	<i>Lasiophila cirta</i>	1876,
— major	1878,	<i>orbifera</i>	1876,
<i>scoresbii</i>	1871,	<i>phalaesia</i>	1876,
	1871,	<i>Lasiuromys villosus</i> ...	1876,
	1878,	<i>Laternaria candelaria</i> ..	1874,
	1878,	<i>Lathamus discolor</i>	1873,
	1878,		1873,
	1878,		1874,
<i>serranus</i>	1871,		1879,
	1871,		1879,
	1874,		1879,
	1876,	<i>Lathria cryptolopha</i> ..	1877,
	1878,	<i>fusco-cinerea</i>	1876,
	1878,		1876,
	1878,		1879,
	1879,	<i>plumbea</i>	1879,
<i>smithsonianus</i>	1871,	<i>subalaris</i>	1877,
	1878,	<i>unirufa</i>	1879,
	1878,		1879,
<i>sterna</i>	1876,	<i>uropygialis</i>	1876,
<i>subroseus</i>	1878,		1876,
<i>suckleyi</i>	1878,		1879,
	1878,		1879,
<i>tenuirostris</i>	1878,	<i>Lathrodictus argus</i>	1872,
<i>torquatus</i>	1878,		1872,
<i>tridactylus</i>	1878,	<i>curacaviensis</i>	1875,
	1878,		1875,
	1878,	<i>erebus</i>	1872,
<i>verreauxi</i>	1874,		1872,
	1878,		1872,
	1878,	<i>geometricus</i>	1875,
	1878,		1875,
<i>vetula</i>	1874,		1875,
	1878,	<i>hamatus</i>	1872,
<i>vociferus</i>	1871,		1872,
	1878,		1876,
	1878,	<i>malmignattus</i>	1875,
<i>warnecki</i>	1878,	<i>pallidus</i>	1872,
<i>zonorhynchus</i>	1878,		1872,
	1878,	<i>venator</i>	1876,
(<i>Blasipus</i>) <i>heer-</i>		<i>Latiaxis elegans</i>	1878,
<i>manni</i>	1878,	<i>Latirus aureo-cinctus</i> ..	1875,
(<i>Bruchigavia</i>) <i>mel-</i>		<i>cayohuesonicus</i> ...	1878,
<i>lanorhynchus</i> ..	1878,		1878,
(<i>Pagophila</i>) <i>ebur-</i>		<i>craticulatus</i>	1880,
<i>neus</i>	1878,	<i>decoratus</i>	1878,
(<i>Rissa</i>) <i>breviros-</i>			1878,
<i>tris</i>	1878,	<i>fastigium</i>	1878,
<i>Larvivora</i> , sp. ?	1871,		1878,
<i>cyana</i>	1872,	<i>Latirus incarnatus</i>	1878,
	1873,	<i>infundibulum</i>	1878,
	1873,	<i>nagasakiensis</i>	1880,
<i>cyane</i>	1871,		1880,
<i>cyanea</i>	1871,	<i>strangei</i>	1877,
<i>gracilis</i>	1871,	<i>tuberculatus</i>	1877,
<i>sibilans</i>	1871,		70
<i>Laryngogramma gularis</i>	1878,		
<i>Lasaia meris</i>	1876,		
<i>Lasea australis</i>	1878,		
<i>Lasiocampa bhira</i>	1879,		

	Page		Page
<i>Latirus varicosus</i>	1877, 70	<i>Lecanomerus margina-</i>	
	1880, 482	<i>tus</i>	1874, 62
<i>Latrodictus apicalis</i>	1877, 75	<i>Leda</i>	1879, 587
	1877, 93	<i>sp. ?</i>	1871, 728
<i>argus</i>	1876, 628	<i>acuminata</i>	1879, 576
<i>erebus</i>	1873, 210	<i>acutalis</i>	1879, 578
	1873, 211	<i>arctica</i>	1879, 575
	1873, 219		1879, 577
	1876, 567	<i>caudata</i>	1879, 575
	1876, 626	<i>crassa</i>	1877, 193
<i>martius</i>	1876, 628	<i>declivis</i>	1879, 578
<i>ornatus</i>	1876, 568	<i>ensicula</i>	1877, 177
<i>13-guttatus</i>	1876, 628		1877, 193
<i>Latrunculodes nilssonii</i>	1878, 331	<i>expansa</i>	1879, 580
<i>Latrunculus albus</i>	1878, 318		1879, 588
	1878, 319	<i>fragilis</i>	1879, 575
	1878, 320		1879, 576
	1878, 321	<i>frigida</i>	1879, 576
	1878, 323	<i>hanleyi</i>	1873, 184
	1879, 751	<i>insculpta</i>	1879, 580
<i>nilssonii</i>	1878, 331		1879, 588
<i>pellucidus</i>	1878, 318	<i>intermedia</i>	1879, 578
	1878, 319	<i>jeffreysi</i>	1879, 579
	1878, 321		1879, 580
	1878, 322		1879, 588
	1878, 323	<i>lata</i>	1879, 579
	1878, 330	<i>latior</i>	1879, 578
	1878, 332	<i>lenticula</i>	1879, 577
	1878, 333		1879, 578
	1878, 334	<i>lucida</i>	1879, 578
	1878, 337	<i>messanensis</i>	1879, 576
	1878, 338	<i>micrometrica</i>	1879, 580
<i>stuwitzii</i>	1878, 318		1879, 581
	1878, 319	<i>microscopica</i>	1879, 581
	1878, 320	<i>minima</i>	1879, 581
	1878, 321	<i>minuta</i>	1879, 574
	1878, 322	<i>obesa</i>	1879, 578
	1878, 323	<i>oblonga</i>	1879, 580
<i>Laurona ergolis</i>	1878, 485	<i>ovata</i>	1879, 579
<i>Layardia rufescens</i>	1872, 405	<i>patagonica</i>	1880, 351
	1872, 449	<i>pella</i>	1879, 575
<i>Leadbeatera otero</i>	1874, 543	<i>pellucida</i>	1879, 578
<i>warszewiczi</i>	1880, 204	<i>pernula</i>	1879, 574
<i>Lebadea attenuata</i>	1878, 829	<i>producta</i>	1879, 578
	1878, 854	<i>pusilla</i>	1879, 580
<i>austenia</i>	1872, 560		1879, 588
	1872, 582	<i>pusio</i>	1879, 578
<i>ismene</i>	1874, 106		1879, 579
	1878, 829	<i>pustulosa</i>	1879, 576
<i>martha</i>	1873, 343		1879, 577
<i>paduka</i>	1873, 343	<i>pygmæa</i>	1879, 577
<i>Lebia azurea</i>	1874, 50	<i>reticulata</i>	1879, 583
	1874, 70	<i>rostrata</i>	1871, 728
<i>callizona</i>	1878, 607	<i>semistriata</i>	1879, 579
<i>charina</i>	1878, 607	<i>sericea</i>	1879, 579
<i>corcula</i>	1878, 607		1879, 588
<i>Lecanomerus margina-</i>		<i>solida</i>	1879, 587
<i>tus</i>	1874, 50	<i>striolata</i>	1879, 578

	Page		Page
<i>Leda subaequilatera</i> ..	1879, 579	<i>Lemonias theages</i>	1878, 366
	1879, 588	<i>Lempijius glabripes</i>	1871, 343
<i>subrotunda</i>	1879, 581	<i>hambroeki</i>	1871, 344
<i>tenuis</i>	1879, 577	<i>semitorques</i>	1871, 343
<i>truncata</i>	1879, 578	<i>umbratilis</i>	1871, 344
<i>tuberculata</i>	1871, 728	<i>Lemur albifrons</i>	1873, 474
	1871, 739		1875, 493
(<i>Adrana</i>) <i>newcombi</i>	1878, 314		1880, 303
<i>Ledropsis coccinea</i>	1874, 673	<i>anjuanensis</i>	1875, 493
<i>naso</i>	1874, 673		1875, 494
<i>Legatus albicollis</i>	1878, 63	<i>brunneus</i>	1871, 231
	1879, 614		1871, 232
<i>Leila parishii</i>	1872, 687		1880, 303
<i>Leiocnemis frivola</i>	1878, 717	<i>catta</i>	1872, 852
<i>himalaica</i>	1878, 716		1875, 493
<i>tartariae</i>	1878, 716		1879, 132
<i>Leiolophus planissimus</i> .	1879, 20		1879, 768
	1879, 38	<i>collaris</i>	1871, 231
<i>Leiostraca bivittata</i>	1871, 735		1871, 545
<i>lesbia</i>	1871, 16		1873, 474
	1871, 91	<i>crassicaudatus</i>	1872, 860
<i>Leiothrix lutea</i>	1871, 373	<i>dubius</i>	1871, 230
<i>Leistes guianensis</i>	1873, 267		1871, 231
<i>superciliaris</i>	1879, 608	<i>flavifrons</i>	1871, 232
<i>Leiurus berdmorei</i>	1876, 637	<i>leucomystax</i>	1871, 229
<i>Lema antennalis</i>	1879, 774		1872, 853
<i>bicincta</i>	1879, 774		1880, 451
<i>bifida</i>	1878, 983	<i>macaco</i>	1871, 229
<i>bipartita</i>	1880, 589		1871, 230
<i>championi</i>	1879, 773		1872, 853
<i>cincta</i>	1880, 588		1880, 451
<i>degaudei</i>	1880, 589	<i>mayottensis</i>	1879, 2
<i>flavicornis</i>	1880, 589	<i>melanocephala</i>	1875, 62
	1880, 608	<i>mili</i>	1872, 855
<i>limbatipennis</i>	1880, 588	<i>mongoz</i>	1871, 230
<i>nicaraguensis</i>	1879, 774		1871, 231
<i>placida</i>	1879, 774		1871, 545
<i>semicyanea</i>	1880, 588		1880, 303
	1880, 608	<i>mongoza</i>	1879, 768
	1880, 609	<i>murinus</i>	1872, 857
<i>semisepta</i>	1878, 983	<i>niger</i>	1871, 229
<i>suffriani</i>	1878, 982		1871, 230
<i>violaceo-fasciata</i> ..	1879, 774		1872, 853
<i>viridana</i>	1880, 588	<i>nigerrimus</i>	1880, 451
	1880, 608	<i>nigrifrons</i>	1871, 230
<i>Lemmus groen-</i>			1871, 231
<i>landicus</i>	1874, 469		1871, 545
<i>medius</i>	1874, 466		1875, 493
<i>norvegicus</i>	1874, 470		1879, 768
<i>torquatus</i>	1874, 469	<i>ruber</i>	1871, 297
<i>ungulatus</i>	1874, 470		1872, 853
<i>Lemonias adelina</i>	1874, 354	<i>ruffrons</i>	1879, 768
<i>debilis</i>	1878, 366	<i>varius</i>	1871, 230
<i>hypoglauca</i>	1878, 367		1872, 853
<i>irenæa</i>	1874, 354		1875, 62
<i>orpheus</i>	1878, 366		1880, 303
<i>parthaon</i>	1878, 366	<i>xanthomystax</i>	1871, 230
<i>pelarge</i>	1878, 366		1879, 768

	Page		Page
<i>Lemur xanthomystax</i> ..	1880,	<i>Leptasthenura ægitha-</i>	
<i>Leodonta zenobina</i>	1876,	<i>loides</i>	1877, 449
<i>Leopardus auratus</i>	1871,		1879, 620
<i>chinensis</i>	1874,	<i>andicola</i>	1874, 445
	1874,		1874, 527
<i>himalayanus</i>	1872,	<i>fuliginiceps</i>	1874, 4
<i>mitis</i>	1877,		1874, 6
<i>sumatranus</i>	1871,		1879, 620
<i>tigrinoides</i>	1877,	<i>Leptinaria interstriata</i> ..	1879, 485
<i>Lepidocephalichthys bal-</i>		<i>Leptobranchium gracile</i> .	1872, 591
<i>gara</i>	1874,		1872, 598
	1874,	<i>hasseltii</i>	1872, 598
	1874,	<i>Leptocercus virescens</i> ..	1873, 358
<i>Lepidochelys olivacea</i> ..	1873,	<i>Leptocircus virescens</i> ..	1878, 841
<i>Lepidœnas speciosa</i> ...	1874,		1878, 856
<i>Lepidogrammus cumingi</i>	1873,	<i>Leptoconus</i> (Phasmo-	
	1873,	<i>conus</i>) <i>du saveli</i>	1872, 12
	1877,		1872, 15
<i>Lepidopleurus antiquus</i> .	1878,	<i>Leptodira annulata</i>	1871, 102
<i>Lepidosiren annectens</i> ..	1873,	<i>rufescens</i>	1876, 679
	1875,	<i>Leptodius cooksoni</i>	1877, 73
	1875,		1877, 93
	1876,	<i>exaratus</i>	1879, 20
	1876,		1879, 31
	1876,	—, <i>var. sanguineus</i>	1877, 134
	1876,	<i>Leptodon uncinatus</i>	1878, 45
<i>paradoxa</i>	1876,	<i>Leptognathus falcatus</i> ..	1875, 302
	1876,		1875, 307
<i>Lepilemur dorsalis</i>	1872,	<i>Lepton australis</i>	1878, 863
<i>furcifer</i>	1872,		1878, 864
<i>murinus</i>	1872,		1878, 870
<i>mustelinus</i>	1872,	<i>Leptophobia aripa</i>	1872, 41
	1873,	<i>balidia</i>	1872, 40
	1873,	<i>cœsia</i>	1872, 40
	1873,	<i>cinerea</i>	1872, 40
	1873,		1876, 242
	1873,	<i>eleone</i>	1872, 40
	1873,		1876, 242
	1873,	<i>elodia</i>	1872, 40
	1879,		1874, 360
<i>pallidicauda</i>	1872,	<i>euthemia</i>	1872, 40
<i>ruficaudatus</i>	1872,	<i>Leptophobia helena</i>	1872, 41
	1872,	<i>olympia</i>	1872, 41
	1872,	<i>pentica</i>	1872, 40
<i>Leptachatina acuminata</i>	1873,	<i>philoma</i>	1872, 40
<i>granifera</i>	1873,		1876, 242
<i>labiata</i>	1873,	<i>pinara</i>	1872, 41
<i>margarita</i>	1873,	<i>pylotis</i>	1872, 41
<i>Leptalis citrinella</i>	1874,	<i>semicœsia</i>	1872, 40
<i>cordillera</i>	1874,	<i>tenuicornis</i>	1874, 360
<i>deione</i>	1874,	<i>tovaria</i>	1872, 41
<i>fortunata</i>	1874,	<i>Leptopogon amauro-</i>	
<i>othoë</i>	1874,	<i>cephala</i>	1873, 278
<i>pentica</i>	1872,	<i>amaurocephalus</i> ..	1874, 535
<i>virgo</i>	1874,	<i>auritus</i>	1874, 134
<i>Leptasthenura ægitha-</i>			1874, 536
<i>loides</i>	1872,	<i>erythropros</i>	1879, 512
	1874,	<i>minor</i>	1879, 233
	1874,		

	Page		Page
<i>Leptopogon ophthalmicus</i>	1879, 234	<i>Leptosoma nubecula</i> ..	1880, 673
<i>peruvianus</i>	1873, 278	<i>pallens</i>	1880, 673
<i>pœcilotis</i>	1874, 135	<i>quadriguttatum</i> ..	1880, 673
	1879, 234	<i>scalarium</i>	1880, 673
	1879, 512	<i>Leptosomus discolor</i> ..	1877, 302
<i>superciliaris</i>	1874, 536	<i>Leptotarsis eytoni</i>	1880, 510
	1879, 613	<i>Leptothrix clavipes</i>	1873, 444
<i>tristis</i>	1876, 254	<i>Leptotrachelus pana-</i>	
	1879, 589	<i> mensis</i>	1878, 600
	1879, 613	<i>puncticollis</i>	1878, 600
<i>Leptopoma hargravesi</i> ..	1873, 151	<i>Leptoxyura cinnamomea</i>	1873, 269
<i>Leptopterus bicolor</i>	1875, 66		1874, 43
<i>viridis</i>	1879, 771	<i> obsoleta</i>	1874, 21
<i>Leptoptila cassini</i>	1878, 43	<i>ruficauda</i>	1874, 13
<i> crumenifera</i>	1874, 250	<i>semicinerea</i>	1874, 5
<i> dubusi</i>	1873, 306		1874, 12
<i> jamaicensis</i>	1873, 468	<i>Leptura rubriola</i>	1878, 720
	1873, 639	<i>Lepus ægyptiacus</i>	1877, 281
<i> megalura</i>	1879, 589	<i> caspicus</i>	1880, 64
	1879, 640	<i> cuniculus</i>	1875, 491
<i> ochroptera</i>	1876, 17	<i> dayanus</i>	1874, 662
<i> rufaxilla</i>	1874, 556		1874, 663
	1879, 640	<i> europæus</i>	1880, 64
	1880, 212	<i> hypsibius</i>	1876, 633
<i> verreauxi</i>	1878, 43	<i> mediterraneus</i>	1874, 663
	1879, 544	<i> oiostolus</i>	1871, 563
<i>Leptoptilos javanica</i> ..	1872, 477	<i> oistolus</i>	1876, 633
<i>Leptoptilus argala</i>	1875, 343	<i> pallipes</i>	1871, 564
	1877, 711		1876, 633
<i> crumeniferus</i>	1873, 467	<i> ruficaudatus</i>	1872, 75
	1873, 637		1872, 77
	1877, 711		1874, 663
	1880, 316	<i> sinaiticus</i>	1877, 281
<i> javanicus</i>	1871, 411	<i> syriacus</i>	1877, 281
<i>Leptorhytaon jara</i>	1871, 152		1880, 64
	1871, 188	<i> tibetanus</i>	1871, 559
<i>Leptornis samoënsis</i> ..	1876, 492		1871, 563
<i>Leptoseri striatus</i>	1871, 284		1871, 564
<i>Leptosoma annulatum</i> ..	1877, 380		1876, 633
<i> anthracinum</i>	1880, 672	<i> timidus</i>	1875, 491
<i> arcuatum</i>	1880, 673	<i>Lepyrodes geometralis</i> .	1878, 705
<i> assimile</i>	1880, 672		1878, 708
<i> clathratum</i>	1880, 673		1880, 683
<i> coleta</i>	1880, 673	<i>Lerwa nivicola</i>	1871, 400
<i> discolor</i>	1879, 675		1873, 659
	1880, 465		1873, 664
<i> flavescens</i>	1880, 673		1873, 666
<i> inconstans</i>	1880, 673	<i>Lesbia chlorura</i>	1871, 504
<i> kerklotsii</i>	1880, 672	<i> gouldi</i>	1871, 504
<i> latistriga</i>	1880, 673		1875, 235
<i> leucostigma</i>	1880, 673		1880, 206
<i> luctuosum</i>	1880, 673	<i> gracilis</i>	1871, 504
<i> ludekingii</i>	1880, 673		1879, 238
<i> macklotti</i>	1880, 673		1880, 206
<i> marginale</i>	1880, 673	<i> nuna</i>	1874, 675
<i> mülleri</i>	1880, 673		1874, 677
<i> noviespunctatum</i> ..	1880, 673		1879, 628

	Page		Page
Lestris antarcticus	1871, 565	Lethe europa	1877, 582
	1871, 579		1877, 623
	1873, 469		1878, 696
	1873, 641	mekara	1878, 824
	1876, 321		1878, 853
	1876, 323	rohria	1878, 824
	1877, 799		1878, 853
	1877, 800	sihala	1872, 555
	1878, 181	verma	1878, 824
benickii	1876, 327		1878, 853
boji	1876, 327	Lethia puta	1873, 437
buffonii	1871, 123	stigmatisata	1872, 262
	1876, 330	taczanowskii	1873, 435
catarractes	1876, 318		1873, 451
	1876, 319	Leucania costalis	1877, 603
	1876, 321		1877, 627
cephus	1876, 331		1877, 632
chilensis	1876, 323	extranea	1880, 675
coprotheres	1876, 327	inferens	1880, 674
crepidatus	1876, 318		1880, 675
	1876, 326	insularis	1880, 674
	1876, 330	loreyi	1880, 674
fuliginosus	1876, 330	percussa	1880, 674
	1876, 321	propria	1877, 382
fuscus	1878, 181	semivittata	1877, 382
hardyii	1876, 331	unica	1877, 382
hartlaubii	1876, 329	Leucibis alba	1877, 509
lessoni	1876, 331	Leucidia brephos	1871, 529
longicaudatus	1876, 331	elphos	1871, 529
microrhynchus	1876, 327	elvina	1871, 529
nigricans	1876, 330	exigua	1871, 529
parasita	1876, 327	leucoma	1871, 529
parasiticus	1871, 123	pygmæa	1871, 529
	1876, 318	Leucinodes orbonalis	1877, 615
	1876, 326		1877, 629
	1876, 327	Leucippus chionogaster	1874, 542
	1876, 328		1876, 17
	1876, 330		1879, 630
	1876, 331	chlorocercus	1873, 286
pomarinus	1876, 324		1873, 288
	1876, 325	pallidus	1874, 501
	1877, 800		1874, 542
pomatorhinus	1876, 325	Leuciscus bambusa	1875, 534
richardsonii	1871, 123	erythrophthalmus	1876, 801
	1876, 317	melanotus, var.	
	1876, 327	orfus	1874, 186
scopulina	1878, 188	rutilus	1876, 801
schleepii	1876, 327		1879, 753
skua	1876, 319	squaliusculus	1876, 801
sphaeriuros	1876, 324	Leucocerca albofron-	
spinicaudus	1876, 327	tata	1872, 440
striatus	1876, 324		1873, 660
thuliaca	1876, 327	aureola	1872, 440
Lethe arcadia	1878, 824		1873, 675
	1878, 853	compressirostris	1872, 440
dynsate	1872, 555		1872, 441
dyrta	1874, 265	fuscoventris	1872, 441
europa	1873, 339	javanica	1875, 107

	Page		Page
<i>Leucocerca javanica</i> ..	1879,	<i>Leucosarcia picta</i>	1874,
<i>nigritorquis</i>	1877,	<i>picata</i>	1876,
	1877,	<i>Leucosia hæmatosticta</i>	1879,
	1877,		1879,
	1878,	<i>perryi</i>	1879,
	1878,	<i>Leucospiza novæ-hol-</i>	
	1878,	<i>landiæ</i>	1875,
	1878,	<i>Leucosticte arctoa</i>	1873,
	1879,	<i>brunneinucha</i>	1871,
<i>pectoralis</i>	1872,	<i>griseinucha</i>	1871,
<i>setosa</i>	1877,	<i>Leucothyris cassotis</i> ..	1874,
<i>Leucochitonea salléi</i> ..	1874,	<i>makrena</i>	1874,
<i>Leucochloris albicollis</i> ..	1879,	<i>rubescens</i>	1874,
<i>Leucochroa candidis-</i>		<i>vicina</i>	1874,
<i>sima</i>	1880,	<i>victorina</i>	1874,
	1880,	<i>zea</i>	1874,
<i>Leucodipterum chinense</i>	1871,	<i>Leucotreron cincta</i>	1878,
<i>sinense</i>	1871,	<i>gironieri</i>	1878,
<i>taivanum</i>	1871,		1878,
	1873,	<i>gularis</i>	1878,
<i>Leucolia candida</i>	1879,	<i>incognita</i>	1877,
<i>pelzelni</i>	1879,	<i>Leucus arcticus</i>	1878,
	1880,	<i>chalcopterus</i>	1878,
<i>Leucomelæna norfolci-</i>		<i>fuscus</i>	1878,
<i>ensis</i>	1876,	<i>glaucescens</i>	1878,
<i>Leuconerpes candidus</i> ..	1873,	<i>glaucus</i>	1878,
	1873,	<i>leucopterus</i>	1878,
<i>Leuconia cratægi, var.</i>		<i>marinus</i>	1878,
<i>cratægoides</i>	1872,	<i>Lia quadriannulata</i>	1878,
<i>glomerosa</i>	1873,	<i>Liasis amethystinus</i> ..	1877,
	1873,	<i>Libellula hymenæa</i>	1877,
<i>Leucopeza semperi</i>	1876,	<i>Libidoclea coccinea</i>	1879,
<i>Leucophæus belcheri</i> ..	1871,	<i>Libinia bidentata</i>	1879,
	1878,	<i>emarginata</i>	1879,
<i>fuliginosus</i>	1871,	<i>granaria</i>	1879,
	1878,	<i>orientalis</i>	1879,
<i>hæmatorhynchus</i> ..	1871,	<i>rhomboidea</i>	1879,
	1878,	<i>Liburnia (Ilburnia) igno-</i>	
<i>heermanni</i>	1878,	<i>bilis</i>	1878,
<i>modestus</i>	1878,		1878,
<i>scoresbii</i>	1871,	<i>Libythea antipoda</i>	1873,
	1878,		1874,
<i>Leucophantes brachy-</i>		<i>carinenta</i>	1874,
<i>urus</i>	1873,		1876,
	1873,	<i>lepita</i>	1874,
	1873,	<i>myrrha</i>	1872,
<i>Leucophlebia bicolor</i> ..	1875,		1873,
	1875,	<i>rama</i>	1878,
<i>damascena</i>	1875,	<i>Lichanotus mitratus</i> ..	1872,
<i>emittens</i>	1875,		1875,
<i>lineata</i>	1875,	<i>Lichenops perspicillata</i>	1879,
	1875,	<i>Licmetis gymnopsis</i>	1879,
	1875,	<i>nasica</i>	1871,
<i>rosacea</i>	1875,		1875,
	1875,	<i>pastinator</i>	1874,
<i>Leucopternis plumbea</i> ..	1880,		1875,
<i>semiplumbea</i>	1879,		1874,
	1879,		587
	1873,		

	Page		Page
<i>Licmetis pastinator</i>	1876, 692	<i>Limenitis hydaspes</i>	1874, 274
<i>tenuirostris</i>	1876, 692	<i>ligyes</i>	1874, 270
	1880, 76	<i>proceris</i>	1873, 343
	1880, 309	<i>procris</i>	1877, 585
<i>Lielaphis batjanensis</i>	1877, 130	<i>trivena</i>	1874, 270
<i>holochrous</i>	1877, 130		1880, 148
<i>modestus</i>	1877, 128	<i>venilia</i>	1874, 280
	1877, 129	<i>woodlarkiana</i>	1874, 280
<i>Ligia aquatica</i>	1877, 671	<i>Limicola platyrhyncha</i>	1876, 674
<i>dilatata</i>	1877, 671		1876, 675
<i>occidentalis</i>	1877, 671		1878, 708
<i>stimpsoni</i>	1877, 671		1878, 712
<i>Ligurinus olivaceus</i>	1871, 615	<i>pygmæa</i>	1871, 408
<i>sinicus</i>	1871, 385	<i>sibirica</i>	1876, 674
<i>Lima</i>	1879, 587		1876, 675
<i>angustior</i>	1879, 563		1878, 712
<i>elliptica</i>	1879, 563	<i>Limicolaria cailliaudi</i>	1880, 346
<i>elongata</i>	1879, 564	<i>nilotica</i>	1880, 345
<i>excavata</i>	1879, 564	<i>sennaariensis</i>	1880, 346
	1879, 565	<i>Liminella gravida</i>	1873, 90
<i>fasciata</i>	1876, 754	<i>Limnæa natalensis</i>	1877, 718
<i>hians</i>	1879, 564		1880, 617
	1879, 569	<i>peragra</i>	1873, 390
<i>loscombii</i>	1879, 564	<i>Limnaëtus cristatellus</i>	1872, 411
<i>multicostata</i>	1876, 754	<i>nipalensis</i>	1872, 411
<i>nivea</i>	1879, 564	<i>philippensis</i>	1878, 281
<i>orientalis</i>	1871, 101	<i>Limnas bryaxis</i>	1878, 362
<i>paucicostata</i>	1876, 754	<i>cæruleata</i>	1878, 362
<i>purpurascens</i>	1876, 808	<i>melanochlora</i>	1878, 362
<i>sarsii</i>	1879, 562	<i>Limnocinclus acumi-</i>	
	1879, 563	<i>natus</i>	1877, 338
<i>solida</i>	1879, 565		1877, 817
<i>subauriculata</i>	1879, 564		1877, 834
<i>subcostata</i>	1879, 563	<i>Limnocodium victoria</i>	1880, 454
<i>subovata</i>	1879, 563	<i>Limnocryptes gallinula</i>	1871, 407
	1879, 588	<i>Limnornis curviros-</i>	
<i>sulcata</i>	1879, 564	<i>tris</i>	1872, 544
<i>sulculus</i>	1879, 564		1874, 24
<i>unicostata</i>	1879, 564	<i>Limonidromus indicus</i>	1871, 365
<i>zealandica</i>	1876, 754		1872, 458
	1876, 755		1880, 15
(<i>Limatula</i>) <i>crassa</i>	1879, 563	<i>Limopsis</i>	1879, 587
(—) <i>cuneata</i>	1879, 563	<i>abyssicola</i>	1879, 586
<i>Limacina bulimoides</i>	1871, 99	<i>angusta</i>	1879, 585
<i>Limax, sp. inc.</i>	1880, 102		1879, 586
	1880, 103	<i>aurita</i>	1879, 585
<i>agrestis</i>	1880, 102	<i>borealis</i>	1879, 585
<i>semitectus</i>	1879, 475		1879, 586
(<i>Krynickillus</i>) <i>men-</i>		<i>brazieri</i>	1871, 21
<i>tonicus</i>	1880, 103		1871, 101
(—) <i>niciensis</i>	1880, 103	<i>cancellatus</i>	1877, 193
<i>Limenitis anarta</i>	1877, 585	<i>cristata</i>	1879, 585
	1877, 624		1879, 588
<i>calidasa</i>	1877, 585	<i>cumingii</i>	1879, 585
<i>danava</i>	1874, 270	<i>inæquidens</i>	1879, 586
<i>eurynome</i>	1874, 570	<i>lævigata</i>	1879, 585
	1877, 812	<i>loringi</i>	1873, 183
<i>hydaspes</i>	1874, 270		1873, 184

	Page		Page
<i>Limopsis macgillivrayi</i>	1878	<i>Lingula tumidula</i>	1871, 300
<i>minuta</i>	1879, 585		1871, 310
	1879, 588		1871, 312
<i>obliqua</i>	1879, 585	<i>Linota fusca</i>	1871, 693
<i>tenuis</i>	1879, 586	<i>linaria</i>	1877, 45
<i>Limosa agocephala</i>	1871, 407	<i>saturata</i>	1871, 693
	1872, 473	<i>Linyphia albimaculata</i> .	1873, 211
	1873, 203		1873, 219
	1878, 280		1873, 220
	1878, 288		1873, 222
<i>australis</i>	1873, 456	<i>albula</i>	1872, 293
<i>brevipes</i>	1871, 406		1872, 294
<i>fedoa</i>	1873, 456	<i>albuloides</i>	1872, 293
	1877, 748		1872, 294
	1878, 141		1872, 349
<i>hudsonica</i>	1873, 456	<i>angulipalpis</i>	1873, 437
	1878, 141		1873, 438
<i>lapponica</i>	1871, 56		1873, 439
	1873, 469	<i>confusa</i>	1872, 294
	1878, 708		1873, 219
	1878, 711	<i>congener</i>	1872, 294
<i>melanura</i>	1871, 406		1872, 349
	1875, 488	<i>decens</i>	1872, 751
	1880, 316		1873, 441
<i>melanuroides</i>	1871, 406	<i>dybowskii</i>	1873, 433
<i>rufa</i>	1871, 406		1873, 451
	1873, 641	<i>extricata</i>	1876, 572
<i>uropygialis</i>	1871, 406		1876, 626
	1875, 439		1876, 630
	1876, 497	<i>frutetorum</i>	1872, 294
	1876, 503		1872, 349
	1877, 338	<i>karpinskii</i>	1873, 437
	1877, 770		1873, 438
	1877, 771		1873, 451
	1877, 775	<i>leprosa</i>	1872, 294
<i>Linaria analis</i>	1879, 606		1872, 349
<i>atrogularis</i>	1880, 491		1873, 210
<i>cannabina</i>	1873, 462		1873, 211
<i>gularis</i>	1880, 491		1873, 219
<i>inornata</i>	1879, 229		1873, 220
<i>Lingula dumortieri</i>	1871, 310	<i>melanopygia</i>	1879, 696
	1871, 311		1879, 702
	1871, 312		1879, 703
<i>hians</i>	1878, 820	<i>microphthalma</i>	1872, 751
<i>hirundo</i>	1871, 310	<i>minuta</i>	1873, 439
<i>jaspidea</i>	1871, 300	<i>nigrina</i>	1876, 572
	1871, 310	<i>oblita</i>	1873, 441
<i>lepidula</i>	1871, 300	<i>peramcena</i>	1879, 694
	1871, 311		1879, 702
	1871, 312		1879, 703
<i>ovalis</i>	1871, 311	<i>pratensis</i>	1872, 294
<i>parva</i>	1871, 730	<i>subdola</i>	1879, 693
	1871, 739		1879, 695
<i>scotica</i>	1871, 310		1879, 702
<i>semen</i>	1871, 311		1879, 703
<i>smaragdina</i>	1871, 300	<i>taczanowskii</i>	1873, 439
	1871, 310		1873, 451
	1871, 312	<i>trifididens</i>	1873, 211

	Page		Page
Linyphia trifrididens....	1873, 220	Lironeca laticauda	1877, 654
	1873, 222		1877, 677
unicornis	1873, 438		1877, 679
	1873, 451	novæ-zealandiæ ..	1877, 677
variegata	1873, 440	Lissotriton punctatus ..	1873, 164
Liocephalus grayi	1877, 67		1875, 487
pacificus	1877, 67		1880, 544
Liolepis belli.....	1872, 154	vulgaris.....	1875, 495
	1874, 71	Lithodomus semigrana-	
	1874, 72	tus	1879, 569
	1874, 74	Lithofalco chicquera ..	1871, 681
	1874, 75		1875, 19
	1874, 78		1876, 311
	1874, 80	Lithoglyphus zonatus ..	1880, 344
	1874, 81		1880, 350
	1874, 82	Lithosia angulifera	1878, 20
	1874, 83	antica	1877, 597
	1874, 84		1877, 626
	1874, 86		1878, 15
	1874, 87	apicalis	1878, 17
	1874, 88	aureola	1878, 18
Liopola fasciata	1871, 192	beema	1878, 10
Liotia angasi	1871, 96	brevipennis	1878, 17
bellula	1873, 206	chilomorpha	1878, 23
	1873, 209	complanula	1878, 16
clathrata	1871, 96	distorta	1872, 572
crassibasis	1880, 484		1878, 25
	1880, 485	dives	1878, 14
gowllandi	1874, 672	gigas	1878, 7
pulcherrima	1871, 96		1878, 8
speciosa.....	1871, 19	gilveola.....	1878, 18
	1871, 96	griseola	1878, 16
	1874, 672	helveola.....	1878, 17
Liothrix luteus.....	1880, 311	innotata.....	1878, 19
Liparis fabricii.....	1877, 294	insolita	1878, 19
	1877, 476		1878, 20
montagui	1879, 751	intermixta.....	1877, 597
vulgaris	1879, 751		1877, 626
Lipaugus albogriseus ..	1873, 280		1878, 17
cineraceus.....	1873, 284	magnifica	1878, 13
	1873, 463	muscerda	1878, 27
	1877, 525	natara	1878, 15
	1877, 526	nigrifrons	1872, 572
holerythrus	1878, 65		1878, 17
	1879, 519	nigripars	1878, 19
	1879, 549	nivea	1878, 15
lateralis.....	1873, 285	quadra	1878, 14
rufescens	1879, 519	remelana	1878, 10
simplex	1873, 284	reticulata	1878, 20
	1874, 540	rotundipennis	1878, 23
unirufus	1879, 518	sambara.....	1878, 19
Liptena acræa	1875, 413	sarawaca	1878, 15
libyssa	1875, 413	serva	1878, 15
undularis	1875, 413		1878, 16
Lironeca daurica	1877, 654	stramineola	1878, 16
	1877, 676	vagesa	1878, 19
	1877, 679	varana	1878, 15
emarginata	1877, 677	vetusta	1878, 16

	Page		Page
<i>Lithosia viridata</i>	1878,	19	
<i>Lithyphantes ephippia-</i> <i>tus</i>	1876,	628	
<i>hamatus</i>	1876,	568	
	1876,	626	
<i>lepidus</i>	1879,	690	
	1879,	702	
<i>venator</i>	1876,	628	
<i>Litochaira bispinosa</i>	1879,	39	
<i>Littorina melanacme</i> ..	1878,	817	
<i>novæ-zelandiæ</i>	1878,	817	
<i>rudis</i>	1879,	565	
<i>scabra</i>	1871,	95	
<i>striata</i>	1878,	449	
<i>undulata</i>	1877,	187	
	1878,	816	
<i>ventricosa</i>	1878,	817	
<i>Litus brevis</i>	1878,	499	
<i>Liurus ornatus</i>	1874,	442	
<i>Lobiophasis bulweri</i> ..	1876,	465	
	1877,	93	
	1877,	94	
	1879,	109	
<i>castaneicaudatus</i> ..	1877,	94	
	1879,	109	
<i>Lobiospiza notabilis</i>	1871,	24	
	1875,	269	
	1876,	495	
<i>Lobipes hyperboreus</i> ..	1871,	408	
<i>Lobius cyaneus</i>	1874,	68	
<i>erythropus</i>	1874,	69	
<i>nigroviridis</i>	1874,	68	
<i>Lobivanellus cinereus</i> ..	1871,	403	
<i>goensis</i>	1872,	472	
	1874,	455	
	1874,	456	
<i>indicus</i>	1872,	472	
<i>inornatus</i>	1871,	403	
<i>lobatus</i>	1874,	458	
	1877,	335	
	1877,	336	
<i>personatus</i>	1877,	336	
<i>Lobodon carcinophaga</i> ..	1873,	751	
<i>Lochmias nematura</i>	1873,	511	
<i>obscurata</i>	1874,	129	
	1874,	526	
	1879,	619	
<i>sororia</i>	1873,	511	
	1879,	619	
<i>Locustella</i> — ?	1871,	353	
<i>certhiola</i>	1871,	354	
	1877,	806	
	1879,	338	
<i>doriæ</i>	1877,	806	
<i>hendersoni</i>	1876,	778	
<i>hendersonii</i>	1871,	354	
<i>lanceolata</i>	1871,	354	
<i>macropus</i>	1871,	354	
<i>Locustella minor</i>	1877,	806	
<i>minuta</i>	1871,	354	
<i>ochotensis</i>	1871,	354	
	1871,	355	
	1877,	806	
	1879,	338	
<i>raii</i>	1871,	354	
<i>rayi</i>	1874,	505	
<i>rubescens</i>	1871,	354	
	1877,	806	
<i>subcerthiola</i>	1877,	806	
<i>tacsanowskia</i>	1871,	355	
<i>Loligo bouyeri</i>	1874,	181	
	1874,	491	
<i>vulgaris</i>	1877,	808	
<i>Lomis dentata</i>	1879,	47	
<i>Loncheres caniceps</i>	1876,	745	
	1876,	746	
<i>Lonchoglossa wiedi</i>	1880,	464	
<i>Londra calandra</i>	1874,	635	
<i>Longitarsus ballotæ</i>	1877,	81	
<i>lunatus</i>	1877,	81	
<i>Lophiomyis imhausii</i> ..	1874,	497	
<i>Lophius piscatorius</i>	1875,	487	
	1878,	220	
	1879,	751	
<i>Lophocalotes interruptus</i>	1872,	593	
	1872,	600	
<i>Lophocercus delicatulus</i>	1877,	190	
<i>Lophodytes cucullatus</i> .	1876,	408	
	1876,	409	
	1876,	410	
	1876,	411	
<i>Lophogaster typicus</i> ..	1878,	780	
<i>Lophohelia perforata</i> ..	1871,	306	
<i>Lophoictinia isura</i>	1875,	338	
<i>Lopholæmus antarcticus</i>	1873,	468	
	1873,	639	
	1874,	250	
	1874,	256	
<i>Lopholaimus antarcticus</i>	1876,	115	
<i>Lophophanes castanei-</i> <i>ventris</i>	1873,	666	
<i>dichrous</i>	1873,	666	
	1873,	689	
<i>melanolophus</i>	1873,	655	
	1873,	689	
<i>Lophophorus impeyanus</i>	1876,	464	
	1879,	115	
	1879,	373	
	1879,	681	
<i>l'huyssii</i>	1871,	399	
	1873,	665	
<i>obscurus</i>	1871,	399	
<i>sclateri</i>	1873,	660	
	1879,	458	
	1879,	681	
<i>Lophorina atra</i>	1873,	558	

	Page		Page
Lophorina atra	1873, 697	Loriculus galgulus	1879, 325
	1875, 531	hartlaubi	1873, 526
Lophornis regulus	1879, 628		1877, 819
Lophortyx californicus	1879, 359		1877, 820
	1879, 360		1878, 107
	1879, 361		1878, 340
Lophosalea anamallay- ana	1878, 153		1878, 708
	1878, 153		1878, 709
Lophospingus pusillus	1879, 460		1878, 937
Lophospiza trivirgata	1871, 341		1879, 68
Lophotrix stricklandi	1878, 45	indicus	1872, 405
Lophotibis cristata	1877, 478		1872, 426
	1877, 484		1877, 819
	1877, 499		1877, 820
	1877, 500	melanopterus	1877, 819
Lophotragus michianus	1874, 453		1877, 820
	1875, 183	panayensis	1877, 536
	1876, 273		1877, 537
	1876, 757		1877, 538
	1876, 758	philippensis	1873, 526
	1876, 764		1877, 820
	1878, 900	puniculus	1871, 391
Lophura amboinensis	1873, 168	pusillus	1871, 333
	1879, 76		1873, 679
celebensis	1873, 168	regulus	1872, 790
erebina	1875, 621		1873, 526
himachala	1875, 621		1877, 538
masuriensis	1875, 244		1877, 539
	1875, 261		1877, 820
	1875, 621	stigmatus	1871, 333
minima	1876, 310	tener	1877, 107
pusilla	1875, 244	Loripes ovum	1878, 870
pustulata	1873, 168	Loris gracilis	1875, 493
sangaica	1875, 621	tardigrada	1875, 493
shawii	1873, 168	Lorius amboynensis	1875, 489
Lorica angasi	1871, 97	cardinalis	1873, 3
cimolia	1871, 97		1873, 465
volvox	1871, 97		1873, 634
Loriculus amabilis	1871, 333		1874, 587
apicalis	1877, 819	ceramensis	1875, 489
	1877, 820	coccineus	1875, 489
	1877, 821	cyanauchen	1878, 78
asiaticus	1873, 634		1878, 79
	1874, 587	domicella	1875, 489
aurantiifrons	1877, 107		1876, 692
bonapartei	1877, 820		1878, 79
chrysonotus	1872, 790		1879, 170
	1873, 526	garrulus	1871, 499
	1873, 634		1879, 170
	1874, 587	hypochrous	1876, 460
	1877, 539		1877, 108
	1877, 757		1878, 289
	1877, 820		1879, 17
culacissi	1871, 479		1879, 447
	1872, 790	hypochrous	1876, 460
cyanolæmus	1877, 819	lori	1874, 587
flosculus	1871, 333	sinensis	1875, 489
galgulus	1874, 587	solitarius	1875, 425

	Page		Page
Lorius solitarius	1875, 426	Lucia epius	1879, 137
	1876, 501	Lucina citrini	1878, 860
	1877, 729		1878, 864
squamatus	1878, 86	pennsylvanica	1878, 861
tibialis	1871, 499	quadrata	1878, 863
	1871, 544	rosea	1878, 860
	1872, 718		1878, 864
	1875, 62	tatei	1878, 870
tricolor	1874, 587	(Codakia) fibula ..	1877, 192
	1879, 174	(—) quadrata ..	1877, 176
Lovea oryza	1877, 333		1877, 177
tornatellina	1877, 333		1877, 192
	1877, 334	(—) tatei	1878, 863
	1880, 133		1878, 864
	1880, 663		1878, 870
triticea	1877, 333	(Cyclas) cumingi..	1877, 192
wollastoni	1877, 334	(—) ornata	1877, 192
(Achatina) melam-		Lucinia cadma	1878, 480
poides	1875, 679	Lucioperca sandra	1876, 801
	1875, 680	Lullula arborea	1874, 635
	1877, 333	Lupea anceps	1877, 655
(—) oryza	1875, 680		1877, 657
(—) tornatellina ..	1875, 678	bellicosa	1877, 656
	1875, 680	exasperata	1877, 656
(—) triticea	1875, 680	forceps	1877, 656
Loxia albiventris	1871, 387	pudica	1877, 656
astrild	1875, 490	Lupus laniger	1874, 654
cærulea	1875, 490		1874, 655
coccothraustes	1875, 490	pallipes	1880, 278
curvirostra	1871, 387	Lurocalis nattereri	1879, 240
	1873, 647	Luscinia sinuata	1874, 238
	1875, 490	vera	1873, 462
enucleator	1875, 490	Lusciniopsis, sp.	1871, 353
himalayana	1871, 387	brevipennis	1873, 665
javensis	1875, 490	canturiens	1871, 353
lathamii	1880, 491	Lusciola cyanura	1871, 359
malacca	1875, 490	Lutra chinensis	1872, 817
melaleuca	1877, 739	lovii	1876, 736
melanura	1871, 386	nair	1873, 710
psittacea	1878, 347		1879, 664
sibirica	1871, 387	swinhoii	1872, 817
Loxigilla noctis	1871, 267	vulgaris	1875, 493
	1871, 270		1877, 275
	1872, 649		1880, 54
	1874, 175		1880, 304
	1879, 765	Lutraria ægyptiaca	1871, 100
Loxioides bailloni	1878, 346	Lutucoa leucocapilla ..	1874, 228
Loxoscelis rufescens ..	1872, 277	Lycæna, sp.	1879, 158
	1872, 348	alsulus	1874, 285
	1876, 564		1875, 616
	1876, 626	aratus	1879, 158
Loxura atymnus	1878, 835	ardates	1874, 574
	1878, 855		1874, 579
silenus	1875, 414	argentina	1874, 285
Lozogramma obtusaria .	1877, 390	argus	1880, 407
Lucia dilama	1878, 701		1880, 408
	1878, 707	ariana	1880, 149
epius	1878, 701	asoka	1877, 588

	Page		Page
<i>Lycaena batica</i>	1874,	<i>Lycaon pictus</i>	1880,
berenice	1877,	tricolor	1875,
bracteata	1880,	<i>Lychas maculatus</i>	1871,
	1880,	<i>Lyclene artocarpi</i>	1878,
caduca	1875,	assamica	1878,
caledonica	1874,		1878,
candrena	1874,	cuneigera	1878,
catochloris	1874,	delicata	1878,
cleodus	1877,	discistriga	1878,
cleotas	1874,	euprepioides	1878,
communis	1874,	humilis	1878,
	1875,	inconspicua	1878,
conformis	1877,	indistincta	1878,
	1877,		1878,
dionisius	1877,	interserta	1878,
dipora	1874,		1878,
dyopa	1874,	obsoleta	1878,
elpis	1878,		1878,
hano	1876,	palmata	1878,
hintza	1871,		1878,
icarus	1880,	prominens	1878,
—, var. persica ..	1880,		1878,
indica	1880,	radians	1878,
	1880,		1878,
kandarpa	1874,		1878,
	1877,	rubricosa	1878,
	1878,		1878,
knysna	1875,	spilosomoides	1878,
koá	1876,	strigipennis	1878,
	1876,	terminata	1878,
lysimon	1874,	undulosa	1878,
lysizone	1877,	zebrina	1878,
marina	1874,		1878,
nara	1874,	<i>Lycodes pacificus</i>	1879,
persica	1880,	<i>Lycodon aruensis</i>	1877,
phcebe	1874,	aulicus	1871,
	1875,		1879,
	1877,	keyensis	1877,
picta	1877,	lividum	1877,
	1877,	modestus	1877,
	1877,	mülleri	1879,
	1877,	parvus	1877,
roxus	1878,	striatus	1871,
samoa	1874,		1871,
sangra	1877,	<i>Lycophidium elapoides</i> .	1874,
	1877,	irroratum	1874,
	1880,		1877,
taitensis	1874,	<i>Lycorea atergatis</i>	1874,
taygetus	1877,		1876,
<i>Lycanesthes larydas</i> ..	1875,	cleobæa	1876,
legures	1875,	<i>Lycos dauricus</i>	1871,
lyzanius	1875,	monedula	1871,
macrophthalma ..	1877,	neglectus	1871,
<i>Lycaon pictus</i>	1871,	<i>Lycosa agretyca</i>	1873,
	1879,		1876,
	1879,	albimana	1872,
	1880,		1872,
	1880,	arenaria	1876,
	248		629

	Page		Page
<i>Lycosa cambrica</i>	1872, 316	<i>Lycosa proxima</i>	1872, 350
	1872, 317		1876, 607
	1872, 350		1876, 608
	1876, 598	<i>saccata</i>	1872, 319
<i>campestris</i>	1876, 601	<i>sagittata</i>	1872, 316
<i>deserta</i>	1872, 318		1872, 350
	1872, 350	<i>serena</i>	1876, 629
<i>dissonans</i>	1872, 316	<i>tarentulina</i>	1876, 601
	1872, 350	<i>trucidatoria</i>	1872, 316
<i>dolosa</i>	1873, 211		1872, 350
	1873, 223	<i>ungulata</i>	1876, 603
<i>effera</i>	1872, 318		1876, 627
	1872, 350	(<i>Tarentula</i>) <i>apuliae</i> ..	1872, 316
	1876, 601	(—) <i>grisea</i>	1872, 350
<i>ejusmodi</i>	1872, 317	(—) <i>narbonnensis</i> ..	1872, 316
	1872, 350		1872, 350
<i>exigua</i>	1872, 317	<i>Lyctocoris campestris</i> ..	1878, 461
	1872, 318		1878, 463
<i>fidelis</i>	1872, 319	<i>Lygia baudiniana</i>	1877, 654
	1872, 350		1877, 670
	1876, 604		1877, 671
	1876, 605	<i>Lygus apicalis</i>	1878, 461
	1876, 627		1878, 463
<i>galerita</i>	1876, 604		1878, 467
<i>grisea</i>	1872, 318	<i>Lymanopoda acraeida</i> ..	1876, 214
<i>indomita</i>	1877, 75	<i>euopis</i>	1878, 266
<i>inexorabilis</i>	1873, 211	<i>ferruginosa</i>	1876, 213
<i>iniqua</i>	1876, 605	<i>ocellifera</i>	1876, 214
	1876, 627	<i>rubescens</i>	1876, 214
<i>injucunda</i>	1876, 605	<i>venosa</i>	1876, 214
	1876, 627	<i>Lymantria albolunulata</i> ..	1879, 403
	1876, 630	<i>bhascara</i>	1880, 673
<i>inopina</i>	1876, 607	<i>monacha</i>	1879, 402
	1876, 608	<i>similis</i>	1879, 402
	1876, 627	<i>sinica</i>	1879, 403
<i>inquieta</i>	1876, 606	<i>sobrina</i>	1879, 402
	1876, 607		1879, 417
	1876, 627	<i>superans</i>	1879, 402
<i>ligata</i>	1873, 211	<i>todara</i>	1879, 402
<i>monticola</i>	1872, 317		1879, 417
<i>nigra</i>	1872, 316	<i>vinacea</i>	1879, 402
	1872, 350	<i>Lymnaea natalensis</i>	1877, 527
<i>nilotica</i>	1876, 600	<i>Lymnas pixe</i>	1874, 353
<i>obscura</i>	1872, 317	<i>zoega</i>	1876, 236
<i>observans</i>	1876, 608	<i>Lyncornis cerviniceps</i> ..	1873, 661
	1876, 627	<i>macrotis</i>	1878, 944
<i>pelusiaca</i>	1876, 629	<i>mindanensis</i>	1878, 936
<i>peregrina</i>	1876, 629		1878, 944
<i>picta</i>	1872, 316	<i>temminckii</i>	1878, 944
	1872, 317	<i>Lypornix rufa</i>	1874, 548
	1872, 818	<i>Lyreideus elongatus</i>	1879, 46
	1872, 319	<i>tridentatus</i>	1879, 21
<i>pilipes</i>	1876, 600		1879, 46
<i>piratica</i>	1872, 316	<i>Lyriocephalus scutatus</i> ..	1872, 603
	1872, 350	<i>Lyropteryx appollonia</i> ..	1876, 236
<i>praelongipes</i>	1876, 604	<i>Lysiosquilla maculata</i> ..	1877, 133
<i>proxima</i>	1872, 316		

	Page		Page		
<i>Lysiosquilla maculata</i> ..	1877,	138	<i>Macacus erythræus</i>	1876,	463
<i>Mabouia baudinii</i>	1874,	296		1880,	302
<i>carteretii</i>	1877,	128	<i>fuscatus</i>	1876,	332
<i>cyanura</i>	1877,	128	<i>inornatus</i>	1871,	223
<i>lowesii</i>	1874,	297		1872,	721
<i>nigra</i>	1877,	128		1872,	722
<i>parietalis</i>	1872,	588		1872,	723
<i>Macacus arctoides</i>	1872,	203		1872,	727
	1872,	495	<i>inuus</i>	1872,	781
	1872,	724		1872,	783
	1872,	770		1879,	123
	1872,	771		1879,	125
	1872,	780		1880,	302
	1872,	784	<i>lasiotus</i>	1871,	221
	1872,	787		1871,	222
	1874,	652		1872,	772
	1876,	332	<i>leoninus</i>	1871,	628
<i>assamensis</i>	1871,	222		1874,	652
	1872,	532		1880,	537
	1872,	726	<i>maurus</i>	1871,	222
	1875,	418		1871,	223
<i>brunneus</i>	1871,	628		1872,	721
	1872,	203		1872,	722
	1872,	204		1872,	723
	1872,	207		1872,	724
	1872,	209		1872,	726
	1872,	210		1872,	727
	1872,	494		1872,	773
	1872,	495		1872,	781
	1872,	770		1872,	782
	1872,	771		1872,	783
	1872,	780		1872,	786
	1872,	784	<i>melanotus</i>	1872,	770
	1872,	787		1875,	418
	1874,	652		1875,	493
	1876,	332		1876,	425
<i>cyclopis</i>	1871,	222	<i>nemestrinus</i>	1871,	628
	1872,	726		1874,	652
	1872,	771		1875,	493
	1872,	772		1880,	302
	1872,	773	<i>niger</i>	1875,	493
	1872,	774	<i>ocreatus</i>	1871,	223
	1872,	776		1872,	723
	1872,	777		1872,	726
	1872,	778		1872,	786
	1872,	779	<i>pelops</i>	1871,	221
	1872,	783	<i>philippinensis</i>	1875,	349
<i>cynomolgus</i>	1871,	222		1876,	735
	1875,	349		1879,	74
	1875,	469	<i>problematicus</i>	1871,	222
	1875,	493		1875,	419
	1878,	791	<i>radiatus</i>	1872,	495
	1880,	301		1872,	525
<i>erythræus</i>	1872,	773		1872,	726
	1872,	776		1875,	493
	1872,	779		1880,	301
	1872,	783	<i>rheso-similis</i>	1872,	495
				1875,	418

	Page		Page
<i>Macacus rhesus</i>	1871,	<i>Machærorhynchus xan-</i>	
	1871,	<i>thogenys</i>	1878, 95
	1872,	<i>Machetes pugnax</i>	1873, 469
	1872,		1873, 641
	1872,		1874, 450
	1872,		1880, 316
	1872,	<i>Machetornis rixosa</i>	1874, 173
	1872,		1879, 612
	1872,	<i>Machlolophus elegans</i> ..	1877, 696
	1875,	<i>subviridis</i>	1873, 662
	1880,	<i>xanthogenys</i>	1873, 655
<i>rufescens</i>	1872,	<i>Macleayius australiensis</i>	1873, 129
	1872,		1873, 130
	1873,		1873, 134
<i>silenus</i>	1875,		1873, 135
	1880,		1873, 136
	302		1873, 137
<i>speciosus</i>	1872,		1873, 138
	1872,		1873, 139
	1872,		1873, 140
	1872,		1873, 143
	1872,	<i>britannicus</i>	1873, 139
	1872,		1873, 141
	1872,	<i>Macotasa biplagella</i>	1878, 25
	1872,		1878, 37
	1872,	<i>Macrobrachium africa-</i>	
	1872,	<i>num</i>	1877, 662
	1872,	<i>Macrobrochis gigas</i>	1878, 7
	1872,		1878, 8
	1874,	<i>interstitialis</i>	1878, 7
	1875,	<i>leucospilota</i>	1878, 8
	422	<i>nigrescens</i>	1878, 8
	1876,	<i>Macrocerus aracanga</i> ..	1875, 490
	332	<i>ararauna</i>	1875, 489
	1876,	<i>illigeri</i>	1875, 489
<i>sylvanus</i>	1875,	<i>macao</i>	1875, 489
<i>tcheliensis</i>	1880,		1878, 77
	537	<i>severus</i>	1875, 489
	1880,	<i>Macrochlamys decussata</i>	1880, 297
<i>Macagua cachinnans</i> ..	1879,	<i>honesta</i>	1880, 289
<i>Macaria acidaliata</i>	1878,	<i>Macrodipteryx longipen-</i>	
<i>alternata</i>	1873,	<i>nis</i>	1873, 626
<i>nora</i>	1877,	<i>sperlingi</i>	1873, 626
	623		1873, 716
	1877,	<i>Macroglossa afflictitia</i> ..	1875, 240
	631		1875, 261
	1878,	<i>approximata</i>	1875, 4
	851	<i>avicula</i>	1875, 240
	1878,	<i>belis</i>	1875, 240
	858		1875, 242
<i>obstataria</i>	1877,		1875, 243
	621	<i>bombylans</i>	1875, 241
<i>Machærahmphus alcinus</i>	1871,	<i>catapyrrha</i>	1875, 242
	500		1875, 243
	1871,		1875, 261
	501	<i>corythus</i>	1875, 242
	1871,	<i>faro</i>	1875, 243
<i>anderssonii</i>	1871,	<i>fervens</i>	1875, 4
	500		
	1871,		
	502		
	1875,		
	74		
<i>flaviventer</i>	1875,		
	586		
<i>Machærirhynchus nigri-</i>			
<i>pectus</i>	1876,		
	414		
<i>Machæropterus pyroce-</i>			
<i>phalus</i>	1878,		
	139		
<i>striolatus</i>	1873,		
	283		
	1879,		
	517		

	Page		Page
Macroglossa fervens	1875, 16	Macrones carcio	1871, 705
fraterna	1875, 243	cavasius	1871, 719
gilia	1875, 4	gوليو	1871, 287
glaucoptera	1875, 242	kletius	1871, 705
gyrans	1875, 241	lamarii	1871, 706
hemichroma	1875, 261	leucophasis	1871, 707
imperator	1875, 243	melanops	1873, 705
insipida	1875, 242	menoda	1873, 202
interrupta	1875, 242	nangra	1871, 706
luteata	1875, 261	tengana	1871, 288
micacea	1875, 5	tengara	1871, 705
mitchellii	1875, 244	vittatus	1871, 706
nigrifasciata	1875, 241	Macronus ptilosus	1875, 105
nox	1875, 5	striaticeps	1877, 827
obscura	1875, 16	Macronyx croceus	1878, 110
obscuriceps	1875, 5	ptilosus	1878, 114
orientalis	1875, 16	striolatus	1878, 115
passalus	1876, 309	Macropodus pugnax	1878, 949
proxima	1877, 844	Macropteryx comatus	1877, 758
pyrrhosticta	1877, 856	klecho	1877, 823
sitiene	1875, 4	mystacea	1878, 944
stellatarum	1875, 5	Macropus bennettii	1879, 334
trochiloides	1875, 242	billardieri	1879, 334
trochilus	1877, 815	browni	1878, 81
vialis	1875, 242	brunii	1878, 95
walkeri	1875, 243	derbyanus	1875, 491
Macroglossus aterri-	1875, 261	erubescens	1875, 54
mus	1875, 240	giganteus	1875, 59
australis	1875, 242	Macrones affinis	1875, 491
minimus	1877, 119	aor	1875, 54
Macrones affinis	1877, 119	armatus	1875, 59
aor	1877, 123	batasio	1875, 59
armatus	1873, 111	derbyanus	1875, 491
batasio	1873, 111	erubescens	1871, 240
aor	1871, 705	giganteus	1875, 56
armatus	1871, 706	Macrones affinis	1875, 491
batasio	1871, 705	aor	1876, 165
		armatus	1876, 166
		batasio	1876, 168
		derbyanus	1876, 169
		erubescens	
		giganteus	
		Macrones affinis	
		aor	
		armatus	
		batasio	

	Page		Page
<i>Macropus giganteus</i>	1876, 173	<i>Macropygia tusalia</i>	1873, 666
	1876, 174	—, var. <i>minor</i>	1871, 397
	1876, 176	<i>walichaehra</i>	1873, 679
	1876, 177	<i>Macrorhamphus griseus</i>	1871, 56
<i>lugens</i>	1877, 126		1873, 455
	1877, 127		1877, 748
	1877, 743		1879, 547
<i>major</i>	1875, 53	<i>scolopaceus</i>	1873, 455
	1875, 54	<i>Macrorhaphis acuta</i>	1878, 464
	1877, 353	<i>Macrorhinus probosci-</i>	
	•1877, 358	<i>deus</i>	1873, 244
	1877, 359	<i>Macroscelides brachy-</i>	
<i>melanops</i>	1875, 57	<i>rhyinchus</i>	1880, 490
<i>muelleri</i>	1875, 49	<i>intufi</i>	1880, 490
<i>ocydromus</i>	1875, 491	<i>Macroschisma tasmaniae</i>	1878, 868
<i>papuanus</i>	1877, 127	<i>Macroschincus cocteauui</i> .	1874, 495
<i>papuensis</i>	1875, 532	<i>Macrosila incisa</i>	1875, 11
<i>rufus</i>	1871, 240	<i>Macrotoma microcera</i> . .	1877, 156
<i>thetidis</i>	1875, 53	<i>Macroxus adolphei</i>	1878, 662
(<i>Osphrantes</i>) <i>rufus</i> .	1877, 356	<i>boothiae</i>	1878, 663
<i>Macropygia amboinensis</i>	1877, 111	<i>chrysosurus</i>	1878, 669
	1878, 82	<i>flaviventris</i>	1878, 668
	1878, 90	<i>fraseri</i>	1878, 441
<i>browni</i>	1877, 110		1878, 664
	1878, 671		1878, 665
	1878, 673		1878, 669
<i>carteretia</i>	1877, 111	<i>griseoflavus</i>	1878, 660
	1879, 13	<i>griseogena</i>	1878, 667
	1879, 447	<i>irroratus</i>	1878, 668
<i>doreya</i>	1878, 90	<i>kuhlilii</i>	1878, 668
	1878, 99		1878, 670
	1879, 9	<i>leucogaster</i>	1878, 668
	1879, 13	<i>leucops</i>	1878, 660
<i>emiliana</i>	1873, 679	<i>maurus</i>	1878, 660
	1879, 317	<i>medellinensis</i>	1878, 668
<i>eurycerca</i>	1878, 280		1878, 669
	1878, 288	<i>melania</i>	1878, 662
	1878, 952	<i>morio</i>	1878, 660
	1879, 73	<i>nicoyana</i>	1878, 662
	1879, 317		1878, 664
<i>keyensis</i>	1878, 89	<i>philippinensis</i>	1879, 75
<i>leptogrammica</i>	1873, 679	<i>pyladei</i>	1878, 662
	1876, 274	<i>teniurus</i>	1878, 668
<i>macroura</i>	1872, 466		1878, 669
	1872, 467	<i>tephrogaster</i>	1878, 668
<i>nigrirostris</i>	1877, 111		1878, 669
	1879, 13	— <i>minor</i>	1878, 669
	1879, 447	<i>xanthotus</i>	1878, 667
<i>phasianella</i>	1874, 250	<i>Mactra</i> (<i>Schizodesma</i>)	
	1874, 256	<i>nitida</i>	1871, 728
	1876, 116	(<i>Spisula</i>) <i>fluviatilis</i>	1871, 20
	1878, 89		1871, 100
	1878, 99	(<i>Trigonella</i>) <i>adan-</i>	
<i>reinwardti</i>	1877, 111	<i>soni</i>	1871, 728
<i>tenuirostris</i>	1878, 288	<i>Macularia vermiculata</i> .	1880, 100
	1879, 317	<i>Madrepora fissurata</i> . . .	1872, 744
<i>turtur</i>	1877, 111		1872, 745
	1878, 89	<i>gemmascens</i>	1871, 281

	Page		Page
<i>Mæpha ditis</i>	1878,	<i>Malacosoma olivaceum</i> ..	1880, 607
<i>Mæra truncatipes</i>	1879,	<i>Malacothraupis dentata</i> ..	1876, 353
<i>Magas flexuosa</i>	1871,		1879, 589
<i>Magasella adamsi</i>	1871,		1879, 601
	1871,	<i>Malapterurus beninensis</i>	1875, 529
	308	<i>Malimbus aurantius</i> ..	1871, 612
	1871,	<i> cristatus</i>	1871, 612
<i> crenulata</i>	1871,	<i> nigerrimus</i>	1871, 612
<i> cumingii</i>	1871,		1871, 615
<i> evansi</i>	1871,	<i> nitens</i>	1871, 612
<i> flexuosa</i>	1871,		1871, 615
<i> gouldi</i>	1871,	<i> scutatus</i>	1871, 612
	307		1871, 615
	1871,	<i>Malletia</i>	1879, 587
<i> inconspicua</i>	1871,	<i> cuneata</i>	1879, 586
<i> lævis</i>	1871,		1879, 588
<i> suffusa</i>	1871,	<i> dilatata</i>	1879, 587
<i>Magus maurus</i>	1872,	<i> excisa</i>	1879, 586
<i>Mahasena andamana</i> ..	1877,		1879, 587
	602	<i> obtusa</i>	1879, 586
	1877,	<i>Malurus amabilis</i>	1875, 589
	627	<i> cruentatus</i>	1877, 350
<i>Mahathala ameria</i>	1878,	<i> cyaneus</i>	1875, 589
	703	<i> hypoleucus</i>	1875, 589
	1878,	<i> lamberti</i>	1875, 589
	707	<i> melanocephalus</i> ..	1875, 589
<i> (Amblypodia) ame-</i>		<i>Mamestra comma</i>	1877, 383
<i> ria</i>	1878,	<i> dolorosa</i>	1880, 676
	836	<i> maori</i>	1877, 386
<i>Mahavira flavicollis</i> ...	1878,	<i> persicariæ</i>	1873, 156
	11	<i>Manatus americanus</i> ..	1875, 529
	1878,		1875, 567
	36		1879, 552
<i>Majaqueus æquinoc-</i>		<i>Mancipium fugax</i>	1871, 529
<i> tialis</i>	1878,		1871, 538
	773	<i> vorax brephos</i>	1871, 529
	1879,	<i>Mangalura dobsoni</i>	1878, 303
	310	<i>Mangelia angulosa</i>	1871, 731
	1880,		1871, 739
	164	<i> flavescens</i>	1877, 37
<i>Malacocercus griseus</i> ..	1872,		1877, 40
<i> malabaricus</i>	1872,		1877, 185
	406	<i> jacksonensis</i>	1877, 37
	1872,		1877, 40
<i> striatus</i>	449		1877, 185
	1872,	<i> lallemantiana</i>	1877, 185
	432	<i> vincentina</i>	1877, 185
	1872,	<i>Mangilia robusticostata</i>	1879, 198
<i> subrufus</i>	449		1879, 217
<i> taivanus</i>	1874,	<i> septangularis</i>	1879, 198
<i> terricolor</i>	47	<i>Manis temmincki</i>	1878, 632
	1871,	<i> tricuspis</i>	1877, 530
	371		1877, 531
	1872,	<i>Manouria emys</i>	1871, 428
	449		1871, 516
	1874,		1871, 517
	47		1871, 518
<i> (Layardia) rubigi-</i>			
<i> nosus</i>	1874,		
<i>Malacocichla fuscater</i> ..	1874,		
<i>Malacocichla fuscater</i> ..	504		
<i>Malacocichla fuscater</i> ..	1880,		
<i> similis</i>	490		
<i>Malacoptila castanea</i> ..	1880,		
<i> fulvogularis</i>	490		
<i> fusca</i>	1879,		
<i> mystacalis</i>	536		
<i> panamensis</i>	1879,		
	633		
	1873,		
	295		
	1875,		
	237		
	1877,		
	333		
	1878,		
	47		
	1879,		
	536		
<i> rufa</i>	1873,		
	295		
	1874,		
	548		
<i>Malacorhynchus mem-</i>			
<i> branaceus</i>	1880,		
	524		
	1880,		
	535		
<i>Malacosoma obsoletum</i> .	1880,		
	607		
	1880,		
	609		

	Page		Page
Manouria emys	1872, 132	Margaronia mathesiu-	
	1872, 133	salis	1878, 850
	1872, 136	pomonalis	1880, 685
	1872, 137	quadristigmalis....	1878, 493
	1872, 140	Margarops densirostris..	1871, 266
fuscus	1873, 725	herminieri	1879, 765
	1871, 517	montanus	1871, 266
	1871, 518	herminieri	1871, 268
	1872, 138	montanus	1872, 647
	1872, 139	montanus	1871, 267
	1872, 140	montanus	1871, 268
Mantis bicornis	1878, 586	montanus	1872, 648
coronatus	1878, 586	Margarornis brunnes-	
monstrosus	1878, 583	cens	1879, 523
Manucodia atra	1876, 459	perlata	1877, 451
	1876, 752	perlata	1879, 523
	1878, 98	rubiginosa	1878, 60
chalybeia	1876, 459	squamigera	1874, 529
	1876, 460	squamigera	1879, 622
comrii	1876, 459	squamigera	1880, 201
	1877, 43	Marginella angasi.....	1877, 182
gouldi	1878, 123	epigrus	1871, 732
keraudreni.....	1878, 123	metcalfi	1877, 173
viridis	1876, 414	metcalfi	1877, 177
	1876, 752	metcalfi	1877, 182
Manulea calamaria	1878, 18	ochracea	1871, 14
gilveola	1878, 18	ochracea	1877, 173
Mareca albogularis	1880, 519	strangei	1877, 172
americana	1876, 394	strangei	1877, 177
	1876, 410	strangei	1877, 182
	1876, 411	turbinata	1878, 866
	1880, 514	volutiformis	1878, 865
castanea.....	1880, 518	(Glabella) ochracea	1871, 90
chiloënsis	1871, 700	Marinula xanthostoma..	1878, 869
	1872, 368	(Auricula) æqualis	1873, 386
	1872, 370	Marisa cornu-arietis ..	1875, 320
	1876, 108	Marmaronetta angusti-	
	1876, 378	rostris	1880, 520
	1876, 395	rostris	1880, 533
	1880, 514	rostris	1880, 534
penelope	1871, 418	Marpesia elucha	1878, 480
	1873, 467	peleus	1874, 345
	1873, 639	zerynthia	1874, 345
	1875, 488	Marpissa brevipes	1876, 610
	1876, 394	Marsupialis flagellata ..	1879, 795
	1880, 318	planci	1879, 796
	1880, 514	planci	1879, 797
	1880, 534	planci	1879, 798
sibilatrix	1876, 395	Martes abietum	1877, 274
	1876, 411	abietum	1879, 468
	1876, 412	abietum	1879, 472
	1878, 436	abietum	1879, 473
	1880, 514	fagorum.....	1879, 468
Margaritia flavidalis ..	1877, 388	fagorum.....	1879, 469
Margarodes conchylalis	1878, 850	fagorum.....	1879, 472
leodicealis	1877, 618	flavigula	1873, 555
vertumnalis	1878, 850	foina	1877, 274
Margaronia brizoalis ..	1880, 690	foina	1879, 468

	Page		Page
<i>Martes foina</i>	1879,	<i>Mechanitis scylax</i>	1874,
	469	<i>Mecistops cataphractus</i> .	1871,
	1879,		625
	471		1873,
	1879,	<i>Mecistura caudata</i>	1871,
	473		362
	1880,		1873,
	53		650
<i>sylvatica</i>	1879,		1879,
	468	<i>fuliginosa</i>	1871,
	1879,		362
	469		1873,
	1879,		555
	470		1873,
	1879,		665
	471		1873,
	1879,	<i>swinhoii</i>	1871,
	473		362
	1879,	<i>vinacea</i>	1873,
	474		688
	1880,	<i>Mecoceras bitactaria</i> ..	1878,
	53		491
<i>sylvestris</i>	1879,	<i>Mecocerculus diadema</i> ..	1879,
	468		511
<i>toufæus</i>	1876,	<i>leucophrys</i>	1871,
	633		750
<i>vulgaris</i>	1879,	<i>tæniopterus</i>	1874,
	468		533
<i>Maruca aquatilis</i>	1880,	<i>uropygialis</i>	1871,
	685		750
<i>Mascaria crocea</i>	1878,	<i>Mecyna ornithopteraleis</i>	1877,
	311	<i>reversalis</i>	1878,
<i>Masius chrysopterus</i> ..	1879,		494
	549	<i>Medusa marsupialis</i>	1879,
<i>coronulatus</i>	1879,		797
	516	<i>Megacephalon maleo</i> ..	1871,
	1879,		700
	549		1873,
<i>Mastacembelus armatus</i>	1876,		469
	800		1873,
	1876,		640
	803		1875,
	1880,		343
	225		1878,
	1880,		629
	230		1878,
	1880,	<i>Megaceros hibernicus</i> ..	1878,
	231		891
<i>pancalus</i>	1874,	<i>Megacrex inepta</i>	1879,
	318		218
	1874,	<i>Megaderma carnatica</i> ..	1872,
	319		712
	1874,	<i>cor</i>	1880,
	321	<i>frons</i>	1880,
<i>Mastax innotata</i>	1871,		461
	247		1880,
<i>Mastodon angustidens</i> ..	1874,	<i>gigas</i>	1880,
	463		420
<i>Mastostethus buckleyi</i> ..	1880,		1880,
	589		461
	1880,		1880,
	608	<i>lyra</i>	1872,
<i>chontalensis</i>	1880,		712
	166		1872,
<i>modestus</i>	1880,		713
	589		1873,
	1880,		244
	608		1880,
	1880,	<i>schistacea</i>	1872,
	609	<i>spasma</i>	1878,
<i>rogersi</i>	1880,		879
	166		1880,
<i>salvini</i>	1878,		461
	983	<i>Megaera ornata</i>	1879,
<i>suavis</i>	1880,	<i>variegata</i>	1879,
	590		79
	1880,	<i>Megalæma asiatica</i>	1873,
	608		465
<i>thoracicus</i>	1880,		1873,
	589		633
	1880,		1875,
	608		346
<i>vicinus</i>	1880,		1875,
	166		348
<i>Mathilda elegantula</i> ..	1871,		1878,
	15	<i>faber</i>	1871,
	1871,		391
	91		1873,
<i>Maurolicus borealis</i>	1879,	<i>hodgsoni</i>	1877,
	757		303
<i>Mechanitis decepta</i>	1875,	<i>marshallorum</i>	1871,
	36		391
<i>doryssus</i>	1874,	<i>nuchalis</i>	1871,
	334		391
<i>fallax</i>	1875,		1873,
	36		667
<i>isthmia</i>	1874,		1873,
	334		668
<i>lilis</i>	1874,	<i>versicolor</i>	1875,
	334		102
<i>macrinus</i>	1874,		
	334		
<i>mazæus</i>	1876,		
	208		
<i>methone</i>	1876,		
	208		
<i>ortygia</i>	1876,		
	208		
	1876,		
	250		
<i>ocona</i>	1876,		
	208		
<i>polyimnia</i>	1876,		
	208		

	Page		Page
Megalæma versicolor ..	1879, 245	Megaloprepia formosa ..	1879, 62
	1879, 326	magnifica	1876, 115
virens	1871, 391		1878, 575
Megalaima caniceps	1872, 429		1879, 67
cyanotis	1873, 661		1879, 68
flavifrons	1872, 405	perlata	1878, 558
	1872, 429	poliura	1879, 67
	1873, 204	puella	1876, 115
philippensis	1872, 430		1878, 574
zeylanica	1872, 405		1879, 67
	1872, 429	Megalopterus australis ..	1880, 491
Megalestris antarctica ..	1876, 321	plumbeus	1876, 671
catarrhactes	1876, 319		1878, 211
Megalochelys indica ..	1873, 724		1878, 272
Megalomastoma littera-		stolidus	1876, 669
tum	1878, 311	tenuirostris	1876, 670
(Tomocyclos) simu-		Megalopus armatus	1880, 591
lacrum	1875, 649		1880, 608
Megaloperdix caucasicus	1875, 269	Megalostoma crocea	1877, 527
Megalophonus africano-		Megalostomis amazona ..	1876, 809
ides	1874, 648	basilaris	1876, 809
africanus	1874, 642	Megaloteuthis harveyi ..	1874, 181
albescens	1874, 623		1874, 489
anderssoni	1874, 633		1874, 492
	1874, 634	Megalotis australis	1880, 491
apiata	1874, 638	leucotis	1874, 635
	1874, 639	verticalis	1880, 491
apiatus	1874, 641	Megaluria berania	1874, 345
chenianus	1874, 644	chiron	1874, 345
	1874, 645	coresia	1874, 345
cinereus	1874, 633	corita	1874, 345
crassirostris	1874, 636	iole	1874, 346
erythrochlamys ..	1874, 628	merops	1874, 345
fasciolatus	1874, 641	valetta	1874, 345
ferrugineus	1874, 627	Megalurus interscapu-	
guttatus	1874, 623	laris	1880, 65
lagepa	1874, 623	marginalis	1877, 694
nævius	1874, 645	palustris	1877, 694
	1874, 646	ruficeps	1877, 687
occidentalis	1874, 642		1877, 695
planicola	1874, 642		1877, 756
pyrrhonothus	1874, 626		1877, 761
rostratus	1874, 642		1878, 285
rufipileus	1874, 641		1879, 71
sabota	1874, 645	Meganostoma cesonia ..	1874, 360
	1874, 646	helena	1874, 360
Megalophrys gigas	1871, 198	Megapicus grayii	1879, 532
	1871, 199	Magapodius burnabyi ..	1876, 503
montana	1872, 591		1877, 784
	1879, 79	cumingi	1877, 765
Megalophus æquatorialis	1877, 332	cumingii	1875, 111
Megaloprepia assimilis ..	1876, 115		1877, 766
	1878, 126		1878, 624
	1878, 574		1879, 349
	1879, 67	dillwyni	1877, 766
	1879, 68		1878, 953
bernsteini	1878, 573		1879, 73
formosa	1878, 544	duperreyi	1878, 100

	Page		Page
Megapodius eremita	1877, 556	Megerlia reevei	1871, 312
	1878, 289	sanguinea	1871, 308
	1878, 290		1871, 312
	1878, 671		1878, 407
	1878, 673	truncata	1871, 308
	1879, 14		1878, 399
forsteni	1877, 113		1878, 405
freycineti	1872, 103		1878, 406
hueskeri	1877, 113		1878, 410
	1878, 290		1878, 411
	1878, 673	Megistanis acheronta . .	1874, 341
	1879, 14	boeotus	1876, 233
huttoni	1877, 784	deucalion	1876, 233
lowii	1875, 111	Meiglyptes grammis-	
	1877, 765	thorax	1875, 103
	1877, 766	loricatus	1879, 533
	1879, 349	tristis	1875, 103
macgillivraii	1876, 460		1879, 327
nicobariensis	1873, 663	tukki	1875, 103
pritchardi	1872, 103		1879, 327
	1877, 782	Melænormis edolioides . .	1878, 128
	1877, 783	Melagavia melanoce-	
	1877, 784	phala	1878, 200
pusillus	1871, 755	Melampitta lugubris . .	1873, 696
	1877, 765	Melampus ater	1871, 477
reinwardtii	1878, 100	castaneus	1871, 477
rubrifrons	1877, 556	coffea	1875, 322
	1878, 290	exiguus	1873, 386
	1878, 673	fasciatus	1871, 477
	1879, 14	frickii	1871, 477
rubripes	1878, 100	lucidus	1871, 477
	1878, 629	luteus	1871, 471
rufipes	1878, 100		1871, 477
senex	1872, 89	mucronatus	1871, 470
	1872, 103		1871, 471
stairi	1876, 496		1871, 477
	1877, 782	oryza	1871, 470
	1877, 783		1871, 471
	1877, 784		1871, 477
tumulus	1875, 599	parvulus	1871, 477
	1876, 117	philippii	1871, 477
	1876, 118	pusillus	1875, 322
	1878, 126	semiplicatus	1871, 477
Megaptera novæ-zeæ-		semisulcatus	1871, 477
landiæ	1873, 144	striatus	1871, 477
Megarhaphis wollastoni.	1878, 461	tæniola	1871, 477
	1878, 463	violus	1871, 477
	1878, 464	zonatus	1871, 477
Megarhynchus pitangua.	1878, 63	Melanerpes cruentatus . .	1873, 291
Megascelis purpurei-			1874, 546
collis	1877, 511		1875, 237
Megerlia jeffreysi	1878, 406		1879, 632
	1878, 407	flavigularis	1879, 533
	1878, 415	formicivorus	1873, 463
monstruosa	1871, 308		1873, 630
	1878, 399		1876, 414
	1878, 411		1878, 49
reevei	1871, 308	hirundinaceus	1874, 546

	Page		Page
Melanerpes pulcher	1879, 533	Melanitis ceryx	1871, 522
Melania amarula	1877, 527	cumæa	1871, 524
dicksoni	1878, 728	cybele	1871, 524
dolorosa	1878, 732	dusara	1871, 521
ferruginea	1878, 730	egialina	1871, 525
formosensis	1880, 219	esaca	1871, 523
monstrosa	1878, 728	ismene	1874, 267
nassa	1878, 732	kamara	1877, 811
nodicincta	1878, 729	lalassis	1878, 696
nyassana	1880, 344	leda	1878, 706
obliquigranosa	1880, 348	leucocyma	1878, 824
polymorpha	1877, 711	malelas	1878, 853
pupiformis	1877, 715	melane	1871, 522
simonsi	1877, 722	melias	1874, 104
spinifera	1877, 715	mimalon	1873, 339
subplicatula	1877, 722	otrea	1874, 104
tuberculata	1878, 729	patna	1874, 279
turritispira	1878, 732	penanga	1877, 583
zanguebarensis	1877, 712	solandra	1877, 623
(Hemisinus) oscu-	1877, 713	stellaris	1879, 157
lati	1877, 722	taitensis	1880, 666
Meleagris gallopavo	1877, 712	leucocyma	1871, 524
Melinæa chincha	1877, 713	malelas	1871, 522
cydippe	1877, 722	mehida	1871, 523
cydon	1877, 713	melane	1871, 523
hicetas	1877, 722	melias	1871, 525
ishka	1877, 713	mimalon	1871, 524
maelus	1877, 722	otrea	1874, 104
maelus	1877, 713	patna	1871, 525
orestes	1878, 733	penanga	1871, 521
pardalis	1877, 712	solandra	1871, 522
phasiana	1877, 722	stellaris	1874, 279
Melanitis amabilis	1878, 729	taitensis	1875, 612
bammakoo	1878, 732	Melanitta fusca	1875, 154
bela	1877, 712	Melanobatrachus indi-	1878, 479
bela	1880, 219	cus	1878, 722
lati	1872, 687	Melanocharis (Dicæum)	
Meleagris gallopavo	1879, 376	nigra	1875, 641
Melinæa chincha	1876, 211	nigra	1875, 642
cydippe	1876, 250	Melanocorypha calan-	
cydon	1876, 211	dra	1873, 462
hicetas	1879, 151	crassirostris	1874, 635
ishka	1879, 150	mongolica	1874, 636
maelus	1876, 211	torquata	1871, 390
maelus	1879, 150	torquata	1874, 635
orestes	1879, 151	Melanodryas cucullata . .	1875, 587
pardalis	1876, 211	Melanoides hanleyi	1872, 514
pardalis	1876, 211	spinata	1872, 518
phasiana	1879, 151	spinata	1872, 514
Melanitis amabilis	1876, 211	spinata	1872, 518
bammakoo	1874, 279	Melanopareia maximi-	
bela	1880, 610	liana	1874, 17
bela	1871, 525	torquata	1874, 17
bela	1874, 267	torquata	1874, 28
bela	1878, 824		
bela	1878, 853		

	Page		Page
Melanopelargus episcopus	1878, 344	Meles canescens	1877, 274
	1878, 953	chinensis	1872, 817
Melanophidium bilineatum	1875, 230	leptorhynchus	1872, 817
punctatum	1875, 230	taxus	1873, 762
Melanophora carbonaria.	1872, 242		1877, 274
	1872, 347	vulgaris	1880, 53
carmeli	1872, 353	Melete limnobia	1875, 493
	1872, 248	Melias tristis	1872, 52
	1872, 347	Melidectes torquatus ..	1871, 393
	1872, 354		1873, 694
caucasia	1872, 247		1873, 697
	1872, 347	Melidipnus megarhynchus	1877, 195
	1872, 354	Melierax monogrammicus	1873, 466
electa	1872, 238		1873, 634
gracillima	1872, 247	Melinaea idæ	1873, 773
	1872, 347	imitata	1873, 773
	1872, 354		1875, 35
helvola	1872, 243	lilis	1873, 775
	1872, 347		1874, 334
	1872, 354	messatis	1873, 775
inaurata	1872, 246	methone	1875, 36
	1872, 347	moelus	1873, 775
	1872, 354	scylax	1874, 335
læta	1872, 241	tachypetis	1873, 774
	1872, 242	zaneka	1873, 773
	1872, 244		1875, 36
	1872, 347	Meliphaga auriculata ..	1873, 694
	1872, 353	phrygia	1875, 596
pedestris	1872, 247	Melipotes gymnops	1873, 695
	1872, 347		1873, 697
picina	1872, 242	Melitæa athalia	1874, 268
	1872, 347	balbita	1874, 268
	1872, 353		1874, 274
pumila	1872, 238		1880, 149
scutata	1872, 244	erithona	1874, 348
	1872, 347	didyma	1880, 406
	1872, 354	gaberti	1874, 283
tragica	1872, 243	perseæ	1880, 406
	1872, 347	robertsi	1880, 406
	1872, 354		1880, 415
ursina	1872, 245	Melitea australis	1872, 744
	1872, 347	Melithreptes lætior	1877, 351
	1872, 354	Melithreptus albogularis	1875, 597
Melanopitta cucullata ..	1878, 949	gularis	1875, 597
muelleri	1875, 104	lunulatus	1875, 598
	1878, 949	Melitograis striata	1877, 195
sordida	1878, 949	Melittia gigantea	1879, 413
steerii	1878, 949	Mellisuga coccinea	1878, 347
Meleagris gallopavo	1873, 463	Mellivora capensis	1871, 232
	1873, 640		1875, 493
	1875, 489	indica	1871, 232
mexicana	1877, 306	leuconota	1871, 232
	1877, 307	Melo miltonis	1878, 865
	1877, 308	Melogale personata	1874, 666
ocellata	1880, 537	Melolontha vulgaris	1875, 118
Meles ankuma	1873, 761		

	Page		Page
Melonycteris melanops .	1877, 119	Merganetta leucogenys .	1876, 407
	1877, 120		1876, 403
	1878, 316		1876, 411
Melophus lathamii	1871, 387		1876, 412
melanicterus	1871, 387		1879, 243
Melopsittacus undu-			1879, 543
latus	1873, 465		1880, 531
	1873, 634	turneri	1874, 679
	1874, 587		1876, 406
	1879, 166		1876, 407
Melozona leucotis	1878, 40		1876, 411
	1878, 56		1876, 412
Melursus labiatus	1876, 463		1880, 531
	1878, 378	Merganser australis	1880, 531
Menæthius incisus	1879, 23	Mergellus albellus	1871, 415
quadridens	1879, 23		1873, 639
Menemerus animatus	1876, 622	Mergulus alle	1877, 23
	1876, 623		1877, 29
	1876, 627	Mergus albellus	1873, 467
	1876, 630		1873, 473
heydenii	1876, 622		1875, 566
	1876, 627		1880, 531
interemptor	1876, 623	australis	1880, 531
	1876, 627		1880, 535
semilimbatus	1872, 324	brasilianus	1876, 409
vigoratus	1876, 622	castor	1871, 416
	1876, 627		1873, 467
Meniceros bicornis	1873, 674		1873, 639
Menobranchnus lateralis .	1874, 186		1880, 531
	1874, 203	cucullatus	1876, 408
	1874, 204		1876, 409
	1876, 32		1880, 531
Menopoma alleghaniense	1873, 163	fuscus	1876, 409
	1875, 487	lophotes	1876, 409
Menura superba	1873, 463	merganser	1871, 416
	1876, 510		1880, 531
	1876, 514	octosetaceus	1876, 409
	1876, 516		1876, 411
	1876, 518		1876, 412
Meoma grandis	1879, 252		1880, 532
	1879, 253	serrator	1871, 119
	1879, 255		1871, 416
ventricosa	1879, 252		1878, 479
	1876, 253		1880, 531
	1879, 255		1880, 534
Merganetta armata	1876, 406	serratus	1871, 416
	1876, 407	squamatus	1871, 416
	1876, 408	Merizodus angusticollis .	1874, 64
	1876, 411	Merlangus carbonarius .	1875, 486
	1876, 412	vulgaris	1875, 486
	1880, 530	Merluccius vulgaris	1875, 486
chilensis	1876, 406		1879, 754
columbiana	1876, 407	Merope ægyptiaca	1871, 100
	1876, 408	Merops ægyptius	1874, 306
leucogenys	1874, 554		1879, 676
	1874, 678	albicollis	1873, 712
	1874, 679		1878, 355
	1876, 406	apiaster	1873, 464

	Page		Page
Merops apiaster	1873, 631	Merula gouldi	1873, 665
	1875, 344	kinnisi	1872, 405
	1876, 511		1872, 446
	1876, 518	libonyana	1880, 490
badius	1879, 329	litsitsirupa	1880, 490
bicolor	1875, 101	mandarina	1873, 652
	1877, 537	obscura	1880, 490
	1877, 540	sinensis	1871, 367
	1877, 690	vanicorensis	1875, 435
	1877, 757	vulgaris	1873, 647
	1877, 822		1875, 490
	1878, 282	Mesene aerope	1878, 363
	1878, 340	ignicauda	1878, 363
	1878, 937	pyrippe	1878, 363
	1879, 329	sagaris	1878, 363
daudini	1871, 348	silaris	1878, 363
erythrocephalus ..	1871, 348	tyriotes	1878, 363
hirundineus	1878, 355	Mesites variegata	1877, 292
minutus	1873, 712		1877, 293
	1878, 355	variegatus	1879, 772
	1878, 347	Mesoplodon bidens	1877, 684
niger	1873, 3	densirostris	1877, 684
ornatus	1873, 464	europæus	1877, 684
	1873, 631	floweri	1876, 8
	1875, 582		1876, 478
	1876, 511		1876, 479
	1877, 105		1876, 480
	1878, 121		1876, 482
	1879, 10		1876, 485
philippensis	1871, 348		1876, 486
philippinus	1871, 348		1877, 684
	1872, 422	grayi	1876, 9
	1877, 536		1876, 12
	1877, 537		1876, 457
	1877, 538		1877, 684
	1877, 540	haasti	1877, 684
	1877, 690	hectori	1876, 12
	1878, 107		1877, 684
	1878, 282	knoxii	1877, 684
	1878, 340	layardi	1876, 479
	1878, 709		1876, 480
	1880, 14		1876, 486
pusillus	1873, 712		1877, 684
	1873, 716	longirostris	1873, 145
	1878, 355		1877, 684
quinticolor	1871, 348	seychellensis	1877, 684
	1872, 423	sowerbiensis	1871, 630
sumatranus	1879, 329		1876, 475
superciliosus	1875, 65		1876, 482
	1877, 297		1876, 485
	1877, 302		1876, 486
	1878, 131		1877, 684
	1878, 355	Mesosemia ceropia	1874, 370
	1879, 676	frequens	1874, 352
torquatus	1872, 422	judicialis	1876, 236
viridis	1872, 422	lagora	1874, 352
Merula castanea	1871, 367	telegone	1874, 352
gouldi	1873, 689	ulrica	1876, 236

	Page		Page
Mespilia globulus	1880, 434	Metaporina nabellica	1874, 273
Messarar erymanthis ..	1873, 342	phryxe	1872, 61
	1874, 104		1872, 564
	1877, 813	Metaxyonycha lefevrei .	1880, 591
	1878, 699		1880, 608
	1878, 707	rufolimbata	1878, 987
	1878, 827		1880, 181
	1878, 854	tridentata	1877, 512
	1880, 667	Meterana pictula	1877, 386
nicobarica	1877, 584		1877, 407
	1877, 624	Methona confusa	1874, 331
turneri	1877, 469	psidi	1876, 206
wallacii	1879, 157	Methonella chrysomela .	1874, 353
Messata ænescens	1879, 409	Metius splendidus	1874, 58
fraterna	1879, 409	Metopia galeata	1879, 617
	1879, 417	Metopiana peposaca	1872, 368
plumipes	1879, 409		1872, 370
quadrifasciata	1879, 409		1873, 467
vialis	1879, 409		1873, 639
Mestleta duplexa	1877, 611		1875, 154
	1877, 629		1875, 155
	1877, 632		1875, 156
Meta digna	1873, 211		1876, 398
	1873, 222		1876, 411
indigna	1873, 211		1876, 412
sancti-benedicti ..	1879, 730		1878, 479
(Tetragnatha) deco-			1880, 524
rata	1873, 223	Metopius sinensis	1877, 411
Metabletus tartarus	1878, 719		1877, 413
Metabolus rugensis	1880, 575	Metopoceros cornutus ..	1871, 627
Metacanthus concolor ..	1878, 461		1880, 648
	1878, 462	Metopodius albinucha ..	1875, 68
Metalia africana	1879, 254	Metopothrix auran-	
maculosa	1879, 254	tiaca	1873, 282
pectoralis	1879, 254		1873, 283
	1879, 255	Metriopelia aymara	1879, 639
sternalis	1879, 252	melanoptera	1873, 468
	1879, 253		1873, 639
	1879, 254		1874, 250
	1879, 255		1874, 256
Metallura æneicauda	1873, 191		1874, 555
	1874, 677		1876, 17
	1879, 628	Miamira nobilis	1877, 229
cupreicauda	1874, 544	Miana inornata	1877, 604
hedvigæ	1874, 139	Micaria albimana	1872, 251
	1874, 544		1872, 347
smaragdinicollis ..	1873, 191		1872, 354
	1874, 544	albini	1876, 628
	1874, 677	armata	1874, 401
	1879, 238		1874, 417
	1879, 629		1874, 418
	1880, 207	cincta	1876, 553
tyrianthina	1879, 529		1876, 626
Metaporina agathon	1872, 61	igneae	1872, 248
	1872, 564		1872, 347
ariaca	1872, 564		1872, 354
caphusa	1872, 564	nuptialis	1872, 250
nabellica	1872, 61		1872, 251

	Page		Page
Micaria nuptialis	1872, 347	Microglossum aterrimum	1878, 125
	1872, 354	Microhierax erythroge-	
pulicaria	1872, 250	nys.....	1877, 689
septempunctata ..	1872, 250		1877, 757
	1872, 347		1878, 937
	1872, 354	Micronia aculeata.....	1877, 622
trifasciata	1872, 249		1878, 852
	1872, 347		1878, 858
	1872, 354		1880, 688
Mico melanurus	1875, 419	caseata	1877, 622
sericeus	1871, 229	convexaria	1879, 165
Micoella sericeus	1871, 229	gannata	1880, 688
Micra derogata	1880, 677	grammearia	1878, 852
Micrastur concentricus .	1874, 553		1878, 858
	1879, 638	justaria	1877, 151
gilvicollis	1873, 303	obliquaria	1877, 622
guerilla	1879, 242		1877, 631
mirandollii	1873, 303		1877, 632
ruficollis	1873, 511	obtusata	1877, 622
semitorquatus	1873, 303		1877, 631
	1878, 44	pontiatata.....	1879, 165
zonothorax	1873, 511	striataria	1879, 165
Micrathena argoides ..	1873, 429	vagata	1877, 622
brevispina	1873, 429		1877, 631
bufonina	1873, 429		1877, 632
clypeata	1873, 428		1878, 852
squamosa	1873, 429		1878, 858
triserrata	1873, 429	Micronisus, sp.?	1871, 341
Microcebus coquerellii..	1872, 857	badius	1871, 147
furfifer	1872, 855		1871, 342
smithi	1879, 2		1871, 682
	1879, 135		1872, 411
Microcerculus bambla ..	1875, 37		1875, 19
marginatus	1873, 256		1875, 20
	1873, 257	brevipes.....	1871, 102
	1874, 506	gularis	1871, 342
	1875, 37	madagascariensis ..	1872, 868
squamulatus.....	1875, 37	soloënsis	1871, 342
	1875, 237	sphenurus	1871, 147
Microchera parviros-		Micropalama himanto-	
tris.....	1878, 69	pus.....	1873, 309
Microciona fallax.....	1875, 282	tacsanowskia ...	1871, 407
tuberosa	1875, 281	Micropternus badiusus..	1875, 103
	1875, 286		1879, 327
Microcyphus macula-		brachyurus	1875, 103
tus	1880, 426	fokiensis	1871, 392
zigzag	1880, 426		1873, 668
Microcystis adamsii....	1871, 475	gularis	1872, 428
amcnula	1871, 475	holroydi	1871, 393
filiceti	1871, 475		1873, 668
marquesana	1871, 475	phaiiceps	1872, 428
ornatella	1871, 475	Micropterus brachypte-	
Microeca fascinans	1875, 586	rus.....	1876, 402
flavigaster	1875, 586	cinereus.....	1871, 262
Microglossa aterrima ..	1880, 309		1876, 402
taxicolor	1879, 387		1876, 403
Microglossum alecto ..	1878, 92		1878, 437
aterrimum.....	1878, 92	patachonicus.....	1871, 262

	Page		Page
<i>Micropterus patachonicus</i>	1876, 402	<i>Milionia glauca</i>	1872, 570
	1876, 403	<i>lativitta</i>	1872, 570
<i>Micropteryx aurospar-</i>		<i>zonea</i>	1872, 569
<i>sella</i>	1880, 83	<i>Millepora aspera</i>	1871, 282
	1880, 92	<i>Miltia amaranthina</i>	1872, 218
<i>calthella</i>	1880, 84		1872, 219
<i>luteiceps</i>	1880, 83		1872, 347
<i>pardella</i>	1880, 83	<i>diversa</i>	1872, 219
	1880, 92		1872, 347
<i>pomivorella</i>	1880, 83	<i>Miltochrista sinica</i>	1880, 671
<i>unimaculella</i>	1880, 84	<i>Milvago australis</i>	1879, 309
<i>Microrhynchus laniger</i> ..	1879, 769	<i>chimachima</i>	1873, 302
<i>Microscelis amaurotis</i> ..	1873, 651		1875, 237
<i>Microspingus trifascia-</i>			1878, 349
<i>tus</i>	1874, 132		1879, 541
	1874, 517		1879, 639
	1879, 602	<i>chimango</i>	1872, 536
<i>Microtia elva</i>	1874, 348		1874, 159
<i>Microvoluta australis</i> ..	1877, 35		1878, 435
	1877, 40		1879, 638
	1877, 181	<i>megalopterus</i>	1871, 545
<i>Midas devillii</i>	1871, 220		1874, 550
<i>elegantulus</i>	1872, 8		1879, 639
<i>erythrogaster</i>	1872, 8	<i>Milvulus forficatus</i>	1878, 65
<i>geoffroi</i>	1871, 478	<i>tyrannus</i>	1872, 862
	1871, 479		1873, 282
	1872, 8		1876, 108
	1872, 9		1879, 516
<i>illigeri</i>	1880, 395	<i>violentus</i>	1872, 862
<i>nigrifrons</i>	1880, 395		1874, 153
<i>rosalia</i>	1875, 493		1874, 154
	1876, 203	<i>Milvus</i>	1872, 863
	1879, 123	<i>aegyptius</i>	1877, 296
	1879, 126		1877, 302
<i>ursulus</i>	1871, 479		1879, 674
<i>Mieza mactata</i>	1877, 473	<i>affinis</i>	1872, 79
<i>Migadops bimaculatus</i> ..	1874, 52		1872, 414
	1874, 70		1875, 25
<i>darwinii</i>	1874, 52		1875, 579
<i>nigrocærulea</i>	1874, 52	<i>ater</i>	1871, 341
<i>ovalis</i>	1874, 52	<i>furcatus</i>	1879, 638
<i>Migas distinctus</i>	1879, 683	<i>govinda</i>	1871, 341
	1879, 702		1871, 681
<i>paradoxus</i>	1879, 684		1872, 68
<i>Milax, n. sp.</i>	1880, 103		1872, 79
<i>sp. inc.</i>	1880, 103		1872, 414
<i>carinata</i>	1880, 103		1872, 623
<i>gagates</i>	1880, 103		1875, 25
<i>Miletus chinensis</i>	1878, 701		1880, 14
	1878, 707	<i>ictinus</i>	1873, 466
<i>horsfieldi</i>	1873, 347		1873, 634
<i>irroratus</i>	1874, 103	<i>isurus</i>	1875, 579
	1874, 106	<i>major</i>	1872, 79
<i>nivalis</i>	1873, 348		1872, 623
<i>regina</i>	1873, 348		1875, 25
	1873, 360	<i>melanotis</i>	1871, 341
<i>zinkenii</i>	1873, 348		1872, 79

	Page		Page
<i>Milvus melanotis</i>	1873, 649	<i>Miniopterus schrei-</i>	
	1875, 25	<i>bersi</i>	1875, 387
<i>migrans</i>	1871, 341		1879, 769
<i>vulgaris</i>	1875, 491	<i>scotinus</i>	1879, 769
<i>Mimacræa darwinia</i>	1875, 413	<i>Minla ignitincta</i>	1871, 373
<i>Mimas terranea</i>	1876, 310	<i>jerdoni</i>	1873, 665
<i>Mimeta affinis</i>	1875, 593		1873, 689
<i>flavocincta</i>	1875, 593	<i>Mino dumonti</i>	1878, 98
	1878, 123	<i>Minolia bellula</i>	1871, 96
<i>viridis</i>	1875, 593	<i>pulcherrima</i>	1871, 96
	1878, 123	<i>variabilis</i>	1873, 207
<i>Mimetus mendicus</i>	1879, 697		1873, 209
	1879, 702	<i>Mionectes oleagineus</i> ..	1873, 278
	1879, 703		1876, 517
<i>monticulus</i>	1876, 571		1878, 63
	1876, 626		1879, 512
<i>Mimeupleca rhadaman-</i>			1879, 613
<i>tha</i>	1877, 170	<i>poliocephalus</i>	1874, 535
<i>Mimodromius chilensis</i> .	1874, 68	<i>striaticollis</i>	1874, 535
<i>cyanipennis</i>	1874, 68		1879, 233
<i>guttula</i>	1874, 68		1879, 512
<i>nigrofasciatus</i>	1874, 68		1879, 613
<i>philippii</i>	1874, 68	<i>Mirafra affinis</i>	1872, 465
	1874, 70	<i>africana</i>	1874, 638
<i>Mimus calandria</i>	1872, 538		1874, 642
	1872, 539		1880, 491
<i>dorsalis</i>	1879, 592	<i>africanoides</i>	1874, 638
<i>gilvus</i>	1871, 268		1874, 648
	1872, 648		1880, 491
	1879, 492	<i>apiata</i>	1874, 638
<i>longicaudatus</i>	1874, 504		1874, 639
	1877, 749		1874, 640
	1880, 190		1874, 641
<i>melanopterus</i>	1871, 268		1874, 642
<i>melanotis</i>	1871, 124	<i>assamica</i>	1874, 638
	1871, 126	<i>cheniana</i>	1874, 638
	1871, 127		1874, 644
	1877, 65		1874, 650
<i>parvulus</i>	1871, 127	<i>damarensis</i>	1874, 638
	1877, 65		1874, 650
<i>patachonicus</i>	1872, 538	<i>fringillaris</i>	1874, 638
	1872, 548		1874, 649
	1872, 549	<i>horsfieldii</i>	1875, 590
<i>patagonicus</i>	1874, 158	<i>javanica</i>	1874, 637
<i>trifasciatus</i>	1871, 127		1874, 638
	1877, 65	<i>nævia</i>	1874, 638
<i>trirus</i>	1872, 537		1874, 646
	1872, 539	<i>nigricans</i>	1874, 651
	1872, 548	<i>occipitalis</i>	1874, 649
	1872, 549	<i>parva</i>	1874, 638
	1879, 592	<i>rufipilea</i>	1874, 638
<i>Minetra sylvia</i>	1877, 145		1874, 639
	1879, 158		1874, 640
<i>Miniopterus australis</i> ..	1875, 381		1874, 641
<i>blepotis</i>	1872, 706	<i>sabota</i>	1874, 638
	1872, 709		1874, 645
	1872, 714		1880, 491
<i>schreibersi</i>	1875, 384	<i>Miralia alternans</i>	1872, 590

	Page		Page
Miranda cristata	1877,	238	
Miro albifrons	1878,	578	
Miris lineata	1877,	89	
ruficornis	1877,	89	
Mirza coquereli	1873,	492	
coquerellii	1872,	854	
	1872,	857	
Misothermus torquatus	1874,	469	
Misumena buffonii	1876,	629	
vinsonii	1875,	146	
Mithras ægides	1874,	356	
augustinus	1874,	356	
calesia	1874,	356	
desdemona	1874,	356	
tolmides	1874,	356	
Mithuna quadriplaga	1878,	21	
	1878,	37	
Mitra abbatis	1872,	840	
acuminata	1872,	840	
acuta	1878,	797	
	1878,	798	
adusta	1872,	839	
amabilis	1872,	841	
analogica	1879,	215	
annulata	1878,	798	
assimilis	1872,	841	
aurora	1872,	841	
berthæ	1878,	797	
	1878,	798	
bronni	1879,	215	
brumalis	1872,	840	
cardinalis	1872,	839	
casta	1872,	839	
columbellæformis	1872,	840	
concinna	1872,	841	
consanguinea	1872,	841	
coronata	1872,	841	
crocata	1872,	841	
cucumerina	1872,	841	
cylindrica	1871,	89	
deburghiæ	1878,	798	
dermestina	1872,	840	
episcopalis	1872,	839	
exquisita	1872,	842	
ferruginea	1872,	839	
flammea	1878,	814	
flavescens	1872,	841	
flexilabris	1875,	127	
	1875,	129	
fratercula	1872,	842	
fulva	1872,	839	
fulvolirata	1878,	797	
	1878,	798	
glabra	1871,	89	
hebes	1871,	732	
incisa	1878,	814	
induta	1875,	128	
	1875,	129	
Mitra lincolnensis	1878,	865	
literata	1872,	840	
luteo-fusca	1872,	842	
maculosa	1872,	840	
mariae	1878,	813	
	1878,	821	
micans	1872,	841	
mirifica	1872,	842	
mœsta	1878,	813	
	1878,	821	
multicostata	1872,	841	
nitens	1878,	814	
nivea	1872,	839	
nodosa	1872,	840	
obeliscus	1879,	214	
orientalis	1875,	128	
pellis-serpentis	1872,	839	
pica	1878,	865	
pontificalis	1872,	839	
puncturata	1878,	798	
recurva	1872,	842	
schomburgki	1878,	313	
	1878,	314	
	1878,	865	
speciosa	1872,	840	
tatei	1878,	861	
	1878,	864	
	1878,	865	
testacea	1872,	840	
tuberosa	1872,	840	
variabilis	1871,	89	
zebrina	1872,	842	
(Callithea) acupicta	1878,	814	
(—) obeliscus	1878,	815	
(Cancilla) annulata	1878,	814	
(—) philippina- rum	1878,	814	
(Chrysame) taba- nula	1878,	814	
(Costellaria) collin- soni	1879,	215	
	1879,	218	
(—) deshayesii	1878,	815	
(—) exasperata	1878,	815	
(—) fusco-apicata	1879,	214	
	1879,	218	
(—) gotoensis	1879,	215	
	1879,	218	
(—) lincolnensis	1878,	313	
	1878,	314	
(—) subtruncata	1879,	214	
(—) suluensis	1879,	214	
(Cylindra) undulosa	1878,	814	
(Nebularia) badia	1877,	181	
(Pusia) æmula	1879,	215	
	1879,	218	
(—) inermis	1879,	216	
	1879,	218	

	Page		Page
Mitra(Stigmatella) tristis .	1877,	70	
Mitrella dædala	1873,	205	
	1873,	209	
Mitrephorus aurantii-			
ventris	1878,	64	
ochraceiventris	1874,	130	
	1874,	538	
phæocercus	1871,	271	
	1876,	517	
Mitua brasiliensis	1879,	109	
salvini	1879,	109	
	1880,	155	
tomentosa	1879,	108	
	1879,	109	
	1879,	379	
tuberosa	1871,	701	
	1873,	307	
	1874,	558	
	1876,	198	
	1879,	108	
	1879,	378	
	1880,	315	
Mixornis borneensis	1875,	105	
	1879,	340	
capitalis	1878,	107	
	1878,	110	
	1878,	114	
	1878,	115	
	1878,	342	
	1878,	380	
	1879,	71	
woodi	1878,	617	
Mniocera cincta	1879,	163	
cinerescens	1879,	162	
Mniotilta varia	1873,	462	
	1878,	52	
	1879,	493	
Mococa bilineata	1875,	225	
cumingi	1879,	76	
nitens	1872,	588	
sikimensis	1871,	158	
travancorica	1875,	225	
Modiana scitivittalis	1880,	689	
Modiola australis	1879,	567	
cumingiana	1871,	101	
fortunei	1871,	101	
gibberula	1879,	569	
incurvata	1879,	566	
lævigata	1879,	568	
lævis	1879,	568	
martorelli	1879,	566	
	1879,	567	
nexa	1879,	568	
nigra	1879,	568	
phaseolina	1879,	567	
philippinarum	1879,	567	
pusio	1879,	567	
pygmæa	1879,	569	
Modiola subclavata	1879,	568	
substriata	1879,	568	
vitrea	1879,	569	
Modiolaria	1879,	587	
barbata	1878,	871	
discors	1879,	568	
	1879,	569	
marmorata	1879,	568	
nigra	1879,	568	
petagnæ	1879,	569	
subclavata	1879,	568	
subpicta	1879,	568	
Mohoa nobilis	1878,	347	
Molinia acuta	1874,	145	
intermedia	1873,	334	
Molops piliferus	1878,	718	
Molossus abrasus	1876,	706	
	1876,	712	
	1878,	879	
	1880,	395	
acetabulosus	1876,	734	
acuticaudatus	1876,	710	
ater	1876,	712	
australis	1876,	728	
aztecus	1876,	731	
bonariensis	1876,	703	
	1876,	706	
	1876,	715	
brachymeles	1876,	706	
	1876,	708	
cyanocephalus	1876,	731	
ferox	1876,	714	
fuliginosus	1876,	710	
	1876,	731	
fumarius	1876,	710	
	1876,	711	
	1876,	712	
glaucinus	1876,	703	
	1876,	706	
	1876,	714	
	1876,	715	
johorensis	1876,	726	
longicaudatus	1876,	710	
longimanus	1876,	703	
nasutus	1876,	706	
	1876,	711	
	1876,	712	
	1876,	715	
norfolcensis	1876,	732	
obscurus	1876,	707	
	1876,	710	
perotis	1876,	703	
	1876,	706	
	1876,	713	
	1876,	715	
planirostris	1876,	706	
	1876,	707	
rufus	1876,	703	

	Page		Page
Molossus rufus	1876, 705	Molothrus rufoaxillaris .	1874, 162
	1876, 706		1874, 163
	1876, 709		1874, 164
	1876, 710		1874, 166
	1876, 711		1874, 174
	1876, 712	sericeus	1874, 506
	1876, 713		1875, 490
	1876, 733	Molva vulgaris	1879, 754
	1878, 879	Molybdophanes cærules-	
temminckii	1876, 706	cens	1877, 503
	1876, 707	Moma champa	1879, 403
tropidorhynchus ..	1876, 710		1879, 417
ursinus	1876, 709	ludifica	1879, 403
velox	1876, 710	Momotus æquatorialis..	1873, 631
wilcoxii	1876, 732		1876, 511
Molothrus æneus	1878, 59		1878, 100
atronitens	1879, 510		1879, 534
badius	1872, 863		1879, 549
	1874, 161	brasiliensis	1872, 674
	1874, 162		1872, 675
	1874, 163		1872, 676
	1874, 164		1873, 292
	1874, 172		1877, 681
	1874, 174		1878, 100
	1879, 608	lessoni	1872, 666
bonariensis	1871, 545		1873, 430
	1872, 809		1873, 431
	1872, 862		1873, 432
	1873, 462		1873, 464
	1874, 153		1873, 631
	1874, 154		1875, 344
	1874, 155		1875, 345
	1874, 156		1875, 348
	1874, 157		1876, 511
	1874, 158		1877, 306
	1874, 159		1877, 312
	1874, 161		1878, 48
	1874, 162		1878, 49
	1874, 163		1878, 100
	1874, 164		1878, 101
	1874, 166	martii	1873, 292
	1874, 167	mexicanus	1873, 430
	1874, 168		1873, 431
	1874, 171	microstephanus ..	1877, 328
	1874, 172	nattereri	1879, 632
	1874, 173	subrufescens	1873, 430
	1874, 174	Monanthia cytharina ..	1877, 90
	1879, 510	debilitata	1877, 90
discolor	1879, 509	Monarcha alecto	1877, 100
pecoris	1874, 153		1877, 101
	1874, 174		1878, 289
purpurascens	1874, 523		1878, 671
	1880, 191		1879, 11
	1880, 197	aruensis	1877, 100
	1880, 200	carinata	1873, 691
rufoaxillaris	1872, 863		1875, 586
	1874, 160		1875, 587
	1874, 161	chalybeocephalus ..	1877, 100

	Page		Page
<i>Monarcha chrysomelas</i> .	1877, 100	<i>Monohammus longicor-</i>	
	1878, 671	<i>nis</i>	1877, 157
<i>cordensis</i>	1877, 100	<i>Monolobus testaceus</i> ..	1874, 53
	1877, 195	<i>Monoptygma amcena</i> ..	1871, 734
<i>frater</i>	1873, 691	<i>speciosa</i>	1871, 98
	1873, 696	(<i>Myonia</i>) <i>punctu-</i>	
<i>fulviventris</i>	1877, 552	<i>rata</i>	1871, 734
	1878, 83		1871, 739
	1878, 84	<i>Monotia viridis</i>	1879, 787
<i>infelix</i>	1877, 552	<i>Monticola</i> —?	1871, 368
<i>inornatus</i>	1877, 552	<i>pandoo</i>	1879, 249
	1878, 83		1879, 338
	1878, 671	<i>saxatilis</i>	1871, 368
	1878, 672		1873, 660
<i>insularis</i>	1878, 579		1880, 311
<i>kordensis</i>	1877, 100	<i>solitarius</i>	1877, 696
<i>lessoni</i>	1875, 434		1878, 342
	1877, 734		1878, 380
<i>loricata</i>	1877, 99		1878, 619
	1877, 553		1878, 949
<i>melanonotus</i>	1877, 100		1879, 249
<i>nigra</i>	1876, 501		1879, 338
	1877, 409	<i>Mops indicus</i>	1876, 726
	1877, 410	<i>Mopsella australis</i>	1872, 744
	1877, 775		1872, 747
<i>verticalis</i>	1877, 99	<i>Morasa lorimeri</i>	1878, 387
	1878, 671	<i>modesta</i>	1878, 387
<i>trivirgata</i>	1875, 587	<i>Mordacia mordax</i>	1874, 51
<i>Monarches dimidiatus</i> . .	1871, 22	<i>Moreletea euryomphala</i>	1875, 648
	1871, 28	<i>Morelia argus</i>	1875, 487
<i>godefroyi</i>	1872, 87	<i>spilotes</i>	1875, 487
	1872, 89	<i>Mormon arctica</i>	1871, 121
	1872, 97	<i>cirrhatu</i> s	1871, 122
	1872, 98	<i>corniculata</i>	1871, 120
<i>niger</i>	1871, 29		1871, 121
<i>Monasa flavirostris</i>	1873, 294	<i>glacialis</i>	1871, 120
	1873, 295	<i>Mormyrus lepturus</i>	1871, 653
<i>nigrifrons</i>	1873, 294		1871, 670
	1873, 295	<i>Morococyx erythropy-</i>	
	1879, 633	<i>gus</i>	1878, 48
<i>pallescens</i>	1879, 536	<i>Morova subfasciata</i>	1877, 382
	1879, 549	<i>Morphnus guianensis</i> ..	1873, 302
<i>peruana</i>	1873, 294		1877, 531
	1873, 295	<i>hastatus</i>	1872, 865
	1874, 548	<i>schistaceus</i>	1873, 302
<i>Monitor chlorostigma</i> ..	1877, 128	<i>urubitinga</i>	1873, 302
<i>dumerilii</i>	1872, 588		1879, 637
<i>niloticus</i>	1875, 487	<i>Morpho achilles</i>	1876, 217
<i>Monocesta dimidiata</i> ..	1877, 520	<i>alexandrovna</i>	1876, 217
	1880, 607	<i>amathonte</i>	1874, 339
	1880, 609	<i>aquarius</i>	1874, 339
<i>nicaraguensis</i>	1877, 520	<i>aurora</i>	1876, 216
<i>splendida</i>	1880, 608	<i>cæruleus</i>	1876, 217
<i>Monocondylæa tumida</i> .	1871, 588	<i>cypris</i>	1874, 339
<i>walpolei</i>	1871, 587	<i>didus</i>	1876, 217
<i>Monodon monoceros</i> ..	1871, 42	<i>helenor</i>	1876, 217
	1871, 46	<i>hydorina</i>	1874, 339
	1871, 47	<i>lampharis</i>	1876, 217

	Page		Page
<i>Morpho limpida</i>	1874,	339	<i>Motacilla cinereocapilla</i> .
<i>marinita</i>	1874,	339	<i>citreola</i>
<i>menelaus</i>	1874,	339	1871,
1876,	217		1875,
<i>papirius</i>	1876,	217	1871,
<i>patroclus</i>	1876,	217	<i>cyane</i>
<i>peleides</i>	1874,	339	<i>cyanura</i>
<i>sulkowskyi</i>	1876,	217	<i>dukhunensis</i>
<i>zephyritis</i>	1876,	216	<i>felix</i>
<i>Morrhua æglefinus</i>	1879,	753	<i>flava</i>
<i>lusca</i>	1879,	753	<i>francisci</i>
<i>merlangus</i>	1879,	753	<i>frontata</i>
<i>vulgaris</i>	1879,	753	<i>fulicata</i>
<i>Morrisia davidsoni</i>	1878,	412	<i>guianensis</i>
<i>gigantea</i>	1878,	411	<i>hodgsoni</i>
1878,	412		<i>hottentotta</i>
<i>Morunga proboscidea</i> ..	1874,	152	<i>japonica</i>
<i>Moschoneura eumelia</i> ..	1876,	244	<i>leucomela</i>
<i>penia</i>	1876,	244	<i>leucopsis</i>
<i>thermesia</i>	1876,	244	<i>leucorhoa</i>
<i>theugenis</i>	1876,	244	<i>longicauda</i>
<i>Moschus moschiferus</i> ..	1871,	258	<i>lugens</i>
1872,	522		<i>lugubris</i>
1875,	159		<i>luteola</i>
1875,	160		<i>luzoniensis</i>
1875,	174		<i>maderaspatensis</i> ..
1875,	176		<i>melanope</i>
1875,	184		1871,
1875,	483		1877,
1875,	492		1879,
1876,	182		<i>ocularis</i>
1876,	463		1871,
1876,	464		1877,
1876,	761		1877,
1877,	4		1874,
1877,	7		<i>oenanthe</i>
1877,	11		<i>paradoxa</i>
1877,	14		<i>personata</i>
1877,	15		<i>pileata</i>
1877,	287		<i>proregulus</i>
1877,	291		<i>sechuenensis</i>
1877,	791		<i>stapazina</i>
1878,	1		1874,
<i>pygmæus</i>	1872,	639	1874,
1872,	640		<i>superciliosa</i>
1872,	641		<i>temporalis</i>
<i>Mosia nigrescens</i>	1877,	123	<i>tractrac</i>
<i>Motacilla</i> , sp.	1871,	363	<i>vidua</i>
<i>alba</i>	1871,	363	<i>vitiflora</i>
1875,	490		<i>Motella mustela</i>
—, var.	1871,	364	1875,
<i>alboides</i>	1871,	363	1879,
<i>baicalensis</i>	1871,	363	1879,
<i>bistrigata</i>	1871,	364	1879,
1879,	343		<i>chelo</i>
<i>boarula</i>	1871,	104	<i>septentrionalis</i>
1871,	364		<i>Muletia septemcincta</i> ..
<i>certhiola</i>	1871,	354	1874,
			1874,
			<i>Mulleripicus crawfurdi</i> .
			<i>fuliginosus</i>
			1873,
			1877,
			1877,
			1873,
			<i>fulvus</i>
			1873,
			343
			103
			104
			566
			358
			359
			363
			363
			462
			363
			363
			735
			11
			363
			239
			364
			225
			363
			218
			351
			364
			364
			380
			363
			458
			364
			546
			343
			364
			687
			697
			218
			363
			363
			239
			357
			363
			219
			229
			357
			363
			235
			364
			218
			486
			754
			754
			476
			486
			752
			752
			752
			244
			246
			661
			817
			821
			463

	Page		Page
Mulleripicus fulvus	1873, 630	Muraena tænioides	1871, 653
funebri	1877, 822		1871, 674
Mullus barbatus	1875, 486	Murex angasi	1878, 864
	1879, 746	brazieri	1877, 171
surmuletus	1875, 486		1877, 177
	1879, 746		1877, 179
Mulona lapidaria	1878, 484	calcareus	1879, 202
Munia acuticauda	1871, 385	fiscellum	1879, 213
atricapilla	1879, 344	japonicus	1879, 201
forbesi	1879, 447	lamellosus	1879, 213
	1879, 449	lampas	1877, 179
	1880, 66	margariticola	1879, 213
formosana	1871, 385	monachus	1879, 200
	1873, 667	mundus	1877, 171
fuscans	1879, 344	sobrinus	1879, 199
hemimelæna	1880, 66		1879, 217
jagori	1877, 538	tetragonus	1878, 806
	1877, 549	turbinateus	1871, 731
	1877, 699	undatus	1879, 213
	1877, 764	(Cerastoma) emar-	
	1877, 852	ginatus	1879, 200
	1878, 287	(—) rorifluus	1879, 200
	1878, 343	(Chicoreus) cervi-	
	1878, 710	cornis	1877, 179
	1878, 951	(Muricidea) barclay-	
kelaarti	1872, 405	anus	1878, 806
	1872, 464	(—) cirrosus	1878, 806
leucogastra	1877, 699		1879, 200
major	1873, 462	(—) rusticus	1878, 806
malabarica	1872, 464		1878, 821
	1878, 348	(Ocinebra) brevi-	
malacca	1871, 385	culus	1878, 806
	1872, 464	(—) fimbriatulus	1879, 201
	1879, 449		1879, 217
	1880, 312	(Phyllonotus) fal-	
melæna	1880, 65	catus	1879, 200
	1880, 66	(Pteronotus) bed-	
minima	1871, 385	nalli	1880, 418
molucca	1871, 385		1880, 419
nisoria	1874, 48	Murilemur minor	1873, 492
	1878, 348	murinus	1872, 854
oryzivora	1851, 385		1872, 857
pectoralis	1872, 464	Murina grisea	1872, 712
punctularia	1878, 348	Mus abbotti	1880, 61
rubronigra	1871, 385	aguti	1876, 350
	1872, 464	alpines	1877, 279
	1873, 205	alexandrinus	1875, 491
	1877, 764		1877, 279
sinensis	1871, 384		1879, 741
striata	1872, 464	aquaticus	1879, 646
subundulata	1874, 48	arctomys	1871, 560
topela	1871, 385	arvalis	1874, 468
undulata	1872, 464	bactrianus	1880, 61
	1874, 48		1880, 62
Munida japonica	1879, 21	barbarus	1872, 364
	1879, 51	browni	1877, 123
Muraena chilensis	1871, 653		1877, 743
	1871, 674		1878, 284

	Page		Page
<i>Mus browni</i>	1879,	<i>Muscicapa albicilla</i>	1879,
<i>cahirinus</i>	1879,	<i>angustirostris</i>	1879,
<i>cervicolor</i>	1876,	<i>atricapilla</i>	1871,
<i>coucha</i>	1880,	<i>azurea</i>	1877,
<i>crassipes</i>	1876,	<i>banyumas</i>	1878,
<i>decumanus</i>	1872,	<i>bivittata</i>	1879,
	1875,	<i>boliviana</i>	1879,
	1877,	<i>cantatrix</i>	1878,
	1880,	<i>cayennensis</i>	1871,
	1880,	<i>chalybeocephalus</i> ..	1877,
<i>echimyoides</i>	1877,	<i>chloronota</i>	1879,
<i>everetti</i>	1879,	<i>chrysomela</i>	1877,
<i>exulans</i>	1880,	<i>cinereoalba</i>	1871,
	1880,	<i>cooperi</i>	1871,
<i>giganteus</i>	1875,	<i>cristata</i>	1879,
<i>huegeli</i>	1880,	<i>elegans</i>	1879,
	1880,	<i>fuscedula</i>	1871,
<i>latipes</i>	1877,	<i>fuscula</i>	1880,
<i>lehocla</i>	1880,	<i>goiavier</i>	1877,
<i>leucopus</i>	1877,	<i>grisola</i>	1872,
	1879,		1872,
	1879,		1872,
<i>major</i>	1880,		1872,
<i>marikquensis</i>	1880,		1873,
<i>messorius</i>	1875,		1873,
	1875,		1873,
<i>minutus</i>	1880,		1875,
<i>musavora</i>	1877,		1877,
<i>musculus</i>	1872,	—, var. <i>daurica</i> ..	1871,
	1875,	<i>gularis</i>	1871,
	1877,	<i>hirundinacea</i>	1877,
	1880,	<i>hylocharis</i>	1871,
<i>mystacinus</i>	1877,	<i>incanescens</i>	1873,
	272		1873,
	279	<i>infulata</i>	1880,
	1880,	<i>inornata</i>	1877,
<i>ningpoensis</i>	1872,		1878,
<i>pachycercus</i>	1880,		1878,
<i>rattus</i>	1875,	<i>latirostris</i>	1871,
	1877,	<i>leucomela</i>	1874,
	1880,	<i>leucophrys</i>	1879,
<i>sylvaticus</i>	1874,	<i>leucura</i>	1871,
	1875,	<i>lugubris</i>	1878,
	1877,	<i>lutea</i>	1871,
	1880,		1877,
<i>tazamaca</i>	1876,	<i>megarhyncha</i>	1878,
	1877,	<i>melanoleuca</i>	1874,
<i>teguina</i>	1876,	<i>mugimaki</i>	1871,
	1877,	<i>obscura</i>	1877,
<i>terræ-reginæ</i>	1879,		1878,
	1879,	<i>obsoleta</i>	1873,
<i>tomak</i>	1880,		1879,
<i>vitiensis</i>	1880,	<i>olivacea</i>	1879,
<i>wagneri</i>	1880,	<i>panayensis</i>	1877,
<i>Musca ochricornis</i>	1877,	<i>pitangula</i>	1871,
<i>vomitorea</i>	1871,	<i>rupestris</i>	1871,
<i>Muscardinus avellana-</i>		<i>sandvicensis</i>	1878,
<i>rius</i>	1880,	<i>say</i>	1871,
<i>Muscicapa albicilla</i>	1871,		749

	Page		Page
<i>Muscicapa sibirica</i>	1871,	<i>Muscisaxicola rufipennis</i> 1874,	533
<i>similis</i>	1871,		674,
<i>sinensis</i>	1871,		678
<i>stramineoventris</i>	1879,	<i>rufivertex</i>	1879,
<i>striaticollis</i>	1879,		233
<i>suiriri</i>	1879,		1874,
<i>sulphurea</i>	1871,		533
<i>texensis</i>	1871,		1879,
<i>tricolor</i>	1871,	<i>striaticeps</i>	1879,
<i>trivirgata</i>	1871,		643
<i>ventralis</i>	1879,	<i>Muscitrea cinerea</i>	1873,
<i>vermivora</i>	1879,	<i>Muscivora castelnaudi</i>	1873,
<i>viridicata</i>	1879,		280
<i>Muscicapara angusti-</i>		<i>mexicana</i>	1878,
<i>rostris</i>	1879,	<i>regia</i>	1873,
<i>bivittata</i>	1879,	<i>swainsoni</i>	1879,
<i>gaimardi</i>	1879,	<i>Musophaga gigantea</i>	1874,
<i>leucophrys</i>	1879,	<i>rossæ</i>	1871,
<i>obsoleta</i>	1879,		1
<i>oleaginea</i>	1879,		1871,
<i>stramineoventris</i>	1879,	<i>violacea</i>	1873,
<i>striaticollis</i>	1879,		464
<i>subcristata</i>	1879,		1873,
<i>ventralis</i>	1879,		633
<i>Muscicapula sapphira</i>	1871,		1875,
<i>Muscigralla brevicauda</i>	1874,		343
	1877,		518
	325		1880,
<i>Muscipeta acadica</i>	1879,	<i>Mustela agilis</i>	1874,
<i>albiceps</i>	1879,		311
<i>albicollis</i>	1879,		1874,
<i>armillata</i>	1879,	<i>boccamela</i>	1875,
<i>bimaculata</i>	1879,		313
<i>cayennensis</i>	1871,		1877,
	1879,	<i>erminea</i>	1874,
<i>cinnamomea</i>	1879,		312
<i>melaleuca</i>	1877,		1875,
<i>obscura</i>	1879,		312
<i>querula</i>	1879,		1875,
<i>regia</i>	1879,		313
<i>setosa</i>	1877,		1876,
	1877,	<i>foina</i>	1879,
<i>vieilloti</i>	1879,		469
<i>virgata</i>	1879,		1879,
<i>Muscipra vetula</i>	1878,	<i>frenata</i>	1874,
<i>Muscisaxicola albifrons</i>	1874,	<i>furo</i>	312
	533	<i>intermedia</i>	1875,
<i>cinerea</i>	1874,	<i>lævis</i>	493
<i>flavinucha</i>	1874,	<i>macrura</i>	1879,
<i>fluviatilis</i>	1873,	<i>martes</i>	487
	1874,		1874,
	534		311
	1876,	<i>meridionalis</i>	1879,
<i>maculirostris</i>	1874,		468
	1879,	<i>putorius</i>	1879,
<i>mentalis</i>	1872,		472
	541		1875,
	1872,		313
	549	<i>sarmatica</i>	1875,
	1879,		493
<i>rubricapilla</i>	1874,		1880,
	1876,		396
	16	<i>sibirica</i>	1877,
<i>rufipennis</i>	1874,		275
	134	<i>sibipra</i>	1880,
		<i>temon</i>	53
		<i>vulgaris</i>	1872,
			817
			1876,
		<i>zorilla</i>	633
			1875,
			312
			1875,
			493
			1877,
			274
			1880,
			53
			1875,
			493
		<i>Mustelus antarcticus</i>	1878,
		<i>Mustilia sphingiformis</i>	1879,
			116
			1879,
			407
			1879,
		<i>Mutela exotica</i>	417
			1880,
			345
			1880,
		<i>Mycalesis amœna</i>	350
			1873,
			339
			1873,
			360

	Page		Page		
<i>Mycalesis anapita</i>	1873,	339	<i>Mycalesis runeka</i>	1878,	706
<i>anaxias</i>	1877,	583		1878,	825
	1878,	825		1878,	853
	1878,	853	<i>safitza</i>	1875,	406
<i>asochis</i>	1875,	406	<i>samba</i>	1877,	583
<i>blasius</i>	1878,	825		1877,	624
	1878,	853	<i>sanaos</i>	1875,	406
<i>caffra</i>	1871,	722	<i>tagala</i>	1873,	339
<i>charaka</i>	1874,	566	<i>vulgaris</i>	1875,	406
	1878,	696	<i>Mycerobas melanoxan-</i>		
	1878,	706	<i>thus</i>	1871,	386
<i>cinerea</i>	1875,	612		1873,	666
<i>croatis</i>	1873,	340	<i>Mycetes caraya</i>	1872,	6
<i>dorothea</i>	1875,	406	<i>fuscus</i>	1871,	219
<i>dorycus</i>	1878,	645	<i>niger</i>	1880,	393
<i>drusia</i>	1877,	583		1880,	394
	1877,	624	<i>palliatu</i> s.....	1872,	7
	1880,	667		1872,	9
<i>eliasis</i>	1875,	406		1878,	33
<i>fragrans</i>	1877,	142		1880,	394
	1877,	468	<i>seniculus</i>	1871,	219
<i>fuscum</i>	1873,	339		1872,	664
<i>gotama</i>	1874,	566		1879,	123
<i>hesione</i>	1875,	612		1879,	126
<i>khasiana</i>	1874,	566		1880,	394
<i>lalassis</i>	1873,	339		1880,	631
	1875,	612		1880,	642
<i>lugens</i>	1875,	612	<i>stramineus</i>	1880,	394
	1877,	142	<i>ursinus</i>	1871,	219
	1879,	157	<i>villosus</i>	1872,	5
<i>medus</i>	1873,	339		1872,	6
	1877,	142		1872,	9
	1877,	583	<i>Mycetopus siliquosus</i> ..	1872,	687
	1877,	624	<i>subsINU</i> atus	1872,	687
	1878,	645	<i>Mychopoma hirsutum</i> ..	1875,	445
	1879,	157		1875,	450
<i>melanopis</i>	1880,	610	<i>limbiferum</i>	1875,	445
	1880,	614	<i>Mycteria americana</i>	1873,	306
<i>mineus</i>	1878,	825		1877,	478
	1878,	853	<i>australis</i>	1872,	477
	1880,	667		1876,	316
	1880,	669	<i>Mydaus meliceps</i>	1879,	664
<i>mnasicles</i>	1873,	339	<i>Myiadestes armillatus</i> ..	1871,	270
	1878,	825	<i>genibarbis</i>	1871,	269
<i>mucia</i>	1880,	610		1871,	270
<i>mutata</i>	1875,	612		1872,	649
<i>orseis</i>	1873,	339	<i>melanops</i>	1878,	51
	1880,	611	<i>obscurus</i>	1873,	462
<i>otrea</i>	1874,	566	<i>ralloides</i>	1873,	185
	1874,	567		1875,	234
<i>perseus</i>	1878,	696		1879,	492
	1878,	706		1879,	592
	1878,	825	<i>solitarius</i>	1871,	269
	1878,	853		1871,	270
<i>radza</i>	1877,	583	<i>Myiagra albiventris</i>	1876,	493
	1877,	624		1877,	465
	1877,	631		1877,	735
<i>runeka</i>	1878,	696		1880,	576

	Page		Page
<i>Myiagra azurea</i>	1871, 381	<i>Myiarchus phaeocephalus</i>	1877, 326
	1872, 440	<i> lulus</i>	1877, 333
<i>cærulea</i>	1872, 440	<i>rubineus</i>	1878, 138
<i>castaneiventris</i>	1875, 435	<i>semirufus</i>	1879, 220
	1876, 20		1879, 236
	1876, 493		1880, 203
	1877, 465	<i>swainsonii</i>	1879, 616
	1877, 734	<i>tuberculifer</i>	1879, 616
<i>erythroptus</i>	1872, 89	<i>tyrranus</i>	1879, 515
	1872, 97		1879, 616
<i>latirostris</i>	1875, 586		1879, 671
<i>nitida</i>	1875, 586	<i>Myiobius atricaudus</i> ..	1879, 514
<i>oceanica</i>	1880, 574	<i>aureiventris</i>	1873, 780
	1880, 575		1873, 782
<i>plumbea</i>	1875, 586	<i>barbatus</i>	1873, 281
<i>pluto</i>	1875, 644		1874, 537
	1877, 779		1877, 332
	1880, 576		1879, 514
<i>rufiventris</i>	1877, 735	<i>cinnamomeus</i>	1873, 186
<i>Myiastes cinereocapilla</i>	1872, 441		1874, 537
<i>Myiarchus antillensis</i> ..	1871, 266		1879, 235
<i>cephalotes</i>	1879, 671		1879, 514
<i>cinerascens</i>	1871, 84		1879, 615
	1871, 85	<i>crypterythrus</i>	1877, 326
	1878, 64		1880, 203
<i>cooperi</i>	1871, 84	<i>erythrurus</i>	1873, 186
	1871, 85		1873, 281
<i>coronatus</i>	1874, 538		1874, 538
<i>crinitus</i>	1871, 84		1878, 64
	1876, 517	<i>flavicans</i>	1879, 514
	1878, 38	<i>latirostris</i>	1871, 271
	1878, 64		1871, 273
<i>erythrocerus</i>	1871, 271	<i>magnirostris</i>	1871, 125
	1871, 272	<i>melanocephalus</i> ..	1874, 509
	1872, 650	<i>nævius</i>	1873, 186
	1876, 16		1873, 281
<i>fasciatus</i>	1874, 539		1873, 780
<i>ferox</i>	1871, 127		1876, 16
	1873, 281		1879, 514
	1879, 515		1879, 615
	1879, 616	<i>nationi</i>	1874, 538
<i>ferrugineus</i>	1874, 537	<i>ornatus</i>	1873, 782
<i>latirostris</i>	1872, 650	<i>phaeocercus</i>	1871, 271
<i>lawrencei</i>	1871, 84	<i>phoenicurus</i>	1873, 186
	1878, 64		1874, 538
<i>magnirostris</i>	1871, 125	<i>pulcher</i>	1873, 780
	1871, 127	<i>rufescens</i>	1874, 538
<i>mexicanus</i>	1871, 84		1879, 235
	1871, 85		1880, 203
<i>nigricapillus</i>	1878, 64	<i>stellatus</i>	1873, 782
<i>nigriceps</i>	1875, 234	<i>sulphureipygius</i> ..	1878, 64
	1879, 235		1879, 514
	1879, 616	<i>superciliosus</i>	1874, 501
	1879, 670		1874, 538
	1879, 671	<i>verticalis</i>	1874, 508
	1880, 203	<i>villosus</i>	1879, 514
<i>obscurus</i>	1874, 538		1879, 615
<i>panamensis</i>	1878, 64		

	Page		Page
<i>Myiobius xanthopygius</i>	1873, 281	<i>Myiophonus temmincki</i>	1873, 647
	1874, 537	<i>Myiopsar cryptopyrrhus</i>	1878, 803
	1879, 514	<i>Myiopsitta orbignesia</i> ..	1874, 549
<i>Myiochanes ardesiacus</i>	1879, 615	<i>Myiotheretes erythro-</i>	
<i>cineracea</i>	1874, 539	<i>pygius</i>	1874, 677
<i>cinereus</i>	1880, 157	<i>striaticollis</i>	1874, 532
<i>nigrescens</i>	1880, 157		1874, 677
<i>nigricans</i>	1874, 539		1875, 234
<i>nigriceps</i>	1874, 539		1879, 511
<i>subbrunneus</i>	1873, 281		1879, 610
<i>Myiodiocytes pusillus</i> ..	1875, 641	<i>Myiothlypis luteoviridis</i>	1874, 509
	1878, 52	<i>striaticiceps</i>	1874, 130
<i>Myiodynastes atrifrons</i> ..	1877, 326	<i>Myiozetetes cayennensis</i>	1871, 751
	1877, 753		1871, 752
	1880, 203		1871, 753
<i>audax</i>	1875, 237		1873, 270
	1877, 326		1876, 16
	1879, 514	<i>columbianus</i>	1871, 751
<i>chrysocephalus</i>	1874, 537		1871, 753
	1875, 237		1871, 754
	1876, 16	<i>erythropterus</i>	1871, 751
	1879, 514		1871, 752
<i>luteiventris</i>	1876, 517	<i>granadensis</i>	1871, 751
	1878, 63		1871, 754
	1874, 537		1871, 755
<i>solitarius</i>	1873, 289	<i>grandis</i>	1871, 753
	1874, 537	<i>guianensis</i>	1871, 751
	1879, 615		1871, 752
<i>Myiolestes aruensis</i>	1878, 96	<i>icterophrys</i>	1871, 754
<i>heinei</i>	1876, 20	<i>inornatus</i>	1871, 755
	1877, 773		1871, 756
<i>macrorhyncha</i>	1875, 433	<i>luteiventris</i>	1871, 751
<i>nigrogularis</i>	1876, 20		1871, 754
<i>phajonotus</i>	1878, 84		1871, 755
<i>vitiensis</i>	1875, 433	<i>marginatus</i>	1871, 752
<i>Myiomela ajax</i>	1873, 678		1871, 753
<i>leucura</i>	1871, 359	<i>rufipennis</i>	1871, 751
	1873, 667		1871, 752
<i>montium</i>	1871, 359		1871, 753
	1873, 667	<i>similis</i>	1871, 751
<i>Myiopatis incanescens</i> ..	1873, 577		1871, 753
<i>obsoleta</i>	1873, 279		1871, 755
	1873, 578		1873, 279
<i>pusilla</i>	1873, 278		1874, 537
	1873, 279		1877, 326
	1873, 576		1877, 333
	1873, 577		1879, 614
<i>Myiophaga andromedon</i>	1873, 679	<i>sulphureus</i>	1871, 751
<i>Myiophoneus cæruleus</i> ..	1871, 368		1871, 754
<i>castaneus</i>	1880, 16		1873, 277
<i>dicrohynchus</i>	1880, 16		1873, 279
<i>horsfieldi</i>	1871, 368		1880, 28
	1877, 2	<i>texensis</i>	1871, 751
<i>insularis</i>	1871, 368		1871, 752
<i>Myiophonus brevirostris</i>	1873, 650		1871, 753
<i>flavirostris</i>	1873, 679		1878, 63
<i>horsfieldi</i>	1872, 444		1879, 513
	1873, 667	<i>Mylothris agathina</i>	1872, 37
<i>insularis</i>	1873, 667	<i>agrippina</i>	1872, 51

	Page		Page
<i>Mylothris alethina</i>	1874,		357
<i>bernice</i>	1872,		37
<i>chloris</i>	1872,		37
<i>hemitheia</i>	1872,		67
<i>hippomonuste</i>	1872,		66
<i>leptalina</i>	1872,		37
<i>limnoria</i>	1872,		52
<i>lorena</i>	1872,		38
	1876,		241
<i>lypera</i>	1872,		37
<i>malenka</i>	1872,		38
	1874,		357
<i>margarita</i>	1872,		50
<i>molpodia</i>	1872,		50
<i>monuste</i>	1872,		48
<i>orbona</i>	1872,		54
<i>pantoporia</i>	1872,		52
<i>paroreia</i>	1872,		37
<i>phileris</i>	1872,		37
<i>poppea</i>	1872,		36
	1875,		414
<i>pyrrha</i>	1872,		37
	1876,		241
<i>rhodope</i>	1872,		36
<i>trimenia</i>	1872,		36
<i>viardi</i>	1872,		38
	1874,		357
<i>Mynes eucosmetus</i>	1879,		653
<i>Myochama stutchburyi</i>	1873,		184
<i>Myodes groenlandicus</i>	1874,		470
<i>hudsonius</i>	1874,		470
<i>lemmus</i>	1874,		470
	1874,		471
<i>obensis</i>	1874,		471
<i>torquatus</i>	1874,		465
	1874,		469
	1874,		470
<i>Myodora albida</i>	1880,		583
<i>antipodum</i>	1880,		585
	1880,		587
<i>boltoni</i>	1880,		585
	1880,		587
<i>brevis</i>	1880,		580
	1880,		581
<i>compressa</i>	1880,		587
<i>convexa</i>	1880,		583
	1880,		586
<i>crassa</i>	1880,		581
<i>curvata</i>	1880,		582
<i>fluctuosa</i>	1880,		583
<i>novæ-zealandiæ</i>	1880,		584
	1880,		587
<i>oblonga</i>	1880,		582
	1880,		587
<i>ovalis</i>	1880,		581
<i>ovata</i>	1880,		582
	1880,		583
	1880,		584
<i>Myodora ovata</i>	1880,		587
<i>pandoriformis</i>	1880,		581
	1880,		583
	1880,		585
	1880,		586
<i>plana</i>	1880,		582
	1880,		587
<i>proxima</i>	1880,		586
	1880,		587
<i>reeveana</i>	1880,		586
	1880,		587
<i>rotunda</i>	1880,		580
<i>rotundata</i>	1875,		129
	1880,		580
<i>striata</i>	1875,		129
	1880,		579
	1880,		580
	1880,		585
<i>subrostrata</i>	1880,		584
	1880,		587
<i>tasmanica</i>	1880,		583
<i>tenuisculpta</i>	1880,		587
<i>tineta</i>	1880,		582
<i>triangularis</i>	1880,		586
<i>trigona</i>	1880,		582
	1880,		583
	1880,		586
	1880,		587
<i>Myonia sinuata</i>	1877,		39
	1877,		40
	1877,		189
<i>speciosa</i>	1871,		98
<i>Myopotamus coypus</i>	1875,		491
	1875,		629
<i>Myopterus daubentonii</i>	1876,		703
<i>Myothera analis</i>	1879,		625
<i>nigro-maculata</i>	1879,		625
<i>Myoxus cineraceus</i>	1875,		317
<i>coupei</i>	1875,		317
<i>dryas</i>	1877,		278
	1880,		41
	1880,		60
<i>elegans</i>	1880,		40
<i>erythrobronchus</i>	1875,		317
<i>glis</i>	1877,		279
<i>guerlingus</i>	1878,		668
<i>javanicus</i>	1880,		41
<i>lasiotis</i>	1880,		40
	1880,		41
<i>pictus</i>	1877,		279
<i>Myra affinis</i>	1879,		42
<i>carinata</i>	1879,		42
<i>dubia</i>	1879,		20
	1879,		42
<i>elegans</i>	1879,		42
<i>fugax</i>	1879,		42
<i>mamillaris</i>	1879,		42
<i>Myrina atymnus</i>	1873,		353

	Page		Page
<i>Myrina atymnus</i>	1874, 107	<i>Myrmotherula mene-</i>	
<i>freja</i>	1877, 590	<i>triesi</i>	1878, 61
<i>hiemalis</i>	1878, 834	<i>multostriata</i>	1879, 624
<i>nivea</i>	1878, 855	<i>pygmæa</i>	1873, 274
<i>prabha</i>	1878, 640		1873, 274
	1878, 643	<i>spodionota</i>	1879, 624
	1878, 643	<i>surinamensis</i>	1880, 159
	1877, 589		1873, 274
	1877, 625		1879, 525
	1877, 631	<i>Myro kerguelensis</i> ..	1876, 263
<i>Myristicivora bicolor</i> ..	1877, 536		1876, 265
	1877, 538	<i>Myrtis fanny</i>	1877, 523
	1877, 550		1879, 238
	1878, 89		1880, 206
	1878, 113	<i>yarrelli</i>	1873, 187
	1878, 952		1873, 188
<i>luctuosa</i>	1878, 89	<i>Myscelia pattenia</i>	1874, 347
<i>melanura</i>	1878, 89	<i>Myscelus belti</i>	1879, 153
<i>spilorhoa</i>	1876, 115	<i>epimachia</i>	1876, 248
	1878, 89	<i>phoronis</i>	1879, 153
<i>Myrmeciza argentata</i> ..	1873, 275	<i>anomala</i>	1876, 248
<i>exul</i>	1879, 526		1877, 176
<i>hemimelana</i>	1873, 275		1877, 177
	1874, 530		1877, 191
	1879, 625		1878, 863
<i>immaculata</i>	1878, 61		1878, 870
<i>Myrmecocichla formici-</i>		<i>donaciformis</i>	1878, 863
<i>vora</i>	1874, 215		1878, 864
<i>Myrmecophaga bivittata</i>	1876, 202		1878, 870
<i>didactyla</i>	1876, 202	<i>Mysis chamæleon</i>	1873, 157
<i>gigantea</i>	1871, 546	<i>oculata</i>	1878, 787
<i>jubata</i>	1874, 494	<i>relicta</i>	1878, 787
	1874, 580	<i>Mystacina tuberculata</i> ..	1876, 486
	1875, 491		1876, 487
	1875, 494		1876, 488
	1876, 202		1876, 534
	1880, 403		1876, 535
<i>tamandua</i>	1876, 202	<i>Mystacornis crossleyi</i> ..	1871, 314
<i>Myrmedobia fuliginea</i> ..	1878, 461		1872, 866
	1878, 466		1875, 70
<i>Myrmelastes plumbeus</i> .	1873, 273	<i>Mytilus</i>	1879, 587
<i>Myrmotherula atrogul-</i>		<i>adriaticus</i>	1879, 566
<i>laris</i>	1874, 137	<i>afër</i>	1879, 566
	1874, 530	<i>africanus</i>	1879, 566
<i>axillaris</i>	1873, 274	<i>barbatus</i>	1879, 567
	1879, 624	<i>bidens</i>	1879, 567
<i>cinereiventris</i>	1873, 274	<i>crenatus</i>	1878, 449
<i>fulviventris</i>	1879, 525	<i>decussatus</i>	1879, 569
	1880, 159	<i>discors</i>	1879, 568
<i>gularis</i>	1880, 159	<i>edulis</i>	1878, 449
<i>hæmatonota</i>	1873, 274		1879, 565
<i>hauxwelli</i>	1873, 274	<i>incurvatus</i>	1879, 566
<i>melæna</i>	1873, 274	<i>marmoratus</i>	1879, 568
	1878, 39	<i>modiolus</i>	1879, 567
	1878, 61	<i>nicobaricus</i>	1877, 192
	1879, 525	<i>phaseolinus</i>	1879, 567
<i>menetriesi</i>	1874, 530	<i>pictus</i>	1879, 566

	Page		Page
<i>Mytilus striatulus</i>	1879, 568	<i>Myzomela chloroptera</i> ..	1879, 278
(<i>Aulacomya</i>) <i>kraussi</i> 1877,	192	<i>cineracca</i>	1879, 447
<i>Myurella belcheri</i>	1880, 481		1879, 448
<i>guayaquilensis</i>	1880, 481		1880, 65
<i>pumilio</i>	1879, 185	<i>coccinea</i>	1879, 269
<i>tantilla</i>	1879, 185		1879, 270
<i>Myxopoda aurita</i>	1878, 871		1879, 279
	1878, 879	<i>cruentata</i>	1879, 258
<i>Myxus leuciscus</i>	1871, 653		1879, 269
	1871, 666		1879, 270
<i>Myzanthé ignipectus</i> ..	1871, 349		1879, 276
<i>pygmæa</i>	1877, 698		1879, 277
	1878, 343		1879, 278
	1878, 381		1879, 279
	1878, 620		1879, 449
<i>Myzomela adolphinæ</i> ..	1879, 258	<i>eques</i>	1879, 257
	1879, 261		1879, 258
	1879, 262		1879, 267
	1879, 266		1879, 276
	1879, 276		1879, 278
	1879, 278	<i>erythrina</i>	1879, 269
<i>arnouxi</i>	1879, 271		1879, 270
<i>boiæi</i>	1878, 84		1879, 279
	1879, 258		1879, 447
	1879, 261		1879, 449
	1879, 263	<i>erythrocephala</i>	1878, 97
	1879, 266		1879, 258
	1879, 276		1879, 261
	1879, 278		1879, 262
<i>caledonica</i>	1879, 258		1879, 263
	1879, 260		1879, 265
	1879, 272		1879, 266
	1879, 273		1879, 273
	1879, 277		1879, 276
	1879, 278		1879, 277
<i>cardinalis</i>	1878, 353		1879, 278
	1879, 256	<i>infuscata</i>	1879, 263
	1879, 258	<i>jugularis</i>	1875, 431
	1879, 259		1876, 19
	1879, 270		1877, 731
	1879, 271		1879, 258
	1879, 272		1879, 264
	1879, 273		1879, 265
	1879, 276		1879, 277
	1879, 277		1879, 278
	1879, 278	<i>lafargii</i>	1879, 257
<i>chermesina</i>	1878, 352		1879, 258
	1879, 258		1879, 264
	1879, 270		1879, 265
	1879, 272		1879, 277
	1879, 273		1879, 278
	1879, 277	<i>lifuensis</i>	1879, 258
	1879, 278		1879, 271
<i>chloroptera</i>	1879, 258		1879, 272
	1879, 259		1879, 273
	1879, 260		1879, 277
	1879, 261		1879, 278
	1879, 276	<i>major</i>	1879, 270

	Page		Page
<i>Myzomela melanogastra</i>	1879, 272	<i>Myzomela rubratra</i>	1872, 89
<i>meyeri</i>	1879, 266		1872, 94
<i>nigra</i>	1879, 256		1877, 778
	1879, 257		1879, 258
	1879, 258		1879, 270
	1879, 275		1879, 271
	1879, 277		1879, 276
	1879, 278		1879, 277
<i>nigrita</i>	1877, 553		1879, 278
	1878, 97		1880, 575
	1879, 257	<i>rubrobrunnea</i>	1879, 258
	1879, 258		1879, 268
	1879, 265		1879, 269
	1879, 267		1879, 276
	1879, 276		1879, 278
	1879, 277	<i>rubrotincta</i>	1879, 257
	1879, 278		1879, 258
	1879, 449		1879, 268
<i>nigriventris</i>	1875, 431		1879, 269
	1876, 491		1879, 276
	1879, 257		1879, 278
	1879, 258	<i>sanguinolenta</i>	1875, 597
	1879, 270		1879, 256
	1879, 271		1879, 257
	1879, 272		1879, 258
	1879, 273		1879, 259
	1879, 277		1879, 260
	1879, 278		1879, 261
<i>obscura</i>	1875, 597		1879, 270
	1878, 125		1879, 277
	1879, 257		1879, 278
	1879, 258	<i>sclateri</i>	1879, 258
	1879, 267		1879, 265
	1879, 268		1879, 277
	1879, 276		1879, 278
	1879, 277		1879, 279
	1879, 278		1879, 447
<i>pammelæna</i>	1877, 553		1879, 448
	1879, 258	<i>simplex</i>	1879, 258
	1879, 267		1879, 268
	1879, 277		1879, 269
	1879, 278		1879, 276
	1879, 449		1879, 278
<i>pectoralis</i>	1875, 597	<i>solitaria</i>	1879, 264
	1877, 350	<i>vulnerata</i>	1879, 258
	1879, 256		1879, 263
	1879, 258		1879, 276
	1879, 275		1879, 278
	1879, 277		
	1879, 278	<i>Nabis capsiformis</i>	1878, 462
<i>pluto</i>	1879, 266		1878, 463
<i>pusilla</i>	1879, 276		1878, 469
<i>rosenbergi</i>	1879, 258	<i>Nacella parva</i>	1878, 862
	1879, 274		1878, 864
	1879, 276		1878, 868
	1879, 278	<i>Nænia inca</i>	1871, 567
<i>rubratra</i>	1872, 87		1874, 562
	1872, 88		1876, 667

	Page		Page
<i>Naia hadje</i>	1871,	<i>Napeogenes peridia</i>	1877, 60
<i>tripudians</i>	1871,	<i>pharo</i>	1876, 209
<i>Naja tripudians</i>	1872,	<i>pyrrho</i>	1876, 209
	1879,		1876, 250
	1880,	<i>tolosa</i>	1874, 334
<i>Nandinia binotata</i>	1872,	<i>verticilla</i>	1876, 209
	1872,	<i>Napothera elaeoides</i>	1878, 96
	1873,	<i>Narathura hypomuta</i> ..	1878, 835
	1878,	<i>moolaiana</i>	1878, 835
<i>Nanina monticola</i>	1880,		1878, 855
<i>ramsayi</i>	1876,	<i>Nardoa schlegelii</i>	1877, 128
	1876,	<i>Narwhalus andersonia-</i>	
<i>subrugata</i>	1872,	<i>nus</i>	1871, 48
<i>taviunensis</i>	1876,	<i>microcephalus</i>	1871, 48
	1876,	<i>Naseus dahuricus</i>	1875, 534
<i>vitrinina</i>	1876,		1875, 536
	1876,	<i>Nasiterna geelvinkiana</i> .	1875, 470
(<i>Microcystina</i>) <i>town-</i>		<i>pusio</i>	1877, 108
<i>sendiana</i>	1879,		1878, 289
	1879,		1879, 11
	1879,		1880, 76
<i>Nannæthiops unitæ-</i>		<i>pygmæa</i>	1875, 470
<i>niatus</i>	1871,		1880, 76
	1871,	<i>Nassa albescens</i>	1878, 809
<i>Nannophrys ceylonensis</i>	1875,	<i>bifaria</i>	1878, 808
<i>Nannostomus beckfordi</i>	1872,		1878, 821
<i>Nanodes discolor</i>	1879,	<i>costellifera</i>	1878, 808
<i>Nanotragus hastatus</i> ..	1872,	<i>crenulata</i>	1878, 807
<i>melanotis</i>	1872,	<i>curta</i>	1878, 810
<i>montanus</i>	1872,	<i>densigranata</i>	1879, 211
	1872,	<i>dispar</i>	1878, 808
	1872,	<i>echinata</i>	1878, 810
<i>moschatus</i>	1872,		1878, 821
<i>nigricaudatus</i>	1872,	<i>elegans</i>	1878, 807
	1877,	<i>eximia</i>	1872, 14
	1877,		1872, 15
	1877,	<i>gemmaulifera</i>	1878, 809
<i>oreotragus</i>	1872,	<i>gruneri</i>	1878, 811
	1876,	<i>horrida</i>	1878, 810
	1876,	<i>intermedia</i>	1878, 865
<i>perpusillus</i>	1872,	<i>jacksoniana</i>	1878, 865
<i>pygmæus</i>	1872,	<i>japonica</i>	1879, 211
	1872,	<i>labecula</i>	1880, 415
	1872,	<i>lirata</i>	1879, 211
	1872,	<i>lirella</i>	1880, 415
	1878,	<i>lurida</i>	1878, 808
<i>regius</i>	1872,	<i>margaritifera</i>	1878, 808
<i>scoparia</i>	1872,	<i>marginulata</i>	1878, 808
<i>spiniger</i>	1872,	<i>marratii</i>	1878, 809
	1872,		1878, 821
	1872,	<i>monile</i>	1878, 808
<i>tragulus</i>	1872,	<i>muricata</i>	1878, 810
	1872,	<i>olivacea</i>	1878, 808
	1876,	<i>plebecula</i>	1879, 211
	1878,	<i>pumilio</i>	1871, 732
	1878,		1871, 739
<i>Napeogenes corena</i>	1876,	<i>stigmara</i>	1878, 808
<i>excelsa</i>	1874,	<i>subspinosa</i>	1878, 810
<i>hemimelæna</i>	1877,		

	Page		Page
<i>Nassa suturalis</i>	1877,	180	
<i>tænia</i>	1878,	808	
<i>trinodosa</i>	1878,	810	
<i>tritoniformis</i>	1871,	732	
(<i>Alectrion</i>) <i>glans</i> ..	1879,	210	
(—) <i>intermedia</i> ..	1877,	180	
(—) <i>spirata</i>	1877,	180	
(<i>Arcularia</i>) <i>bimacu-</i>			
<i>losa</i>	1878,	810	
(—) <i>callospira</i> ..	1878,	810	
(—) <i>globosa</i>	1878,	809	
(—) <i>granifera</i> ..	1878,	810	
(<i>Hima</i>) <i>acutiden-</i>			
<i>tata</i>	1879,	212	
	1879,	218	
(—) <i>decussata</i> ..	1877,	180	
(—) <i>festiva</i>	1879,	211	
(—) <i>fraterculus</i> ..	1879,	211	
(—) <i>luteola</i>	1879,	212	
	1879,	218	
(—) <i>sistroidea</i> ..	1878,	809	
(—) <i>tenuis</i>	1879,	211	
	1879,	212	
(<i>Naytia</i>) <i>glabrata</i> ..	1871,	732	
(<i>Niotha</i>) <i>gemmu-</i>			
<i>lata</i>	1877,	180	
(—) <i>stigmæria</i> ..	1879,	211	
(<i>Zeuxis</i>) <i>siquijorensis</i>	1879,	210	
	1879,	218	
(—) <i>varicifera</i> ..	1879,	210	
<i>Nasua fusca</i>	1875,	493	
<i>narica</i>	1880,	304	
<i>nasica</i>	1880,	397	
<i>rufa</i>	1875,	493	
	1880,	397	
<i>Natalus lepidus</i>	1880,	444	
<i>micropus</i>	1880,	443	
	1880,	444	
<i>stramineus</i>	1880,	443	
	1880,	444	
<i>Nathalis iole</i>	1878,	481	
<i>Natica ala-papilionis</i> ..	1877,	182	
<i>antoni</i>	1877,	720	
<i>areolata</i>	1871,	90	
<i>collaria</i>	1871,	733	
<i>colliæi</i>	1877,	183	
<i>concinna</i>	1877,	183	
<i>marochiensis</i>	1871,	733	
	1878,	866	
<i>rubro-maculata</i>	1871,	733	
	1871,	739	
<i>sagræina</i>	1871,	733	
(<i>Lunatia</i>) <i>incei</i>	1871,	90	
(<i>Neverita</i>) <i>conica</i> ..	1871,	90	
(<i>Ruma</i>) <i>filosa</i>	1877,	182	
<i>Naticina coarctata</i>	1877,	183	
<i>Natrix torquata</i>	1875,	487	
<i>Nauclerus furcatus</i>	1873,	303	
<i>Nautilinus fasciolatus</i> ..	1871,	161	
<i>variegatus</i>	1871,	161	
<i>Nautilus imperialis</i>	1878,	966	
<i>macromphalus</i>	1877,	178	
<i>pompilius</i>	1877,	178	
	1878,	955	
	1878,	958	
	1878,	961	
	1878,	962	
	1878,	969	
	1878,	970	
	1878,	974	
<i>striatus</i>	1878,	968	
	1878,	970	
<i>Navicella eximia</i>	1877,	527	
<i>lineata</i>	1877,	527	
<i>Naxa puncticilla</i>	1872,	575	
<i>Neæra (Leptomya) pura</i>	1871,	20	
	1871,	99	
<i>Necropsittacus roderi-</i>			
<i>canus</i>	1875,	41	
	1875,	42	
<i>Nectarinia angaladiana</i> ..	1871,	317	
	1879,	676	
<i>angolensis</i>	1871,	609	
	1871,	615	
<i>aspasia</i>	1877,	102	
	1878,	289	
	1879,	10	
<i>aspasioides</i>	1878,	81	
<i>auriceps</i>	1878,	80	
<i>australis</i>	1875,	598	
	1877,	104	
<i>boiei</i>	1878,	84	
<i>chalcea</i>	1873,	717	
<i>chloropygia</i>	1871,	133	
	1871,	609	
	1871,	615	
<i>cingalensis</i>	1879,	343	
<i>collaris</i>	1873,	713	
	1878,	356	
<i>comorensis</i>	1877,	297	
	1877,	302	
<i>coquereli</i>	1877,	302	
<i>cyancephala</i>	1874,	306	
<i>cyanolæma</i>	1871,	133	
<i>eques</i>	1879,	267	
<i>flavigastra</i>	1877,	104	
<i>frenata</i>	1877,	103	
	1877,	104	
	1877,	553	
	1878,	79	
	1878,	125	
	1879,	289	

	Page		Page
<i>Nectarinia frenata</i>	1879,	<i>Nemacheilus rupicola</i> . .	1876,
<i>fuliginosa</i>	1871,	<i>stoliczkæ</i>	1876,
	1871,		1876,
	1873,	<i>tenuicauda</i>	1876,
<i>gutturalis</i>	1878,	<i>tenuis</i>	1876,
	1878,		1876,
<i>insignis</i>	1873,	<i>yarkandensis</i>	1876,
<i>jardinii</i>	1873,		1876,
	1873,		1876,
<i>javanica</i>	1878,	<i>Nemaglossa brevis</i>	1874,
<i>notata</i>	1879,	<i>Nematoideum cepolæ-</i>	62
<i>osea</i>	1871,	<i>rubescens</i>	1879,
<i>pectoralis</i>	1873,	<i>Nembrotha citrina</i>	752
<i>souimanga</i>	1879,	<i>Nemesia cellicola</i>	235
<i>splendida</i>	1875,	<i>cœmentaria</i>	1876,
<i>subcollaris</i>	1878,	<i>gilliesii</i>	1872,
	1871,		1879,
	1871,	<i>Nemoricola indica</i>	1879,
	1873,		365
	1874,	<i>Nemosia albigularis</i>	1871,
<i>superba</i>	1873,	<i>auricollis</i>	1873,
	1871,	<i>chrysopis</i>	1880,
	1871,	<i>flavicollis</i>	1873,
<i>venusta</i>	1878,		1879,
(<i>Myzomela</i>) <i>vulne-</i>	1879,	<i>fulvescens</i>	1873,
<i>rata</i>	263	<i>guira</i>	1873,
<i>Nectarophila hasselti</i> . .	1875,		1877,
	1879,		1879,
<i>juliæ</i>	1877,	<i>guirina</i>	1879,
	1877,	<i>inornata</i>	1879,
	1877,		1880,
	1878,	<i>nigricollis</i>	1879,
<i>minima</i>	1872,	<i>ornata</i>	1874,
<i>sperata</i>	1877,		1879,
	1878,		1879,
	1878,	<i>pileata</i>	1880,
	1878,		1873,
<i>zeylonica</i>	1878,	<i>ruficeps</i>	1879,
<i>Nectris chilensis</i>	1872,	<i>sordida</i>	1873,
<i>gama</i>	1874,		1879,
<i>obscura</i>	1872,		1880,
<i>Necyria saundersii</i>	1872,	<i>Nemura cyanea</i>	1873,
<i>whitelyana</i>	1876,	<i>rufilata</i>	1871,
<i>Nehela vulturina</i>	1876,	<i>Neobalæna marginata</i> . .	1873,
	1878,		1873,
	1878,		1873,
	1878,	<i>Neocerambyx aurifaber</i> .	1877,
<i>Nelicurvius nelicouvi</i> . .	1878,	<i>Neochanna apoda</i>	1871,
<i>Nelo chrysomela</i>	1879,	<i>Neochera eugenia</i>	1879,
<i>Nemacheilus botia</i>	1874,	<i>heliconioides</i>	1878,
<i>gracilis</i>	1880,	<i>marmorea</i>	1878,
	1876,		1878,
	1876,	<i>tortuosa</i>	1872,
<i>ladacensis</i>	1876,		1872,
<i>marmoratus</i>	1876,	<i>Neochmia phaëton</i>	1875,
	1876,		590
	1876,		
<i>microps</i>	1876,		
<i>montana</i>	1876,		

	Page		Page
<i>Neodrepanis coruscans</i> ..	1875, 75	<i>Nephila imperialis</i>	1877, 284
	1875, 76	<i>labillardieri</i>	1875, 130
<i>Neomorphus geoffroyi</i> ..	1873, 296		1875, 134
<i>pucherani</i>	1873, 296		1875, 149
<i>radiolosus</i>	1878, 439		1879, 730
<i>rufipennis</i>	1873, 296	<i>maculata</i>	1877, 284
	1878, 439	<i>madagascariensis</i> ..	1875, 134
<i>Neomys panamensis</i>	1876, 757	<i>moluccensis</i>	1871, 617
	1880, 11	<i>rivulata</i>	1871, 617
<i>Neonympha fallax</i>	1874, 336		1871, 618
<i>Neophasia terlooii</i>	1872, 58		1871, 619
<i>Neophoca lobata</i>	1875, 674		1871, 622
	1875, 676	<i>Nephopteryx hyemalis</i> ..	1880, 689
<i>Neophron ginginianus</i> ..	1871, 676	<i>seminivella</i>	1880, 689
	1875, 17	<i>Nephrica marginata</i>	1879, 440
<i>percnopterus</i>	1873, 466	<i>Neptis aceris</i>	1872, 560
	1873, 634		1872, 561
	1873, 635		1873, 344
	1875, 17		1878, 639
<i>Neopipo cinnamomea</i> ..	1873, 282	<i>adara</i>	1878, 830
	1873, 283		1878, 854
<i>rubicunda</i>	1873, 283	<i>adipala</i>	1872, 563
<i>Neopus malayensis</i>	1872, 411		1872, 582
	1880, 14		1878, 830
<i>Neorhynchus nasesus</i> ..	1874, 520		1878, 854
	1877, 320	<i>agatha</i>	1871, 722
<i>Neorina lowii</i>	1873, 339	<i>amba</i>	1872, 563
<i>Neoris shadulla</i>	1872, 577		1874, 270
<i>Neornis assimilis</i>	1878, 980	<i>ananta</i>	1874, 270
	1878, 982	<i>andamana</i>	1877, 586
<i>Neothauma tanganyi-</i>			1877, 624
<i>cense</i>	1880, 344		1878, 830
	1880, 349	<i>astola</i>	1872, 560
	1880, 352		1872, 561
<i>Neotragus damarensis</i> ..	1880, 20		1874, 270
	1880, 21	<i>camboja</i>	1879, 136
	1880, 22	<i>cartica</i>	1872, 562
<i>kirikii</i>	1880, 17	<i>clinia</i>	1872, 563
	1880, 19		1872, 582
	1880, 20		1874, 105
	1880, 21	<i>cnacalis</i>	1877, 586
	1880, 22		1877, 624
<i>saltianus</i>	1878, 743	<i>columella</i>	1872, 562
	1880, 17	<i>dindinga</i>	1879, 136
	1880, 18	<i>emodes</i>	1872, 561
	1880, 19		1872, 582
	1880, 20		1874, 570
	1880, 21	<i>eurynome</i>	1874, 570
	1880, 22		1877, 812
<i>Nephele ænopion</i>	1875, 15		1878, 697
<i>rosæ</i>	1875, 14	<i>hainana</i>	1878, 697
<i>variegata</i>	1875, 15		1878, 706
<i>Nephila chrysogaster</i> ..	1871, 617	<i>hardonia</i>	1874, 105
	1871, 620	<i>harita</i>	1874, 571
	1871, 622		1874, 579
	1877, 284	<i>heliadora</i>	1873, 343
<i>edulis</i>	1875, 132	<i>heliadore</i>	1879, 136

	Page		Page
Neptis hordonia	1873, 343	Neptis venilia	1874, 280
	1878, 698		1879, 158
	1878, 830	vikasi	1873, 344
	1879, 136		1874, 571
jumba	1878, 830	viraja	1872, 563
	1878, 854		1872, 582
kamarupa	1874, 570	woodlarkiana	1874, 280
kamrupa	1878, 698	Neptunus anceps	1877, 653
khasiana	1872, 562		1877, 655
	1872, 582		1877, 656
latifasciata	1877, 468	hastatus	1877, 656
leucothoë	1872, 561	lævis	1877, 656
	1873, 344	Nereis festiva	1874, 326
	1874, 105	fulva eunice	1874, 350
	1874, 570	Neriene bituberculata	1872, 759
mahendra	1872, 560	conigera	1872, 750
	1872, 582		1875, 192
	1880, 148	cornuta	1872, 759
mamaja	1877, 586	excisa	1872, 757
mananda	1877, 586		1872, 758
	1877, 624	flavipes	1875, 333
	1877, 631	gracilis	1875, 333
meetana	1878, 830	herbigrada	1872, 289
melicerta	1875, 410	latebricola	1872, 755
mortifacies	1877, 468	livida	1872, 291
nandina	1872, 560	nigra	1871, 619
	1872, 563	pallipes	1872, 289
napaja	1874, 570	pygmæa	1872, 755
nata	1873, 343	rubripes	1879, 697
nemetes	1871, 722	saxatilis	1872, 749
	1875, 410	subtilis	1872, 748
nicobarica	1877, 586		1872, 750
	1877, 624	viaria	1875, 403
nicoteles	1875, 410	(Linyphia) oblita	1872, 289
nolana	1874, 103	Nerita albicella	1871, 95
	1874, 105	caffra	1877, 527
omeroda	1874, 571	rumphii	1877, 188
ophiana	1872, 561	Neritina fluviatilis	1873, 390
papaja	1874, 570	viridis	1871, 19
plagiosa	1878, 830		1871, 95
	1878, 854		1871, 96
praslini	1879, 158	—, var. major	1871, 95
radha	1872, 564	(Vitta) pulcherrima	1871, 19
rihodona	1878, 698		1871, 96
	1878, 706	(—) rangiana	1871, 95
sinuata	1879, 136	Neritopsis radula	1874, 585
soma	1872, 563		1874, 586
suclava	1875, 410	Nerophis æquoreus	1879, 761
surakarta	1872, 561	Nesocentor chalybeus	1877, 106
	1874, 570	violaceus	1877, 106
susruta	1872, 563	Nesocichla eremita	1878, 577
	1872, 582	Nesomys betsileoensis	1879, 770
varmona	1872, 560	Nesonetta aucklandica	1880, 530
	1872, 561		1880, 535
	1874, 570	Nesospiza acunhæ	1878, 577
	1877, 586	Nestinus flavo-marginatus	1879, 789
	1878, 830		

	Page		Page
<i>Nestor esslingii</i>	1874,	<i>Nigrita leuteifrons</i>	1871,
<i>hypopolius</i>	1872,		1871,
	1872,		1871,
	1873,	<i>uropygialis</i>	1871,
	1873,	<i>Nilssonia formosa</i>	1873,
	1879,		1873,
<i>meridionalis</i>	1874,	<i>Niltava cyanomelæna</i> ..	1871,
	1874,	<i>grandis</i>	1880,
	1876,	<i>sundara</i>	1871,
	1876,	<i>Nilus curtus</i>	1876,
<i>notabilis</i>	1872,		1876,
	1873,		1876,
	1873,	<i>Ninox boobook</i>	1878,
	1874,	<i>borneensis</i>	1875,
	1874,		1879,
	1875,	<i>hirsuta</i>	1872,
<i>productus</i>	1874,	<i>hypogramma</i>	1876,
<i>superbus</i>	1874,	<i>jacquinoti</i>	1879,
	1874,		1879,
<i>Nettapus albigipennis</i>	1877,	<i>japonica</i>	1871,
	1880,		1873,
	1880,		1878,
<i>auritus</i>	1875,		1879,
	1880,	<i>lugubris</i>	1878,
	1880,		1878,
<i>coromandelianus</i> ..	1880,	<i>novæ-britanniæ</i> ..	1879,
<i>pulchellus</i>	1877,	<i>odiosa</i>	1877,
	1880,	<i>philippinensis</i>	1878,
<i>Nettion carolinensis</i>	1876,	<i>punctulata</i>	1877,
<i>Nettopus coromandelia-</i>	1876,	<i>scutellatus</i>	1875,
<i>nus</i>	1880,	<i>scutulata</i>	1879,
	1880,		1879,
<i>pulchellus</i>	1880,	<i>solomonis</i>	1876,
	1880,		1878,
<i>Neuria retina</i>	1880,		1879,
<i>Neürotrichus gibbsii</i> ..	1880,	<i>spilocephala</i>	1878,
<i>Newcombia cumingi</i> ..	1873,		1878,
<i>Nezara viridula</i>	1878,		1879,
	1878,	<i>tæniata</i>	1876,
	1878,		1879,
<i>Nica flavilla</i>	1874,	<i>variegata</i>	1879,
<i>Nicator chloris</i>	1871,		1879,
	1871,	<i>Niphanda tessellata</i>	1874,
<i>Nicida anamallayana</i> ..	1875,	<i>Nipponia nippon</i>	1877,
<i>chrysalidea</i>	1875,		1877,
<i>depauperata</i>	1875,		1877,
<i>nitidula</i>	1875,	<i>temmincki</i>	1877,
<i>Nigrita arnaudi</i>	1871,	<i>Nisaëtus bonelli</i>	1872,
<i>bicolor</i>	1871,	<i>morphnoides</i>	1875,
	1871,	<i>pennatus</i>	1875,
<i>canicapilla</i>	1871,	<i>Nishada flabrifera</i>	1878,
	1871,	<i>Nisoniades diocles</i>	1878,
	1878,	<i>funeralis</i>	1874,
<i>emiliæ</i>	1871,	<i>Nisoria undata</i>	1871,
	1871,	<i>Nisus badius</i>	1871,
	1878,	<i>concentricus</i>	1879,
<i>fusconota</i>	1871,	<i>cruentus</i>	1877,

	Page		Page
<i>Nisus francesii</i>	1872,		
	1877,	<i>Notaphus semifasci-</i>	
<i>hemidactylus</i>	1879,	<i>atus</i>	1878, 602
<i>madagascariensis</i> ..	1872,	<i>Notauges albicapillus</i> ..	1878, 721
<i>poliocephalus</i>	1878,	<i>hildebrandti</i>	1878, 721
<i>poliogaster</i>	1879,	<i>superbus</i>	1878, 721
<i>rufitorques</i>	1877,	<i>Notheme eumeus</i>	1876, 236
<i>striatus</i>	1879,	<i>Nothocercus bonapartii</i> ..	1878, 41
<i>tachiro</i>	1878,	<i>scolopax</i>	1879, 548
<i>Nitocris bicomma</i>	1877,	<i>Nothocrax urumutum</i> ..	1873, 307
<i>comma</i>	1877,		1877, 681
	1877,	<i>Nothoprocta branickii</i> ..	1874, 501
<i>plusiata</i>	1877,		1874, 563
<i>Noctilio leporinus</i>	1878,		1874, 680
<i>Noctua armigera</i>	1880,	<i>curvirostris</i>	1874, 680
<i>brodiaei</i>	1871,		1875, 361
<i>dama</i>	1877,		1880, 213
<i>dotata</i>	1880,	<i>doeringi</i>	1879, 461
<i>ferox</i>	1879,	<i>ornata</i>	1874, 680
<i>frugalis</i>	1880,		1879, 642
<i>ornatrix</i>	1877,	<i>pentlandi</i>	1874, 680
<i>podargina</i>	1872,		1879, 461
	1872,		1879, 642
<i>punctulata</i>	1877,	<i>perdicaria</i>	1874, 564
<i>suffusa</i>	1877,		1874, 680
<i>torquata</i>	1879,	<i>punctulata</i>	1879, 461
<i>urucurea</i>	1874,	<i>taczanowskii</i>	1874, 564
<i>variegata</i>	1878,		1874, 678
<i>Noda balyi</i>	1878,		1874, 679
<i>boucardi</i>	1878,		1874, 680
<i>lefevrei</i>	1878,	<i>Nothura darwini</i>	1872, 547
	1878,		1872, 549
<i>propinqua</i>	1878,	<i>doeringi</i>	1879, 642
<i>rufipes</i>	1878,	<i>maculosa</i>	1872, 547
<i>semicostata</i>	1878,		1874, 167
<i>tasmanica</i>	1879,		1874, 170
<i>violaceipennis</i>	1878,		1875, 343
<i>viridis</i>	1878,	<i>marmorata</i>	1879, 642
	1878,	<i>minor</i>	1872, 547
<i>Noddi inca</i>	1871,	<i>punctulata</i>	1879, 642
<i>Nola candida</i>	1880,	<i>Notidanus cinereus</i>	1878, 116
<i>innocua</i>	1880,	(Heptachus) <i>cive-</i>	
<i>spreti</i>	1880,	<i>reus</i>	1876, 44
<i>strigulalis</i>	1880,		1876, 48
<i>Nolasena dulcissima</i> ...	1877,	<i>Notiobia cupreola</i>	1878, 590
	1877,	<i>disparilis</i>	1878, 589
	628	<i>leiroides</i>	1878, 590
<i>Nonagria gracilis</i>	1880,	<i>limbipennis</i>	1878, 590
<i>juncicolor</i>	1877,	<i>parilis</i>	1878, 590
<i>unica</i>	1877,	<i>Notioxenus bilunulatum</i>	1874, 53
<i>Nonnula frontalis</i>	1873,	<i>Notodela montium</i>	1871, 359
<i>ruficapilla</i>	1873,	<i>Notodoris citrina</i>	1877, 233
	1874,	<i>Notopteris macdonaldi</i> ..	1880, 11
<i>Norasuma javanica</i>	1872,	<i>Notozona bivittata</i>	1879, 439
	1872,	<i>Novacula rufa</i>	1873, 238
	582	<i>Nucifraga caryocatactes</i>	1871, 382
<i>Norbea brookii</i>	1872,		1875, 490
<i>Nortes subæneus</i>	1874,		
<i>Notaphus galapagoënsis</i> ..	1877,		
	81		

	Page		Page
<i>Nucifraga hemispila</i> ..	1871, 382	<i>Nucula ventricosa</i>	1879, 584
	1873, 666	<i>Nudaria fasciata</i>	1878, 36
<i>Nucula</i>	1879, 587	<i>margaritacea</i>	1878, 36
<i>acuminata</i>	1879, 576	<i>Numenius arcuatus</i> ..	1871, 409
<i>aegeensis</i>	1879, 581	<i>arcuatus</i>	1871, 410
	1879, 582	<i>arquata</i>	1872, 474
<i>antiqua</i>	1879, 581	<i>arquatus</i>	1873, 34
<i>arctica</i>	1879, 575		1873, 469
<i>bellotii</i>	1879, 581		1873, 641
<i>commutata</i>	1879, 575		1877, 417
<i>convexa</i>	1879, 582		1877, 418
<i>corbuloides</i>	1879, 582	<i>atricapillus</i>	1871, 410
<i>corticata</i>	1879, 582	<i>australis</i>	1871, 410
<i>crassicosata</i>	1871, 729	<i>borealis</i>	1871, 56
	1871, 739		1871, 58
<i>decipiens</i>	1879, 581		1871, 299
<i>delphinodonta</i>	1879, 582		1873, 456
<i>emarginata</i>	1879, 575	<i>brasilienis</i>	1873, 456
<i>expansa</i>	1879, 581	<i>brevirostris</i>	1873, 456
<i>gibba</i>	1879, 582	<i>cassinii</i>	1871, 410
<i>gibbosa</i>	1879, 577	<i>cyanopus</i>	1871, 410
<i>glabra</i>	1879, 587		1877, 339
<i>glacialis</i>	1879, 576	<i>falcinellus</i>	1877, 504
<i>inflata</i>	1879, 581	<i>femoralis</i>	1874, 323
<i>lata</i>	1879, 579	<i>hudsonicus</i>	1871, 57
<i>lenticula</i>	1879, 577		1871, 58
<i>macandraei</i>	1879, 582		1873, 456
<i>micans</i>	1878, 864		1877, 330
	1878, 871	<i>ibis</i>	1877, 485
<i>nitida</i>	1879, 584	<i>lineatus</i>	1871, 410
<i>nucleus</i>	1879, 582		1872, 474
	1879, 583	<i>longirostris</i>	1873, 456
<i>perminima</i>	1879, 582	<i>luzoniensis</i>	1871, 410
<i>polii</i>	1879, 583	<i>major</i>	1871, 410
<i>portlandica</i>	1879, 576	<i>microrhynchus</i>	1873, 456
<i>proxima</i>	1879, 583	<i>minor</i>	1871, 409
<i>pumila</i>	1879, 582		1877, 339
<i>pusilla</i>	1877, 117	<i>minutus</i>	1871, 409
	1877, 193	<i>phaëopus</i>	1871, 410
	1878, 864		1872, 87
<i>pusio</i>	1879, 578		1872, 88
<i>pygmæa</i>	1879, 577		1872, 89
<i>radiata</i>	1879, 584		1872, 106
<i>reticulata</i>	1879, 583		1872, 474
	1879, 588		1873, 456
<i>siliqua</i>	1879, 576		1873, 469
<i>simplex</i>	1877, 193		1873, 641
<i>striatissima</i>	1879, 583		1875, 488
<i>sulcata</i>	1879, 583		1877, 536
<i>sulcifera</i>	1879, 576		1877, 538
<i>tenuis</i>	1879, 577		1877, 550
	1879, 581		1877, 755
	1879, 582		1878, 90
<i>trigona</i>	1879, 583		1879, 351
<i>truncata</i>	1879, 576		1879, 679
<i>tumidula</i>	1879, 582		1880, 576
<i>umbonata</i>	1879, 583	<i>rufescens</i>	1871, 411

	Page		Page
Numenius tahitiensis ..	1871, 410	Nyctalemon patroclus ..	1877, 474
uropygialis	1871, 410		1879, 165
	1877, 113	zampa	1877, 620
	1877, 339	Nyctea nivea	1871, 112
	1877, 557		1877, 1
	1878, 90	scandiaca	1877, 31
	1878, 100	Nyctemera artemis	1879, 162
	1879, 14	baulus	1879, 162
	1879, 351		1880, 672
	1879, 447	coleta	1879, 394
	1880, 576	lacticinia	1877, 599
Numida cristata	1876, 695		1877, 626
	1877, 652	latistriga	1878, 846
	1879, 374		1878, 857
	1879, 375	nigrovenosa	1879, 394
edouardi	1871, 495	separata	1878, 386
	1871, 496	varians	1878, 847
elliotti	1877, 652	Nyctereutes procyonides .	1874, 323
	1879, 713		1876, 695
	1880, 539		1877, 530
granti	1871, 584	procyonides	1878, 373
	1873, 196		1878, 374
	1877, 652		1878, 375
meleagris	1873, 468		1878, 376
	1873, 640		1879, 766
	1879, 310		1880, 73
mitrata	1877, 301	procyonoides	1872, 817
	1879, 678	Nycteridium	1879, 76
	1879, 713	schneideri	1872, 589
ptilorhyncha	1879, 375	Nycteris æthiopica ..	1879, 718
pucherani	1880, 539	grandis	1879, 718
rendalli	1875, 489	hispida	1879, 718
	1879, 375	javanica	1879, 718
tiarata	1877, 301	Nyctiardea nycticorax ..	1871, 413
	1877, 302	Nyctibius cornutus	1873, 290
	1879, 678		1875, 237
verreauxi	1871, 496		1879, 240
vulturina	1872, 789	jamaicensis	1879, 531
	1874, 110	longicaudatus	1873, 289
	1876, 294		1873, 290
	1877, 652	Nycticebus tardigradus .	1879, 123
	1879, 376		1879, 302
	1879, 713	Nycticeius temminckii .	1873, 250
Nychitona niobe	1880, 668	Nycticejus crepuscularis	1875, 369
xiphia	1878, 699	cyanocephala	1876, 731
	1878, 707	flaveolus	1872, 706
	1878, 837		1875, 370
	1878, 855	luteus	1872, 706
Nyctale barbata	1873, 649		1872, 714
Nyctalemon ægistus ..	1878, 490		1875, 370
docile	1877, 620	temminckii	1875, 368
	1878, 642	Nycticorax americanus .	1874, 555
hector	1878, 642	caledonicus	1872, 105
metaurus	1877, 151		1872, 106
najabula	1877, 620		1877, 342
	1877, 630		1877, 555
patroclus	1877, 150		1877, 769

	Page		Page
<i>Nycticorax caledonicus</i> .	1878, 671	<i>Nyctinomus albiventer</i> .	1876, 735
	1878, 673	<i>angolensis</i>	1876, 718
	1879, 14		1876, 724
	1880, 65		1876, 725
<i>crassirostris</i>	1877, 769		1876, 726
<i>europæus</i>	1873, 467	<i>australis</i>	1876, 718
	1873, 637		1876, 728
<i>gardeni</i>	1873, 305	<i>bengalensis</i>	1876, 721
	1877, 329	<i>bivittatus</i>	1876, 717
	1879, 542		1876, 722
<i>goisagi</i>	1872, 89	<i>brachypterus</i>	1876, 717
<i>griseus</i>	1871, 413		1876, 722
	1872, 88	<i>brasiliensis</i>	1876, 718
	1872, 89		1876, 731
	1872, 105	<i>cestoni</i>	1876, 717
	1872, 478		1876, 719
	1877, 834		1876, 720
<i>manillensis</i>	1871, 413		1876, 724
	1872, 89		1876, 725
	1872, 105	<i>dilatatus</i>	1876, 721
	1877, 769	<i>gracilis</i>	1876, 718
	1878, 288		1876, 730
	1878, 345		1876, 731
	1879, 73		1876, 732
	1880, 577	<i>hepaticus</i>	1876, 725
<i>melanolophus</i>	1871, 413	<i>insignis</i>	1876, 719
<i>nævia</i>	1873, 305	<i>johorensis</i>	1876, 718
<i>obscurus</i>	1878, 436		1876, 726
	1879, 310		1876, 727
<i>pileata</i>	1873, 305	<i>leucogaster</i>	1876, 724
<i>violaceus</i>	1871, 273	<i>limbatus</i>	1872, 364
	1872, 652		1876, 717
	1877, 746		1876, 724
<i>Nyctidromus albicollis</i> .	1873, 186	<i>macrootis</i>	1876, 716
	1873, 290		1876, 717
	1875, 237		1876, 718
	1877, 327		1876, 729
	1878, 67		1876, 730
	1879, 240		1876, 731
	1879, 532	<i>megalotis</i>	1876, 718
	1879, 626		1876, 728
<i>Nyctimera lacticina</i> ..	1877, 150	<i>mexicanus</i>	1876, 731
<i>Nyctinomus acetabu-</i>		<i>miarensis</i>	1876, 718
<i>losus</i>	1876, 718		1876, 725
	1876, 734	<i>mops</i>	1876, 718
	1876, 735		1876, 726
<i>ægyptiacus</i>	1876, 717	<i>multispinosus</i>	1876, 731
	1876, 721	<i>musculus</i>	1876, 731
	1876, 722	<i>nasutus</i>	1876, 731
	1876, 723	<i>natalensis</i>	1876, 734
<i>africanus</i>	1876, 717	<i>norfolcensis</i>	1876, 704
	1876, 719		1876, 718
	1876, 721		1876, 732
	1876, 728		1876, 733
<i>albiventer</i>	1876, 704		1876, 734
	1876, 718		1876, 735
	1876, 733	<i>planiceps</i>	1876, 732
	1876, 734	<i>plicatus</i>	1876, 717

	Page		Page
Nyctinomus plicatus ..	1876, 721	Nymphalis flavilla	1874, 344
	1876, 722	franckii	1878, 832
	1876, 727	glauce	1874, 340
	1878, 879	helie	1877, 635
pumilus	1876, 717	iphis	1874, 341
	1876, 723	laurentia	1874, 342
	1876, 724	morvus	1877, 639
	1876, 727	odilia	1877, 647
tenuis	1876, 721	paphia	1877, 633
tragatus	1876, 717	pavonii	1874, 342
	1876, 721	pithyusa	1874, 340
unicolor	1876, 725	polibete	1874, 280
ventralis	1876, 719		1875, 613
(Chærephon) johoren- rensis	1876, 727	polycarmes	1877, 647
(Dysopes) ventralis	1876, 719	portia	1877, 633
(Mormopterus) ju- gularis	1876, 734	ryphea	1877, 634
Nyctipao crepuscularis .	1877, 150	schreiberi	1878, 640
	1877, 608	tempe	1877, 636
	1877, 628	thamyris	1874, 341
	1878, 642		1877, 641
	1878, 849	titan	1874, 340
	1878, 857	(Aterica) edwardsii	1879, 705
ephesphoris	1877, 150	Nymphicus cornutus ..	1879, 550
	1879, 165	novæ-hollandiæ ..	1875, 489
obliterans	1877, 608	Nymphidium adelphinum	1878, 368
truncata	1877, 608	agle	1878, 368
	1877, 628	ascolia	1874, 354
Nyctipithecus felinus ..	1872, 3		1876, 239
	1872, 4	caricæ	1876, 239
	1879, 123	hæmatostictum...	1878, 367
lemurinus	1871, 220	ictericum	1878, 367
	1872, 3	lycorias	1874, 354
	1872, 9		1878, 368
	1872, 664	melope	1876, 239
oseryi	1871, 220	philiasus	1878, 368
	1872, 3	sicyon	1878, 368
rufipes	1872, 3	velabrum	1878, 368
	1872, 9	Nyroca australis	1877, 347
	1872, 729		1880, 526
	1880, 634	brunnea	1880, 526
trivirgatus	1872, 3	ferina	1880, 525
	1880, 303	leucophthalma ...	1878, 479
	1880, 394	leucophthalmos ..	1880, 526
vociferans	1871, 220	Nysius marginalis	1877, 88
	1880, 634	sanctæ-helenæ ...	1878, 461
Nyctiphrynus ocellatus .	1874, 545		1878, 464
Nyctogale elegans	1873, 555		1878, 465
Nyctophilus geoffroyi ..	1872, 704	thymi	1878, 461
timoriensis	1878, 876		1878, 463
Nymphalis acilia	1878, 646		1878, 465
amenophis	1874, 341	Obeliscus brunneus	1878, 866
centaurus	1877, 636	jucundus	1877, 173
chæronea	1874, 340		1877, 177
cleodice	1877, 636		1877, 183
coresia	1874, 345	(Syrnola) gracillima	1871, 734
eribotes	1877, 639		1871, 739
		Oecadia sinensis	1873, 192

	Page		Page
<i>Oceania marsupialis</i>	1879, 797	<i>Ochthoeca leucophrys</i> ..	1877, 20
<i>Oceanites oceanicus</i>	1878, 735		1879, 232
<i>tropica</i>	1880, 164		1879, 610
<i>Oceanus crepidatus</i>	1879, 130	<i>murina</i>	1880, 202
<i>parasiticus</i>	1876, 318		1871, 749
<i>Ochetodon mexicana</i> ..	1876, 318		1871, 750
<i>Ochetorhynchus rufi-</i>	1877, 446	<i>nigrita</i>	1871, 750
<i>cauda</i>	1879, 619	<i>oenanthoides</i>	1871, 750
<i>Ochria niveopicta</i>	1878, 485		1874, 677
<i>Ochromela nigrorufa</i> ..	1872, 441		1879, 610
	1873, 205	<i>polionota</i>	1871, 750
	1873, 671		1874, 533
<i>Ochthites brevicanda</i> ..	1874, 534	<i>pulchella</i>	1876, 355
<i>Ochthodiæta fumigatus</i> .	1874, 532		1879, 589
	1876, 355		1879, 610
	1879, 511	<i>rufimarginata</i>	1880, 202
	1880, 202	<i>rufipectoralis</i>	1871, 750
<i>fuscorufus</i>	1876, 354		1873, 780
	1879, 589		1873, 781
	1879, 610		1874, 678
<i>signatus</i>	1874, 501		1879, 611
	1874, 532	<i>rufomarginata</i>	1871, 750
<i>Ochthodromus bicinctus</i>	1877, 337		1877, 20
<i>inornatus</i>	1877, 337	<i>salvini</i>	1877, 324
	1878, 127		1877, 752
<i>Ochthoeca albidiaema</i> ..	1871, 750	<i>setophagoides</i>	1871, 750
<i>arenacea</i>	1877, 20		1877, 20
<i>caloptera</i>	1879, 233		1879, 611
	1879, 511	<i>stictoptera</i>	1871, 750
<i>cinnamomeiventris</i> .	1871, 750		1875, 234
	1874, 134		1880, 202
<i>citrinifrons</i>	1871, 750	<i>superciliosa</i>	1871, 749
	1876, 355	<i>thoracica</i>	1874, 133
<i>diadema</i>	1871, 750		1874, 533
	1879, 511		1879, 232
<i>fumicolor</i>	1871, 749		1879, 611
	1879, 511	<i>uropygialis</i>	1871, 750
	1880, 202	<i>Oculina cubaënsis</i>	1876, 429
<i>fumigata</i>	1871, 749		1876, 430
	1879, 511		1876, 436
<i>gratiosa</i>	1871, 750		1876, 437
	1879, 232		1876, 442
<i>lessoni</i>	1871, 750	<i>infundibulifera</i>	1871, 276
	1874, 134	<i>prolifera</i>	1873, 401
	1874, 533	<i>rosea</i>	1874, 299
	1877, 324		1874, 304
	1879, 332	<i>Ocyale atalanta</i>	1876, 629
	1879, 511	<i>Ocyalus latirostris</i>	1873, 265
	1880, 202		1873, 266
<i>leucometopa</i>	1877, 19	<i>wagleri</i>	1878, 58
	1879, 232		1879, 508
	1880, 202	<i>Ocydromus australis</i> ..	1872, 636
<i>leucophrys</i>	1871, 750		1877, 307
	1873, 780	<i>fuscus</i>	1875, 527
	1874, 533	<i>lafresnayanus</i>	1872, 636
	1874, 677		1873, 518
	1877, 19	<i>sylvestris</i>	1871, 546

	Page		Page
<i>Ocydromus sylvestris</i> ..	1872, 636	<i>Æcobius navus</i>	1872, 222
	1873, 469	<i>putus</i>	1876, 544
	1873, 641		1876, 626
<i>Ocyphaps lophotes</i>	1873, 468	<i>teliger</i>	1876, 629
	1873, 639		1872, 221
	1874, 250		1872, 222
	1874, 256		1872, 347
<i>Ocypode ceratophthalma</i>	1877, 135		1872, 352
	1877, 136	<i>templi</i>	1876, 544
(<i>Gelasimus</i>) <i>lactea</i> ..	1879, 36		1876, 545
(<i>Helice</i>) <i>tridens</i> ..	1879, 38		1876, 626
<i>Odonestis decisa</i>	1879, 408		1876, 629
<i>divisa</i>	1879, 408	<i>trimaculatus</i>	1872, 219
<i>inobtrusa</i>	1879, 408		1872, 221
<i>læta</i>	1879, 408		1872, 222
<i>pyriformis</i>	1879, 408		1872, 347
	1879, 417		1872, 352
<i>Odontomus mülleri</i>	1879, 78	<i>Æcophora apertella</i>	1877, 405
<i>Odontophorus balliviani</i>	1873, 780	<i>biplagella</i>	1878, 25
	1873, 784	<i>griseata</i>	1877, 405
<i>dentatus</i>	1873, 468	<i>parca</i>	1877, 405
	1873, 640	<i>picarella</i>	1877, 405
<i>guianensis</i>	1877, 307	<i>pseudospretella</i>	1877, 405
<i>guttatus</i>	1878, 42	<i>sordida</i>	1877, 405
<i>hyperythrus</i>	1879, 545	<i>Ædemia americana</i>	1871, 419
<i>hypospodius</i>	1879, 545		1873, 411
<i>marmoratus</i>	1879, 545		1880, 529
	1879, 641	<i>fusca</i>	1871, 419
<i>pachyrhynchus</i>	1874, 558		1880, 529
<i>speciosus</i>	1874, 558		1880, 534
<i>stellatus</i>	1873, 307	<i>nigra</i>	1871, 419
<i>Odontoptera chalybeata</i> .	1872, 580		1880, 528
	1872, 583	<i>perspicillata</i>	1873, 195
<i>discospilota</i>	1872, 580		1876, 402
<i>Odontoscelis curtisii</i> ..	1874, 56		1876, 410
<i>tentyrioides</i>	1874, 56		1876, 411
<i>Odostomia carinata</i>	1873, 206		1880, 529
	1873, 209	<i>velvetina</i>	1880, 529
<i>conoidea</i>	1871, 735	<i>Ædicnemus bistriatus</i> ..	1871, 626
<i>eburnea</i>	1878, 866		1873, 469
<i>simplex</i>	1871, 15		1873, 640
	1871, 91	<i>crepitans</i>	1872, 472
<i>sulcifera</i>	1871, 735		1874, 456
	1871, 739		1875, 488
<i>turrita</i>	1873, 386		1877, 307
<i>Æcobius affinis</i>	1872, 221	<i>grallarius</i>	1873, 469
	1872, 347		1873, 640
<i>albipunctatus</i>	1872, 222		1874, 112
	1872, 347		1874, 456
<i>annulipes</i>	1872, 219		1874, 459
	1876, 546		1877, 335
	1876, 626	<i>maculosus</i>	1874, 457
<i>domesticus</i>	1872, 219	<i>scolopax</i>	1879, 764
	1876, 544	<i>superciliaris</i>	1871, 625
	1876, 545		1873, 640
	1876, 546	<i>Ædionychis abbreviata</i> .	1880, 180
<i>maculatus</i>	1872, 219	<i>bifasciata</i>	1880, 179
	1872, 220		1880, 180

	Page		Page
Ædionychis bifasciata ..	1880,	Ænanthe monticola	1874,
	1880,	pleschanka	1874,
binotata	1880,	rufiventris	1871,
	1880,	stapazina	1874,
bipunctata	1879,	Ænas arenaria	1878,
clavicornis	1880,	bicincta	1878,
cosmogrammica ..	1880,		1878,
crucigera	1880,	cata	1878,
	1880,		1878,
duodecimmaculata .	1880,	indica	1878,
fusconotata	1879,		1878,
godmani	1880,	namaqua	1878,
insularis	1879,		1878,
laticollis	1880,	Ænops aura	1878,
marginicollis	1880,	falklandica	1878,
	1880,	Æonistis dives	1878,
nicaraguensis	1879,	entella	1878,
nigricollis	1880,		1878,
	1880,		1878,
obscuripennis	1880,		1878,
	1880,	Æstrelata arminjoniana	1880,
ornata	1880,	brevirostris	1878,
quadrifasciata	1879,	kidderi	1878,
quinquemaculata ..	1880,	lessoni	1873,
	1880,		1878,
quinquevittata	1880,		1878,
salvini	1880,		1878,
septemmaculata ..	1879,		1879,
	1880,	leucoptera	1879,
	1880,	mollis	1878,
sexplagiata	1880,		1878,
	1880,		1880,
steinheili	1880,	philippi	1880,
	1880,	sericea	1878,
transversalis	1879,	trinitatis	1880,
tredecimmaculata ..	1880,	Oidemia patachonica ..	1876,
variegata	1880,	Oides albertisi	1879,
	1880,	ornatum	1879,
Ædirhinus globifer	1877,	rubrum	1879,
	1877,	Oleria xanthina	1874,
	1878,	Oligodon dorsalis	1871,
	1879,		1871,
insolitus	1877,		1871,
	1878,	modestus	1879,
	1878,	notospilus	1873,
	1878,	travancoricum	1877,
	1878,	Oligostigma parvalis ..	1877,
	1878,		1877,
	1879,	sexpunctalis	1877,
	1879,		1877,
	1879,		1877,
Æna capensis	1873,		1877,
	1879,	Olina ozeca	1876,
Ænanthe albicollis	1874,	Olios leucosius	1875,
cinerea	1874,		1879,
	1874,	viridis	1875,
cursoria	1874,	Oliva acuminata	1871,
imitatrix	1874,	erythrostoma	1877,
leucura	1874,	flammulata	1871,
	228		732
	228		732

	Page		Page
<i>Oliva fortunei</i>	1879, 216	<i>Omphalotropis vitiensis</i>	1876, 101
<i>fulgurata</i>	1879, 216	<i>zebriolata</i>	1871, 476
<i>subulata</i>	1871, 732	<i>Onchidoris bilamellata</i>	1877, 226
(<i>Olivella</i>) <i>conso-</i>		<i>diaphana</i>	1877, 226
<i>brina</i>	1879, 216	<i>inconspicua</i>	1877, 227
(—) <i>spretata</i>	1879, 216	<i>leachii</i>	1877, 225
	1879, 218		1877, 226
<i>Olivella brazieri</i>	1877, 172	<i>muricata</i>	1877, 226
	1877, 177	<i>pusilla</i>	1877, 227
	1877, 180	<i>sparsa</i>	1877, 227
<i>exquisita</i>	1871, 13	<i>tuberculatus</i>	1877, 226
	1871, 88	<i>Oncocarpus vitiensis</i> ..	1878, 102
<i>Olyra burmanica</i>	1871, 711	<i>Ondatra zibethica</i>	1875, 491
<i>laticeps</i>	1871, 711	<i>Oniscus armadillo</i>	1877, 665
<i>longicaudata</i>	1871, 711	<i>cestrum</i>	1877, 671
<i>Olyras insignis</i>	1874, 331	<i>Onocrotalus thagus</i>	1874, 553
<i>montagui</i>	1874, 331	<i>Onychocephalus acutus</i>	1875, 227
<i>Omalonyx unguis</i>	1875, 321	<i>malabaricus</i>	1875, 227
<i>Omaseus marginalis</i> ..	1874, 59	<i>Onychochelys kraussi</i> ..	1873, 395
<i>Ombria psittacula</i>	1871, 121		1873, 398
<i>Omeotreron batilda</i>	1878, 505		1873, 399
	1878, 569		1873, 400
	1878, 570	<i>Onychoprion anæsthetus</i>	1872, 482
<i>feliciæ</i>	1878, 505	<i>fuliginosa</i>	1871, 565
	1878, 565		1871, 572
<i>pectoralis</i>	1878, 559		1876, 666
<i>virens</i>	1878, 505	<i>melanauchen</i>	1871, 422
<i>Omiza affinis</i>	1877, 621		1876, 661
	1877, 630	<i>panaya</i>	1871, 573
<i>pachiararia</i>	1877, 621		1876, 664
<i>schistacea</i>	1878, 851	<i>panayensis</i>	1871, 572
	1878, 858		1876, 664
	1878, 859	<i>Onychotria mexicana</i> ..	1871, 744
<i>Ommastrephes harveyi</i> .	1874, 492	<i>Oonops loricatus</i>	1876, 547
<i>todarus</i>	1874, 491		1876, 548
	1874, 492		1876, 549
	1874, 493	<i>pauper</i>	1876, 549
<i>Omostenus maculipennis</i>	1874, 70		1876, 626
<i>Omphalotropis bifilaris</i> ,	1871, 476	<i>pulcher</i>	1876, 549
—, var. <i>gracilior</i> ..	1871, 476	<i>punctatus</i>	1872, 223
—, var. <i>teretiformis</i>	1871, 476		1872, 347
<i>bilirata</i>	1871, 476		1872, 352
—, var. <i>elongata</i>	1871, 476		1876, 548
<i>bulimoides</i>	1871, 476		1876, 549
<i>ceres</i>	1871, 322	<i>scutatus</i>	1876, 547
<i>cheynei</i>	1871, 476		1876, 549
<i>conoidea</i>	1871, 476		1876, 626
—, var. <i>angulosa</i>	1871, 476		1876, 629
<i>erosa</i>	1871, 476	<i>Oöpterus maceyi</i>	1874, 64
<i>fragilis</i>	1871, 476	<i>Opatrum hadroides</i>	1878, 456
<i>guamensis</i>	1871, 476	<i>Ophiactis nigrescens</i> ..	1872, 811
<i>huaheinensis</i>	1871, 476	<i>Ophicardelus irregularis</i>	1877, 190
<i>lævis</i>	1871, 476	<i>minor</i>	1877, 190
<i>navigatorum</i>	1871, 476	<i>Ophideres aurantia</i>	1877, 607
<i>ovata</i>	1871, 476		1877, 628
<i>parvula</i>	1871, 476	<i>dioscoreæ</i>	1877, 607
<i>perforata</i>	1871, 476		1879, 164
<i>variabilis</i>	1871, 476	<i>fullonica</i>	1877, 607

	Page		Page
Ophideres fullonica	1877, 628	Ophiusa simillima	1880, 679
	1880, 679	Ophlitospongia meyeri . .	1877, 456
hypermnestra	1877, 608	Ophthalmis lincea	1877, 149
	1877, 628		1879, 161
pomona	1877, 607	Opisthocomus cristatus	1873, 308
Ophiocephalus auran-			1873, 685
tiacus	1880, 230		1879, 109
gachua	1876, 800	Opisthostoma decca-	
	1876, 803	nense	1875, 444
	1880, 225		1875, 453
indicus	1880, 225	distortum	1875, 445
micropeltes	1873, 238		1875, 453
montanus	1880, 225	fairbanki	1875, 444
punctatus	1874, 313	paulucciæ	1879, 738
	1874, 318		1879, 740
	1874, 320	perakensis	1879, 738
	1874, 321		1879, 740
	1880, 225	Oplitospongia fucoides .	1876, 771
striatus	1874, 317		1876, 775
	1874, 320	Opolemur milii	1872, 854
	1874, 321		1873, 493
	1878, 217	Opomala tenebrosa	1871, 246
	1880, 230	Opopsitta desmaresti . .	1873, 697
Ophiocoma erinaceus . .	1877, 139	diophtalma	1873, 697
Ophiodes cuprea	1880, 679	Opsiphanes cassiæ	1874, 339
triphænoides	1880, 679		1876, 217
Ophionereis albomacu-		xanthus	1876, 217
lata	1877, 92	Orbicula lamellosa	1878, 415
	1877, 93	norvegica	1878, 415
Ophionereis fasciata . . .	1872, 811	Orca eschrichtii	1872, 585
Ophiophagus elaps	1871, 152	gladiator	1878, 683
	1871, 188	rectipinna	1872, 585
	1875, 316	(Orcaella) breviros-	
Ophiops beddomii	1872, 375	tris	1871, 143
	1875, 225	Orcella brevirostris	1871, 143
bivittatus	1875, 225	fluminalis	1871, 143
	1876, 635	Orchesticus ater	1873, 185
elegans	1872, 374		1875, 237
	1876, 635		1876, 16
	1879, 741		1879, 505
jerdoni	1872, 375		1879, 604
	1875, 225	Orchilus ecaudatus	1878, 138
	1876, 635		1879, 613
	1876, 636	pileatus	1874, 535
microlepis	1872, 375		1877, 332
monticola	1875, 225	Oreas canna	1875, 186
theobaldi	1872, 375		1876, 284
Ophiothrix cærulea	1872, 810		1876, 292
spiculata	1877, 92		1876, 293
Ophites septentrionalis . .	1875, 233		1877, 4
Ophiura cylindrica	1872, 811		1878, 745
Ophiusa arcuata	1877, 609		1880, 307
	1877, 629	strigata canthe	1874, 336
	1880, 679	— ocyrrhoë	1874, 335
delinquens	1878, 489	Oregonia hirta	1879, 19
fulvotænia	1877, 816		1879, 24
jovina	1877, 610	Oreias dabryi	1876, 799
myops	1877, 610	Oreicola pyrthonota	1874, 215

	Page		Page
<i>Oreinus plagiostomus</i> ..	1876,	<i>Oriolus chinensis</i>	1877,
<i>richardsonii</i>	1876,		1877,
<i>sinuatus</i>	1876,		1879,
	1876,	<i>cochinensis</i>	1871,
<i>Oreocincla aurea</i>	1871,	<i>consobrinus</i>	1879,
<i>hancii</i>	1871,	<i>diffusus</i>	1877,
<i>iodura</i>	1877,	<i>flavocinctus</i>	1878,
<i>lunulata</i>	1875,	<i>frontalis</i>	1879,
<i>mollissima</i>	1871,	<i>galbula</i>	1873,
	1873,		1877,
<i>nilgiriensis</i>	1872,	<i>indicus</i>	1871,
<i>spiloptera</i>	1872,		1872,
	1872,		1873,
<i>varia</i>	1871,	<i>larvatus</i>	1873,
<i>whitei</i>	1871,		1878,
<i>Oreoica gutturalis</i>	1875,	<i>steerii</i>	1877,
<i>Oreonympha nobilis</i> ...	1871,		1877,
	1874,		1877,
	1874,		1879,
<i>Oreoperdix crudigularis</i>	1871,	<i>suluensis</i>	1879,
<i>Oreophilus ruficollis</i> ...	1874,	<i>viridis</i>	1878,
<i>totanirostris</i>	1872,	<i>xanthonotus</i>	1878,
<i>Oreopneuste davidii</i> ...	1871,		1879,
<i>Oreopyra calolama</i>	1878,	<i>Oriotiaris elliotti</i>	1871,
<i>cinereicauda</i>	1878,	<i>Orites glaucogularis</i> ...	1871,
	1878,	<i>ouratensis</i>	1871,
<i>hemileuca</i>	1878,		1873,
	1878,	<i>Orithyia williamsii</i>	1873,
<i>Oreortyx pictus</i>	1879,	<i>Ormiscus variegatus</i> ...	1877,
<i>Oreothraupis arremonops</i>	1878,	<i>Ornismya albicollis</i>	1879,
<i>Oreotiaris tricarinata</i> ..	1871,	<i>albiventris</i>	1879,
	1871,	<i>amethysticollis</i> ...	1879,
<i>Oreotragus saltatrix</i> ...	1872,	<i>aureiventris</i>	1879,
	1875,	<i>bicolor</i>	1879,
<i>Oreotrochilus adela</i>	1879,	<i>chrysurus</i>	1879,
<i>chimborazi</i>	1879,	<i>cyanea</i>	1879,
<i>estella</i>	1874,	<i>cyanopogon</i>	1879,
	1879,	<i>furcata</i>	1879,
<i>leucopleurus</i>	1879,	<i>gigantea</i>	1879,
<i>melanogaster</i>	1874,	<i>glaucopoides</i>	1879,
<i>Oressinoma sorata</i>	1876,	<i>gouldii</i>	1879,
<i>typhla</i>	1876,	<i>longirostris</i>	1879,
<i>Oressoche melanopte-</i>		<i>macrourus</i>	1879,
<i>rus</i>	1876,	<i>mellisuga</i>	1879,
<i>Orestia vitula</i>	1876,	<i>pamela</i>	1879,
<i>Oriolia bernieri</i>	1871,	<i>petasophora</i>	1879,
<i>Oriolus acrorhynchus</i> ..	1877,	<i>ruficollis</i>	1879,
	1877,	<i>smaragdnicollis</i> ..	1879,
<i>assimilis</i>	1877,	<i>Ornithion imberbe</i>	1879,
	1877,		1880,
	1877,	<i>incanescens</i>	1873,
	1879,	<i>inermis</i>	1873,
<i>baruffi</i>	1871,		1873,
<i>brachyrhynchus</i> ..	1871,	<i>obsoletum</i>	1873,
	1871,		1873,
<i>capensis</i>	1873,	<i>pusillum</i>	1873,
<i>ceylonensis</i>	1872,		1873,
<i>chinensis</i>	1871,		1874,

	Page		Page
Ornithion pusillum	1879,	Orthalicus (Porphyro-	
Ornithoptera amphrysus	1873,	bapha) buckleyi	1872, 687
arruana	1877,	Orthis anomioides	1878, 411
	1877,	bifida	1878, 409
	1878,	eusticta	1878, 411
boisduvallii	1874,	lunifera	1878, 410
	1878,		1878, 412
cassandra	1874,	Orthogonys olivaceus	1873, 186
	1877,		1879, 502
croesus	1877,		1879, 549
heliconoides	1877,	viridis	1873, 187
	1877,	Orthonyx spaldingi	1875, 599
	1877,	spinecauda	1875, 599
miranda	1873,	Orthorhynchus amethy-	
oceana	1877,	sticollis	1879, 629
poseidon	1874,	chrysurus	1879, 628
	1878,	cristatus	1871, 272
priamus	1877,		1874, 175
	1877,	exilis	1871, 272
	1878,	ornatus	1871, 272
pronomus	1877,		1872, 651
rhadamanthus	1874,	pamela	1879, 628
tithonus	1874,	smaragdinicollis	1879, 629
triton	1877,	Orthotomus castanei-	
urvilliana	1874,	ceps	1877, 536
	1877,		1877, 546
	1877,		1878, 286
	1877,	cineraceus	1879, 341
	1879,	cinereiceps	1877, 828
victoriae	1874,		1878, 950
Ornithorhynchus para-	289	derbianus	1877, 688
doxus	1877,		1877, 697
Orodoris miamirana	1877,	frontalis	1877, 828
Orocetes cinclorhynchus	1876,		1878, 110
erythrogaster	1876,		1878, 708
gularis	1871,		1878, 710
Orosana atra	1877,		1878, 950
Orpheus dorsalis	1879,		1879, 72
polyglottus	1875,	longicauda	1871, 351
rufus	1875,		1872, 455
tricaudatus	1879,		1873, 675
triurus	1879,	nigriceps	1877, 817
Ortalida albiventris	1873,		1877, 828
	1873,	phyllorrhapheus	1871, 351
	1879,	ruficeps	1878, 619
	1879,		1879, 341
canicollis	1871,	sepium	1879, 341
erythroptera	1877,	Orthotylus mutabilis	1878, 461
guttata	1871,		1878, 467
	1874,	nassatus	1878, 467
	1879,	Ortygis lepurana	1880, 491
	1879,	Ortygometra, sp.	1877, 785
Orthagoriscus mola	1871,	cinerea	1877, 767
	1879,		1877, 785
truncatus	1879,		1878, 114
Orthalicus pfeifferi	1872,		1878, 344
undatus	1875,		1878, 953
zebra	1879,		1880, 577
(Porphyro-		quadririgata	1872, 90
buckleyi	1872,		1872, 107

	Page		Page
Ortygometra quadristri-		Oryzornis oryzivora	1871, 385
gata	1875, 439	Oscilla ligata	1877, 173
	1876, 496		1877, 177
	1876, 505		1877, 183
	1877, 785	Osculatia sapphirina ..	1880, 155
tabuensis	1875, 439	Osmerus eperlanus	1872, 834
	1876, 497		1875, 478
	1877, 775		1875, 486
Ortygornis ponticeriana.	1872, 75		1877, 419
	1872, 469	Osmotreron axillaris ..	1877, 536
Ortyx leylandi	1878, 42		1877, 538
neoxenus	1875, 488		1877, 549
virginianus	1873, 468		1877, 699
	1873, 640		1877, 764
	1875, 488		1877, 832
	1877, 307		1878, 113
Orycteropus capensis ..	1872, 165		1878, 287
	1874, 77		1879, 316
	1874, 580	bicincta	1872, 465
	1875, 478		1873, 668
	1875, 491	domvillii	1871, 396
Oryctes galapagoënsis ..	1877, 82		1873, 668
Oryctoderus coronatus..	1877, 153	flavogularis	1872, 465
	1877, 159		1872, 466
latitarsis	1877, 153	malabarica	1872, 465
Oryx beatrix.	1872, 603	pompadoura	1872, 465
	1872, 604	vernans	1877, 764
	1874, 95		1878, 623
	1878, 789		1878, 710
beisa	1872, 604		1878, 951
	1874, 323		1879, 73
	1874, 496		1879, 315
	1875, 633	Osphranter rufus	1877, 353
	1877, 289	Ospromenus olfax	1878, 217
	1878, 441	Ossifraga gigantea	1878, 737
capensis.	1876, 289		1880, 165
	1876, 292	Osteocella septentrio-	
	1876, 293	nalis	1873, 730
	1877, 455	Osteogeniosus militaris.	1873, 705
gazella	1872, 604		1873, 706
leucoryx	1872, 604	valenciennesii	1871, 709
	1874, 95	Osteoglossum leichardti.	1871, 8
	1880, 307	Ostinops angustifrons ..	1873, 265
Oryzoborus æthiops	1879, 506		1873, 266
atrirostris	1878, 136	atrocastaneus	1879, 509
crassirostris	1878, 136		1879, 549
	1878, 137		1879, 550
	1879, 506	atrovirens	1873, 266
funereus	1879, 506		1876, 16
maximiliani	1878, 137		1879, 509
melas	1873, 263		1879, 608
	1873, 264	bifasciatus.	1879, 509
	1878, 137	cristatus	1873, 265
occidentalis	1878, 137		1879, 608
	1879, 506	decumanus	1879, 508
Oryzoborus torridus. . . .	1873, 185	guatemozinus	1879, 508
	1873, 264		1879, 549
	1879, 604	montezumæ	1878, 58

	Page		Page
Ostinops montezumæ ..	1879, 509	Otaria cinerea	1875, 658
sincipitalis.....	1879, 509		1875, 671
	1879, 549		1875, 672
viridis	1873, 265		1875, 676
yuracarium	1873, 185		1875, 677
	1873, 265	cinereus.....	1872, 657
	1879, 608	delalandei.....	1875, 653
Ostodes adjunctus	1871, 475		1875, 672
albidus	1871, 475	falklandica	1872, 661
apiæ	1871, 475		1872, 681
obligatus	1871, 475		1873, 758
œnomphalus.....	1871, 464	flavescens	1873, 758
plicatus	1871, 475	forsteri	1872, 654
—, var. strigatus	1871, 475		1872, 657
pulverulentus	1871, 475		1873, 143
tiara	1871, 475		1875, 659
upolensis	1871, 475		1875, 660
Ostrea	1879, 587		1875, 663
angasi	1877, 193		1875, 664
arata	1879, 558		1875, 665
citrina	1879, 559		1875, 666
cochlear.....	1879, 555		1875, 667
edulis.....	1877, 193		1875, 668
	1879, 555		1875, 672
excavata	1879, 564		1875, 675
glabra	1879, 559		1875, 676
guineensis	1871, 730		1875, 677
hians	1879, 564	gazella	1875, 674
inflexa	1879, 557	gillespii	1879, 551
maximus	1879, 558		1880, 420
nivea	1879, 563	hookeri	1873, 754
opercularis	1879, 558		1873, 755
parasitica	1879, 555		1873, 757
pes-felis.....	1879, 557		1873, 758
pes-lutræ	1879, 557		1873, 759
purpurea	1877, 193		1873, 760
	1877, 194		1875, 658
pusio	1879, 556		1875, 677
spectrum	1879, 555	jubata	1871, 700
sulcata	1879, 559		1872, 681
varia	1879, 556		1873, 756
Ostreum striatum	1879, 555		1873, 758
Otaria albicollis	1875, 657		1873, 760
	1875, 658		1874, 579
	1875, 674		1874, 580
	1875, 676		1875, 493
argentata	1872, 661		1875, 661
australis	1875, 657		1875, 662
	1875, 671		1879, 551
	1875, 674	lamarii	1872, 657
	1875, 675	lobata	1875, 676
	1875, 676	nigrescens.....	1872, 661
cinerea	1872, 654	philippii.....	1872, 661
	1872, 656	pusilla	1871, 700
	1872, 743		1874, 152
	1873, 143		1875, 672
	1875, 656	stelleri	1872, 659
	1875, 657		1872, 662

	Page		Page
Otaria stelleri	1873, 779	Otolicnus senegalensis..	1880, 303
	1875, 662	sennariensis	1872, 859
	1875, 663	Otomys albicauda	1875, 79
	1878, 371	Otosaurus cumingi	1879, 76
	1879, 460	Otostomus loxanus	1872, 685
	1879, 552		1872, 687
ursina	1872, 657	Otothrix hodgsoni	1877, 421
	1875, 662		1877, 422
	1878, 371		1877, 423
Otidiphaps nobilis	1873, 559		1877, 424
	1873, 698		1877, 426
	1874, 250		1877, 427
Otiorhynchus cuneiformis	1877, 82		1877, 432
Otis afraoides	1880, 491		1877, 435
denhami	1872, 603		1877, 436
	1874, 121	Otus brachyotus	1871, 344
houbara.....	1875, 488		1872, 77
macqueeni.....	1873, 640		1872, 81
	1874, 473		1873, 635
ruficrista	1880, 491		1875, 491
tarda	1871, 1		1877, 778
	1871, 402		1878, 348
	1873, 35		1878, 434
	1873, 650		1879, 636
	1873, 651	vulgaris.....	1871, 344
	1874, 472		1873, 466
	1874, 473		1873, 635
	1874, 673		1875, 491
	1874, 674	Ouakaria calvus	1880, 646
	1875, 488	melanocephala	1880, 645
	1877, 307		1880, 647
	1880, 488	rubicunda	1880, 646
Otocorys alpestris.....	1871, 390		1880, 647
	1874, 651	spixii	1880, 638
	1877, 47		1880, 645
penicillata.....	1871, 396	Oulodon grayi	1877, 684
sibirica.....	1871, 390	Ourax mitu	1875, 489
Otocyon lalandii	1875, 492	Ovis ammon	1874, 144
	1878, 376		1874, 427
	1879, 766		1875, 157
	1880, 257		1875, 158
	1880, 258		1875, 518
	1880, 259		1875, 523
	1880, 260		1875, 526
	1880, 261	ammonoides	1875, 520
	1880, 262	anatolica	1880, 59
	1880, 263	argali.....	1875, 512
	1880, 288		1875, 519
Otogale euoticus	1872, 860		1875, 520
pallida	1872, 860		1876, 697
Otoglossa cœlestina....	1878, 607	aries	1875, 492
obscura.....	1878, 608		1876, 463
Otolemur agisymbanus .	1872, 689		1877, 8
Otolicnus gabonensis ..	1872, 859		1877, 12
	1872, 860		1880, 308
garnetti.....	1872, 689	arkar	1874, 89
maholi	1872, 859		1875, 144
senegalensis	1872, 859	brookei.....	1874, 143

	Page		Page
<i>Ovis brookei</i>	1874, 144	<i>Ovis orientalis</i>	1875, 526
	1874, 145		1880, 59
	1875, 521	<i>polii</i>	1874, 324
	1875, 526		1874, 425
<i>burrhel</i>	1880, 186		1874, 426
<i>campestris</i>	1880, 308		1874, 427
<i>cycloceros</i>	1874, 144		1875, 157
	1875, 526		1875, 158
	1875, 529		1875, 509
	1877, 4		1875, 513
	1879, 2		1875, 514
<i>cyprius</i>	1880, 59		1875, 515
<i>gmelini</i>	1875, 463		1875, 516
	1875, 526		1875, 517
	1877, 276		1875, 518
	1880, 55		1875, 523
	1880, 56		1875, 524
	1880, 57		1875, 525
	1880, 58		1875, 526
	1880, 59		1875, 540
<i>heinsi</i>	1875, 517		1876, 415
	1875, 518	<i>sculptorum</i>	1875, 524
	1875, 526	<i>strepiceros</i>	1880, 307
<i>hodgsoni</i>	1874, 144	<i>tragelaphus</i>	1875, 462
	1875, 520		1875, 492
	1875, 521	<i>vignei</i>	1874, 143
	1875, 523		1874, 144
	1875, 526		1874, 247
	1876, 634		1875, 526
<i>karelini</i>	1875, 512		1876, 634
	1875, 513	<i>Ovulina cubaënsis</i>	1876, 432
	1875, 516	<i>Ovulum adriaticum</i>	1874, 599
	1875, 517	<i>breve</i>	1871, 95
	1875, 518	<i>bullae</i>	1871, 94
	1875, 521	<i>depressum</i>	1875, 128
	1875, 523		1875, 129
	1875, 524	<i>sinense</i>	1874, 599
	1875, 526		1874, 600
<i>montana</i>	1873, 561	<i>Oxeoschistus cothon</i> ..	1874, 338
	1873, 562	<i>euriphyle</i>	1874, 338
	1873, 563	<i>gigas</i>	1877, 62
	1875, 522	<i>phaselis</i>	1878, 267
	1875, 526	<i>pronax</i>	1876, 215
<i>montanus</i>	1875, 521	<i>puerta</i>	1874, 338
<i>musimon</i>	1875, 492	<i>rogersi</i>	1878, 267
	1880, 59	<i>simplex</i>	1874, 338
	1880, 307	<i>submaculatus</i>	1874, 338
<i>nalura</i>	1876, 634	<i>Oxoides obscurus</i>	1874, 69
<i>nayaur</i>	1875, 520	<i>Oxya diminuta</i>	1871, 247
<i>nigrimontana</i>	1875, 517	<i>Oxycalamus longiceps</i> ..	1873, 168
	1875, 518	<i>oxycephalus</i>	1873, 168
	1875, 526		1873, 169
<i>nivicola</i>	1875, 521	<i>Oxycerca everetti</i>	1877, 687
	1875, 522		1877, 699
	1875, 526		1877, 756
<i>ophion</i>	1875, 526		1877, 764
	1880, 55		1878, 622
	1880, 59	<i>jagori</i>	1877, 699

	Page		Page
<i>Oxycerca leucogaster</i> ..	1878, 622	<i>Pachycephala falcata</i> ..	1877, 350
<i>Oxyechus vociferus</i>	1878, 44	<i>flavifrons</i>	1876, 493
<i>Oxylabes madagascari-</i>			1878, 351
<i>ensis</i>	1872, 866		1879, 147
	1875, 70		1879, 148
	1875, 76	<i>flavogrisea</i>	1875, 641
<i>xanthophrys</i>	1875, 76	<i>graeffei</i>	1875, 433
<i>Oxylophus afer</i>	1873, 590	<i>gräffei</i>	1876, 494
<i>ater</i>	1873, 596		1879, 146
<i>caffer</i>	1873, 596		1879, 147
<i>edolius</i>	1873, 599	<i>icteroides</i>	1876, 494
	1877, 465		1878, 351
	1877, 466		1879, 146
<i>glandarius</i>	1873, 595		1879, 147
<i>jacobinus</i>	1873, 598	<i>intermedia</i>	1876, 494
	1873, 661		1879, 146
	1873, 588		1879, 147
<i>serratus</i>	1873, 598	<i>jacquinoti</i>	1876, 493
	1873, 599		1876, 502
<i>vallantii</i>	1873, 596	<i>macrorhyncha</i>	1875, 150
<i>Oxynetra semihyalina</i> ..	1876, 247	<i>melanura</i>	1873, 692
<i>Oxynoë hargravesi</i>	1872, 15		1875, 584
<i>Oxyopes alexandrinus</i> ..	1876, 609		1878, 79
	1876, 627		1879, 447
<i>bilineatus</i>	1876, 609		1879, 448
	1876, 627	<i>mentalis</i>	1878, 79
<i>gentilis</i>	1872, 314	<i>neglecta</i>	1879, 147
	1872, 315		1879, 148
	1872, 350	<i>nigrimentum</i>	1878, 79
<i>italicus</i>	1872, 315	<i>phaenota</i>	1878, 84
<i>lineatus</i>	1872, 314	<i>rufa</i>	1871, 319
	1872, 315	<i>rufinucha</i>	1873, 692
	1872, 350		1873, 697
<i>optabilis</i>	1872, 315	<i>rufiventris</i>	1875, 584
	1872, 350	<i>schlegeli</i>	1873, 697
<i>sobrinus</i>	1872, 314	<i>senex</i>	1878, 84
	1872, 350	<i>soror</i>	1873, 692
<i>variegatus</i>	1872, 315		1873, 697
<i>Oxyuris obesa</i>	1876, 297	<i>torquata</i>	1875, 150
	1876, 298		1875, 433
<i>Oxyurus spinicauda</i>	1878, 433		1876, 494
<i>Ozius rugulosus</i>	1877, 135		1876, 502
			1877, 735
<i>Pachyarches maliferalis</i> .	1877, 618		1879, 147
	1877, 619	<i>vitiensis</i>	1875, 150
	1877, 630		1875, 433
<i>marthesiusalis</i>	1878, 850		1876, 494
	1878, 858		1877, 735
<i>tibialis</i>	1877, 618		1879, 147
	1877, 630	<i>Pachycheles natalensis</i> .	1879, 47
<i>vertumnalis</i>	1878, 850	<i>stevensii</i>	1879, 21
	1878, 858		1879, 47
<i>Pachycephala, sp.</i>	1878, 121	<i>Pachygnatha argyrostil-</i>	
	1878, 122	<i>ba</i>	1876, 573
<i>albicollis</i>	1878, 79		1876, 626
<i>albifrons</i>	1876, 493		1876, 630
<i>brunnea</i>	1878, 84	<i>listeri</i>	1872, 294
<i>citreogaster</i>	1879, 448		1872, 349

	Page		Page
<i>Pachygnatha mandibularis</i>	1872, 294	<i>Pachyteles biguttatus</i> ..	1874, 50
	1872, 349		1874, 55
<i>Pachygnathus minutus</i> ..	1875, 302	<i>gracilis</i>	1874, 55
	1875, 305	<i>marginicollis</i>	1874, 50
<i>nigrescens</i>	1877, 26		1874, 55
	1877, 27	<i>Pachythone gigas</i>	1878, 364
<i>notops</i>	1875, 302	<i>Pachyura albina</i>	1873, 231
	1875, 303	<i>assamensis</i>	1873, 234
<i>sculptus</i>	1875, 302	<i>griffithii</i>	1873, 228
	1875, 306		1873, 229
	1875, 307		1873, 231
	1875, 311	<i>hodgsonii</i>	1873, 232
	1877, 26		1873, 234
<i>seahami</i>	1875, 302	<i>indica</i>	1873, 228
	1875, 305		1873, 229
<i>Pachylia ficus</i>	1878, 483		1873, 230
<i>Pachymatisma areolata</i> ..	1872, 630		1873, 231
	1872, 634	<i>melanodon</i>	1873, 228
<i>contorta</i>	1873, 327		1873, 231
	1873, 333	<i>micronyx</i>	1873, 231
<i>inconspicua</i>	1873, 326	<i>murina</i>	1873, 228
	1873, 332		1873, 229
<i>Pachyptila banksi</i>	1878, 739		1873, 231
<i>Pachypus macleayi</i>	1873, 116	<i>nemorivaga</i>	1873, 228
	1873, 128		1873, 231
<i>Pachyrhamphus albogri-</i>		<i>niger</i>	1873, 229
<i>seus</i>	1875, 235		1873, 231
	1879, 236	<i>nudipes</i>	1873, 228
	1880, 203		1873, 231
<i>atricapillus</i>	1873, 284	<i>serpentaria</i>	1873, 228
	1879, 617		1873, 229
<i>biplagiatus</i>	1877, 154		1873, 231
	1877, 159	<i>Padda oryzivora</i>	1871, 385
<i>cinereiventris</i>	1878, 65		1873, 462
	1879, 518		1879, 344
<i>cinereus</i>	1873, 284	<i>Pagellus centrodontus</i> ..	1879, 747
<i>cinnamomeus</i>	1879, 518	<i>Pagodina pagodula</i>	1880, 130
<i>cuvieri</i>	1874, 540	<i>Pagodroma nivea</i>	1878, 737
<i>dorsalis</i>	1879, 518	<i>Pagomys foetidus</i>	1871, 509
<i>niger</i>	1873, 284	<i>Pagophila brachytarsa</i> ..	1878, 162
	1879, 518	<i>eburnea</i>	1877, 29
<i>quadripustulatus</i> ..	1877, 155		1878, 159
<i>verrucatus</i>	1877, 154		1878, 162
	1877, 159		1878, 175
<i>versicolor</i>	1874, 540	<i>nivea</i>	1878, 162
	1878, 65	<i>Paguma larvata</i>	1872, 817
	1879, 236	<i>Pagurus</i> , sp.	1877, 659
	1879, 518	<i>bernhardus</i>	1871, 144
<i>viridis</i>	1874, 540	<i>isochirus</i>	1877, 659
<i>Pachyrhynchus albes-</i>		<i>labillardieri</i>	1877, 673
<i>cens</i>	1879, 614	<i>lanuginosus</i>	1879, 49
<i>marginatus</i>	1879, 617	<i>maculatus</i>	1877, 73
<i>Pachysoma brevicau-</i>		<i>misanthropus</i>	1877, 673
<i>data</i>	1872, 693	<i>pilosimanus</i>	1877, 659
<i>diardii</i>	1872, 693	<i>punctulatus</i>	1877, 138
<i>duvaucellii</i>	1872, 693	<i>vulgaris</i>	1879, 747
<i>titthæcheilus</i>	1872, 693	<i>Paladilhia pleurotoma</i> ..	1880, 138

	Page		Page
<i>Palæmon amazonicus</i> ..	1877, 661	<i>Palæornis rosa</i>	1872, 425
<i>brasiliensis</i>	1877, 654		1879, 300
	1877, 660	<i>schisticeps</i>	1871, 391
	1877, 661		1876, 696
<i>cæmentarius</i>	1877, 662		1879, 300
<i>canaliculatus</i>	1878, 298		1879, 301
<i>ensiculus</i>	1877, 661	<i>torquatus</i>	1871, 679
<i>gaudichaudii</i>	1877, 654		1872, 80
	1877, 661		1872, 425
	1877, 662		1873, 634
<i>jelskii</i>	1877, 654		1873, 661
	1877, 661		1874, 587
	1877, 678		1875, 489
<i>lacustris</i>	1878, 787		1880, 309
<i>montezumæ</i>	1877, 661	<i>Palæstina dentifera</i>	1872, 268
<i>nattereri</i>	1877, 654		1872, 269
	1877, 660		1872, 270
	1877, 661		1872, 348
<i>Palæolampas crassa</i>	1880, 48	<i>expolita</i>	1872, 269
	1880, 49		1872, 348
	1880, 357		1872, 352
<i>Palæoreas lindermayeri</i> .	1873, 551		1872, 370
<i>Palæornis</i> — ?	1871, 390	<i>sexoculata</i>	1872, 270
<i>alexandri</i>	1871, 391		1872, 348
	1872, 425	<i>Palaina alata</i>	1871, 475
	1873, 465	<i>coxi</i>	1871, 322
	1874, 587	<i>dimorpha</i>	1871, 475
	1875, 489	<i>dohrnii</i>	1871, 475
	1879, 301	<i>inflatula</i>	1871, 475
	1880, 309	<i>lamellata</i>	1871, 475
<i>bengalensis</i>	1875, 489	<i>patula</i>	1871, 475
<i>calthropæ</i>	1872, 405	<i>polymorpha</i>	1871, 475
	1872, 408	<i>pupa</i>	1871, 475
	1872, 426	<i>pusilla</i>	1871, 475
	1873, 204	<i>pyramis</i>	1871, 475
<i>cycnocephalus</i>	1871, 391	<i>ringens</i>	1871, 475
	1879, 300	<i>scalariformis</i>	1871, 465
<i>derbianus</i>	1873, 690		1871, 475
<i>erythrogyens</i>	1874, 587	<i>strigata</i>	1871, 475
<i>eupatrius</i>	1879, 301	<i>striolata</i>	1871, 475
<i>exsul</i>	1875, 42	<i>wilsoni</i>	1871, 475
<i>fasciatus</i>	1879, 300	<i>Palamedea chavaria</i>	1876, 189
<i>javanicus</i>	1871, 390	<i>cornuta</i>	1873, 304
	1879, 300		1876, 189
	1879, 301	<i>Palinurus vulgaris</i>	1878, 292
<i>lathamii</i>	1871, 320		1878, 442
	1879, 300	<i>Pallasia mongolica</i>	1874, 635
<i>longicauda</i>	1871, 391	<i>Pallium vitreum</i>	1879, 561
	1874, 587	<i>Palola viridis</i>	1875, 158
	1875, 104		1875, 496
	1879, 325	<i>Palorchestes crassus</i> ..	1879, 438
<i>malaccensis</i>	1879, 325	<i>Palpimanus hæmatinus</i> .	1872, 260
<i>mandibularis</i>	1876, 568		1872, 348
<i>melanorhyncha</i>	1879, 300		1876, 554
<i>pondicerianus</i>	1880, 310		1876, 626
<i>rosa</i>	1871, 391	<i>savignyi</i>	1876, 554
	1871, 678		1876, 626
	1871, 679	<i>Paludestrina legrandiana</i>	1871, 698

	Page		Page
Paludestrina salleana ..	1871, 698	Pamphila mathias	1877, 815
wisemaniana	1871, 699		1878, 691
Paludina capillata	1877, 717		1878, 843
	1877, 721		1878, 856
colbeui	1880, 216		1880, 669
	1880, 219	mesoides	1877, 594
jeffreysi	1877, 716		1877, 625
	1877, 721	nyctelius	1878, 482
polita	1877, 717	otho	1878, 483
robertsoni	1877, 717	palmarum	1878, 690
	1877, 721		1878, 695
spekei	1880, 484	phylus	1878, 482
	1880, 485	purreea	1877, 594
Paludinella gilesi	1877, 170		1877, 625
	1877, 177		1877, 631
Paludomus cerasium ..	1872, 687	siva	1878, 692
stephanus	1872, 514	subhyalina	1878, 692
Palumbus elphinstonei..	1872, 466	subochracea	1878, 691
pulchricollis	1871, 397	sunias	1880, 669
torringtoniæ	1872, 405		1880, 670
	1872, 466	sylvanus	1878, 689
Palythoa actinella	1876, 274	uniformis	1874, 369
Pamphila angustula....	1874, 291	utha	1878, 482
ares	1874, 369	vibex	1874, 369
athenion	1874, 369	zabulon	1874, 369
augias	1874, 109	Pampusana rousseaui ..	1872, 103
	1877, 149	Pampusanna criniger ..	1877, 833
	1878, 690	Panacra automedon ..	1875, 247
	1878, 691	busiris	1877, 595
bada	1880, 669		1877, 626
bambusæ	1878, 691	ella	1875, 246
	1878, 695	metallica	1875, 6
	1878, 842		1875, 247
	1878, 856		1875, 391
bevani	1880, 669	mydon	1875, 6
brahma	1878, 691	perfecta	1875, 391
	1878, 692	regularis	1875, 247
	1878, 695	testacea	1875, 246
comma	1874, 576	vigil	1875, 247
confucius	1878, 703		1875, 391
	1878, 707	Panagra disputata	1877, 395
dimila	1874, 576	ephyraria	1877, 391
ethlius	1878, 482	explanata	1877, 395
flossites	1873, 687	exsignata	1877, 395
gola	1877, 594	scissaria	1877, 391
	1877, 625	Panara phereclus	1876, 236
	1877, 631	Panchlora surinamen-	
hala	1874, 368	sis	1877, 87
inimica	1874, 369	Pandalus gracilis	1879, 22
insolata	1878, 483		1879, 56
luteisquama	1878, 690	Pandemos arcas	1871, 529
mackenii	1875, 416	nymphidioides	1874, 354
mæsa	1880, 670	Pandion haliaëtus	1871, 340
maro	1874, 109		1872, 412
masoni	1878, 842		1876, 313
	1878, 856		1877, 108
	1878, 858		1877, 554
mathias	1874, 109		1877, 745

	Page		Page
Pandion haliaëtus	1879, 9	Paphia anassa	1877, 651
	1879, 324	andria	1877, 635
leucocephalus	1875, 578		1877, 650
	1878, 86	appias	1876, 234
	1879, 9		1877, 638
	1879, 324		1877, 650
solitarius	1878, 348	arachne	1877, 639
Pandita sinoria	1873, 343	arginussa	1877, 637
Pandora brevis	1880, 580		1877, 638
prola	1876, 228		1877, 650
regina	1876, 228	artacæna	1877, 638
striata	1880, 579		1877, 650
Pangasius buchani	1871, 287	astina	1877, 633
	1871, 709	astinax	1877, 633
Panglima narcissus	1878, 7	ates	1877, 641
Pangora erosa	1879, 396		1877, 642
matherana	1879, 396		1877, 650
Pangshura flaviventer	1871, 150		1877, 651
	1871, 153	aureola	1877, 648
tecta	1871, 149		1877, 651
	1871, 153	basilica	1877, 646
Pangus metallicus	1878, 592		1877, 651
Panolia eldi	1872, 813	beatrice	1877, 641
platyceros	1872, 798		1877, 650
Panoplites flavescens	1879, 529	bertha	1877, 649
matthewsi	1873, 784		1877, 651
	1874, 544		1877, 652
	1874, 676	betillina	1877, 647
	1876, 16	boliviana	1877, 642
	1879, 237		1877, 651
Panoplitis matthewsi	1880, 204	callidryas	1877, 649
Pantala flavescens	1877, 84		1877, 651
hymenæa	1877, 84	cambyses	1877, 646
Pantana ampla	1878, 705		1877, 651
	1878, 708	catinka	1877, 644
Panterpe insignis	1878, 40		1877, 651
	1878, 71		1877, 652
Panthalops hodgsoni	1876, 634	cerealina	1877, 642
Panthera brasiliensis	1877, 707		1877, 650
macrura	1877, 707		1877, 651
venusta	1877, 707	charonea	1874, 340
Panthiades sito	1874, 356		1877, 645
togarna	1874, 356		1877, 651
Panyptila cayanaensis	1879, 531	chrysophana	1874, 340
melanoleuca	1874, 176		1876, 234
Paphia ada	1877, 647		1877, 634
aidea	1877, 633		1877, 650
	1877, 650	cicla	1877, 640
alberta	1876, 234		1877, 650
	1876, 250	cleomestra	1877, 641
	1877, 640		1877, 650
	1877, 650	cluvia	1877, 644
ambrosia	1877, 648		1877, 651
	1877, 651	cratais	1877, 635
amenophis	1874, 341		1877, 650
	1877, 637	cyanea	1876, 234
	1877, 650		1877, 637
anassa	1877, 647		1877, 650

	Page		Page
<i>Paphia echemus</i>	1877, 636	<i>Paphia laura</i>	1877, 647
	1877, 650		1877, 651
<i>electra</i>	1874, 340	<i>lemnos</i>	1877, 638
	1877, 649		1877, 650
	1877, 651		1877, 651
<i>eribotes</i>	1877, 639	<i>leonida</i>	1877, 639
	1877, 650	<i>leuctra</i>	1877, 643
<i>erythema</i>	1874, 340	<i>lineata</i>	1877, 647
	1876, 233		1877, 651
	1877, 635	<i>lorna</i>	1877, 643
<i>eubæna</i>	1877, 637		1877, 651
	1877, 650	<i>lyceus</i>	1877, 646
	1874, 340		1877, 651
<i>euryphile</i>	1876, 233		1877, 652
	1877, 635	<i>memphis</i>	1877, 646
	1877, 650		1877, 651
<i>excellens</i>	1877, 649	<i>mæris</i>	1877, 641
	1877, 651		1877, 650
<i>falcata</i>	1877, 648	<i>mora</i>	1877, 646
	1877, 651		1877, 651
	1877, 652	<i>moretta</i>	1877, 634
<i>florita</i>	1877, 640		1877, 650
	1877, 650		1877, 651
	1877, 651	<i>morta</i>	1877, 645
<i>glauce</i>	1874, 340		1877, 651
	1876, 234	<i>morvus</i>	1876, 234
	1877, 640		1877, 639
	1877, 650		1877, 640
<i>glaucone</i>	1877, 640		1877, 650
	1877, 650	<i>nenia</i>	1877, 647
<i>glycerium</i>	1874, 341		1877, 651
	1876, 234		1877, 652
	1877, 635	<i>nesea</i>	1877, 636
	1877, 636		1877, 650
	1877, 650	<i>nessus</i>	1876, 234
<i>grandis</i>	1877, 644		1877, 636
	1877, 651		1877, 650
<i>halice</i>	1877, 634	<i>nobilis</i>	1877, 636
	1877, 650		1877, 650
<i>hauxwelli</i>	1877, 643	<i>octavius</i>	1877, 639
<i>hedemanni</i>	1877, 640		1877, 650
	1877, 650	<i>odilia</i>	1877, 642
<i>helie</i>	1874, 341		1877, 647
	1877, 635		1877, 651
	1877, 656	<i>œnomais</i>	1874, 341
<i>herbacea</i>	1874, 340		1877, 638
	1877, 638	<i>offa</i>	1877, 644
	1877, 650		1877, 651
<i>indigotica</i>	1874, 340		1877, 652
	1877, 645	<i>onophis</i>	1877, 637
	1877, 646		1877, 650
	1877, 651	<i>ops</i>	1877, 633
<i>iphis</i>	1874, 341		1877, 650
	1877, 641	<i>otrere</i>	1877, 642
	1877, 642		1877, 651
	1877, 650	<i>panariste</i>	1877, 649
<i>jansoni</i>	1877, 649		1877, 651
	1877, 651	<i>pasibula</i>	1877, 641
<i>laertes</i>	1877, 639		1877, 648

	Page		Page
Paphia pasibula	1877, 651	Paphia uzita.....	1877, 651
pedile.....	1877, 645	verticordia	1877, 652
phantes	1876, 234	vestina	1877, 650
	1877, 646	victoria	1877, 647
	1877, 651		1877, 645
phidile	1876, 233		1877, 651
	1877, 635		1877, 652
	1877, 650	xenica	1877, 646
phila	1877, 642	xenocles.....	1877, 651
	1877, 651		1874, 340
philumena.....	1877, 642		1876, 234
	1877, 651		1877, 639
phoebe	1877, 648		1877, 640
	1877, 651		1877, 650
	1877, 652	xenocrates.....	1877, 650
pithyusa	1874, 340		1876, 234
	1877, 638		1877, 648
	1877, 650		1877, 651
	1877, 643		1877, 645
placida	1877, 643	zelica	1877, 645
	1877, 651	Paphiosa helenæ	1878, 70
pleione	1877, 642	Papilio — ?	1872, 32
	1877, 651	abderus.....	1878, 271
polyxo	1877, 648	abstrusus	1875, 618
	1877, 651	acaste.....	1872, 66
	1877, 652	aceris.....	1878, 639
porphyrio	1877, 639	achates	1874, 109
	1877, 650		1878, 641
portia.....	1877, 633		1878, 697
	1877, 650		1878, 706
	1878, 480	acheronta	1874, 341
praxias	1877, 641	achine	1876, 149
	1877, 650	acuta	1873, 358
proserpina.....	1874, 340	ada.....	1872, 47
	1877, 644	adrastus.....	1877, 471
	1877, 645	ægistus	1874, 291
	1877, 651		1877, 471
psammes	1877, 642	ælianus	1878, 833
	1877, 651	æneas.....	1876, 245
pyrrhothea	1877, 634	ænippe	1871, 253
rutilans	1877, 637	affinis.....	1877, 467
	1877, 650		1878, 644
ryphea	1874, 341	agamemnon	1873, 357
	1877, 634		1874, 108
	1877, 635		1874, 291
	1877, 650		1877, 148
sosippus.....	1877, 635		1877, 471
	1877, 650		1877, 592
stheno	1877, 642		1877, 625
	1877, 651		1878, 841
titan	1874, 340		1878, 856
	1877, 636	aganippe	1872, 30
	1877, 637	agatha	1871, 722
	1877, 650	agathina	1872, 37
troglodyta.....	1877, 633	agave.....	1871, 530
	1877, 650		1871, 539
tyrianthina	1876, 234	agenor	1878, 641
	1877, 637	aglaia.....	1872, 29
	1877, 650	aglea	1878, 695
uzita	1877, 643	alardus	1874, 367

	Page
<i>Papilio albinus</i>	1873, 357
	1877, 148
	1879, 160
	1879, 653
	1880, 614
<i>albomaculatus</i>	1872, 51
<i>albopictus</i>	1872, 30
<i>albula</i>	1871, 529
<i>albunea</i>	1872, 49
<i>albusta</i>	1872, 66
<i>alcmeone</i>	1874, 360
<i>alexis</i>	1878, 833
<i>alimena</i>	1878, 647
<i>amana</i>	1877, 812
	1878, 699
	1878, 828
<i>amaryllis</i>	1872, 41
<i>amasene</i>	1872, 59
	1878, 700
<i>amata</i>	1876, 138
<i>amathonte</i>	1872, 42
<i>amphimachus</i>	1874, 341
<i>amphinome</i>	1874, 347
<i>amphione</i>	1874, 362
<i>amynthor</i>	1874, 289
<i>anaphus</i>	1874, 367
<i>anchisiades</i>	1874, 364
	1876, 246
<i>androgeos</i>	1876, 246
	1878, 841
	1878, 856
<i>angelica</i>	1877, 813
<i>anna</i>	1874, 349
<i>antheus</i>	1875, 415
<i>antiphates</i>	1873, 357
	1877, 593
	1877, 625
	1878, 641
	1878, 841
	1878, 856
<i>antonöe</i>	1872, 31
	1872, 32
<i>arcadia</i>	1878, 824
<i>arcesilaus</i>	1878, 827
<i>archippus</i>	1874, 275
	1874, 330
	1877, 466
<i>aretoüs</i>	1877, 468
<i>arethusa</i>	1876, 154
	1876, 155
<i>argenthona</i>	1872, 31
<i>ariadne</i>	1874, 347
	1880, 667
<i>aristolochiæ</i>	1877, 592
	1878, 840
	1878, 856
<i>arjuna</i>	1873, 357
<i>arnæa</i>	1874, 337
<i>aruana</i>	1877, 147

	Page
<i>Papilio aruana</i>	1877, 148
<i>arsinoë</i>	1878, 646
<i>arycles</i>	1873, 357
<i>ascalaphus</i>	1873, 358
<i>asclepius</i>	1878, 271
<i>aspasia</i>	1872, 61
<i>asterie</i>	1877, 812
<i>atymnus</i>	1878, 835
<i>augias</i>	1877, 149
<i>augusta</i>	1872, 55
<i>aurora</i>	1876, 164
<i>aurota</i>	1872, 55
<i>automedon</i>	1874, 339
<i>autosilaus</i>	1876, 245
<i>avia</i>	1878, 699
<i>axion</i>	1878, 697
	1878, 706
<i>bæticus</i>	1871, 723
	1877, 146
	1878, 702
	1880, 406
<i>baldus</i>	1878, 825
<i>basilea</i>	1874, 342
<i>bathycles</i>	1873, 357
<i>belemida</i>	1872, 62
<i>belisama</i>	1872, 34
<i>belise</i>	1874, 354
<i>belladonna</i>	1872, 30
<i>bellidice</i>	1872, 62
<i>belus</i>	1876, 245
<i>biblis</i>	1878, 699
<i>bicolor</i>	1872, 34
<i>blasius</i>	1878, 825
<i>blomfieldia</i>	1874, 348
<i>borealis</i>	1877, 814
<i>brama</i>	1873, 357
<i>branchus</i>	1874, 364
<i>brasidas</i>	1875, 416
<i>brassicæ</i>	1872, 65
<i>brigitta</i>	1871, 534
<i>browni</i>	1879, 655
<i>byroniæ</i>	1872, 63
<i>cadmus</i>	1874, 361
<i>cæneus</i>	1872, 32
<i>calabarius</i>	1879, 649
<i>calais</i>	1876, 138
	1876, 139
<i>callidice</i>	1872, 62
<i>calliste</i>	1874, 365
<i>calypso</i>	1872, 53
<i>camerta</i>	1874, 335
<i>camorta</i>	1877, 592
	1877, 625
<i>candida</i>	1871, 537
<i>canidia</i>	1872, 66
	1878, 701
<i>cano-exalbidus</i>	1872, 52
<i>canopus</i>	1874, 289
<i>capaneus</i>	1874, 289

	Page
Papilio cardui	1874, 346
	1877, 813
	1880, 406
carinenta	1874, 352
cassiae	1871, 530
	1874, 339
cassida	1872, 59
cassius	1874, 354
castalia	1872, 50
castor	1874, 109
	1878, 840
	1878, 841
casyapa	1879, 143
catilla	1878, 640
	1878, 837
caunus	1873, 357
cellene	1874, 350
ceres	1871, 723
cesonia	1874, 360
chaon	1874, 109
charicles	1877, 592
	1877, 625
charithonia	1874, 351
charopus	1879, 648
chaudoiri	1874, 290
chiron	1874, 345
chloridice	1872, 62
chloris	1872, 37
choredon	1877, 148
	1877, 471
	1879, 159
chryseis	1877, 813
	1880, 669
chrysippe	1878, 645
chrysippus	1871, 722
	1877, 810
	1878, 638
	1878, 695
	1880, 405
chrysopterus	1871, 338
cilix	1879, 653
	1879, 654
cipris	1874, 361
cloantha	1871, 722
	1874, 273
clonius	1874, 367
clusoculis	1874, 364
clytia	1879, 143
clytie	1872, 56
cneora	1872, 48
	1872, 56
cocalia	1871, 723
cocles	1878, 698
codrus	1874, 290
	1878, 735
columbina	1878, 699
columbus	1874, 364
coridon	1874, 368

	Page
Papilio coronea	1872, 56
coronis	1872, 59
corinneus	1875, 416
crassus	1876, 245
cratægi	1872, 58
creona	1872, 56
cresphontes	1878, 481
creteus	1874, 367
crocale	1877, 147
	1878, 837
ctesias	1876, 246
cutora	1876, 245
cyane	1872, 556
cynorta	1875, 416
cypræa	1876, 138
cypræafla	1875, 416
	1879, 648
	1879, 649
danaë	1876, 157
daplidice	1872, 62
	1880, 410
deiopeia	1872, 56
delia	1871, 533
delila	1874, 350
demetrius	1877, 814
demoleus	1875, 416
demolion	1873, 357
	1874, 108
	1874, 575
demophile	1872, 42
demophon	1874, 342
dione	1872, 29
	1878, 701
diphilus	1874, 109
	1878, 840
dirtea	1878, 639
discors	1872, 32
dissimilis	1874, 273
dolicaon	1876, 245
dorimene	1872, 35
doubledayi	1878, 840
	1878, 856
drusia	1880, 667
drusilla	1872, 50
dryope	1871, 722
dunali	1874, 289
eborea	1876, 153
	1876, 157
ebusa	1874, 337
edusa	1872, 62
egrea	1874, 344
egialea	1872, 29
elathea	1871, 532
eligius	1874, 370
empedocles	1873, 358
endora	1872, 36
epaphia	1872, 49
epidaus	1874, 365

	Page		Page
Papilio eponina.....	1871,	Papilio gea	1871,
erato	1874,	gelon	1874,
erechtheus.....	1874,	glaucippe	1877,
	1878,		1878,
ergane	1872,	gliciria	1872,
erithalion	1874,		1878,
erithonius	1874,	gnoma	1877,
	1874,		1878,
	1877,	godartii	1874,
	1880,	godeffroyi.....	1874,
erlaces	1876,		1875,
erostratus	1874,	goldiei	1880,
erymanthis	1877,		1880,
	1878,	harpalyce	1872,
	1878,	hecabe	1871,
	1880,		1874,
eucharis	1872,		1877,
	1876,		1877,
euchenor	1877,		1878,
	1877,		1878,
	1878,		1878,
	1879,		1880,
eudoxia	1872,	hedyle	1872,
eumeus	1878,	hegesia	1874,
euphorion	1874,	hegisippus	1878,
eurilochus.....	1874,	helcita	1872,
eurimedia	1874,	helenus	1873,
europa	1878,		1877,
euryphilus	1878,		1878,
eurypilus	1878,		1878,
eurypylus	1873,		1878,
	1877,		1878,
	1877,	helice.....	1872,
	1879,	helie	1874,
evadnes	1874,	hellica	1872,
evagete	1872,	hera	1874,
evippe	1871,	hermes	1874,
	1876,	hersilia	1874,
	1876,	hippe	1872,
	1878,	hippocoon.....	1875,
exadeus.....	1874,	hippona.....	1873,
exclamationis	1874,	hirlanda	1872,
fabius	1873,	homerus	1878,
fatima	1874,	hornimani	1879,
fausta	1876,	horribilis	1879,
	1880,	hyparete	1872,
feronia	1874,		1872,
flegyas	1878,	hypatia	1872,
flippantha	1872,	hypsicles	1874,
folus	1877,		1875,
	1880,	iacintha.....	1878,
freja	1878,	ida	1878,
fulgurator	1874,	idæus	1874,
fuliginosus	1872,	idas	1874,
furvus	1872,	ilea.....	1877,
fuscofimbriatus....	1872,	ilioneus.....	1874,
fusconiger	1872,	indicatus	1877,
gallienus	1879,	iole.....	1874,
	649		346

	Page		Page
Papilio iphiclea	1874, 342	Papilio lisias	1878, 833
iphidamus	1874, 363	lorzæ	1874, 365
iphigenia	1872, 37	lowii	1873, 358
	1874, 281		1873, 361
iphita	1878, 646	luna	1874, 337
	1878, 828	lycidas	1876, 245
irenæa	1874, 354	lycimenes	1874, 363
irene	1874, 335	lycimnia	1872, 51
isidorus	1876, 246	lycophron	1874, 365
ismene	1877, 811	lyncida	1872, 48
	1878, 696	maackii	1877, 814
	1878, 824	macareus	1873, 356
isse	1872, 34	macfarlanei	1877, 466
iswara	1878, 641		1877, 471
janais	1874, 349	machaon	1874, 273
jatrophæ	1874, 346	madyes	1876, 245
javæ	1872, 56	mærula	1874, 360
juda	1873, 357	mago	1877, 592
judith	1872, 61		1877, 625
julia	1874, 350	mahadeva	1878, 840
juno	1874, 350		1878, 841
juventa	1878, 637		1878, 856
kerosa	1873, 356		1878, 858
lacedæmon	1879, 143	malayanus	1878, 697
ladocus	1873, 356		1878, 706
lætitia	1874, 366	marchandii	1874, 365
lais	1871, 522	mardaniæ	1871, 723
	1878, 638	marianne	1871, 253
laisus	1878, 702	marius	1874, 345
lankeswara	1879, 143	mayo	1873, 736
laomedia	1878, 639	meander	1874, 342
	1878, 698	medon	1871, 723
	1878, 828	medus	1878, 645
leda	1874, 279	megarus	1878, 697
	1880, 666		1878, 706
lemonias	1878, 698		1878, 840
	1878, 828		1878, 856
leodamus	1878, 648	melaneus	1877, 810
leonidas	1875, 416	melania	1872, 45
lesches	1880, 614	melanippe	1874, 360
lethe	1874, 346	memnon	1873, 357
leucothoë	1872, 561		1874, 109
	1874, 570		1878, 641
	1877, 811	menander	1874, 337
	1878, 697	menestheus	1875, 416
	1880, 613		1879, 647
liberia	1872, 45	mermeria	1874, 335
libithea	1872, 49	merope	1875, 416
libye	1874, 336	mesentina	1872, 55
libythea	1871, 534		1880, 409
	1874, 288	messalina	1871, 530
licea	1872, 60	midamus	1877, 810
liciria	1872, 66		1878, 823
limniace	1878, 695	mineus	1878, 825
	1880, 666		1880, 667
liomedon	1874, 575	misippus	1877, 812
liria	1874, 344		1880, 667
lisianassa	1874, 281	molphea	1872, 42

	Page		Page
Papilio montrouzieri	1874,	Papilio pammon	1874,
monuste	1872,	1877,
.	1874,	1877,
mulciber	1878,	1878,
musa	1871,	1878,
mylitta	1874,	1878,
mylotes	1874,	1878,
mysis	1872,	1878,
napææ	1872,	pandion	1874,
napi	1872,	1877,
narva	1874,	panope	1878,
nauplia	1874,	1878,
nelo	1872,	1879,
nephelus	1873,	panthera	1871,
.	1875,	parmatus	1879,
nephite	1877,	1879,
neptunus	1873,	parmenides	1874,
nerina	1874,	paron	1879,
.	1878,	pasiphaë	1871,
.	1878,	pasithoë	1872,
nerissa	1872,	1878,
nero	1872,	1878,
nicippe	1871,	patroclus	1877,
nicobarus	1877,	1877,
.	1877,	paulina	1872,
nigricantemargina-		pausanias	1876,
tus	1872,	payeni	1873,
nigrina	1872,	pelaus	1878,
nigronervosus	1872,	peleus	1874,
nigronotatus	1872,	penthesilaus	1874,
nina	1878,	perimale	1872,
.	1878,	perseus	1878,
.	1877,	1878,
niphe	1877,	phærusa	1874,
nireus	1875,	phalanta	1878,
nise	1871,	phega	1871,
noctis	1873,	phiale	1871,
noctula	1873,	phidippus	1878,
nomius	1878,	1878,
nysa	1872,	1878,
obrinus	1874,	philea	1874,
oceanus	1874,	philenor	1874,
ocirrhoë	1874,	phileta	1872,
odenatus	1879,	philoxenus	1874,
odius	1874,	1878,
cenone	1878,	1878,
onesimus	1874,	phorcas	1879,
.	1877,	photinus	1874,
.	1877,	phryne	1872,
onpape	1878,	pirithous	1871,
.	1878,	placidia	1872,
ophidocephalus	1879,	plexaris	1872,
orabilis	1874,	plexippus	1874,
orcus	1874,	1877,
oritas	1879,	1878,
orithyia	1877,	1880,
.	1878,	policenes	1875,
.	1878,	polycaon	1874,
ormenus	1874,	polycarmes	1877,
.	1879,	1877,
.	1879,		
pamela	1872,		
.	1872,		

	Page		Page		
<i>Papilio polycctor</i>	1874,	273	<i>Papilio schmeltzi</i>	1875,	620
<i>polydamas</i>	1874,	364	<i>segonax</i>	1878,	734
	1876,	245		1879,	160
	1878,	481	<i>sennæ</i>	1874,	360
<i>polydorus</i>	1877,	149	<i>serena</i>	1871,	723
	1877,	471	<i>servillei</i>	1874,	364
	1878,	648	<i>sesia</i>	1871,	253
	1879,	160		1871,	254
<i>polytes</i>	1873,	357		1878,	700
	1874,	108	<i>sesostris</i>	1876,	244
	1878,	641	<i>severina</i>	1871,	725
	1878,	696		1872,	56
	1878,	840	<i>severus</i>	1874,	289
<i>poppa</i>	1872,	36	<i>similis</i>	1877,	810
<i>poppea</i>	1872,	36		1878,	637
<i>porseenna</i>	1872,	29	<i>simplicius</i>	1874,	366
<i>poseidon</i>	1878,	647	<i>sinon</i>	1878,	481
<i>pronomus</i>	1877,	470	<i>sisamnus</i>	1874,	358
<i>protenor</i>	1874,	273	<i>solandra</i>	1874,	279
<i>proterpia</i>	1871,	541	<i>sordide-flavicans</i> ..	1872,	53
	1874,	359	<i>statira</i>	1874,	360
<i>proteus</i>	1874,	366	<i>steneles</i>	1874,	345
<i>protogenia</i>	1871,	520	<i>strix</i>	1873,	357
<i>pyranthe</i>	1877,	814	<i>swinhoei</i>	1878,	697
<i>pyrene</i>	1871,	253		1878,	706
	1878,	700	<i>syedra</i>	1878,	271
<i>pyrrha</i>	1872,	37	<i>sylphia</i>	1872,	55
<i>rahel</i>	1871,	537	<i>sylvia</i>	1872,	55
<i>ramaceus</i>	1873,	356	<i>syrichtus</i>	1874,	369
<i>raphani</i>	1872,	62	<i>telearchus</i>	1878,	839
<i>renata</i>	1874,	336		1878,	856
<i>retorta</i>	1872,	53	<i>telemachus</i>	1874,	290
<i>rhadamanthus</i>	1878,	822		1877,	148
<i>rhea</i>	1874,	351		1879,	160
<i>rhexia</i>	1871,	252	<i>telephus</i>	1877,	471
<i>rhodifer</i>	1877,	592	<i>telesilaus</i>	1876,	245
	1877,	625	<i>terias</i>	1874,	357
<i>rhodope</i>	1872,	36	<i>teutonia</i>	1872,	55
<i>rhodostictus</i>	1874,	364	<i>thais</i>	1872,	557
<i>rhyphea</i>	1874,	341	<i>thalia</i>	1874,	352
<i>ridleyanus</i>	1875,	416	<i>thamyra</i>	1874,	335
<i>risa</i>	1878,	829	<i>thasus</i>	1874,	367
<i>rohria</i>	1878,	824	<i>thermopyle</i>	1872,	37
<i>saba</i>	1872,	49	<i>thersander</i>	1879,	648
<i>sabrata</i>	1871,	725	<i>thersites</i>	1878,	481
<i>sadalus</i>	1874,	365	<i>theseus</i>	1873,	357
<i>sadyattes</i>	1874,	370	<i>thoas</i>	1874,	365
<i>sarpedon</i>	1873,	357	<i>thrax</i>	1878,	641
	1874,	273	<i>thysbe</i>	1872,	29
	1874,	290	<i>trite</i>	1874,	361
	1877,	148	<i>tryxus</i>	1874,	369
	1877,	814	<i>tullia</i>	1878,	826
	1878,	641	<i>ulrica</i>	1871,	252
	1878,	841	<i>ulysses</i>	1877,	139
	1878,	856		1877,	148
<i>saturata</i>	1878,	697	<i>ulyssinus</i>	1874,	290
	1878,	706	<i>undularis</i>	1871,	520
<i>schmeltzi</i>	1874,	289	<i>urvilliana</i>	1874,	288

	Page		Page
<i>Papilio urvilliana</i>	1877,		147
<i>vanillae</i>	1874,		350
<i>velleda</i>	1874,		281
	1877,		469
<i>vellida</i>	1874,		281
	1877,		144
	1878,		297
	1878,		646
<i>venilia</i>	1874,		280
	1878,		646
<i>vesulus</i>	1874,		356
<i>vitellia</i>	1871,		524
	1874,		277
<i>vitreus</i>	1874,		367
<i>vulneratus</i>	1874,		366
<i>wallacei</i>	1877,		471
	1879,		655
<i>warscewiczii</i>	1876,		246
<i>xanthopleura</i>	1876,		246
<i>xenocles</i>	1878,		840
	1878,		856
<i>xiphia</i>	1878,		699
	1878,		837
<i>xuthus</i>	1877,		814
<i>zagreus</i>	1876,		246
<i>zalmoxis</i>	1879,		649
<i>zanao</i>	1873,		357
<i>zeleucus</i>	1878,		841
	1878,		856
<i>zelmira</i>	1872,		49
	1878,		700
	1878,		839
<i>zenobia</i>	1879,		648
<i>zeuxippe</i>	1872,		59
<i>zoilus</i>	1878,		644
<i>Papio melanotus</i>	1875,		418
	1876,		425
<i>nigrescens</i>	1872,		723
<i>Parablepharis kuhlii</i>	1878,		586
<i>Paracrangon echinatus</i>	1879,		21
	1879,		23
	1879,		52
<i>Paracyathus coronatus</i>	1876,		429
	1876,		430
	1876,		431
	1876,		442
<i>persicus</i>	1876,		429
	1876,		430
	1876,		431
	1876,		442
<i>Paradiadema hora</i>	1879,		704
	1879,		709
<i>Paradisea apoda</i>	1873,		559
	1874,		486
	1875,		532
	1878,		98
	1878,		792
	1879,		218
<i>Paradisea minor</i>	1873,		559
	1874,		486
	1878,		631
	1878,		792
<i>papuana</i>	1873,		559
	1875,		30
	1875,		469
	1875,		532
	1880,		420
<i>raggiana</i>	1873,		559
	1873,		697
	1875,		531
	1875,		532
	1876,		414
	1876,		752
	1879,		218
<i>rubra</i>	1873,		559
	1875,		532
<i>Paradoxornis flaviros-</i> <i>tris</i>	1871,		372
	1873,		690
<i>guttaticollis</i>	1873,		665
	1873,		666
	1873,		690
<i>Paradoxurus binotatus</i>	1875,		492
<i>bondar</i>	1875,		492
	1875,		494
<i>fasciatus</i>	1879,		666
<i>leucomystax</i>	1875,		492
<i>melanocephalus</i>	1877,		350
<i>musanga</i>	1879,		666
<i>pallasii</i>	1875,		492
	1875,		494
<i>philippensis</i>	1876,		427
<i>philippinensis</i>	1879,		75
<i>punctatus</i>	1877,		350
<i>rubricatus</i>	1877,		350
<i>typus</i>	1871,		547
	1871,		550
	1871,		551
	1871,		552
	1871,		558
	1871,		559
	1875,		492
	1880,		304
<i>uropygialis</i>	1877,		350
<i>Paramecus lævigatus</i>	1874,		61
<i>niger</i>	1874,		61
<i>parallelus</i>	1874,		61
<i>Paranephrops plani-</i> <i>frons</i>	1878,		770
<i>Paraona splendens</i>	1878,		8
	1878,		36
<i>Paraplectana thorntoni</i>	1879,		293
<i>Pararge cashmirensis</i>	1874,		265
	1874,		274
<i>eversmanni</i>	1874,		266
<i>Parastacus brasiliensis</i>	1878,		759

	Page		Page
<i>Parastrophia asturiana</i> ..	1879, 807	<i>Parthenia gracilis</i>	1878, 862
<i>challengeri</i>	1879, 806		1878, 864
<i>cornucopiæ</i>	1879, 807		1878, 867
<i>Paratymolus pubescens</i> ..	1879, 21	<i>Parthenos apicalis</i>	1878, 829
	1879, 45		1878, 854
	1879, 61	<i>gambrisius</i>	1873, 343
<i>Pardaleodes laronia</i>	1875, 417		1877, 585
<i>sator</i>	1875, 417		1877, 624
<i>Pardalina warwickii</i> ..	1872, 203		1878, 829
<i>Pardalotus affinis</i>	1875, 584	<i>Partula abbreviata</i>	1871, 473
<i>melanocephalus</i> ..	1875, 584	<i>affinis</i>	1871, 473
<i>punctatus</i>	1875, 584	<i>amabilis</i>	1871, 473
<i>striatus</i>	1875, 584	<i>annectens</i>	1871, 473
<i>Pareas carinata</i>	1872, 591	<i>assimilis</i>	1871, 473
<i>lævis</i>	1872, 591	<i>attenuata</i>	1871, 473
<i>monticola</i>	1871, 152	<i>auriculata</i>	1871, 473
	1871, 188	<i>australis</i>	1871, 473
<i>Pareba vesta</i>	1874, 267	<i>bicolor</i>	1871, 473
<i>Pareudiastes pacificus</i> ..	1871, 25	<i>bilineata</i>	1871, 473
	1871, 26	<i>brazieri</i>	1871, 473
	1874, 184	<i>brumalis</i>	1871, 473
	1874, 605	<i>bulimoides</i>	1871, 473
<i>Parias maculata</i>	1871, 194	<i>caledonica</i>	1871, 585
<i>Parmacella palliorum</i> ..	1880, 290	<i>callifera</i>	1871, 473
<i>valenciennii</i>	1880, 290	<i>calypso</i>	1871, 473
<i>Parmarion extraneus</i> ..	1880, 292	<i>canalis</i>	1871, 473
<i>infumatus</i>	1880, 292	—, var. <i>semilineata</i>	1871, 473
<i>problematica</i>	1880, 292	<i>citrina</i>	1871, 473
<i>pupillaris</i>	1880, 292	<i>clara</i>	1871, 473
<i>rangianus</i>	1880, 292	<i>compacta</i>	1871, 473
<i>rubrum</i>	1880, 292	<i>compressa</i>	1871, 473
<i>Parnassius amathonte</i> ..	1872, 27	<i>conica</i>	1871, 473
<i>apollo</i>	1872, 26	<i>crassilabris</i>	1871, 473
<i>cardamines</i>	1872, 27	<i>dentifera</i>	1871, 473
<i>glaucippe</i>	1872, 27	<i>elongata</i>	1871, 473
<i>hardwicki</i>	1874, 273	<i>erhelii</i>	1871, 473
<i>Paroaria cervicalis</i>	1879, 605	<i>extensa</i>	1871, 473
<i>cucullata</i>	1880, 313	<i>faba</i>	1871, 458
<i>dominicana</i>	1880, 313		1871, 473
<i>gularis</i>	1873, 264	—, var. <i>subangu-</i>	
<i>Parotia sexpennis</i>	1873, 557	<i>lata</i>	1871, 458
	1873, 558		1871, 473
	1873, 697	<i>fasciata</i>	1871, 473
<i>Parra africana</i>	1873, 469	<i>fragilis</i>	1871, 473
	1873, 641	<i>fusca</i>	1871, 473
	1875, 348	<i>ganymedes</i>	1871, 473
<i>cayennensis</i>	1874, 450	<i>garrettii</i>	1871, 473
<i>chilensis</i>	1874, 451	<i>gibba</i>	1871, 473
<i>gallinacea</i>	1875, 530	<i>gonochila</i>	1871, 473
	1877, 344	<i>gracilis</i>	1871, 473
<i>hypomelæna</i>	1879, 546	<i>guamensis</i>	1871, 473
<i>jacana</i>	1873, 309	<i>hebe</i>	1877, 473
	1876, 103	—, var. <i>bella</i>	1871, 473
	1877, 319	<i>hyalina</i>	1871, 473
	1877, 329	<i>leucothoe</i>	1871, 473
(Hydralector) <i>cris-</i>		<i>lignaria</i>	1871, 473
<i>tata</i>	1873, 34	<i>lilacina</i>	1871, 473
<i>Parribacus antarcticus</i> ..	1877, 138	<i>lineata</i>	1871, 473

	Page		Page
<i>Partula lineolata</i>	1871, 473	<i>Parus castaneiventris</i> ..	1871, 361
<i>lugubris</i>	1871, 473	<i>caudatus</i>	1873, 667
<i>lutea</i>	1871, 473	<i>cinctus</i>	1875, 490
<i>mastersii</i>	1871, 473	<i>cinereus</i>	1877, 45
<i>minuta</i>	1871, 458	1871, 361
<i>nodosa</i>	1871, 473	1872, 460
—, var. <i>trilineata</i> ..	1871, 473	<i>commixtus</i>	1871, 361
<i>ovalis</i>	1871, 473	<i>elegans</i>	1877, 688
<i>peasei</i>	1871, 644	1877, 696
.....	1871, 647	1877, 756
<i>pellucida</i>	1871, 457	1877, 762
<i>planilabrum</i>	1871, 473	1878, 286
<i>producta</i>	1871, 473	<i>insperatus</i>	1871, 361
<i>radiolata</i>	1871, 473	1873, 667
<i>recta</i>	1871, 473	<i>kamtschatkensis</i> ..	1871, 362
<i>rubescens</i>	1871, 473	1875, 566
<i>rufa</i>	1871, 473	<i>major</i>	1873, 462
<i>rosea</i>	1871, 473	1874, 505
<i>rustica</i>	1871, 473	1875, 490
<i>simplaria</i>	1871, 473	<i>minor</i>	1871, 361
<i>solidula</i>	1871, 473	<i>monticola</i>	1871, 361
<i>stolida</i>	1871, 473	1873, 555
<i>strigata</i>	1871, 473	1873, 667
<i>striolata</i>	1871, 473	<i>palustris</i>	1871, 362
<i>tahitana</i>	1871, 473	<i>pekinensis</i>	1871, 361
<i>tabulana</i>	1871, 473	1873, 688
<i>thetis</i>	1871, 473	<i>sibiricus</i>	1871, 362
<i>umbilicata</i>	1871, 474	<i>trivirgatus</i>	1871, 362
<i>varia</i>	1871, 473	<i>varius</i>	1873, 652
—, var. <i>glutinosa</i> ..	1871, 473	1873, 667
—, var. <i>pulchra</i> ..	1871, 473	<i>venustulus</i>	1871, 361
—, var. <i>simplex</i> ..	1871, 473	<i>Pasithea pulchra</i>	1872, 314
<i>variabilis</i>	1871, 473	1873, 211
<i>vexillum</i>	1871, 474	<i>virescens</i>	1872, 314
<i>vittata</i>	1871, 474	1872, 359
<i>zebrina</i>	1871, 474	<i>viridis</i>	1872, 314
—, var. <i>recluziana</i> ..	1871, 474	<i>Passer ammodendri</i>	1871, 480
<i>Partulina mauiensis</i>	1873, 91	1871, 481
<i>variabilis</i>	1873, 91	<i>assimilis</i>	1873, 661
<i>virgulata</i>	1873, 90	<i>cinnamomeus</i>	1871, 386
<i>Parula gutturalis</i>	1878, 39	<i>diffusus</i>	1878, 358
.....	1878, 40	<i>domesticus</i>	1878, 57
.....	1878, 52	1879, 678
<i>pitiayumi</i>	1876, 16	<i>flaveolus</i>	1873, 661
.....	1877, 319	<i>indicus</i>	1872, 464
.....	1879, 223	<i>montanus</i>	1871, 386
.....	1879, 593	1874, 522
<i>Parulus ruficeps</i>	1874, 3	1879, 244
.....	1874, 8	1880, 194
.....	1874, 9	<i>ouratensis</i>	1871, 386
<i>Parus ater</i>	1871, 361	1873, 688
.....	1874, 581	<i>russatus</i>	1871, 386
<i>atriceps</i>	1871, 361	<i>rutilans</i>	1871, 386
<i>baicalensis</i>	1871, 362	<i>swainsoni</i>	1878, 358
<i>britannicus</i>	1874, 581	<i>Passerita mycterizans</i> ..	1871, 185
<i>cæruleus</i>	1875, 490	<i>Pastor bicolor</i>	1871, 384
<i>cæsius</i>	1871, 361	<i>capensis</i>	1874, 487
<i>carolinensis</i>	1871, 362	<i>cristatellus</i>	1874, 485

	Page		Page
<i>Pastor cristatellus</i>	1875, 490	<i>Pecten bruei</i>	1879, 558
<i>griseus</i>	1874, 485	<i>commutatus</i>	1879, 558
<i>ialla</i>	1874, 485	<i>concentricus</i>	1879, 561
<i>roseus</i>	1872, 462	<i>distortus</i>	1879, 556
<i>sericeus</i>	1874, 487	<i>dumasii</i>	1879, 557
<i>tristis</i>	1875, 490	<i>duodecimlamellatus</i>	1879, 558
<i>Patæcus subocellatus</i> ..	1880, 311	<i>fenestratus</i>	1879, 561
<i>Patagona gigas</i>	1871, 384	—, var. <i>cancellata</i> ..	1879, 561
<i>cinna</i>	1875, 490	<i>fimbriatus</i>	1879, 562
<i>distorta</i>	1871, 653	<i>flexuosus</i>	1879, 559
<i>plumbea</i>	1871, 665	<i>formosus</i>	1873, 184
<i>rubra</i>	1873, 463	<i>fragilis</i>	1879, 561
<i>subocellata</i>	1873, 631	<i>glaber</i>	1879, 588
<i>tristis</i>	1874, 545	<i>groenlandicus</i>	1879, 559
<i>variegata</i>	1874, 677	<i>hoskynsi</i>	1879, 560
<i>viridis</i>	1876, 509	<i>imbrifer</i>	1879, 562
<i>viridula</i>	1876, 518	<i>inæquisculptus</i>	1879, 561
<i>viridula</i>	1879, 238	<i>islandicus</i>	1879, 556
<i>viridula</i>	1879, 629	<i>jacobæus</i>	1879, 559
<i>Patella anomala</i>	1878, 414	<i>maximus</i>	1879, 558
<i>cinna</i>	1871, 97	<i>multistriatus</i>	1879, 556
<i>distorta</i>	1878, 415	<i>opercularis</i>	1879, 558
<i>plumbea</i>	1871, 738	<i>pes-felis</i>	1879, 557
<i>Pauxis galeata</i>	1871, 624	<i>pes-lutræ</i>	1879, 557
<i>cinna</i>	1874, 420	<i>philippii</i>	1879, 558
<i>distorta</i>	1875, 566	<i>polymorphus</i>	1879, 561
<i>rubra</i>	1877, 684	<i>pseudamusium</i>	1879, 559
<i>subocellata</i>	1879, 379	<i>pusio</i>	1871, 730
<i>viridis</i>	1880, 648	<i>pustulosus</i>	1879, 556
<i>viridula</i>	1873, 640	<i>pygmæus</i>	1879, 562
<i>viridula</i>	1875, 566	<i>rimulosus</i>	1879, 560
<i>Pavia eucharis</i>	1874, 578	<i>senticosus</i>	1879, 566
<i>cinna</i>	1874, 578	<i>septemradiatus</i>	1879, 557
<i>Pavo cristatus</i>	1872, 467	<i>similis</i>	1879, 560
<i>cinna</i>	1875, 489	<i>striatus</i>	1879, 559
<i>distorta</i>	1876, 464	<i>subauriculatus</i>	1879, 560
<i>javanicus</i>	1875, 489	<i>sulcatus</i>	1879, 564
<i>muticus</i>	1871, 398	<i>testæ</i>	1879, 557
<i>rubra</i>	1873, 468	<i>tigerinus</i>	1879, 560
<i>subocellata</i>	1873, 640	<i>tigrinus</i>	1879, 559
<i>viridis</i>	1875, 489	<i>varius</i>	1879, 556
<i>viridula</i>	1873, 468	<i>vitreus</i>	1879, 560
<i>viridula</i>	1873, 640	<i>viridis</i>	1879, 561
<i>viridula</i>	1879, 356	<i>Pectunculus</i>	1879, 587
<i>viridula</i>	1879, 354	<i>aradasii</i>	1879, 586
<i>viridula</i>	1879, 355	<i>aureomaculatus</i> ..	1879, 419
<i>Pavonia memnon</i>	1874, 339	<i>cardiiformis</i>	1879, 419
<i>cinna</i>	1874, 338	<i>gealei</i>	1873, 183
<i>Pecten</i>	1874, 338	<i>glycymeris</i>	1873, 184
<i>abyssorum</i>	1879, 587	<i>grossi</i>	1877, 193
<i>actoni</i>	1879, 561	<i>laticostatus</i>	1879, 584
<i>alaskensis</i>	1879, 561	<i>minutus</i>	1879, 586
<i>albo-lineatus</i>	1879, 562	<i>montrouzieri</i>	1878, 871
<i>antiquatus</i>	1878, 820	<i>varius</i>	1879, 585
<i>aspermus</i>	1879, 562	<i>viridis</i>	1879, 561
<i>aspermus</i>	1877, 193	<i>viridula</i>	1879, 561
<i>audouinii</i>	1879, 558	<i>viridula</i>	1879, 561
<i>auratus</i>	1879, 557	<i>viridula</i>	1879, 561

	Page		Page
ectunculus montrouzieri	1872,	Pelecanopus pelecانoides	1878,
nova-guineensis ..	1879,		212
nummarius	1879,	poliocercus	1878,
orbicularis	1879,	velox	1876,
pilosus	1879,	Pelecanus — ?	1876,
taylori	1879,	conspicillatus	1871,
violascens	1879,		634
vitreus	1879,	crispus	1877,
Pedaliodes angularis ..	1876,		348
cremera	1878,		420
hulda	1874,		1871,
lithochalcis	1874,		634
manis	1874,		1871,
pallantias	1876,		703
pancis	1876,		1880,
perperna	1874,		318
porina	1876,	fuscus	1871,
praxithea	1878,		125
	1878,		1871,
triaria	1878,		129
	1878,		1871,
zoippus	1876,		634
	1876,		805
	250	javanicus	1871,
Pediocorys bogotensis ..	1874,	leucogaster	1878,
Pedionomus torquatus ..	1873,	minor	1871,
Pedipes afra	1873,		420
glaber	1875,		1871,
mirabilis	1875,		423
sandwichensis	1871,		632
	1871,		1871,
Pedonœces galapagoën-	1877,		633
sis	82	mitratus	1871,
morio	1877,		420
pubescens	1877,		1880,
Pedostibes tuberculosus .	1875,		420
	1875,		1871,
Pelagella paretii	1877,		634
Pelagodroma marina ..	1878,		429
	1878,		1871,
Pelamys bicolor	1872,		632
Pelargoderus arouensis .	1877,		1871,
Pelargopsis gigantea ..	1877,		633
	1877,		1871,
	537		633
	1877,		1871,
	538		634
	1877,		1876,
	541		335
	1877,		1876,
	822		340
	1878,		1871,
	108		632
	1878,		1871,
	341		634
	1878,		651
	943		1871,
	1879,		634
gural	1872,	sula	1878,
leucocephala	1879,	trachyrhynchus ...	1871,
	1879,	Pelecus cultratus	1876,
	329	Pelidnota chrysargyrea .	1875,
Pelecanoides garnoti ..	1878,		120
	1879,		1878,
urinatrix	1878,		294
Pelecanopus bergii	1876,	Pellorneum tickelli	1873,
pelecanoides	1876,		662
	1876,	Pelochelys bibronii	1873,
	671	cantorii	1873,
		cumingii	1873,
		stellata	1873,
		Pelochyta rhodopa	1880,
			670

	Page		Page
<i>Pelodes albigena</i>	1876, 648	<i>Penæus dobsoni</i>	1878, 305
<i>alhistriata</i>	1876, 646		1878, 307
<i>delalandii</i>	1876, 641		1878, 310
<i>fluviatilis</i>	1876, 641	<i>edwardsianus</i>	1878, 298
<i>hybrida</i>	1876, 641		1878, 308
<i>indica</i>	1876, 641		1878, 309
<i>javanica</i>	1876, 645	<i>ensis</i>	1878, 301
<i>leucopareia</i>	1876, 640	<i>foliaceus</i>	1878, 307
<i>surinamensis</i>	1876, 643	<i>gracilis</i>	1878, 308
<i>Pelodryas cæruleus</i>	1873, 164	<i>hardwickii</i>	1878, 300
	1875, 487		1878, 306
<i>Pelomedusa galeata</i>	1871, 325		1878, 310
	1871, 326	<i>indicus</i>	1878, 301
<i>gehafie</i>	1871, 325		1878, 307
	1871, 543	<i>kröyeri</i>	1878, 305
<i>nigra</i>	1871, 326		1878, 307
<i>Peloperoxid rubrirostris</i> .	1880, 16	<i>lamellatus</i>	1878, 308
<i>Pelosia muscerda</i>	1878, 27	<i>longirostris</i>	1878, 301
<i>Peltastes elongatus</i>	1872, 616	<i>marginatus</i>	1878, 299
	1873, 725	<i>membranaceus</i>	1878, 301
<i>forstenii</i>	1872, 616		1878, 307
<i>græca</i>	1873, 725	<i>monoceros</i>	1878, 301
	1873, 728		1878, 307
<i>platynotus</i>	1872, 616	<i>monodon</i>	1878, 299
<i>stellatus</i>	1872, 616		1878, 300
<i>sulcatus</i>	1873, 725		1878, 307
<i>Peltogaster</i>	1871, 144	<i>plebejus</i>	1878, 299
<i>Peltops blainvillii</i>	1873, 696	<i>podophthalmus</i> ...	1878, 308
<i>Pempelia zinckenella</i> ..	1880, 689	<i>pubescens</i>	1878, 304
<i>Penæus affinis</i>	1878, 304	<i>sculptilis</i>	1878, 300
	1878, 308		1878, 303
	1879, 22		1878, 304
	1879, 56		1878, 306
<i>antennatus</i>	1878, 309	<i>semisulcatus</i>	1878, 299
<i>avirostris</i>	1878, 304		1878, 300
	1878, 308		1878, 306
<i>barbatus</i>	1878, 304	<i>setiferus</i>	1878, 307
<i>bocagei</i>	1878, 301	<i>siphonocerus</i>	1878, 301
<i>brasiliensis</i>	1878, 299		1878, 302
	1878, 306	<i>stenodactylus</i>	1878, 308
	1878, 781	<i>styliferus</i>	1878, 304
	1878, 787		1878, 305
<i>brevicornis</i>	1878, 308		1878, 307
<i>canaliculatus</i>	1878, 298	<i>stylirostris</i>	1878, 301
	1878, 306	<i>tahitensis</i>	1878, 300
<i>caramote</i>	1878, 299	<i>tenuis</i>	1878, 308
	1878, 306	<i>velutinus</i>	1878, 304
<i>carinatus</i>	1878, 300		1879, 56
<i>constrictus</i>	1878, 304	<i>Penelope aburri</i>	1874, 558
	1878, 308	<i>albipennis</i>	1877, 746
<i>crassicornis</i>	1878, 302	<i>boliviana</i>	1871, 701
<i>curvirostris</i>	1878, 300		1871, 702
	1878, 307		1873, 307
<i>distinctus</i>	1878, 302		1874, 558
	1879, 22	<i>cristata</i>	1875, 489
<i>dobsoni</i>	1878, 298		1879, 379
	1878, 302		1879, 380
	1878, 303		1879, 544

	Page		Page
<i>Penelope cristatus</i>	1873, 468	<i>Peplidia maderæ</i>	1877, 232
	1873, 640	<i>Pepoaza andecola</i>	1879, 609
<i>jacucaca</i>	1879, 379	<i>gutturalis</i>	1879, 609
	1879, 380	<i>maritima</i>	1879, 609
<i>leucolophus</i>	1875, 489	<i>montana</i>	1879, 643
<i>marail</i>	1874, 558	<i>murina</i>	1872, 541
	1877, 746	<i>nivea</i>	1879, 610
<i>mexicana</i>	1876, 372	<i>polyglotta</i>	1879, 610
<i>obscura</i>	1879, 640	<i>rixosa</i>	1879, 612
<i>ortoni</i>	1877, 747	<i>velata</i>	1879, 610
<i>pileata</i>	1879, 380	<i>Perameles aruensis</i>	1877, 125
<i>pileatus</i>	1873, 640	<i>cockerelli</i>	1877, 743
<i>pipile</i>	1871, 702	<i>doreyanus</i>	1877, 125
<i>purpurascens</i>	1878, 42		1877, 743
	1879, 380	<i>lagotis</i>	1875, 491
<i>rufiventris</i>	1874, 558		1880, 305
	1874, 679	<i>longicaudata</i>	1877, 125
<i>sclateri</i>	1871, 701	<i>obesula</i>	1880, 355
	1873, 780	<i>rufescens</i>	1877, 125
	1874, 558	<i>Perca cernua</i>	1875, 486
	1874, 678		1875, 495
	1874, 679	<i>fluviatilis</i>	1875, 486
	1879, 243		1876, 801
	1879, 640	<i>labrax</i>	1875, 486
<i>superciliaris</i>	1879, 379	<i>marina</i>	1875, 486
<i>Penelopides affinis</i>	1877, 817	<i>schrenckii</i>	1876, 801
	1877, 824	<i>Percnostola fortis</i>	1873, 275
	1877, 825	<i>funebri</i>	1873, 275
	1877, 826	<i>Percus alienus</i>	1874, 60
	1878, 108		1874, 70
	1878, 341	<i>siculus</i>	1874, 60
	1878, 947	<i>Perdica argoondah</i>	1872, 470
	1879, 70	<i>asiatica</i>	1872, 470
<i>manillæ</i>	1873, 526	<i>Perdix aragonica</i>	1878, 245
	1877, 688	<i>barbata</i>	1871, 400
	1877, 692	<i>bonhami</i>	1875, 489
	1877, 825	<i>chukar</i>	1871, 400
	1878, 341	<i>cinerea</i>	1871, 106
<i>panini</i>	1873, 526		1873, 468
	1877, 688		1873, 639
	1877, 692		1879, 371
	1877, 824	<i>coqui</i>	1880, 491
	1877, 825	<i>hodgsoniæ</i>	1877, 680
	1877, 826	<i>indica</i>	1878, 254
	1878, 283	<i>levaillantoides</i>	1880, 491
	1878, 341	<i>longirostris</i>	1875, 489
<i>Pentaceros granulosus</i>	1872, 812	<i>sephaena</i>	1880, 491
<i>rugosus</i>	1872, 812	<i>sphenura</i>	1871, 400
<i>Pentadactylus borneensis</i>	1872, 589	<i>swainsonii</i>	1880, 491
<i>dorsalis</i>	1872, 589	<i>Pereute callinice</i>	1876, 241
<i>khasiensis</i>	1871, 162	<i>charops</i>	1874, 357
	1872, 379		1876, 240
<i>PentHEMA darlisa</i>	1878, 829	<i>telthusa</i>	1876, 241
	1878, 854	<i>Perga bella</i>	1880, 373
<i>lisarda</i>	1878, 829	<i>bicolor</i>	1880, 361
<i>Pentila amenaida</i>	1875, 413		1880, 371
<i>Peosina mexicana</i>	1878, 487	<i>brullei</i>	1880, 364
<i>numeria</i>	1878, 487		1880, 379

	Page		Page
<i>Perga cameronii</i>	1880, 367	<i>Perga ritsemei</i>	1880, 365
	1880, 379		1880, 379
<i>christii</i>	1880, 366	<i>scabra</i>	1880, 376
	1880, 379	<i>schiodtei</i>	1880, 361
<i>cressonii</i>	1880, 368		1880, 364
	1880, 379	<i>scutellata</i>	1880, 379
<i>dahlbomii</i>	1880, 371	<i>smithii</i>	1880, 362
	1880, 379		1880, 379
<i>dalmani</i>	1880, 369	<i>spinolæ</i>	1880, 371
	1880, 379		1880, 379
<i>dorsalis</i>	1880, 360	<i>ventralis</i>	1880, 373
	1880, 361		1880, 376
	1880, 362	<i>vollenhovii</i>	1880, 365
	1880, 379		1880, 379
<i>esenbeckii</i>	1880, 365	<i>walkerii</i>	1880, 361
	1880, 379		1880, 368
<i>eucalypti</i>	1880, 362		1880, 379
<i>ferruginea</i>	1880, 361	(Pseudoperga) ven-	
	1880, 373	<i>trialis</i>	1880, 376
	1880, 374	<i>Pergesa acteus</i>	1877, 595
	1880, 376		1877, 626
<i>foersteri</i>	1880, 368	<i>ægrota</i>	1875, 246
	1880, 379	<i>aurifera</i>	1875, 7
<i>gravenhorstii</i>	1880, 366	<i>castanea</i>	1872, 567
	1880, 379	<i>castor</i>	1875, 7
<i>guerinii</i>	1880, 367		1875, 246
	1880, 379	<i>dolichoides</i>	1874, 577
<i>halidaii</i>	1880, 359	<i>elpenor</i>	1875, 246
	1880, 377	<i>gloriosa</i>	1875, 246
	1880, 379	<i>mongoliana</i>	1875, 622
<i>hartigii</i>	1880, 369	<i>olivacea</i>	1872, 567
<i>jurinei</i>	1880, 359	<i>velata</i>	1875, 622
	1880, 378	<i>Periaptodes luctator</i> ..	1877, 158
	1880, 379	<i>Pericompsus circuli-</i>	
<i>kirbii</i>	1880, 361	<i>mis</i>	1874, 66
	1880, 371	<i>longulus</i>	1878, 601
	1880, 377	<i>Pericopis hydra</i>	1875, 36
	1880, 379	<i>leucophæa</i>	1871, 82
<i>klugii</i>	1880, 363	<i>rosina</i>	1871, 82
	1880, 379	<i>Perierocotus albifrons</i> ..	1873, 660
<i>latreillii</i>	1880, 372	<i>brevirostris</i>	1871, 379
	1880, 379		1873, 650
<i>leachii</i>	1880, 359	<i>cantonensis</i>	1871, 378
	1880, 377	<i>cinereus</i>	1871, 378
	1880, 360		1873, 526
	1880, 361		1873, 649
	1880, 374	<i>flammeus</i>	1873, 650
	1880, 375		1879, 336
<i>macleaii</i>	1880, 372	<i>flammeus</i>	1872, 438
	1880, 379		1879, 765
<i>mayrii</i>	1880, 359	<i>fraterculus</i>	1871, 379
	1880, 378	<i>griseigularis</i>	1871, 379
	1880, 379	<i>igneus</i>	1871, 379
<i>newmanni</i>	1880, 370		1879, 247
<i>peletierii</i>	1880, 370	<i>peregrinus</i>	1872, 438
	1880, 379		1873, 675
<i>polita</i>	1880, 361	<i>sordidus</i>	1871, 378
	1880, 363		

	Page		Page
<i>Pericrocotus speciosus</i> ..	1871, 379	<i>Perna</i> (<i>Isognomon</i>)	
<i>Peridrome orbicularis</i> ..	1877, 598	<i>samoensis</i>	1878, 820
	1877, 626	<i>Pernis apivorus</i>	1871, 341
	1878, 847	<i>cristata</i>	1872, 75
	1878, 857		1872, 80
<i>Perigea canorufa</i>	1877, 604		1872, 414
	1877, 627	<i>ptilorhyncha</i>	1872, 414
<i>dolorosa</i>	1880, 676		1877, 821
<i>illecta</i>	1877, 604	<i>Peropus mutilatus</i>	1873, 168
	1880, 676	<i>Perrhybris eieidias</i>	1872, 38
<i>mobilis</i>	1878, 486	<i>Perrona lineata</i>	1871, 731
<i>Perina basalis</i>	1878, 848	<i>Peryphus spinolæ</i>	1874, 66
	1878, 857	<i>Petasophora anais</i>	1874, 541
<i>Periophthalmus schlos-</i>			1879, 237
<i>seri</i>	1878, 218		1879, 529
<i>Periops caudolineatus</i> ..	1872, 393		1879, 629
<i>Peripia meyeri</i>	1872, 594		1880, 204
<i>mutilata</i>	1873, 168	<i>cabanisi</i>	1878, 69
<i>peronii</i>	1873, 168	<i>cyanotis</i>	1873, 784
<i>Periplaneta americana</i> ..	1877, 87		1874, 677
<i>Perisama calamis</i>	1876, 227		1878, 69
<i>camelita</i>	1876, 227		1879, 237
<i>canoma</i>	1876, 227		1879, 530
<i>chaseba</i>	1876, 227		1879, 629
<i>comnena</i>	1876, 227	<i>delphinæ</i>	1873, 784
<i>hilara</i>	1876, 226		1874, 677
<i>jurinei</i>	1876, 227	<i>iolata</i>	1873, 188
<i>morona</i>	1876, 226		1873, 784
<i>ochripennis</i>	1876, 227		1874, 541
<i>oppeli</i>	1876, 226		1874, 677
<i>rhodoptera</i>	1876, 227	<i>serrirostris</i>	1879, 629
<i>tristrigosa</i>	1876, 227	<i>thalassina</i>	1878, 68
<i>vaninka</i>	1876, 227	<i>Petaurista sciureus</i>	1875, 491
<i>xanthica</i>	1876, 226	<i>Petaurus ariel</i>	1876, 423
<i>Perisoreus infaustus</i> ..	1873, 650	<i>Petrochelidon albiven-</i>	
<i>Perissocerus plumicornis</i>	1877, 411	<i>tris</i>	1873, 258
	1877, 412	<i>americana</i>	1871, 328
	1877, 413	<i>cyanoleuca</i>	1879, 595
<i>Peristera cinerea</i>	1873, 306	<i>Petrocincla affinis</i>	1871, 368
	1877, 329	<i>cyanea</i>	1871, 368
	1879, 544	<i>erythrogastra</i>	1873, 689
<i>mondetoura</i>	1873, 780	<i>manilla</i>	1871, 368
	1873, 783	<i>manillensis</i>	1871, 368
<i>tympanistria</i>	1877, 302	<i>violacea</i>	1871, 368
	1878, 131	<i>Petrocossyphus affinis</i> ..	1872, 496
	1879, 678	<i>cyaneus</i>	1872, 496
<i>Peristernia brazieri</i>	1877, 171		1876, 778
	1877, 177	<i>manilla</i>	1872, 496
	1877, 179	<i>manillensis</i>	1871, 368
<i>Peristethus engyceros</i> ..	1871, 653	<i>solitarius</i>	1872, 496
	1871, 662	<i>Petroica kleinschmidti</i> .	1875, 643
	1871, 663		1878, 655
<i>liorhynchus</i>	1871, 653	<i>multicolor</i>	1875, 587
	1871, 663	<i>pusilla</i>	1875, 643
<i>Perna confusa</i>	1871, 21		1876, 492
	1871, 101		1878, 655
<i>fortunei</i>	1871, 21	<i>Petromyzon branchialis</i> .	1879, 763

	Page		Page
Petromyzon fluviatilis..	1875, 486	Phaëthornis emiliæ....	1878, 67
	1879, 763	griseogularis.....	1880, 204
marinus.....	1875, 336	guyi.....	1873, 189
	1879, 763		1874, 541
planeri.....	1875, 336		1874, 676
	1875, 486		1875, 327
Petrophila gularis....	1871, 368		1876, 16
Petrorhynchus capensis.	1876, 478	hispidus.....	1873, 286
Peucetia lucasii.....	1875, 148	longirostris.....	1878, 67
Pezopetes capitalis....	1878, 39		1879, 528
	1878, 40	malaris.....	1873, 286
	1878, 55		1874, 541
Pezophaps solitaria....	1873, 195		1879, 626
	1875, 40	oseryi.....	1873, 287
	1878, 291	philippii.....	1879, 627
Phabotreron amethys-		superciliosus.....	1873, 188
tina.....	1877, 832		1874, 676
	1878, 113		1879, 626
	1878, 381	syrmatophorus....	1879, 528
	1878, 505		1879, 549
brevirostris.....	1877, 537	Phaëthusa magnirostris.	1871, 565
	1877, 549		1871, 567
	1877, 832		1873, 309
	1878, 113		1873, 310
	1878, 344		1874, 458
	1878, 952	Phaëton æthereus....	1875, 541
	1879, 73		1876, 498
leucotis.....	1877, 549		1876, 504
	1877, 699		1876, 506
	1877, 764		1877, 777
	1877, 832		1879, 310
	1878, 952	candidus.....	1876, 498
nigrorum.....	1877, 764		1876, 504
Phacellodomus fron-			1876, 506
talis.....	1879, 461		1877, 770
	1880, 200		1877, 782
sibilator.....	1879, 621		1877, 787
sibilatrix.....	1879, 461		1880, 577
Phacochoerus æliani..	1871, 236	flavirostris.....	1877, 777
	1881, 237		1880, 163
æthiopicus.....	1871, 236	phoenicurus.....	1877, 349
	1871, 237	rubricauda.....	1875, 30
africanus.....	1871, 237		1875, 441
sclateri.....	1871, 236		1876, 498
Phægorista similis....	1871, 83		1876, 504
Phænorrhina goliath....	1878, 104		1876, 506
	1878, 105		1880, 577
Phæolæma rubinoides..	1879, 529	Phætusa astrolabæ....	1876, 658
Phæoprogne fusca....	1872, 606		1876, 659
Phaëthon æthereus....	1872, 653	magnirostris.....	1876, 644
	1878, 651	regia.....	1876, 656
candidus.....	1872, 90	trudeauui.....	1876, 660
	1872, 114	Phainoptila melano-	
flavirostris.....	1872, 114	xantha.....	1877, 367
	1872, 482		1878, 39
	1878, 651		1878, 40
Phaëthon rubricauda..	1872, 482	Phainoptila melano-	
Phaëthornis bourcierii..	1873, 286	xantha.....	1878, 55

	Page		Page
Phaiomys leucurus	1876,	633	
Phakellura hyalinata ..	1878,	493	
indica	1880,	685	
nitidalis	1878,	493	
Phalacrocorax æolus ..	1871,	420	
albiventris	1878,	652	
	1879,	310	
brasilianus	1876,	17	
	1876,	776	
brasiliensis	1873,	304	
	1874,	553	
	1877,	307	
	1877,	745	
capensis	1880,	163	
capillatus	1871,	420	
carbo	1871,	420	
	1873,	467	
	1873,	636	
	1873,	637	
	1875,	343	
	1875,	488	
	1876,	335	
	1876,	337	
	1876,	339	
	1876,	340	
	1876,	345	
	1877,	307	
	1880,	318	
carunculatus	1878,	652	
cristatus	1876,	336	
filamentosus	1871,	420	
imperialis	1878,	652	
	1878,	653	
lugubris	1873,	637	
	1876,	335	
melanoleucus	1877,	348	
novæ-hollandiæ ..	1877,	348	
stictcephalus	1877,	348	
varius	1877,	349	
verrucosus	1878,	652	
	1879,	310	
Phalacrus darvini	1877,	78	
	1877,	82	
Phalæna alciphron	1877,	474	
	1878,	847	
ammonia	1880,	679	
caprimulgus	1878,	848	
crepuscularis	1878,	849	
cribraria	1877,	474	
entella	1878,	847	
glaucopis	1878,	704	
lactinea	1877,	815	
lotrix	1880,	671	
manlia	1878,	848	
militaris	1878,	704	
	1878,	846	
mygdon	1880,	679	
procopialis	1878,	850	
Phalæna pulchella	1878,	704	
rosalia	1878,	851	
(Attacus) cre-			
puscularis	1878,	642	
(Bombyx) silvandra	1878,	642	
(Noctua) archesia	1880,	680	
(—) fullonica	1880,	679	
(—) hyppasia	1880,	680	
(—) melicerte	1878,	298	
(—) virbia	1880,	680	
(Pyralis) fascialis	1880,	683	
(Tinea) entella	1880,	671	
Phalangiodes neptisalis	1877,	617	
	1877,	630	
Phalangista fuliginosa	1875,	491	
nana	1875,	491	
vulpina	1875,	491	
Phalaropus fulicarius	1871,	113	
	1871,	117	
	1877,	31	
hyperboreus	1871,	113	
	1877,	330	
	1878,	579	
	1879,	764	
Phalæobænus montanus	1874,	550	
	1879,	639	
Phaleria manicata	1877,	82	
Phaleris cirrhata	1871,	121	
crystalata	1871,	121	
microceros	1871,	121	
nodiostroa	1871,	121	
psittacula	1871,	121	
Phaner furcifer	1872,	855	
	1873,	492	
Phaos fascinula	1878,	383	
	1878,	384	
lacteatum	1878,	384	
nexum	1878,	384	
nigriceps	1878,	383	
notatum	1878,	383	
vigens	1878,	383	
Phaps chalcoptera	1873,	468	
	1873,	639	
	1874,	250	
	1874,	256	
	1876,	116	
	1877,	307	
	1880,	314	
Pharomacrus antisia-			
nus	1879,	633	
auriceps	1874,	652	
	1879,	240	
	1879,	535	
costaricensis	1878,	40	
	1878,	48	
fulgidus	1874,	652	
	1879,	535	
mocinno	1875,	345	

	Page		Page
Pharomacrus mocinno..	1876, 511	Phasianus sladeni.....	1871, 214
	1878, 48		1871, 398
pavoninus	1873, 293	scemmeringi	1872, 550
	1874, 652		1879, 115
xanthogaster.....	1874, 652	superbus	1875, 489
Phascolaretus cinereus..	1880, 355		1875, 494
Phascologale crassicau-		torquatus	1871, 398
data	1880, 459		1872, 550
lanigera	1880, 454		1872, 551
	1880, 455	versicolor	1871, 398
	1880, 459		1873, 468
penicillata.....	1880, 458		1873, 640
	1880, 459		1873, 651
Phascolomys angasii ..	1872, 497		1878, 579
assimilis	1872, 796		1879, 364
lasiiorhinus	1872, 497	wallichii	1876, 464
	1872, 796		1879, 115
latifrons	1872, 497		1879, 364
	1872, 795	Phassus albofasciatus ..	1879, 413
	1872, 796		1879, 417
niger	1872, 796	chalybeatus	1879, 412
platyrhinus	1872, 499	malabaricus	1879, 412
	1872, 796	salsettensis	1879, 412
wombat.....	1872, 499		1879, 417
	1872, 796	Phedina madagascari-	
	1875, 491	ensis	1875, 78
	1875, 494	Phegornis mitchelli....	1874, 561
	1880, 305	Phelsuma andamanense.	1871, 150
Phasianus auritus	1871, 399		1871, 160
	1871, 495		1871, 161
colchicus	1871, 398	Pheucticus aureiventris.	1874, 518
	1873, 468		1874, 677
	1873, 640		1877, 19
	1875, 317		1879, 604
	1875, 489	chrysogaster.....	1877, 19
	1879, 364		1880, 199
	1879, 365	chrysopeplus.....	1874, 519
	1880, 420		1879, 229
crawfordii.....	1876, 274		1880, 199
decollatus	1871, 398	crissalis	1877, 19
	1873, 665	tibialis	1877, 19
elegans	1871, 215		1878, 58
	1871, 398	uropygialis	1877, 19
elliotti.....	1872, 550	Phibalapteryx gobiata..	1877, 396
	1874, 497	parvulata	1877, 396
erythrophthalmus .	1879, 651	verruculata.....	1877, 396
formosanus	1871, 398	Philacantha nisoria	1871, 355
gallus	1871, 399	Philamnus alpestris....	1874, 651
ignitus	1875, 380	Philampelus satellitia ..	1878, 483
lineatus	1875, 489	Philas johnstoni	1874, 178
nyctemerus.....	1875, 489	Philemon albitorques ..	1877, 553
pictus	1875, 489	bucerooides.....	1878, 124
purpureus	1879, 651	cockerelli	1877, 104
reevesii	1871, 398		1878, 289
	1872, 550		1879, 11
	1873, 468		1879, 447
	1873, 640	corniculatus	1877, 553
	1880, 420	fuscicapillus	1877, 104

	Page		Page
<i>Philemon moluccensis</i>	1877, 104	<i>Philona cinerascens</i>	1877, 632
<i>plumigenis</i>	1878, 88	<i>inops</i>	1877, 598
	1878, 289	<i>Philougria nitida</i>	1877, 654
<i>Philentoma albiventris</i>	1878, 284		1877, 670
<i>cyaniceps</i>	1877, 693		1877, 679
	1878, 284	<i>Philydor erythrocerus</i>	1873, 269
<i>pyrrhoptera</i>	1875, 107	<i>erythronotus</i>	1879, 522
	1879, 337	<i>erythropterus</i>	1873, 270
<i>Philepitta castanea</i>	1872, 867	<i>montanus</i>	1871, 86
	1875, 70		1874, 528
	1879, 771	<i>ochrolæmus</i>	1871, 86
	1880, 387		1873, 269
	1880, 388		1874, 527
<i>Phileremos alpestris</i>	1874, 651	<i>pyrrhodes</i>	1873, 269
<i>Philhydrus</i> , sp.	1877, 82	<i>ruficaudatus</i>	1879, 621
<i>Philippia hybrida</i>	1871, 92	<i>rufo-brunneus</i>	1878, 59
<i>layardi</i>	1871, 92		1879, 522
<i>Philodromus adjacens</i>	1876, 592	<i>striaticollis</i>	1871, 86
	1876, 627		1874, 528
	1876, 630	<i>subflavescens</i>	1874, 129
<i>albini</i>	1872, 310		1874, 528
	1872, 350	<i>subfulvus</i>	1873, 185
	1876, 591	<i>turdinus</i>	1873, 269
<i>aureolus</i>	1872, 311	<i>Philyra</i> , sp.	1879, 20
<i>cespiticolis</i>	1872, 311		1879, 41
<i>cinereus</i>	1876, 594	<i>pisum</i>	1879, 41
	1876, 627	<i>platycheira</i>	1879, 41
<i>fabricii</i>	1872, 310	<i>tuberculosa</i>	1879, 41
	1872, 350	<i>unidentata</i>	1879, 41
	1876, 592	<i>Phimosus infuscatus</i>	1877, 479
<i>medius</i>	1872, 311		1877, 485
	1872, 350		1877, 495
	1876, 594	<i>nudifrons</i>	1877, 479
	1876, 627	<i>Phissama transiens</i>	1880, 670
<i>rhomboicus</i>	1872, 309	<i>Phlebodes justinoides</i>	1874, 368
<i>setigerus</i>	1872, 310	<i>Phlegœnas canifrons</i>	1872, 89
	1872, 350		1872, 101
<i>signatus</i>	1873, 211	<i>cruenta</i>	1871, 336
<i>thorellii</i>	1872, 309	<i>erythroptera</i>	1877, 780
	1872, 310	<i>luzonica</i>	1871, 336
	1872, 350	<i>rubescens</i>	1877, 407
<i>venustus</i>	1876, 595	<i>rufigula</i>	1873, 698
	1876, 627	<i>stairi</i>	1874, 666
	1876, 630		1875, 438
<i>Philognoma decius</i>	1875, 413	<i>yapensis</i>	1872, 89
<i>varanes</i>	1875, 413		1872, 102
<i>Philomedes folinii</i>	1871, 294	<i>Phlexis layardi</i>	1877, 24
	1871, 296	<i>Phlœocestes boiei</i>	1879, 631
<i>interpuncta</i>	1871, 293	<i>Phlœocryptes melanops</i>	1874, 4
	1871, 295		1874, 6
<i>lilljeborgii</i>	1871, 290		1874, 526
<i>longicornis</i>	1871, 289		1877, 449
	1871, 290	<i>striaticeps</i>	1872, 548
	1871, 291		1874, 21
	1871, 293	<i>Phlogœnas bartletti</i>	1877, 833
<i>Philomela lusciniæ</i>	1875, 490	<i>canifrons</i>	1877, 112
<i>Philona cinerascens</i>	1877, 598	<i>crinigera</i>	1874, 250
	1877, 626		1877, 817

	Page		Page
Phlogoenas crinigera ..	1877, 833	Phoca ursina	1875, 672
	1878, 952		1875, 675
cruenta	1877, 833	vitulina	1871, 507
cruentata	1873, 468		1871, 508
	1873, 639		1871, 511
	1874, 250		1871, 512
erythroptera	1877, 112		1871, 701
	1880, 576		1873, 556
jobiensis	1877, 112		1873, 557
johannæ	1877, 112		1875, 493
	1879, 447		1877, 275
luzonica	1877, 700		1877, 792
margaritæ	1877, 111		1880, 304
stairi	1876, 496	Phocæna brevirostris ..	1871, 143
	1877, 112	vulgaris	1876, 689
Phlogopsis erythroptera.	1880, 155	Phocarcos hookeri	1875, 677
nigro-maculata ...	1879, 625	Phodilus badius	1879, 175
Phlogothraupis sanguino-			1879, 324
lenta	1878, 55	Phœbetria fuliginosa ..	1878, 740
Phoca, sp. inc.	1880, 54	Phœbis cipris	1874, 361
annellata	1871, 508	intermedia	1874, 361
	1871, 509	rurina	1874, 361
barbata	1871, 507	tute	1874, 361
	1871, 508	virgo	1874, 361
	1871, 510	Phœnicocercus carnifex	1873, 255
	1871, 511	nigricollis	1873, 255
cinerea	1872, 656		1873, 284
	1875, 672		1873, 285
discolor	1871, 508	Phœnicomanes iora	1874, 427
flavescens	1873, 758		1874, 428
fœtida	1871, 507	Phœnicophaes æreus ..	1873, 609
	1871, 508	calorhynchus	1873, 605
	1871, 509	curvirostris	1873, 604
	1871, 701		1878, 613
forsteri	1872, 654	erythrognathus ...	1878, 613
	1872, 657	flavirostris	1873, 610
	1873, 143	harringtoni	1878, 613
	1875, 675	pyrrhocephalus ...	1872, 405
grœnlandica	1871, 507		1872, 433
	1871, 508		1873, 605
	1871, 510	Phœnicophilus palma-	
	1871, 511	rum	1874, 427
	1871, 701	Phœnicopterus andinus.	1872, 364
hispidâ	1871, 506	antiquorum	1872, 479
	1871, 507		1873, 460
	1871, 508		1873, 467
	1871, 509		1873, 638
	1871, 510		1876, 333
	1871, 511		1880, 446
jubata	1872, 737	ignipalliatuâ	1871, 627
	1875, 671		1872, 364
leonina	1875, 671		1872, 549
monachus	1877, 275		1874, 562
ursina	1872, 655		1876, 333
	1873, 143		1877, 330
	1875, 652	minor	1876, 333
	1875, 668	roseus	1872, 479
	1875, 671		1873, 649

	Page		Page
Phœnicopterus ruber ..	1873, 460	Phoroncidia septemacu-	
	1873, 467	leata	1873, 124
	1873, 638		1873, 128
Phœnicothraupis carmi-			1873, 129
oli	1873, 185	thwaitesii	1873, 123
	1873, 186		1873, 124
	1873, 780		1873, 128
cristata	1879, 502	trispinosa	1873, 125
fuscicauda	1878, 55		1873, 128
gutturalis	1879, 502		1873, 129
	1879, 550	Phorus solarioides	1878, 818
rubica	1873, 262	Phos cyanostoma	1878, 811
	1874, 513	roseatum	1878, 811
	1879, 502	senticosum	1878, 811
	1879, 601	textum	1878, 811
Phœnicura leucocephala	1871, 358	Photoparce distans	1877, 380
Phœnicurus reevesii ..	1871, 358	Phractogonus scalper ..	1876, 678
Pholas similis	1871, 99	Phractomys æthiopicus.	1874, 497
Pholcus borbonicus	1873, 219	Phrissura ægis	1872, 51
	1879, 730	polisma	1872, 51
caudatus	1876, 566	Phrurolithus erythroce-	
distinctus	1873, 210	phalus	1876, 568
	1873, 211	flavipes	1872, 252
	1873, 218		1872, 347
lyoni	1876, 566		1872, 354
phalangioides	1873, 211	gracilipes	1874, 402
rivulatus	1872, 277		1874, 417
	1872, 348	hamatus	1876, 568
	1876, 566	lunatus	1876, 568
	1876, 626	Phrygilus alaudinus....	1871, 496
ruralis	1876, 566		1874, 521
	1876, 567	atriceps	1873, 780
semicaudatus	1876, 565		1876, 16
	1876, 626		1879, 606
Pholeoptynx cunicularia	1872, 826	carniceps	1879, 606
	1873, 466	fruticeti	1872, 537
	1873, 635		1872, 548
	1874, 308		1872, 550
Pholidauges leucogaster	1873, 715		1873, 780
	1874, 306		1874, 521
	1878, 130		1874, 677
	1878, 357		1876, 16
verreauxi	1873, 714		1879, 606
	1878, 357	gayi	1874, 520
Phonasca saturata	1877, 19		1874, 521
Phonipara bicolor	1874, 175		1878, 432
	1876, 14		1880, 199
	1879, 765	melanoderus	1878, 432
gutturalis	1874, 519		1879, 309
marchii	1874, 175	ocularis	1874, 520
omissa	1874, 175		1879, 229
pusilla	1875, 237	unicolor	1874, 520
	1878, 58		1874, 677
	1879, 507		1879, 606
Phoroncidia brevispinosa	1873, 124	Phrynarachne foka	1875, 144
	1873, 125	Phrynocephalus caudi-	
	1873, 128	volvulus	1872, 387
	1873, 129		1872, 390

	Page		Page
Phrynocephalus forsythii	1872, 390	Phyllomyias tumbezana	1879, 220
	1872, 391		1879, 234
helioscopus	1872, 389		1880, 202
maculatus	1872, 389	Phyllopneuste agricolen-	
olivieri	1872, 386	sis	1871, 355
persicus	1872, 388		1875, 97
Phrynosoma — ?	1871, 2	borealis	1871, 356
coronatum	1874, 71		1871, 357
	1874, 80		1877, 761
harlanii	1874, 71		1878, 342
japonicus	1874, 72		1878, 950
	1874, 74	brehmi	1872, 25
	1874, 78		1872, 26
	1874, 80	coronata	1871, 104
	1874, 81		1871, 356
	1874, 82	eversmanni	1871, 357
orbiculare	1874, 71	fuscata	1871, 356
Phurys garnoti	1878, 488	javanica	1871, 357
Phyciodes ardys	1874, 348	kennicotti	1871, 357
	1878, 268	montanus	1872, 455
	1878, 269		1872, 457
boucardi	1878, 268	plumbeitarsus	1871, 356
claudina	1874, 348	rufa	1872, 26
erithona	1874, 348	sibirica	1871, 356
cyneas	1878, 269	sylvicultrix	1871, 356
drymæa	1878, 268		1871, 357
elada	1878, 268	tenellipes	1876, 356
frisïa	1878, 480	trinotaria	1873, 665
fulviplaga	1874, 348		1873, 689
hera	1874, 348	tristrami	1872, 25
leanira	1878, 269	xanthodryas	1871, 356
nebulosa	1878, 269	Phylloptera segonoides	1878, 648
nigripennis	1874, 348		1878, 649
niveonotis	1874, 348	Phyllorhina apiculatus	1873, 243
orsei	1878, 267	armiger	1872, 700
otanes	1874, 348		1872, 714
subota	1878, 268	armigera	1873, 241
thebais	1878, 267		1873, 242
Phycis blennoides	1879, 754		1874, 501
zinckenella	1880, 689		1878, 878
Phycosoma cecobioides	1879, 692	atra	1873, 250
	1879, 702	atrata	1873, 250
Phyline erythræa	1872, 11	aurita	1871, 513
	1872, 15	bicolor	1872, 702
Phyllodactylus galapa-			1877, 122
gensis	1877, 67		1878, 878
Phyllodes consobrina	1877, 608	brachyota	1877, 121
	1877, 628	calcarata	1877, 122
perspicillator	1877, 608		1878, 317
Phyllomedusa tinniens	1875, 573	cervina	1877, 121
wynaadensis	1875, 573		1878, 317
Phyllomyias cinereica-			1873, 250
pilla	1874, 130	cineraceus	1878, 876
	1874, 536	commersoni	1872, 364
semifusca	1877, 325		1878, 879
tumbezana	1877, 325		1879, 769
	1877, 752	coronata	1878, 318
		cyclops	1878, 878

	Page		Page
<i>Phyllorhina deformis</i> ..	1873, 243	<i>Phylloscopus borealis</i> ..	1878, 950
<i>diadema</i>	1871, 513		1880, 14
	1878, 878		1880, 15
<i>fulva</i>	1871, 513	<i>collybita</i>	1877, 45
	1873, 250	<i>coronatus</i>	1871, 356
	1878, 878	<i>fuscatus</i>	1871, 356
<i>galerita</i>	1877, 121	<i>magnirostris</i>	1877, 688
	1877, 123		1877, 697
	1878, 317		1877, 761
<i>insignis</i>	1873, 243	<i>nitidus</i>	1872, 457
<i>labuanensis</i>	1877, 121	<i>plumbeitarsus</i>	1871, 356
<i>larvata</i>	1873, 242	<i>superciliosus</i>	1877, 806
	1873, 243	<i>sylvicultrix</i>	1871, 356
	1877, 122	<i>tenellipes</i>	1871, 356
	1878, 878	<i>tristis</i>	1875, 566
<i>longicauda</i>	1877, 121		1877, 806
<i>micropus</i>	1872, 703	<i>trochilus</i>	1874, 505
<i>obscura</i>	1879, 75		1874, 512
<i>penicillatus</i>	1873, 243		1877, 45
<i>speoris</i>	1873, 243		1877, 807
	1877, 121	<i>viridanus</i>	1872, 457
<i>swinhoii</i>	1872, 818	<i>xanthodryas</i>	1879, 338
	1874, 500	<i>Phyllostoma hastatum</i> ..	1873, 248
	1874, 501		1880, 395
<i>taitensis</i>	1877, 121	<i>Phymateus squarrosus</i> ..	1876, 679
<i>tricuspidata</i>	1871, 513	<i>Physa africana</i>	1877, 718
	1871, 514	<i>lirata</i>	1880, 617
	1877, 121		1880, 619
	1878, 317	<i>madagascariensis</i> ..	1877, 528
	1878, 876		1877, 530
<i>tridens</i>	1871, 513	<i>nyassana</i>	1877, 717
	1871, 514		1877, 722
<i>trifida</i>	1871, 513	<i>nitens</i>	1875, 649
<i>Phyllornis cyanopogon</i> ..	1875, 106	<i>rivalis</i>	1875, 320
	1879, 340	<i>succinoides</i>	1877, 718
<i>flavipennis</i>	1877, 755		1877, 722
	1877, 761	<i>Physcæneura panda</i>	1880, 183
<i>hardwickii</i>	1873, 668	<i>pione</i>	1880, 183
<i>jerdoni</i>	1872, 451		1880, 185
<i>lazulina</i>	1871, 370	<i>Physematia concordalis</i> ..	1877, 616
	1873, 668		1877, 629
<i>malabaricus</i>	1872, 451	<i>Physopsis africana</i>	1877, 718
<i>media</i>	1880, 14	<i>Physorhinus galapago-</i>	
<i>palawanensis</i>	1878, 619	<i>ënsis</i>	1877, 82
<i>sonnerati</i>	1879, 340	<i>Phytotoma angustiro-</i>	
<i>sonneratii</i>	1875, 106	<i>tris</i>	1879, 619
<i>Phylloscartes flavocine-</i>		<i>rutila</i>	1872, 537
<i>reus</i>	1872, 542		1872, 549
<i>Phylloscopus borealis</i> ..	1877, 43	<i>Piaya cayana</i>	1876, 17
	1877, 44		1879, 537
	1877, 45	<i>mehleri</i>	1879, 633
	1877, 46		1873, 296
	1877, 47	<i>melanogastra</i>	1873, 296
	1877, 688	<i>minuta</i>	1873, 186
	1877, 697		1873, 296
	1877, 761	<i>nigricrissa</i>	1879, 537
	1877, 806		1873, 296
	1878, 342		

	Page		Page
<i>Playa nigricrissa</i>	1874,	<i>Picus cathpharius</i>	1871,
	1877,	<i>certhia</i>	1879,
	1879,	<i>desmursi</i>	1873,
<i>rutila</i>	1873,		1873,
	1877,	<i>flaviscapus</i>	1871,
<i>Pica beecheii</i>	1876,	<i>guerini</i>	1873,
<i>bottanensis</i>	1875,	<i>hartlaubi</i>	1873,
<i>caudata</i>	1871,	<i>hyperythrus</i>	1871,
	1873,	—, var. <i>poliopsis</i> ..	1871,
<i>cyanomelas</i>	1879,	<i>insularis</i>	1871,
<i>media</i>	1871,		1873,
	1873,	<i>kaleënsis</i>	1871,
<i>mystacalis</i>	1878,		1873,
<i>sambasiana</i>	1876,	<i>leuconotus</i>	1873,
<i>sericea</i>	1871,	<i>lignarius</i>	1879,
<i>vulgaris</i>	1875,	<i>loricatus</i>	1879,
<i>Picnochile magellanicus</i>	1874,	<i>lucidus</i>	1877,
<i>Picoides funebris</i>	1873,		1877,
	1873,	<i>macei</i>	1872,
	1873,	<i>maculatus</i>	1878,
<i>tridactylus</i>	1871,	<i>mahrattensis</i>	1873,
	1873,	<i>major</i>	1871,
	1873,		1873,
<i>Picolaptes affinis</i>	1877,		1873,
<i>albo-lineatus</i>	1879,		1873,
<i>bivittatus</i>	1879,	<i>majoroides</i>	1871,
<i>compressus</i>	1878,	<i>mandarinus</i>	1871,
<i>lacrymiger</i>	1874,		1873,
	1879,	<i>minor</i>	1873,
	1879,		1873,
	1880,		1873,
<i>notatus</i>	1873,	<i>moluccensis</i>	1875,
<i>scolopaceus</i>	1879,	<i>nanus</i>	1878,
<i>souleyeti</i>	1877,	<i>nigriceps</i>	1879,
	1877,	<i>pernyi</i>	1871,
<i>Picris judith</i>	1874,	<i>pholidotus</i>	1879,
<i>nerissa</i>	1874,	<i>poliopsis</i>	1871,
<i>Picumnus albosquamatus</i>	1874,	<i>pollens</i>	1879,
	1879,	<i>puncticeps</i>	1879,
<i>aurifrons</i>	1874,	<i>rubiginosus</i>	1874,
<i>buffoni</i>	1873,	<i>scintilliceps</i>	1871,
<i>castelnaudi</i>	1873,	<i>sondaicus</i>	1875,
<i>cirrhatu</i>	1877,	<i>tridactylus</i>	1873,
	1877,	<i>validirostris</i>	1878,
<i>olivaceus</i>	1879,	<i>viridis</i>	1872,
<i>rufiventris</i>	1873,	<i>Pida albodentata</i>	1879,
	1879,	<i>Pidorus glaucopis</i>	1878,
<i>sclateri</i>	1877,		1878,
	1878,	<i>Pierella astyoche</i>	1876,
<i>temminckii</i>	1877,	<i>dindymene</i>	1876,
<i>Picus</i> — ?	1871,	<i>helvina</i>	1874,
<i>atriventris</i>	1879,		1877,
<i>cabanisi</i>	1871,	<i>hortona</i>	1876,
<i>cactorum</i>	1879,	<i>hyceta</i>	1876,
<i>canifrons</i>	1871,	<i>incanescens</i>	1877,
<i>canipileus</i>	1879,	<i>lamia</i>	1876,
	1879,	<i>lena</i>	1876,
<i>cardinalis</i>	1871,		212

	Page		Page
Pierella luna	1874,	Pieris calydonia	1872,
ocreata	1877,	canace	1872,
Pieris abyssinica	1872,	candida	1872,
acalis	1872,	capricornus	1875,
achine	1876,	castoria	1872,
acrisa	1872,	catogramma	1872,
ægis	1872,	celestina	1872,
ælia	1872,	charina	1872,
affinis	1872,	chrysidice	1872,
	1877,	chrysomelæna	1872,
agathina	1872,	chrysorrhæa	1872,
	1872,	cilla	1872,
agathon	1872,	cinerea	1872,
agave	1872,	cirrha	1871,
ageleis	1872,	clemanthe	1872,
aglaope	1872,		1872,
agostina	1872,		1873,
agrippina	1872,		1878,
ajaka	1872,		1878,
	1874,	clementina	1872,
albina	1872,	cleomes	1872,
	1874,	concinna	1872,
amalia	1872,	copia	1872,
amaryllis	1872,		1878,
amasene	1872,	corneliæ	1872,
amba	1872,	coronis	1872,
	1878,		1874,
amytis	1876,		1877,
anactorie	1872,	corva	1872,
anguitia	1872,	crithoë	1872,
antsianaka	1872,	cruciferarum	1872,
aripa	1872,	crucivora	1872,
aruna	1872,	cruentata	1872,
	1875,	cycinna	1872,
	1878,	cynis	1872,
asterope	1872,	daira	1871,
	1872,	danaë	1876,
athama	1872,	daplidice	1872,
	1874,		1874,
ausia	1872,	darada	1872,
avivolans	1872,	demodice	1872,
bagoe	1872,	demophile	1872,
	1874,		1876,
	1879,	descombesi	1872,
bajura	1872,		1878,
balidia	1872,		1878,
berenice	1872,	diana	1872,
	1872,		1876,
blanca	1872,	dice	1872,
boguensis	1872,	domitia	1872,
boisduvaliana	1872,	dorylæa	1872,
brassicæ, var. nepa-		doxo	1876,
lensis	1872,	duris	1872,
brassicoides	1872,	durvasa	1872,
buniæ	1872,	echidna	1872,
cæsia	1872,	ega	1872,
caledonica	1872,	egnatia	1871,
	1874,	eleone	1872,
	287		40

	Page		Page
Pieris eleonora	1872,	Pieris higinia	1872,
eleusis	1872,	hilaria	1877,
eliada	1872,	hippia	1872,
elisa	1872,	hippo	1872,
elodia	1872,	hira	1872,
	1874,	horsfieldii	1872,
emma	1872,	hulda	1872,
enarete	1872,	hyoma	1872,
endeis	1872,	ianthe	1872,
enyo	1872,	iberidis	1872,
eperia	1872,	ida	1872,
epicharis	1872,	ilaire	1872,
erastus	1872,		1874,
eriphia	1872,	illana	1872,
eris	1876,	indra	1872,
erota	1872,	ione	1876,
eubotea	1872,	iranica	1880,
eumelis	1872,	isandra	1872,
	1874,	ithome	1872,
	1879,	jacquinotii	1872,
eunoma	1872,		1874,
	1876,	jael	1872,
eurygania	1878,	joppe	1872,
	1879,	josepha	1872,
	1879,	josephina	1872,
	1879,		1874,
eurymnia	1872,	kalora	1872,
euthemia	1872,	kicaha	1872,
evippe	1876,	krueperi	1872,
evonima	1872,	—, var. vernalis	1872,
fatime	1872,	læta	1872,
fausta	1876,	lalage	1872,
figulina	1872,	lanassa	1872,
formosana	1872,	lara	1872,
	1877,	laria	1872,
	1880,	larima	1872,
frigida	1872,	larissa	1872,
gabia	1872,	lea	1872,
galathea	1872,		1878,
	1874,	lenoris	1872,
galene	1872,	leptalina	1872,
gayi	1872,	leptis	1872,
georgina	1872,	leucania	1872,
gidica	1872,	leucanthe	1872,
glaphyra	1872,	liberia	1872,
glauce	1872,	libitina	1872,
gliciria	1874,	lichenosa	1877,
habra	1872,		1877,
hæmorrhœa	1872,	limnoria	1872,
hagar	1872,	locusta	1872,
halimede	1876,		1872,
helcida	1872,	lorena	1872,
helena	1872,	lorquini	1872,
helferi	1872,	luzoniensis	1872,
	1878,		1880,
helvia	1872,	lycaste	1872,
herodias	1872,	lynceola	1872,
hester	1872,	lypera	1872,
	47		49
	41		591
	46		58
	56		48
	40		59
	360		30
	61		63
	47		55
	42		53
	48		64
	59		50
	32		49
	57		361
	67		51
	127		50
	38		132
	52		410
	45		52
	288		47
	159		49
	41		288
	132		60
	734		66
	159		42
	160		41
	653		361
	52		62
	40		41
	155		65
	53		65
	46		60
	134		50
	46		56
	48		32
	814		52
	669		54
	64		49
	33		60
	43		838
	287		39
	43		37
	39		44
	36		39
	55		52
	66		46
	34		49
	273		591
	42		625
	31		52
	43		43
	133		58
	53		38
	41		31
	28		31
	839		668
	39		48
	35		48
	61		37

	Page		Page
Pieris lytaea	1878,	Pieris olympia	1872,
	734	omphale	1876,
madetes	1879, 159	ornytion	1880,
	1878, 733		1880,
	1879, 159	orphne	1872,
	1879, 160	orseis	1872,
mahrattensis	1872, 426	pactolicus	1872,
malatha	1872, 49		1873,
malenka	1872, 38	padusa	1871,
	1874, 357	pallene	1871,
mananhari	1872, 41	pallida	1872,
	1876, 133	panda	1872,
mandela	1872, 66	pandione	1872,
marana	1872, 42	pandosia	1872,
marchalii	1872, 38	paroreia	1872,
marginalis	1872, 64	parthia	1871,
matuta	1872, 54	pasion	1872,
melania	1872, 44	pasithoë	1872,
	1874, 287	paulina	1872,
melete	1872, 64		1872,
menacte	1872, 41		1878,
menapia	1872, 58	periboea	1872,
mentes	1872, 57	periclea	1872,
mesentina	1872, 565		1874,
microdice	1872, 67	perictione	1872,
momea	1872, 36	peristhene	1872,
mysia	1872, 50		1874,
nabellica	1872, 61	perithea	1872,
nabis	1872, 57	peruviana	1872,
	1874, 288	phaola	1872,
	1877, 470	phiale	1871,
nadina	1872, 59	phileris	1872,
nama	1872, 59		1872,
	1877, 591	philoma	1872,
	1877, 625	philonome	1872,
	1878, 838		1872,
naomi	1872, 61	philyra	1872,
narses	1872, 57	phisadia	1876,
nasturtii	1872, 63	phoebe	1872,
	1872, 64	phryxe	1872,
nathalia	1872, 49	pigea	1872,
neda	1871, 538	pinara	1872,
nemesis	1874, 362	pisonis	1872,
neombo	1872, 43		1876,
	1872, 44	pitys	1872,
	1878, 838	pocilea	1872,
nephele	1872, 47	polisma	1872,
	1872, 57	polycaste	1876,
nera	1872, 39	polydice	1872,
nerissa	1872, 49	polyhymnia	1872,
nesba	1872, 33	protocharis	1872,
nionia	1872, 58	protodice	1872,
nipalensis	1874, 273	protomedea	1876,
niscia	1872, 56	psyche	1872,
noctipennis	1874, 361		1874,
notistriga	1874, 361	pylotis	1872,
occidentalis	1872, 64	pyro	1871,
ocina	1872, 45	quadricolor	1877,
oleracea	1872, 64		147

	Page		Page
<i>Pieris quadricolor</i>	1877,	<i>Pieris vipasa</i>	1880,
<i>rachel</i>	1872,	<i>virginia</i>	1872,
<i>rafta</i>	1872,	<i>virginiensis</i>	1872,
<i>rapæ</i>	1872,	<i>vishnu</i>	1872,
—, var. <i>leucotera</i>	1872,	<i>wallaceana</i>	1872,
<i>remba</i>	1872,	<i>xanthodice</i>	1872,
<i>resedæ</i>	1872,	<i>yreka</i>	1872,
<i>rhenæ</i>	1872,	<i>zamboanga</i>	1872,
<i>rosenbergii</i>	1872,	<i>zamora</i>	1872,
<i>rouxii</i>	1872,	<i>zarinda</i>	1872,
<i>rüppellii</i>	1872,	<i>zebuda</i>	1872,
<i>sabina</i>	1872,	<i>zochalia</i>	1872,
<i>sabrata</i>	1872,	<i>zoë</i>	1872,
<i>salacia</i>	1872,	(<i>Appias</i>) <i>ada</i>	1874,
<i>sanaca</i>	1872,	(<i>Belenois</i>) <i>teutonia</i>	1874,
<i>scyllaria</i>	1872,	<i>Piezorhina cinerea</i>	1878,
<i>semicæsia</i>	1872,		1880,
<i>seta</i>	1872,	<i>Piezorhynchus nitidus</i>	1875,
	1872,		1877,
<i>sevata</i>	1872,	<i>rufolateralis</i>	1879,
<i>simana</i>	1872,	<i>Pilidium lineatum</i>	1872,
<i>sinoë</i>	1871,	<i>Pilumnus actumnoides</i>	1879,
	1874,	<i>dehaanii</i>	1879,
<i>sisymbrii</i>	1872,		1879,
<i>sita</i>	1872,	<i>hirsutus</i>	1879,
<i>smilda</i>	1871,		1879,
<i>stamnata</i>	1872,		1879,
<i>sthenobæa</i>	1872,	<i>minutus</i>	1879,
<i>suadella</i>	1872,	<i>setiger</i>	1879,
<i>suasa</i>	1872,	<i>squamosus</i>	1879,
<i>subeida</i>	1872,	<i>Pimelodus aor</i>	1873,
<i>sulphurea</i>	1872,	<i>arius</i>	1873,
<i>tamar</i>	1872,	<i>bagarius</i>	1873,
<i>taprobana</i>	1872,	<i>batasio</i>	1873,
<i>tau</i>	1872,	<i>batasius</i>	1871,
<i>temena</i>	1872,	<i>cava-sius</i>	1873,
<i>thaloë</i>	1872,	<i>cenia</i>	1876,
<i>themis</i>	1872,	<i>gagata</i>	1871,
<i>theodice</i>	1872,		1873,
<i>theora</i>	1872,	<i>gagora</i>	1871,
<i>thisbe</i>	1872,		1873,
<i>thymetus</i>	1871,	<i>gulio</i>	1873,
<i>thyria</i>	1872,	<i>itchkeea</i>	1876,
<i>thysa</i>	1872,	<i>jatius</i>	1871,
<i>timnatha</i>	1872,		1873,
<i>timorensis</i>	1872,		1876,
<i>titea</i>	1876,	<i>menoda</i>	1873,
<i>tovaria</i>	1872,	<i>murius</i>	1871,
<i>trimenia</i>	1872,		1873,
<i>tritogenia</i>	1871,	<i>nangra</i>	1873,
<i>vallei</i>	1872,	<i>nenga</i>	1871,
<i>vecticlusa</i>	1872,		1873,
<i>venilia</i>	1871,	<i>pangasius</i>	1871,
<i>venosa</i>	1872,		1873,
<i>vernalis</i>	1872,	<i>rama</i>	1873,
<i>viardi</i>	1872,	<i>rita</i>	1871,
	1874,		1873,
<i>vipasa</i>	1872,		746

	Page		Page
<i>Pimelodus sagor</i>	1873,	<i>Pipastes agilis</i>	1877,
<i>silondia</i>	1871,	<i>maculatus</i>	1877,
	1873,	<i>Pipile cujubi</i>	1873,
<i>sona</i>	1871,	<i>cumanensis</i>	1871,
	1873,		1871,
<i>telchitta</i>	1873,		1871,
<i>tengana</i>	1873,		1873,
<i>vacha</i>	1871,		1874,
<i>viridescens</i>	1876,		1879,
<i>Pinacodera amblygona</i> ..	1878,	<i>pipile</i>	1874,
<i>angulifera</i>	1878,	<i>Pipilo mystacalis</i>	1874,
<i>Pinacopteryx alba</i>	1872,		1874,
<i>doubledayi</i>	1872,	<i>Pipra auricapilla</i>	1873,
<i>syrinx</i>	1872,		1879,
<i>westwoodii</i>	1872,	<i>cæruleicapilla</i>	1873,
<i>Pinarolestes heinii</i>	1879,		1873,
<i>megarhynchus</i>	1878,		1874,
	1878,	<i>chloromeros</i>	1874,
<i>powelli</i>	1879,		1879,
<i>rufigaster</i>	1878,	<i>cornuta</i>	1873,
<i>vitiensis</i>	1879,	<i>cyaneocapilla</i>	1873,
	1879,		1873,
<i>Pinna</i>	1879,		1879,
<i>rudis</i>	1879,	<i>fasciata</i>	1873,
<i>Pione heteroclitus</i>	1878,		1879,
<i>Pionia calopterydia</i>	1878,	<i>filicauda</i>	1871,
<i>Pionias chalcopterus</i> ..	1879,		1873,
<i>cyaniceps</i>	1879,	<i>leucocilla</i>	1873,
<i>fuscicapillus</i>	1873,		1875,
	1878,		1877,
<i>heteroclitus</i>	1879,	<i>leucorrhœa</i>	1878,
<i>melanotis</i>	1879,	<i>mentalis</i>	1878,
<i>menstruus</i>	1879,	<i>papuensis</i>	1877,
<i>pyrilia</i>	1879,		1877,
<i>rhodops</i>	1878,		1878,
	1878,	<i>rubricapilla</i>	1873,
<i>Pionius xanthomerius</i> ..	1879,	<i>rubrocapilla</i>	1879,
<i>Pionopsitta melanotis</i> ..	1879,	<i>virescens</i>	1873,
<i>Pionus chalcopterus</i>	1879,	<i>Pipreola aureipectus</i> ..	1879,
<i>cyaniceps</i>	1877,	<i>frontalis</i>	1879,
<i>heteroclitus</i>	1877,	<i>lubomirskii</i>	1879,
	1878,	<i>melanolæma</i>	1873,
<i>maximiliani</i>	1879,		1873,
<i>menstruus</i>	1873,		1874,
	1873,	<i>riefferi</i>	1874,
	1873,		1879,
	1873,		1879,
	1874,	<i>sclateri</i>	1880,
	1879,	<i>viridis</i>	1874,
	1879,		1879,
<i>senilis</i>	1878,	<i>Pipridea castaneiven-</i>	
	1878,	<i>tris</i>	1874,
<i>seniloides</i>	1875,		1879,
<i>sordidus</i>	1874,	<i>melanonota</i>	1879,
<i>tumultuosus</i>	1874,		1879,
	1879,		1880,
<i>violaceus</i>	1877,	<i>Piprisoma agile</i>	1871,
<i>Pipastes agilis</i>	1871,		1872,

	Page		Page
Piprites chlorion	1873, 282	Pithecia rufiventer	1871, 228
Pirata hygrophila	1876, 599	satanas	1871, 228
leopardus	1876, 598		1871, 229
	1876, 627		1880, 629
piratica	1876, 599		1880, 631
piscatoria	1876, 599		1880, 634
proxima	1876, 598		1880, 636
	1876, 627		1880, 637
Pisidium amnicum	1873, 390		1880, 643
fontinale	1873, 390		1880, 644
Pitangus bellicosus	1872, 809	Pithecops dionisius	1877, 146
	1874, 168	hylax	1877, 587
	1879, 614		1877, 624
sulphuratus	1873, 280	nihana	1878, 702
	1873, 463		1878, 707
	1876, 509	Pithecus arctoides	1872, 770
	1876, 517	maurus	1872, 722
Pitasila bijunctella	1880, 672	satyrus	1875, 494
guttulosa	1880, 673	Pithys albifrons	1873, 276
inconstans	1880, 672		1874, 531
	1880, 673	bicolor	1873, 276
leucospilata	1877, 599		1878, 62
	1877, 626	leucaspis	1873, 276
	1877, 632		1879, 526
	1880, 673	leucophrys	1874, 531
maculosum	1877, 599	lunulata	1873, 276
moolaica	1878, 847	melanosticta	1880, 160
	1878, 857	Pitta angolensis	1876, 513
	1878, 859		1876, 517
varians	1877, 599		1876, 519
	1878, 847	baudi	1873, 680
variolosa	1877, 599	bengalensis	1876, 696
Pithauria murdara	1878, 689		1876, 778
	1878, 695	boschi	1873, 680
Pithecia alba	1880, 646	brachyura	1872, 445
calva	1880, 646	celebensis	1877, 99
chiropotes	1871, 228	cucullata	1873, 657
	1871, 229	cyanea	1873, 661
	1880, 641	cyanoptera	1871, 374
	1880, 644	cyanura	1876, 513
	1880, 645		1876, 514
chrysocephala	1871, 227		1876, 517
	1871, 228		1876, 519
leucocephala	1871, 227		1880, 388
	1871, 228	erythrogastra	1877, 546
	1873, 683	kochi	1878, 430
	1876, 295	mackloti	1875, 591
	1876, 296		1877, 99
melanocephala	1880, 645	melanocephala	1880, 388
monachus	1871, 220	moluccensis	1871, 374
	1872, 664	muelleri	1879, 346
	1874, 664	novæ-guineæ	1875, 531
	1880, 394	nympha	1871, 375
	1880, 634		1873, 730
	1880, 636	oreas	1871, 375
	1880, 642		1873, 667
	1880, 643		1873, 730
rubicunda	1880, 646	simillima	1875, 591

	Page		Page
<i>Pitta strepitans</i>	1875,	591	
<i>ussleri</i>	1877,	94	
<i>venusta</i>	1873,	679	
	1877,	94	
<i>Pitylus aureoventris</i> ..	1879,	604	
<i>cyaneus</i>	1879,	604	
<i>fuliginosus</i>	1880,	146	
<i>grossus</i>	1873,	185	
	1873,	263	
	1874,	518	
	1879,	505	
<i>torridus</i>	1879,	604	
<i>Pityriasis gymnocephalus</i>	1873,	680	
<i>Pityis analogica</i>	1871,	454	
	1871,	474	
<i>atiensis</i>	1871,	453	
	1871,	474	
<i>bilamellata</i>	1871,	474	
<i>bursatella</i>	1871,	452	
	1871,	475	
<i>capillata</i>	1871,	474	
<i>cavernula</i>	1871,	475	
<i>coarctata</i>	1871,	475	
<i>complementaria</i> ..	1871,	474	
<i>consimilis</i>	1871,	474	
<i>contorta</i>	1871,	474	
<i>dædalea</i>	1871,	474	
<i>decussatula</i>	1871,	474	
<i>excavata</i>	1871,	475	
<i>filocostata</i>	1871,	454	
	1871,	474	
<i>fratercula</i>	1871,	452	
	1871,	475	
<i>gradata</i>	1871,	474	
<i>græffii</i>	1871,	474	
<i>heyneemannii</i>	1871,	475	
<i>hystriella</i>	1871,	474	
<i>hystrielloides</i>	1871,	474	
<i>hystrix</i>	1871,	454	
	1871,	474	
<i>imperforata</i>	1871,	451	
	1871,	453	
	1871,	474	
<i>intercarinata</i>	1871,	474	
<i>jacquinoti</i>	1871,	452	
	1871,	475	
<i>jugosa</i>	1871,	452	
	1871,	474	
<i>modicella</i>	1871,	453	
	1871,	474	
<i>oceanica</i>	1871,	475	
<i>oparica</i>	1871,	451	
	1871,	474	
<i>pardalina</i>	1871,	474	
<i>parvidens</i>	1871,	474	
<i>radiella</i>	1871,	474	
<i>retunsa</i>	1871,	475	
<i>Pityis roratongensis</i>	1871,	453	
	1871,	474	
<i>rotellina</i>	1871,	453	
	1871,	474	
<i>rotula</i>	1871,	451	
	1871,	453	
	1871,	474	
<i>rubiginosa</i>	1871,	474	
<i>sexlamellata</i>	1871,	474	
<i>stellula</i>	1871,	474	
<i>streptaxon</i>	1871,	475	
<i>turricula</i>	1871,	475	
<i>undulata</i>	1871,	474	
<i>verecunda</i>	1871,	454	
	1871,	474	
<i>Placellodomus frontalis</i> ..	1879,	231	
	1879,	621	
<i>ruber</i>	1879,	621	
<i>sibilatrix</i>	1879,	621	
<i>striaticeps</i>	1876,	16	
<i>Placopsammia darwini</i> ..	1876,	429	
	1876,	430	
	1876,	441	
	1876,	442	
<i>Placunanomia (Monia)</i>			
<i>ione</i>	1878,	871	
<i>Plagiodera quadrimaculata</i>	1880,	171	
<i>sexmaculata</i>	1880,	595	
	1880,	608	
<i>Plagiodon erythrurus</i> ..	1873,	169	
<i>Plagiotænia gigantea</i> ..	1871,	146	
	1877,	788	
<i>Plagiotelum irideum</i> ..	1874,	68	
<i>Plagusia clavimana</i>	1879,	38	
<i>Planema gea</i>	1871,	525	
<i>Planetis guttatus</i>	1876,	666	
<i>Planorbis albus</i>	1873,	390	
<i>complanatus</i>	1873,	390	
<i>guadelupensis</i>	1880,	349	
<i>meniscus</i> ..	1875,	321	
<i>newberryi</i>	1875,	536	
<i>sudanicus</i>	1880,	345	
	1880,	349	
<i>tenuis</i>	1875,	649	
<i>terverianus</i>	1875,	320	
<i>Plastingia callineura</i> ..	1873,	359	
<i>helena</i>	1873,	359	
<i>hieroglyphica</i>	1873,	359	
<i>Platalea ajaja</i>	1873,	306	
	1873,	638	
	1875,	297	
	1875,	299	
	1875,	300	
	1875,	343	
	1876,	15	
	1877,	746	
	1878,	44	

	Page		Page
<i>Platalea flavipes</i>	1877,	<i>Platycercus personatus</i> . .	1875, 439
<i>leucorodia</i>	1871, 411	<i>scapulatus</i>	1877, 729
	1872, 478	<i>splendens</i>	1875, 489
	1873, 467		1875, 30
	1873, 638		1875, 425
	1875, 299		1876, 501
	1875, 488		1877, 728
	1880, 316		1877, 729
<i>major</i>	1871, 411		1877, 772
<i>regia</i>	1877, 340	<i>tabuensis</i>	1875, 425
<i>Platanista gangetica</i> . .	1876, 297		1876, 500
<i>Platasterias latiradiata</i> .	1871, 136		1876, 501
<i>Platemys geoffroyana</i> . .	1871, 623		1877, 729
<i>hilarii</i>	1871, 623		1877, 770
<i>macquaria</i>	1872, 506		1877, 771
<i>Platessa flesus</i>	1872, 834		1877, 772
	1872, 836	<i>taviunensis</i>	1877, 729
	1875, 486		1877, 772
<i>limanda</i>	1875, 486	<i>vasa</i>	1875, 489
<i>vulgaris</i>	1875, 486	<i>venustus</i>	1879, 166
<i>Plathemis depressa</i>	1877, 86	<i>zonarius</i>	1874, 587
<i>Platurus affinis</i>	1871, 190		1880, 310
<i>fasciatus</i>	1877, 128	<i>Platydactylus borneensis</i>	1872, 589
<i>fischeri</i>	1871, 152	<i>guttatus</i>	1872, 589
	1871, 189	<i>pentonopus</i>	1872, 589
<i>schistorhynchus</i> . .	1874, 297	<i>Platydia anomioïdes</i> . .	1878, 399
<i>scutatus</i>	1871, 189		1878, 409
<i>Platycephalus cinereus</i> .	1871, 653		1878, 410
	1871, 661		1878, 411
<i>Platycercus alpinus</i> . . .	1872, 795		1878, 414
<i>annæ</i>	1877, 771		1879, 588
	1877, 772	<i>dauidsoni</i>	1879, 588
<i>atrogularis</i>	1877, 771	<i>Platygllossus nigromacu-</i>	
	1877, 772	<i>latus</i>	1871, 653
<i>cyanogenys</i>	1875, 602		1871, 666
<i>eximius</i>	1873, 466	<i>notopsis</i>	1871, 653
	1873, 634		1871, 667
	1874, 587	<i>Platygrapsus convexius-</i>	
	1875, 489	<i>culus</i>	1879, 38
	1879, 169	<i>depressus</i>	1879, 20
	1880, 310		1879, 37
<i>flaviventris</i>	1875, 489	<i>Platylophus ardesiacus</i> .	1873, 679
<i>icterotis</i>	1877, 307	<i>coronatus</i>	1875, 107
	1877, 310		1879, 336
	1877, 312	<i>Platymantis meyeri</i> . . .	1873, 171
<i>niger</i>	1875, 489		1879, 79
<i>pacificus</i>	1875, 489	<i>plicifera</i>	1873, 171
<i>pallidiceps</i>	1873, 466		1873, 172
	1873, 634		1877, 132
	1874, 587	<i>vitiana</i>	1877, 132
	1880, 310	<i>Platynotus depressus</i> . .	1879, 37
<i>pennanti</i>	1875, 489	<i>Platypeltis ferox</i>	1873, 58
	1879, 169		1873, 59
	1879, 170		1873, 60
	1879, 174	<i>Platyplectrurus hewstoni</i>	1876, 701
	1880, 310	<i>madurensis</i>	1877, 167
<i>personatus</i>	1875, 30	<i>Platypleura cameroni</i> . .	1876, 679
	1875, 425	<i>limbata</i>	1876, 679

	Page		Page
Platypleura stalina	1876,	Plectana squamosa	1873,
Platypsylla castoris	1872,	stellata	1873,
	1872,	triserrata	1873,
	801	vespoides	1873,
Platypsyllus castori-		Plectopylis achatina	1874,
nus	1872,		1874,
	801	andersonii	1874,
	804		1874,
Platypteryx perrotteti	1875,	anguina	1874,
Platyptilus repletalis	1877,	brachyplecta	1874,
Platyrhynchus albign-		clathratula	1874,
laris	1878,	cyclaspis	1874,
	62		1874,
	1879,	dextrorsa	1874,
senex	1880,		1875,
rostratus	1880,	feddeni	1874,
Platysteira cyanea	1871,		1874,
	610	karenorum	1874,
	1871,		1874,
leucopygialis	1871,	laomontana	1874,
	133	leiophis	1874,
	1871,		1874,
	610		1875,
	1871,	macromphalus	1874,
Platystira cyanea	1878,	municipensis	1874,
Platyurus affinis	1873,	perarcta	1874,
Plautus glaucus	1878,		1875,
Plecoptera dolosa	1880,	pettos	1874,
Plecotrema clausa	1871,	pinnacis	1874,
	468		1874,
	1871,	plectostoma	1874,
	469		1874,
	1871,	pseudophis	1874,
	477		1875,
	1871,	refuga	1874,
	468		1874,
	1871,		1875,
	477	repercussa	1874,
Plecotus auritus	1872,	retifera	1874,
	704	serica	1874,
	1872,		1874,
	705		1874,
	1875,	shiroiensis	1874,
	493		1875,
dargilingensis	1872,	Plectorhyncha lanceo-	
homochrous	1872,	lata	1875,
Plectana aculeata	1873,		596
	421	Plectrophanes lapponica	1871,
acuta	1873,		1871,
alata	1873,		1871,
argoides	1873,		1871,
armata	1873,		1871,
asciata	1873,		1873,
bisicata	1873,		1873,
bullata	1873,		1877,
clypeata	1873,		47
cyanospina	1873,	nivalis	1871,
de geerii	1873,		1871,
difissa	1873,		1871,
duplicata	1873,		1873,
flabellata	1873,		1873,
furcata	1873,		1877,
gladiola	1873,		47
incisa	1873,		1871,
militaris	1873,		1871,
pentacantha	1873,		1873,
prætextata	1879,		1873,
pungens	1873,		1877,
reduviana	1873,		47
sagittata	1873,		1871,
sloani	1873,		1871,
spinosa	1873,		1873,
	421		1873,
	421		1875,
	422		490
	801		
	804		
	801		
	804		
	231		
	407		
	62		
	233		
	156		
	156		
	610		
	615		
	133		
	610		
	615		
	129		
	257		
	165		
	678		
	1871,		
	468		
	1871,		
	469		
	1871,		
	477		
	1871,		
	468		
	1871,		
	469		
	1871,		
	477		
	1872,		
	704		
	1872,		
	705		
	1875,		
	493		
	1872,		
	705		
	1872,		
	705		
	1873,		
	421		
	1873,		
	422		
	1873,		
	425		
	1873,		
	429		
	1873,		
	421		
	1873,		
	426		
	1873,		
	426		
	1873,		
	427		
	1873,		
	429		
	1873,		
	420		
	1873,		
	425		
	1873,		
	425		
	1873,		
	425		
	1873,		
	426		
	1873,		
	425		
	1873,		
	420		
	1873,		
	424		
	1873,		
	427		
	1873,		
	423		
	1873,		
	428		
	1879,		
	288		
	1873,		
	423		
	1873,		
	426		
	1873,		
	424		
	1873,		
	428		
	1873,		
	421		

	Page		Page
Plectrophanes nivalis ..	1877, 29	Pleurobranchæa novæ-	
	1877, 30	zealandiæ	1878, 276
	1877, 31		1878, 277
Plectropoma anthioides	1871, 653	Pleurobranchus ornatus	1878, 275
	1871, 655		1878, 277
Plectropterus gambensis	1877, 47	Pleurona falcata	1877, 612
	1877, 48		1877, 632
	1880, 316	Pleuronectes cyno-	
	1880, 498	glossus	1879, 756
	1880, 534	elongatus	1879, 755
niger	1877, 48		1879, 763
	1879, 5	flesus	1878, 329
	1879, 438		1879, 756
	1880, 498	limanda	1879, 755
	1880, 534	microcephalus	1879, 755
rueppelli	1876, 696	platessa	1879, 755
	1877, 47	rhombus	1875, 486
	1877, 48	Pleuronectia lævis	1879, 560
	1880, 498	lucida	1879, 562
	1880, 534	Pleurotoma albibalteata	1879, 197
sclateri	1877, 48	consimilis	1879, 188
Plectrurus aureus	1880, 182		1879, 217
brevis	1875, 230	contracta	1879, 195
canaricus	1875, 229		1879, 196
hewstoni	1878, 155	difficilis	1879, 187
madurensis	1878, 155		1879, 217
perrotteti	1875, 230	fragilis	1879, 198
pulneyensis	1878, 155	fusca	1879, 186
sanguineus	1878, 155	fuscoides	1879, 195
trilineatus	1878, 155	gemmata	1879, 186
Plegadis falcinellus	1877, 505	gracilentata	1879, 195
	1879, 764	hastula	1879, 186
Pleidon spekei	1880, 344	inconstans	1879, 194
	1880, 350	lallemanthiana	1877, 185
Pleistacantha sancti-		lymnæiformis	1879, 198
johannis	1879, 19	lymnæiformis	1879, 198
	1879, 24	marmorata	1879, 186
	1879, 61	metcalfi	1879, 189
Plesioneura albifasciata	1878, 843	niponica	1879, 187
	1878, 856		1879, 217
	1878, 858	obliquata	1879, 191
alysos	1877, 593		1879, 192
	1877, 625	patruelis	1879, 188
	1878, 843		1879, 217
aurivittata	1878, 843	pyramidula	1879, 190
	1878, 856	saturata	1879, 197
	1878, 858	spiralis	1871, 731
dhanada	1878, 843		1871, 739
eligius	1874, 370	subula	1879, 197
feisthamelii	1873, 359	triporcata	1879, 188
folus	1874, 109		1879, 217
	1877, 815	vertebrata	1879, 186
	1880, 669		1879, 217
liliana	1871, 216	vincentina	1877, 185
pria	1873, 359	violacea	1871, 92
signata	1873, 360		1871, 731
	1873, 361	(Drillia) brunneo-	
Plestiodon auratus	1875, 488	maculata	1873, 720

	Page		Page
Pleurotoma (Drillia)		Plotus anhinga.....	1876, 340
brunneomacu-			1876, 341
lata	1873, 722		1876, 343
(—) strigata....	1873, 720		1876, 344
	1873, 722		1876, 696
(—) variabilis ..	1878, 805		1877, 304
	1878, 821		1877, 307
(—) wilmeri	1878, 805		1877, 312
	1878, 821		1877, 451
Plexippus adansonii....	1876, 622		1878, 378
	1876, 627		1878, 679
Plicatula imbricata ...	1877, 193		1878, 680
Pictolophus eos	1875, 490		1878, 681
galeritus	1875, 490		1879, 542
goffini	1875, 60	levaillantii	1876, 336
ophthalmicus	1877, 107		1876, 337
	1879, 17		1876, 339
philippinarum	1875, 490		1878, 378
rosaceus.....	1875, 490		1878, 679
sulphureus	1875, 490		1878, 680
Plocamophorus ceyloni-			1878, 681
cus.....	1877, 232		1879, 773
flagellatus.....	1877, 232	melanogaster	1872, 483
imperialis	1877, 232		1879, 553
levivarius	1877, 232	novæ-hollandiæ..	1876, 336
maculatus	1877, 232		1876, 337
maderæ	1877, 232		1876, 339
nævatus.....	1877, 232		1877, 349
ocellatus	1877, 232	Plusia ochreatea	1880, 677
ramulosus	1877, 232	verticillata.....	1880, 677
tilesii	1877, 232	Plusiodonta conducens..	1877, 605
Plocealanda assamica	1874, 638		1877, 627
Plocepasser mahali	1880, 491	Plusiotis adelaida.....	1875, 118
Ploceus algondæ	1877, 300		1875, 121
	1877, 302		1875, 125
	1879, 677	amalia	1875, 118
baya	1872, 463		1875, 121
bengalensis	1876, 778	auripes	1875, 122
dubius	1880, 491		1875, 123
fringilloides	1871, 258		1875, 125
madagascariensis ..	1871, 319		1878, 295
manyar	1872, 463	aurora	1875, 118
	1873, 462		1875, 119
philippinus	1872, 463		1875, 120
striatus	1872, 463		1875, 125
tahatali	1880, 491	badeni	1878, 294
textor.....	1875, 490		1878, 296
Plotosus canius.....	1871, 712	batesi.....	1875, 119
	1874, 313		1875, 120
	1874, 321		1875, 125
Plotus anhinga.....	1873, 2		1875, 125
	1874, 304		1878, 293
	1875, 530		1878, 294
	1876, 335	boucardi.....	1878, 296
	1876, 336	chrysargyrea.....	1875, 120
	1876, 337		1875, 125
	1876, 338		1878, 293
	1876, 339		1878, 294
		costata	1875, 123

	Page		Page
Plusiotis costata	1875, 125	Podargus cuvieri	1875, 344
	1878, 295		1875, 489
gloriosa	1875, 121		1877, 306
	1875, 125		1880, 472
	1878, 295	fullertoni	1877, 439
	1878, 296	javanensis	1877, 426
lacordairei	1875, 118		1877, 435
	1875, 122		1877, 436
	1875, 125		1877, 439
	1878, 295	marmoratus	1875, 581
læta	1875, 118	ocellatus	1877, 424
	1875, 121	papuensis	1875, 580
	1875, 125		1878, 121
	1878, 294	parvulus	1877, 426
laniventris	1875, 124		1877, 436
	1875, 125		1877, 437
latipennis	1875, 124	phalænoides	1875, 581
marginata	1875, 120	stellatus	1877, 426
	1875, 125		1877, 436
mnizechii	1875, 124	Podica senegalensis	1871, 614
	1875, 125		1871, 615
	1878, 296	Podiceps auritus	1871, 415
ornatissima	1875, 121	caliparæus	1876, 17
prasina	1878, 295	calliparius	1879, 641
psittacina	1875, 123	cornutus	1871, 415
	1875, 125	cristatus	1871, 415
	1878, 294		1873, 470
	1878, 296		1873, 642
resplendens	1875, 119		1877, 807
	1875, 120	gularis	1877, 349
	1875, 124	kalipareus	1874, 563
	1875, 125	leucotis	1874, 563
rodriguezi	1878, 295	major	1872, 549
	1878, 296		1879, 244
sallæi	1875, 123	minor	1871, 415
	1875, 125		1873, 470
	1878, 295		1873, 629
serena	1875, 124		1873, 642
victorina	1875, 118		1875, 343
	1875, 124		1875, 348
	1875, 125		1875, 488
	1878, 296	novæ-hollandiæ	1873, 642
Pluvianus ægyptius	1874, 456	pelzelni	1872, 869
	1874, 460		1879, 773
Pnoepyga squamata	1871, 350	philippensis	1871, 415
	1873, 666		1872, 480
troglodytoides	1873, 664	philippinus	1871, 415
	1873, 665	rollandi	1872, 549
	1873, 689		1874, 563
Poaphila cinerea	1878, 488		1876, 17
Podabrus macrourus	1880, 459	Podilymbus podiceps	1879, 765
Podager nacunda	1873, 290	Podocnemis dumériliana	1871, 36
	1879, 626		1871, 745
Podargus affinis	1877, 426		1871, 746
auritus	1877, 439		1871, 747
cornutus	1877, 432		1871, 748
	1877, 433		1871, 749
	1877, 435	expansa	1871, 745

	Page		Page
<i>Podocnemis expansa</i> ..	1871, 746	<i>Pœoptera cryptopyrrha</i> ..	1878, 802
	1871, 747		1878, 803
	1871, 748	<i>lugubris</i>	1878, 802
<i>unifilis</i>	1871, 36		1878, 803
	1871, 745	<i>Poephagus grunniens</i> ..	1880, 308
	1871, 746	<i>Poëphila cincla</i>	1873, 462
	1871, 748	<i>gouldiæ</i>	1875, 591
	1871, 749		1877, 350
<i>Podophthalma affinitata</i>	1877, 569	<i>mirabilis</i>	1877, 350
	1877, 578	<i>Pogonorhynchus affinis</i> ..	1879, 680
<i>bayoniana</i>	1877, 569	<i>bidentatus</i>	1878, 932
<i>diversa</i>	1877, 558	<i>leucomelas</i>	1879, 680
	1877, 571	<i>melanocephalus</i> ..	1879, 680
	1877, 572	<i>melanopterus</i>	1878, 359
	1877, 578	<i>torquatus</i>	1873, 711
<i>elliotti</i>	1877, 567	<i>Pogonotriccus eximius</i> ..	1874, 135
	1877, 569	<i>ophthalmicus</i>	1874, 135
	1877, 570		1874, 535
	1877, 578	<i>plumbeiceps</i>	1874, 135
<i>hilaris</i>	1877, 569	<i>Polemistria verreauxi</i> ..	1873, 288
	1877, 571	<i>Polihierax insignis</i>	1871, 627
	1877, 578		1873, 661
<i>incerta</i>	1877, 558	<i>Polioaëtus ichthyaëtus</i> ..	1872, 412
	1877, 570		1876, 777
	1877, 572	<i>leucogaster</i>	1875, 578
	1877, 578	<i>plumbeus</i>	1876, 777
<i>Pœcile cincta</i>	1871, 362		1876, 778
<i>kamtschatkensis</i> ..	1871, 362	<i>solitarius</i>	1878, 348
<i>Pœciloconger fasciatus</i> ..	1871, 653	<i>Poliococeyx sumatranus</i>	1873, 606
	1871, 673		1875, 104
<i>Pœcilodryas æthiops</i> ..	1880, 65		1879, 328
	1880, 66	<i>Poliolophus urostictus</i> ..	1877, 827
<i>cinereifrons</i>	1875, 588		1878, 110
<i>superciliosa</i>	1875, 588		1878, 380
<i>Pœcilonetta bahamensis</i>	1876, 393		1878, 949
<i>Pœcilophysis kerguelen-</i>		<i>Poliomyias luteola</i>	1879, 336
<i>ensis</i>	1876, 262	<i>Polioptila albilora</i>	1877, 319
	1876, 265		1877, 333
<i>Pœcilothraupis ignicrissa</i>	1874, 130		1877, 750
	1874, 514	<i>albiloris</i>	1879, 223
	1874, 678	<i>buffoni</i>	1873, 256
<i>igniventris</i>	1874, 677		1879, 223
	1874, 678	<i>dumicola</i>	1874, 158
	1879, 600		1879, 592
<i>lacrymosa</i>	1874, 130	<i>nigriceps</i>	1880, 191
	1874, 514	<i>Poliornis indica</i>	1879, 245
	1879, 227		1879, 322
	1879, 500	<i>liviventer</i>	1876, 780
	1880, 194	<i>poliogenys</i>	1871, 340
<i>lunulata</i>	1874, 678	<i>teesa</i>	1872, 69
<i>palpebrosa</i>	1879, 500		1872, 78
	1880, 194		1875, 25
<i>Pœcephalus fuscicapillus</i>	1873, 711	<i>Polophilus ægyptius</i> ..	1873, 618
	1874, 587	<i>cæruleus</i>	1873, 616
	1878, 358	<i>sinensis</i>	1871, 393
	1878, 359	<i>toulu</i>	1873, 624
<i>meyeri</i>	1876, 692	<i>Polpochila chilensis</i>	1874, 61
<i>senegalensis</i>	1874, 587	<i>mexicana</i>	1878, 589

	Page		Page
<i>Polpochila parallela</i>	1874,	<i>Polyodon folium</i>	1876,
<i>Polyagrus schythei</i>	1874,	<i>foliosus</i>	1878,
<i>Polyboroides radiatus</i>	1875,	<i>Polyommatus albocæru-</i>	
<i>typicus</i>	1874,	<i>leus</i>	1879,
<i>Polyborus brasiliensis</i>	1873,	<i>alexis</i>	1874,
<i>cheriway</i>	1879,	<i>argia</i>	1878,
<i>chimachima</i>	1879,	<i>ariana</i>	1874,
<i>chimango</i>	1879,	<i>chandala</i>	1874,
<i>galapagensis</i>	1871,	<i>cleotas</i>	1877,
<i>tharus</i>	1872,	<i>devanica</i>	1874,
	1876,		1874,
	1877,	<i>dilectus</i>	1879,
	1878,	<i>eros</i>	1879,
	1878,	<i>galathea</i>	1874,
	1878,		1874,
	1879,	<i>jaloka</i>	1874,
<i>vulgaris</i>	1875,		1874,
	1879,	<i>kasmira</i>	1874,
<i>Polycera capensis</i>	1877,	<i>laius</i>	1878,
<i>ceylonica</i>	1877,		1878,
<i>citrina</i>	1877,	<i>limbatus</i>	1879,
<i>clavigera</i>	1877,	<i>omphisa</i>	1874,
<i>cooki</i>	1877,		1874,
<i>cornuta</i>	1877,	<i>pseuderos</i>	1879,
<i>cristata</i>	1877,	<i>puspa</i>	1879,
<i>dubia</i>	1877,	<i>samudra</i>	1874,
<i>flava</i>	1877,		1874,
<i>holbölli</i>	1877,	<i>sangra</i>	1880,
<i>horrida</i>	1877,	<i>similis</i>	1878,
<i>illuminata</i>	1877,		1878,
<i>lessonii</i>	1877,	<i>vardhana</i>	1874,
<i>modesta</i>	1877,		1874,
<i>ocellata</i>	1877,	<i>varunana</i>	1878,
<i>ornata</i>	1877,		1878,
<i>pennigera</i>	1877,		1880,
<i>plebeja</i>	1877,	<i>transpectus</i>	1879,
<i>pudica</i>	1877,	<i>Polypedates afghana</i>	1871,
<i>punctilucens</i>	1877,		1875,
<i>quadrilineata</i>	1877,	<i>annectens</i>	1871,
	1877,		1871,
<i>ramulosa</i>	1877,		1872,
<i>typica</i>	1877,		1875,
<i>varians</i>	1877,	<i>appendiculatus</i>	1879,
<i>webbii</i>	1877,	<i>beddomii</i>	1875,
(<i>Palio</i>) <i>ocellata</i>	1877,		1875,
<i>Polycyathus atlanticus</i>	1876,		1875,
	1876,	<i>brachytarsus</i>	1875,
	1876,	<i>brevipalmatus</i>	1875,
	1876,	<i>chloronotus</i>	1875,
	1876,	<i>formosus</i>	1875,
<i>Polydesma boarmoides</i>	1877,		1875,
	1877,	<i>guttatus</i>	1872,
<i>mastrucata</i>	1877,		1872,
<i>Polyfibrospongia flabelli-</i>		<i>hascheanus</i>	1871,
<i>fera</i>	1877,		1871,
<i>Polygonia fortinata</i>	1877,	<i>jerdonii</i>	1875,
<i>Polynemus indicus</i>	1871,	<i>maculatus</i>	1871,
<i>tetradactylus</i>	1871,		1871,

	Page		Page
Polypedates maculatus ..	1871, 208	Pomatocheles jeffreysii, 1879,	49
	1871, 209		1879, 61
	1875, 571	Pomatorhinus albogularis	1873, 662
	1875, 572	erythrocnemis	1871, 370
marmoratus	1871, 153		1873, 555
	1871, 209		1873, 667
microtyimpanum ..	1875, 573	hypoleucos	1873, 661
pleurostictus	1871, 210	melanurus	1872, 405
quadrilineatus	1871, 153		1872, 447
	1871, 207	montanus	1873, 678
	1871, 208	musicus	1871, 370
	1872, 591		1873, 667
raniceps	1872, 591	nigro-stellatus	1871, 371
	1872, 600		1873, 668
reticulatus	1871, 210	ruficollis	1873, 667
signatus	1872, 591	stridulus	1871, 371
	1872, 600		1873, 668
	1873, 171	temporalis	1874, 112
similis	1873, 171	Pomatostomus supercili-	
smaragdinus	1871, 153	osus	1875, 594
	1871, 208	temporalis	1873, 630
	1875, 570		1875, 594
Polyphasia nigra	1872, 431	Pompelon ampliatum ..	1878, 387
passerina	1872, 431	marginatum	1878, 387
teruirostris	1871, 394	Pontarachna punctula-	
Polyplectron bicalcara-		tum	1875, 303
tum	1871, 398	Pontia acaste	1876, 156
chalcurom	1873, 680	alcesta	1875, 414
chinquis	1871, 398	amalia	1872, 60
	1873, 657	arne	1876, 136
	1879, 110	aspasia	1872, 61
	1879, 116	calymnia	1872, 59
	1879, 117	casta	1872, 63
	1879, 359	chariclea	1872, 65
	1879, 459	chrysonome	1876, 129
emphanes	1878, 623	clemante	1872, 60
	1878, 792	coreyra	1872, 58
napoleonis	1878, 623	corva	1872, 59
	1878, 792	cratægi	1872, 58
Polyprion cernium	1879, 746	daira	1876, 144
Polypterus bichir	1878, 117	dynamene	1876, 138
Polysticte quopopa	1880, 491	emma	1872, 61
Polyteles barrabandi ..	1876, 692	eperia	1872, 59
Polytmus leucoproctus..	1871, 505	ephyia	1876, 145
leucorrhous	1871, 505	eris	1876, 127
	1873, 288	eulimene	1871, 254
	1879, 629		1876, 165
virescens	1879, 629	eupompe	1876, 155
viridissimus	1871, 505	evagore	1876, 162
Pomacentrus jerdoni ..	1873, 237	evarne	1876, 164
Pomatias herculæus....	1880, 139	fausta	1876, 134
	1880, 140	feronia	1872, 66
	1880, 142	glauconome	1872, 62
patulus	1880, 101	halimede	1876, 133
	1880, 139	henningia	1872, 30
septemspiralis	1880, 139	hester	1872, 61
	1880, 140	hippia	1872, 58
simonianus	1880, 140	jael	1872, 60
Pomatocheles jeffreysii .	1879, 21		

	Page		Page
<i>Pontia judith</i>	1872,		61
<i>læta</i>	1872,		60
<i>lea</i>	1872,		60
<i>leucodice</i>	1872,		62
<i>liagore</i>	1876,		145
<i>licea</i>	1872,		60
<i>mannii</i>	1872,		65
	1880,		411
<i>menapia</i>	1872,		58
<i>mercedis</i>	1872,		67
<i>metra</i>	1872,		65
<i>nadina</i>	1872,		59
<i>naomi</i>	1872,		61
<i>narcæa</i>	1872,		65
<i>nerissa</i>	1872,		59
<i>niobe</i>	1880,		668
<i>notha</i>	1872,		58
<i>oleracea</i>	1872,		63
<i>olga</i>	1872,		61
<i>pactolica</i>	1872,		60
<i>phryne</i>	1872,		59
<i>pieridoides</i>	1872,		58
<i>pleione</i>	1876,		133
<i>protomedia</i>	1876,		128
<i>remba</i>	1872,		59
<i>sabellicæ</i>	1872,		63
<i>soracta</i>	1872,		58
<i>tamar</i>	1872,		60
<i>temena</i>	1872,		60
<i>terlooi</i>	1872,		58
<i>timnatha</i>	1872,		60
<i>titea</i>	1876,		164
<i>tritogenia</i>	1872,		67
<i>vitiensis</i>	1876,		497
	1876,		503
<i>xiphia</i>	1873,		354
	1874,		107
<i>zeuxippe</i>	1872,		59
<i>Pontoporia blainvillii</i> ..	1874,		497
<i>Poospiza bonapartii</i>	1877,		322
<i>cæsar</i>	1873,		780
	1876,		16
<i>hypochondriaca</i> ..	1879,		605
<i>melanoleuca</i>	1879,		605
<i>nigro-rufa</i>	1872,		548
<i>torquata</i>	1874,		520
	1879,		605
<i>Popa aschmoliana</i>	1878,		584
<i>Porcellana latifrons</i>	1879,		47
<i>rufula</i>	1877,		182
<i>spinulifrons</i>	1879,		21
	1879,		46
<i>Porcellio alexandrinus</i> ..	1877,		676
<i>cayennensis</i>	1877,		654
	1877,		667
	1877,		668
	1877,		678
<i>chilensis</i>	1877,		668
<i>Porcellio cubensis</i>	1877,		668
<i>granarus</i>	1877,		669
<i>hispidata</i>	1877,		654
	1877,		676
	1877,		679
<i>interruptus</i>	1877,		669
<i>hiliputanus</i>	1877,		669
<i>mexicanus</i>	1877,		669
<i>nigra</i>	1877,		668
<i>poeyi</i>	1877,		669
<i>spinicornis</i>	1877,		668
<i>sumichrasti</i>	1877,		668
<i>swammerdamii</i>	1877,		654
	1877,		676
(<i>Porcelloides</i>) <i>az-</i>			
<i>tectus</i>	1877,		654
	1877,		669
(—) <i>flavo-vittata</i>	1877,		654
	1877,		669
	1877,		679
(—) <i>jelskii</i>	1877,		654
	1877,		668
	1877,		669
	1877,		678
<i>Porella antarctica</i>	1872,		746
	1872,		747
<i>cervicornis</i>	1872,		746
<i>Porina cervinata</i>	1877,		381
<i>enysii</i>	1877,		381
	1877,		407
<i>mairi</i>	1877,		381
<i>Poriodogaster grayi</i>	1874,		307
<i>Poronia australis</i>	1878,		870
<i>Poropleura cœlestina</i> ..	1880,		591
	1880,		608
<i>Porphyrio</i> , sp.	1871,		414
	1877,		785
<i>alleni</i>	1875,		68
	1877,		307
<i>cæruleus</i>	1880,		315
<i>cœlestis</i>	1871,		414
<i>indicus</i>	1871,		27
	1873,		152
	1873,		518
	1877,		556
	1877,		727
<i>madagascariensis</i> ..	1873,		469
	1873,		641
<i>martinicus</i>	1872,		653
	1877,		307
	1879,		546
<i>melanonotus</i>	1872,		90
	1872,		107
	1872,		108
<i>melanotus</i>	1873,		469
	1873,		641
	1875,		530
	1877,		343

	Page		Page
<i>Porphyrio melanotus</i> ..	1877,		344
<i>pelewensis</i> ,	1872,		107
<i>poliocephalus</i>	1872,		475
	1877,		307
	1880,		315
<i>samoënsis</i>	1871,		27
	1877,		726
	1877,		727
	1877,		775
	1877,		785
<i>smaragnotus</i>	1875,		68
<i>vitiensis</i> ,	1871,		27
	1875,		439
	1877,		726
	1877,		727
	1877,		775
<i>Porphyriops melanops</i> ..	1879,		641
<i>Portax picta</i>	1873,		313
	1877,		3
	1877,		4
	1877,		7
<i>Porthetria bhascara</i>	1880,		673
<i>Portlandia arctica</i>	1879,		575
<i>intermedia</i>	1879,		578
<i>Portunus corrugatus</i> ..	1879,		20
	1879,		22
	1878,		33
<i>strigilis</i>	1879,		33
	1879,		34
<i>subcorrugatus</i>	1879,		34
(<i>Thalamita</i>) <i>arcua-</i>			
<i>tus</i>	1879,		32
(—) <i>truncatus</i> ..	1879,		33
<i>Porzana albigularis</i>	1879,		546
	1880,		161
<i>americana</i>	1873,		469
	1873,		641
<i>axillis</i>	1873,		308
<i>bailloni</i>	1871,		414
<i>carolina</i>	1877,		748
	1879,		545
<i>carolinensis</i>	1873,		469
	1873,		641
<i>cayennensis</i>	1873,		308
	1873,		512
	1874,		559
	1879,		545
<i>cinerea</i>	1873,		308
<i>erythrops</i>	1873,		512
	1876,		104
	1876,		105
	1877,		330
<i>erythrothorax</i>	1871,		414
	1871,		415
	1878,		344
<i>fasciata</i>	1873,		308
<i>fluminea</i>	1877,		345
<i>fusca</i>	1871,		414
<i>Porzana fusca</i>	1872,		476
	1878,		344
	1878,		953
<i>hauxwelli</i>	1873,		308
	1878,		135
<i>kioloides</i>	1872,		869
<i>levraudi</i>	1873,		512
<i>mandarina</i>	1871,		415
<i>melanophæa</i>	1879,		641
<i>moluccana</i>	1879,		451
<i>notata</i>	1876,		255
<i>œnops</i>	1880,		161
<i>palustris</i>	1877,		345
<i>phœnicura</i>	1871,		414
<i>pygmæa</i>	1871,		319
	1871,		414
	1872,		476
<i>schomburgki</i>	1873,		512
<i>tabuensis</i>	1877,		345
<i>viridis</i>	1874,		559
(<i>Erythra</i>) <i>quadri-</i>			
<i>strigata</i>	1877,		345
<i>Potamocheilus frenatus</i> .	1873,		57
<i>microcephala</i>	1873,		62
<i>perocellata</i>	1873,		54
<i>stellata</i>	1873,		47
	1873,		72
<i>tuberculatus</i>	1873,		54
<i>Potamocheilus africanus</i>	1874,		206
	1875,		64
<i>albifrons</i>	1871,		593
<i>edwardsi</i>	1875,		64
<i>madagascariensis</i> ..	1875,		64
<i>Potamophora manlia</i> ..	1877,		608
	1877,		628
	1878,		848
	1878,		857
<i>Potera marginata</i>	1878,		852
	1878,		858
	1878,		859
<i>Prabhasa costalis</i>	1878,		26
<i>flavicosta</i>	1878,		26
	1878,		27
<i>venosa</i>	1878,		26
	1878,		37
<i>Praopus kappleri</i>	1874,		246
<i>Pratincola albofasciata</i> .	1878,		979
<i>atrata</i>	1872,		454
<i>bimaculata</i>	1880,		66
<i>caprata</i>	1872,		454
	1877,		194
	1877,		696
	1877,		761
	1878,		710
	1879,		764
	1880,		66
<i>ferrea</i>	1871,		360
	1873,		665

	Page		Page
Pratincola indica	1871, 360	Prion banksi	1877, 302
	1878, 979		1878, 739
leucura	1873, 660	desolatus	1878, 738
maura	1878, 980		1879, 310
pastor	1878, 979		1880, 165
rubetra	1873, 462	vittata	1873, 470
	1874, 215		1878, 642
rubicola	1871, 360		1878, 739
	1878, 979		1880, 165
salax	1871, 615	Prioneris autothisbe....	1872, 28
semitorquata.....	1878, 979	clemante	1872, 28
sybilla	1875, 66		1878, 839
Precis actia	1880, 185		1878, 856
amestris.....	1880, 185	corneliae	1872, 28
archesia.....	1875, 408		1873, 355
ceryne	1875, 408	philonome.....	1872, 28
cloantha	1875, 409	seta	1872, 27
hara	1874, 269		1872, 28
iphita.....	1874, 269	sita.....	1872, 28
	1878, 828	thestyliis	1872, 27
	1878, 854	vollenhovii	1872, 28
natalica	1875, 409		1873, 355
octavia	1875, 408	watsoni	1872, 28
wedah	1874, 269		1878, 839
Prepona amphimachus..	1874, 341		1878, 856
demophon	1874, 342	Prionirhynchus carinatus	1878, 39
laërtes	1876, 233		1878, 49
lycomedas	1876, 233	platyrhynchus	1873, 431
meander	1874, 342		1873, 432
	1876, 233		1879, 534
præneste	1876, 233	Prionites brasiliensis ..	1879, 632
Presbys peruanus.....	1874, 130	martii	1879, 632
	1874, 505	microstephanus ..	1877, 333
Priacanthus meyeri....	1871, 653	Prioniturus discurus ..	1877, 537
	1871, 656		1877, 538
Primnoa antarctica	1872, 746		1877, 688
lepadifera	1872, 745		1877, 756
	1872, 747		1877, 817
rossii	1872, 744		1878, 379
	1872, 745		1878, 937
Prinia cinereo-capilla ..	1878, 370		1879, 68
	1878, 371		1879, 313
cursitans	1878, 710	Prionochilus everetti ..	1879, 343
gracilis	1874, 47	obsoletus	1871, 349
hodgsoni	1874, 47		1879, 343
	1878, 370	olivaceus	1878, 107
poliocephala	1878, 370		1878, 111
	1878, 371	quadricolor	1877, 755
rufula	1874, 47		1877, 762
socialis	1871, 258	vincens	1872, 405
	1872, 455		1872, 483
sonitans.....	1871, 351		1872, 730
stewarti	1878, 370	Prionodera elegans	1878, 987
	1878, 371		1880, 591
striata	1871, 351		1880, 608
superciliaris	1875, 106	godmani	1879, 778
	1879, 341	Prionops graculinus....	1873, 714
Priondotes maximus ..	1880, 402		1878, 357

	Page		Page
Prionops talacoma	1880, 490	Procellaria obscura	1879, 131
Prionus corpulentus	1878, 720	oceanica	1878, 735
Pristiophorus japonicus	1878, 117	pelagica	1873, 641
Pristipoma cantharinum	1877, 68	torquata	1879, 130
manadense	1871, 653	tropica	1879, 130
	1871, 657	urinatrix	1878, 739
Pristis cuspidatus	1878, 117	Procellarus heermanni	1878, 184
Pristonychus chilensis	1874, 50	neglectus	1878, 161
	1874, 57		1878, 184
complanatus	1874, 57	Procelsterna albivitta	1876, 671
Pristorhamphus versteri	1875, 641		1877, 776
	1875, 642		1878, 212
Procapra picticaudata	1873, 547		1878, 272
Procarduelis nipalensis	1871, 693	cinerea	1876, 671
	1871, 694		1878, 272
	1871, 695	tereticollis	1876, 671
	1873, 666		1878, 211
rubescens	1871, 693		1878, 272
	1871, 694	Procnias occidentalis	1873, 260
	1871, 695		1874, 518
Procellaria æquinotialis	1878, 737		1879, 497
albigularis	1877, 722	tersa	1879, 497
albogularis	1879, 130		1879, 597
antarctica	1878, 737	ventralis	1874, 518
brevirostris	1878, 738	Procodeca testacea	1872, 574
cærulea	1875, 441	Procyon cancrivorus	1875, 421
	1876, 498	lotor	1875, 493
	1876, 506		1880, 304
capensis	1878, 737	Prodenia ciligera	1877, 604
cinerea	1878, 737		1877, 627
conspicillata	1880, 164	glaucistriga	1877, 604
desolata	1878, 738		1880, 676
fregata	1873, 641	ignobilis	1878, 485
fuliginosa	1879, 15	infecta	1880, 676
gigantea	1875, 437	pauper	1878, 485
	1878, 737	retina	1880, 676
	1880, 165	Progne chalybea	1872, 547
glacialis	1871, 123		1872, 606
	1877, 29		1872, 607
	1877, 31		1872, 609
glacialoides	1878, 736		1872, 810
grallaria	1878, 735		1872, 846
hastata	1880, 164		1873, 258
lessoni	1878, 737		1879, 495
leucogaster	1878, 736	cryptoleuca	1872, 606
leucoptera	1879, 9	dominicensis	1872, 606
	1879, 16		1876, 14
macroptera	1876, 498	elegans	1872, 606
marina	1878, 736		1872, 607
melanogaster	1878, 736	furcata	1872, 606
mollis	1878, 738	leucogastra	1873, 258
	1880, 164	modesta	1871, 125
neglecta	1879, 9	purpurea	1872, 547
	1879, 15		1872, 548
nivea	1878, 737		1872, 549
obscura	1872, 108		1872, 605
	1872, 110		1872, 606
	1877, 786		1872, 607

	Page		Page
Progne purpurea	1872, 846	Prosicela bicrucata	1880, 609
	1879, 595	flavipennis	1880, 595
subis	1872, 606		1880, 608
tapera	1872, 606	simplicipennis	1880, 595
	1872, 607		1880, 608
	1872, 608		1880, 609
	1872, 609	spectabilis	1880, 595
	1873, 258		1880, 608
	1874, 166	Prosimia albifrons	1872, 852
	1874, 173	anjuanensis	1872, 852
	1877, 320	collaris	1872, 852
	1879, 595	flavifrons	1871, 232
Prolemur simus	1872, 851	melanocephala	1871, 231
	1872, 852		1871, 232
Prolepta decorata	1874, 101	nigrifrons	1872, 852
Promerops capensis	1871, 135	rufipes	1872, 852
gurneyi	1871, 135	Prosthemadera novæ-	
Promops bonariensis	1876, 715	zealandiæ	1873, 462
ursinus	1876, 711	Prosthesima cingara	1874, 382
Pronophila cordillera	1876, 215		1874, 417
manis	1874, 337		1874, 418
pallantias	1876, 214	curina	1874, 379
pancis	1876, 214		1874, 417
perperna	1874, 337		1876, 552
puerta	1874, 338		1876, 626
thelebe	1876, 215	inaurata	1876, 553
timanthes	1874, 338		1876, 626
variabilis	1876, 215	læta	1876, 552
Propachys linealis	1877, 620		1876, 626
	1877, 630	listeri	1876, 628
Proparus cinereiceps	1873, 665	lugubris	1874, 378
ruficapilla	1873, 665		1874, 417
striaticollis	1873, 665		1874, 418
swinhoei	1873, 665	mollis	1874, 381
	1873, 689		1874, 417
Propithecus bicolor	1872, 846		1874, 418
	1872, 847		1876, 553
coquerellii	1872, 847		1876, 626
coronatus	1872, 847	nilicola	1874, 380
	1875, 63		1874, 417
damonis	1872, 846		1874, 418
	1872, 847		1876, 552
deckeni	1872, 847		1876, 626
	1875, 63	pallida	1874, 381
diadema	1872, 846		1874, 383
	1872, 847		1874, 417
	1875, 62		1874, 418
edwardsi	1872, 846		1876, 553
	1872, 847		1876, 626
	1875, 63	pedestris	1874, 382
	1879, 769	picina	1876, 552
holomelas	1879, 769		1876, 626
verreauxii	1872, 847	tristricula	1874, 377
	1879, 769		1874, 378
Proserpina swiftii	1872, 687		1874, 382
Proserpinus ænotheræ	1875, 621		1874, 383
ænotheroides	1875, 621		1874, 417
Prosicela bicrucata	1880, 596		1874, 418
	1880, 608		1876, 552

	Page		Page
<i>Prosthesima tristicula</i>	1876, 626	<i>Protoparce jamaicensis</i>	1878, 484
(<i>Melanophora</i>) <i>læta</i>	1874, 378	<i>lingens</i>	1877, 169
<i>Proteides amyntas</i>	1878, 482	<i>lucetius</i>	1875, 12
<i>evadnes</i>	1874, 368	<i>orientalis</i>	1877, 596
<i>idas</i>	1874, 368		1877, 626
<i>phanæus</i>	1873, 359		1880, 670
<i>Proteles cristatus</i>	1879, 84	<i>rustica</i>	1875, 11
<i>Proteus anguinus</i>	1873, 163		1878, 484
	1874, 200	<i>solani</i>	1875, 11
	1874, 201		1877, 169
	1875, 487	<i>Prox furcata</i>	1874, 33
	1875, 495	<i>Psalidoprocne nitens</i>	1871, 610
<i>Prothoë franckii</i>	1873, 347		1871, 615
	1878, 832	<i>Psallus flavosparsus</i>	1878, 462
	1878, 854	<i>lutosus</i>	1878, 468
<i>Protogonius æquatorialis</i>	1875, 35		1878, 468
	1875, 36		1878, 469
	1876, 235	<i>vinaceus</i>	1878, 462
<i>albinotatus</i>	1873, 775		1878, 469
<i>bogotanus</i>	1873, 773	<i>Psaltria concinna</i>	1871, 362
	1873, 774	<i>exilis</i>	1873, 678
	1873, 775	<i>Psamathia annæ</i>	1872, 89
<i>castaneus</i>	1873, 775		1872, 95
	1875, 35	<i>Psammodynastes pictus</i>	1872, 590
<i>cecrops</i>	1873, 773	<i>pulverulentus</i>	1871, 151
	1873, 774		1871, 183
	1873, 775		1872, 590
	1874, 341		1879, 78
	1875, 35	<i>Psammophis condanarus</i>	1871, 151
	1876, 235		1871, 182
<i>diffusus</i>	1875, 35	<i>Psammosaurus griseus</i>	1871, 204
	1875, 36	<i>Psaris cayanus</i>	1879, 617
<i>divisus</i>	1873, 775	<i>inquisitor</i>	1879, 617
<i>drurii</i>	1873, 773	<i>roseicollis</i>	1879, 617
<i>fulvus</i>	1875, 35	<i>semifasciata</i>	1879, 617
	1875, 36	<i>Psarisomus dalhousiæ</i>	1873, 657
<i>hippona</i>	1873, 773		1878, 143
	1873, 775		1880, 381
	1875, 35	<i>Psaropholus ardens</i>	1871, 374
<i>lilops</i>	1873, 774		1873, 668
	1875, 35	—, var. <i>nigellicauda</i>	1871, 374
<i>ochraceus</i>	1873, 774	<i>Psecadia albistrigella</i>	1880, 89
<i>quadridentatus</i>	1873, 773		1880, 93
	1873, 775	<i>arctostaphylella</i>	1880, 88
<i>semifulvus</i>	1875, 35		1880, 89
	1875, 36		1880, 93
<i>tithoreides</i>	1873, 774	<i>bipunctella</i>	1880, 88
	1873, 775	<i>chrysopyga</i>	1880, 88
	1875, 35		1880, 90
	1875, 36	<i>cupreonivella</i>	1880, 86
<i>Protoma knockeri</i>	1871, 736		1880, 93
<i>Protonotaria citrea</i>	1879, 494	<i>ermineella</i>	1880, 90
<i>Protoparce carolina</i>	1875, 12		1880, 93
	1875, 259	<i>hockingella</i>	1880, 90
<i>cingulata</i>	1878, 484		1880, 93
<i>contracta</i>	1875, 12	<i>monticola</i>	1880, 87
<i>fulvinotata</i>	1875, 11		1880, 90
<i>griseata</i>	1875, 259		

	Page		Page
<i>Pseudadia monticola</i>	1880,	<i>Pseudoleistes virescens</i> .	1874, 156
<i>notatella</i>	1880,	<i>Pseudolycæna ægides</i> ..	1874, 356
<i>semilugens</i>	1880,	<i>tolmides</i>	1874, 356
<i>subcærulea</i>	1880,	<i>Pseudophilyra perryi</i> ..	1879, 40
<i>teras</i>	1880,	<i>tridentata</i>	1879, 20
<i>xanthorrhœa</i>	1877,		1879, 40
<i>Psephotus hæmatogaster</i>	1880,		1879, 41
<i>ter</i>	1873,		1879, 61
	466	<i>Pseudophiops theobaldi</i> .	1875, 225
	1873,		1876, 635
	1874,	<i>Pseudophycis peregrinus</i>	1871, 653
	1879,		1871, 669
	1879,	<i>Pseudoprion banksi</i> ..	1878, 739
	1879,	<i>desolatus</i>	1878, 738
<i>hæmatonotus</i>	1879,	<i>Pseudoptynx gurneyi</i> ..	1878, 936
<i>pulcherrimus</i>	1874,		1878, 940
	1880,		1878, 941
	310	<i>philippensis</i>	1878, 941
<i>Pseudacræa boisduvalii</i> .	1875,	<i>Pseudopus gracilis</i>	1871, 150
<i>euryta</i>	410		1871, 156
<i>fulvaria</i>	1875,	<i>pallasii</i>	1875, 487
<i>metaptanema</i>	410	<i>Pseudornis dicruroides</i> .	1871, 394
<i>semire</i>	1875,	<i>Pseudoscolopax semipalmatus</i>	1871, 407
<i>Pseudaxis mantchuricus</i> .	1877,	<i>grotei</i>	1879, 414
	17	<i>Pseudosphinx cyrtolopia</i>	1875, 259
	1878,	<i>nyctiphanes</i>	1875, 259
<i>sika</i>	909	<i>tetrio</i>	1878, 484
	1877,	<i>Pseudozæna alternata</i> ..	1877, 152
<i>taëvanus</i>	17		1877, 159
<i>Pseudotropius atherinoides</i>	1871,	<i>obscura</i>	1877, 152
<i>garna</i>	709	<i>opaca</i>	1877, 152
	1871,	<i>orientalis</i>	1877, 152
	287	<i>Psilopogon pyrolophus</i> .	1873, 679
	1871,	<i>Psilorhinus chilensis</i> ..	1879, 609
<i>goongwaree</i>	709	<i>morio</i>	1878, 59
<i>longimanus</i>	1871,	<i>Psittacara leptorhyncha</i>	1875, 489
	636	<i>murina</i>	1875, 489
	1871,	<i>patachonica</i>	1875, 489
	762	<i>solstitialis</i>	1875, 489
	1871,	<i>virescens</i>	1875, 489
<i>megalops</i>	763	<i>viridissima</i>	1875, 489
<i>murius</i>	1871,	<i>Psittacula andicola</i>	1874, 90
<i>taakree</i>	709		1874, 91
<i>Pseudobagrus aurantiacus</i>	1871,		1874, 678
<i>chryseus</i>	705		1874, 679
<i>vachellii</i>	1871,		1876, 18
<i>Pseudobias wardi</i>	705	<i>cana</i>	1875, 489
	1875,		1879, 673
	70		1879, 675
<i>Pseudobiastes wardi</i> . . .	1871,		1880, 310
	318	<i>coelestis</i>	1874, 91
<i>Pseudobufo subasper</i> ..	1872,		1877, 329
	591		1877, 753
<i>Pseudocolaptes boissonneaui</i>	1874,		1880, 211
<i>neauti</i>	528	<i>melanogenia</i>	1878, 92
	1878,	<i>passerina</i>	1873, 301
	59		1873, 466
	1879,		
	521		
	1879,		
	621		
	1880,		
	200		
<i>Pseudocoremia fragosata</i>	1877,		
<i>indistincta</i>	394		
	1877,		
	394		
	1877,		
	407		
<i>Pseudodipsus bengalensis</i>	1873,		
<i>sumatræ</i>	351		
	1873,		
	351		
	1874,		
	153		

	Page		Page
<i>Psittacula passerina</i>	1873, 634	<i>Psophia crepitans</i>	1873, 255
	1874, 91		1875, 488
	1874, 587	<i>leucoptera</i>	1873, 255
<i>pullaria</i>	1875, 489		1873, 308
<i>sclateri</i>	1873, 301		1876, 463
<i>Psittaculus galgulus</i>	1879, 325	<i>Psophodes crepitans</i>	1875, 588
<i>Psittacus æruginosus</i>	1871, 493	<i>Psyche unicolor</i>	1877, 381
	1871, 494	<i>Ptencedus rufescens</i>	1877, 350
<i>albifrons</i>	1875, 489	<i>Pteraster inflatus</i>	1872, 812
<i>alecto</i>	1878, 92	<i>Pterocles alchata</i>	1873, 468
<i>amazonicus</i>	1875, 489		1873, 639
<i>americanus</i>	1875, 489		1874, 250
<i>augustus</i>	1875, 489		1874, 256
	1875, 494		1878, 237
<i>badiceps</i>	1875, 489		1878, 238
<i>bengalensis</i>	1871, 391		1878, 239
<i>capistratus</i>	1878, 86		1878, 244
<i>cyanauchen</i>	1878, 79		1878, 247
<i>discolor</i>	1879, 166		1878, 250
<i>discurus</i>	1877, 538		1878, 251
<i>domicella</i>	1878, 79		1879, 764
<i>dufresnii</i>	1875, 489	<i>arenarius</i>	1873, 468
<i>erithacus</i>	1873, 466		1873, 639
	1873, 633		1874, 250
	1874, 587		1874, 254
	1875, 489		1874, 255
	1877, 307		1874, 256
<i>fasciatus</i>	1879, 300		1877, 307
<i>fuscicapillus</i>	1878, 80		1878, 233
	1878, 359		1878, 234
<i>grandis</i>	1878, 78		1878, 238
<i>guildingii</i>	1871, 267		1878, 239
<i>heteroclitus</i>	1878, 672		1878, 242
<i>leucocephalus</i>	1875, 489		1878, 244
<i>lucionensis</i>	1877, 538		1878, 245
<i>mauritanus</i>	1875, 349		1878, 246
	1875, 350		1878, 251
<i>megalorhynchus</i>	1878, 78	<i>bicinctus</i>	1878, 234
<i>melanocephalus</i>	1875, 489		1878, 237
<i>menstruus</i>	1875, 489		1878, 240
<i>mitratus</i>	1875, 489		1878, 255
<i>notatus</i>	1879, 300		1878, 257
<i>polychlorus</i>	1878, 92		1878, 258
<i>pulverulentus</i>	1874, 550		1878, 259
<i>regulus</i>	1875, 489	<i>caspius</i>	1878, 251
<i>rhodops</i>	1878, 80	<i>coronatus</i>	1878, 234
<i>roratus</i>	1878, 78		1878, 237
<i>scintillatus</i>	1878, 93		1878, 238
<i>timneh</i>	1871, 494		1878, 239
<i>xanthomerius</i>	1879, 301		1878, 242
(<i>Eos</i>) <i>bernsteini</i>	1878, 86		1878, 244
<i>Psitteuteles subplacens</i>	1877, 108	<i>decoratus</i>	1878, 234
<i>Psittinus malaccensis</i>	1874, 587		1878, 237
<i>Psittirostra psittacea</i>	1878, 347		1878, 238
<i>Psittospiza elegans</i>	1874, 518		1878, 240
	1879, 603		1878, 260
<i>riefferi</i>	1879, 505	<i>exustus</i>	1873, 315
	1879, 550		1878, 234

	Page		Page
<i>Pterocles exustus</i>	1878, 237	<i>Pterocles tricinetus</i>	1878, 256
	1878, 238		1878, 257
	1878, 239		1878, 258
	1878, 243		1878, 260
	1878, 248	<i>variegatus</i>	1878, 234
<i>fasciatus</i>	1873, 315		1878, 237
	1878, 233		1878, 239
	1878, 238		1878, 244
	1878, 239		1880, 491
	1878, 254	<i>Pteroclorus alchata</i>	1878, 251
	1878, 256	<i>exustus</i>	1878, 248
	1878, 259	<i>namaqua</i>	1878, 253
<i>gutturalis</i>	1878, 234	<i>senegalus</i>	1878, 243
	1878, 237	<i>Pterocyanea cæruleata</i>	1876, 384
	1878, 239	<i>cyanoptera</i>	1872, 368
	1878, 241		1872, 370
	1878, 243	<i>discors</i>	1876, 384
	1878, 256	<i>maculirostris</i>	1876, 388
	1880, 491	<i>Pterocyclos albersi</i>	1878, 499
<i>lichtensteini</i>	1878, 234	<i>parvus</i>	1878, 499
	1878, 237	<i>Pterocyon stramineus</i>	1872, 364
	1878, 238	<i>Pterocypha stellata</i>	1878, 492
	1878, 240	<i>Pteroglossus atrogularis</i>	1874, 548
	1878, 258	<i>beauharnaisi</i>	1873, 297
<i>maculosus</i>	1878, 245	<i>cæruleicinctus</i>	1879, 634
<i>namaqua</i>	1878, 237	<i>castanotis</i>	1873, 297
	1878, 239		1879, 633
	1878, 241	<i>flavirostris</i>	1873, 297
	1878, 252		1873, 298
<i>pallasi</i>	1878, 234	<i>frantzii</i>	1878, 47
<i>personatus</i>	1875, 67	<i>humboldti</i>	1873, 297
	1878, 234	<i>marie</i>	1873, 298
	1878, 239	<i>pluricinctus</i>	1873, 297
	1878, 240	<i>torquatus</i>	1878, 46
<i>quadricinctus</i>	1878, 234		1879, 537
	1878, 237		1880, 314
	1878, 238	<i>wiedi</i>	1872, 862
	1878, 240		1877, 306
	1878, 254	<i>Pteromys derbianus</i>	1875, 95
	1878, 257	<i>fimbriatus</i>	1879, 665
	1878, 258	<i>leucogenys</i>	1874, 247
	1878, 260		1875, 418
<i>senegalensis</i>	1878, 243	<i>magnificus</i>	1872, 635
	1878, 248	<i>momoga</i>	1880, 305
<i>senegalus</i>	1878, 233	<i>nitidus</i>	1875, 91
	1878, 237		1875, 492
	1878, 238	<i>phaemelas</i>	1873, 413
	1878, 239	<i>tephromelas</i>	1873, 413
	1878, 243	<i>volucella</i>	1875, 492
	1878, 244	<i>Pteronura sandbachii</i>	1880, 396
	1878, 247		1880, 402
<i>sepultus</i>	1878, 236	<i>Pteronymia artena</i>	1874, 332
<i>setarius</i>	1878, 234	<i>azara</i>	1874, 332
	1878, 250	<i>fulvimargo</i>	1874, 332
<i>simplex</i>	1878, 252	<i>latilla</i>	1874, 332
<i>tachypetes</i>	1878, 234	<i>notilla</i>	1874, 332
	1878, 252	<i>olyrilla</i>	1874, 332
<i>tricinetus</i>	1878, 234	<i>parva</i>	1874, 332
	1878, 237	<i>salvinia</i>	1874, 332

	Page		Page
<i>Pteronymia simplex</i> ..	1874,	<i>Pteropus poliocephalus</i> .	1875,
<i>tutia</i>	332	<i>pyrivorus</i>	493
<i>Pterophanes temmincki</i>	1874,	<i>rostratus</i>	1872,
1873,	190	<i>samoensis</i>	1877,
1874,	543	1874,	96
1874,	677	1880,	11
1880,	204	<i>titthæcheilus</i>	1872,
<i>Pterophorus aspidodac-</i>		<i>tonganus</i>	1874,
<i>tylus</i>	1878,	1874,	295
<i>Pteroptochus albicol-</i>	495	1874,	296
<i>lis</i>	1876,	<i>vanicorensis</i>	1878,
1877,	510	<i>vetulus</i>	875
1877,	450	<i>vitiensis</i>	1878,
1877,	451	<i>vulgaris</i>	874
1877,	452	<i>whitmeii</i>	1875,
<i>Pteropus ægyptiacus</i> ..	1879,	1874,	96
<i>aneitanus</i>	741	1874,	666
<i>assamensis</i>	1878,	(Chiropteruges)	
1872,	874	<i>alboscapulatus</i> ..	1878,
1872,	691	<i>Pterorhinus davidi</i>	316
1872,	692	1871,	371
<i>capistratus</i>	1877,	1873,	555
1878,	116	1873,	650
<i>dasymallus</i>	1878,	<i>lanceolatus</i>	555
<i>degener</i>	1873,	1873,	689
<i>dussumieri</i>	193	1873,	689
<i>dussumieri</i>	1877,	<i>maximus</i>	1873,
<i>edulis</i>	115	<i>Pterostichus bonellii</i> ..	1874,
<i>edwardsi</i>	1872,	<i>erraticus</i>	60
1872,	691	<i>prasinus</i>	1874,
1875,	63	<i>profundestriatus</i> ..	59
<i>flavicollis</i>	1874,	<i>rufipalpus</i>	60
<i>formosanus</i>	96	<i>tenuestriatus</i>	1874,
<i>formosus</i>	1875,	<i>Pteruthius æralatus</i>	602
<i>germaini</i>	493	1880,	16
<i>germaini</i>	1873,	<i>cameranoi</i>	1880,
<i>hypomelanus</i>	193	<i>flaviscapis</i>	678
1878,	874	<i>Ptilochlorus buckleyi</i> ..	1880,
1879,	875	<i>remigialis</i>	158
<i>jubatus</i>	1878,	<i>squamata</i>	1880,
1876,	735	<i>Ptilogonys cinereus</i>	1873,
1879,	74	<i>leucotis</i>	462
<i>keraudreni</i>	1874,	<i>Ptilonopus albocinctus</i> .	1874,
1878,	296	<i>apicalis</i>	509
1878,	875	1878,	571
<i>labiatus</i>	1873,	1876,	495
1879,	247	1876,	503
<i>leschenaultii</i>	1879,	1877,	464
<i>leucocephalus</i>	716	1878,	527
<i>macklotii</i>	1871,	<i>bellus</i>	1873,
<i>medius</i>	513	1873,	696
1872,	691	1873,	698
1873,	248	<i>cæsarinus</i>	1878,
1873,	691	<i>chalcurus</i>	545
1873,	193	1871,	31
1873,	249	1874,	94
1873,	250	1878,	529
1873,	251	<i>chrysogaster</i>	1871,
1875,	493	1871,	31
1878,	874	1874,	94
1879,	128	1878,	541
1880,	303	<i>clementinæ</i>	1878,
<i>melanopogon</i>	1877,	<i>coralensis</i>	1871,
1877,	115	1874,	31
1878,	315	1874,	94
—, var. <i>neohiberni-</i>		1878,	528
<i>cus</i>	1877,	<i>corriei</i>	1878,
1878,	115	<i>cyanovirens</i>	566
1878,	315	<i>diadematus</i>	1878,
<i>minimus</i>	1877,	<i>dupetitthouarsi</i>	1874,
<i>nicobaricus</i>	118	1878,	94
<i>personatus</i>	1873,		
<i>phaiops</i>	250		
<i>poliocephalus</i>	1877,		
1873,	116		
1873,	115		
1873,	193		

	Page		Page
<i>Ptilonopus dupetitthou-</i>		<i>Ptilonopus mercieri</i>	1877, 410
<i>arsi</i>	1877, 410		1878, 536
	1877, 742	<i>miqueli</i>	1878, 563
	1878, 539	<i>monachus</i>	1878, 550
<i>emiliae</i>	1878, 539	<i>nuchalis</i>	1878, 553
<i>ewingii</i>	1878, 533	<i>musschenbroeki</i> ..	1879, 65
<i>fasciatus</i>	1871, 31	<i>nitidissimus</i>	1879, 3
	1873, 152	<i>occipitalis</i>	1874, 250
	1873, 153		1878, 569
	1873, 518	<i>pelewensis</i>	1871, 31
	1874, 94		1872, 89
	1874, 666		1872, 101
	1875, 430		1874, 94
	1875, 436		1877, 742
	1876, 495		1878, 531
	1876, 503	<i>perousei</i>	1873, 153
	1877, 464		1874, 94
	1877, 726		1875, 30
	1877, 742		1875, 430
	1877, 779		1875, 435
	1877, 780		1875, 436
	1877, 783		1876, 495
	1878, 535		1876, 502
<i>feliciae</i>	1875, 557		1877, 742
	1878, 565		1878, 545
<i>fischeri</i>	1878, 571	<i>ponapensis</i>	1877, 742
<i>flavicollis</i>	1878, 533		1877, 779
<i>flavigaster</i>	1878, 540	<i>porphyraceus</i>	1871, 31
<i>furcatus</i>	1878, 541		1874, 94
<i>gestroi</i>	1878, 557		1876, 502
<i>grayi</i>	1874, 94		1877, 464
<i>holosericeus</i>	1874, 94		1877, 725
<i>huttoni</i>	1874, 92		1877, 742
	1874, 93		1877, 775
	1878, 538		1877, 779
<i>hypogaster</i>	1878, 558		1877, 783
<i>jambu</i>	1874, 253		1878, 525
	1874, 256	<i>porphyreus</i>	1873, 679
	1874, 257		1878, 553
	1878, 543		1878, 554
<i>leucogaster</i>	1878, 543	<i>prasinorrhous</i>	1873, 696
<i>luteovirens</i>	1878, 565		1873, 698
<i>mariae</i>	1873, 468	<i>pulchellus</i>	1879, 62
	1873, 639	<i>purpuratus</i>	1874, 94
	1874, 253		1877, 741
	1874, 256		1878, 533
	1874, 257		1878, 540
	1878, 545		1878, 542
<i>melanocephalus</i> ..	1873, 468	<i>purpureicinctus</i> ..	1878, 537
	1873, 639	<i>purpureo-cinctus</i> ..	1871, 31
	1873, 679		1874, 93
	1874, 251	<i>rarotongensis</i>	1871, 22
	1874, 253		1871, 31
	1874, 256		1874, 94
	1874, 257	<i>rivoli</i>	1873, 696
	1878, 552		1877, 110
— <i>celebensis</i>	1878, 552		1878, 561
<i>mercieri</i>	1874, 93	<i>roseicapillus</i>	1871, 31
	1874, 94		

	Page		Page
<i>Ptilonopus roseicapillus</i> ..	1874, 93	<i>Ptilopus aurantiifrons</i> ..	1878, 521
	1874, 94		1878, 556
	1878, 537	<i>aurantiiventris</i>	1879, 602
<i>roseicollis</i>	1878, 554	<i>batilda</i>	1878, 504
<i>roseipectus</i>	1878, 529		1878, 570
<i>senex</i>	1878, 546	<i>bellus</i>	1877, 556
<i>solomonensis</i>	1878, 561		1878, 506
<i>speciosus</i>	1873, 696		1878, 508
<i>strophium</i>	1878, 563		1878, 517
<i>suluensis</i>	1878, 553		1878, 522
<i>superbus</i>	1874, 603		1878, 563
	1878, 543		1879, 66
<i>swainsoni</i>	1876, 114	<i>bernsteini</i>	1878, 505
	1878, 532		1878, 518
<i>taitensis</i>	1878, 541		1878, 523
<i>trigeminus</i>	1878, 547		1878, 554
<i>virens</i>	1878, 559		1878, 572
<i>viridis</i>	1878, 560		1878, 573
<i>viridissimus</i>	1878, 528		1879, 62
<i>wallacei</i>	1878, 555	<i>bonapartei</i>	1878, 504
<i>xanthogaster</i>	1878, 540		1878, 505
(Cyanotreron) <i>mo-</i>			1878, 507
<i>nachus</i>	1878, 550		1878, 516
(Iotreron) <i>iogaster</i> ..	1878, 559		1878, 519
(Lamprotreron) <i>su-</i>			1878, 524
<i>perbus</i>	1878, 543		1878, 525
<i>Ptilonorhynchus holo-</i>		<i>chalcurus</i>	1878, 505
<i>sericeus</i>	1873, 462		1878, 515
	1875, 69		1878, 519
	1875, 112		1878, 529
<i>melanotis</i>	1878, 99	<i>chrysogaster</i>	1878, 503
<i>rawnsleyi</i>	1875, 69		1878, 508
	1875, 70		1878, 515
<i>Ptilopachys ventralis</i> ..	1879, 362		1878, 520
<i>Ptilopus albocinctus</i> ..	1878, 505		1878, 541
	1878, 518	<i>chrysorrhous</i>	1878, 506
	1878, 523		1878, 518
	1878, 571		1878, 521
	1878, 573		1878, 553
<i>apicalis</i>	1878, 504		1879, 63
	1878, 515	<i>cinctus</i>	1878, 502
	1878, 519		1878, 509
	1878, 527		1878, 512
	1878, 530		1878, 518
	1878, 536		1878, 523
<i>assimilis</i>	1878, 503		1878, 554
	1878, 512		1878, 571
	1878, 518		1878, 572
	1878, 523		1878, 573
	1878, 573	<i>cinctus florensis</i> ..	1878, 571
	1878, 574	<i>cinctus lettiensis</i> ..	1878, 506
	1878, 575		1878, 572
	1879, 66	<i>clementinae</i>	1878, 504
<i>aurantiicollis</i>	1878, 556		1878, 535
<i>aurantiifrons</i>	1878, 505		1878, 536
	1878, 508	<i>coralensis</i>	1878, 503
	1878, 517		1878, 504
	1878, 518		1878, 515

	Page		Page
Ptilopus coralensis	1878, 519	Ptilopus fischeri	1878, 518
	1878, 527		1878, 523
	1878, 528		1878, 571
	1878, 529	flavicollis	1878, 504
	1878, 532		1878, 533
coronulatus	1878, 99	formosus	1878, 505
	1878, 505		1878, 544
	1878, 511		1878, 572
	1878, 517		1878, 573
	1878, 518		1879, 62
	1878, 520	forsteri	1878, 527
	1878, 546	furcatus	1878, 503
	1878, 547	geelvinkianus	1878, 506
	1879, 62		1878, 511
	1879, 63		1878, 517
corriei	1878, 506		1878, 522
	1878, 516		1878, 560
	1878, 522		1879, 65
	1878, 566	geminus	1878, 506
cyanovirens	1878, 503		1878, 516
diademata	1878, 502		1878, 517
	1878, 504		1878, 520
	1878, 540		1878, 546
dupetit-thouarsi	1878, 503		1878, 547
	1878, 508		1879, 62
	1878, 512		1879, 63
	1878, 515	gestroi	1878, 506
	1878, 520		1878, 518
	1878, 539		1878, 521
eugeniæ	1878, 504		1878, 557
	1878, 516	geversi	1878, 568
	1878, 522	globifer	1877, 194
	1878, 561	greyi	1878, 504
ewingii	1878, 503		1878, 507
	1878, 504		1878, 516
	1878, 507		1878, 519
	1878, 518		1878, 523
	1878, 519		1878, 524
	1878, 526	gularis	1878, 509
	1878, 532		1878, 512
	1878, 533		1878, 518
	1878, 534		1878, 522
fasciatus	1878, 503		1878, 570
	1878, 504		1878, 572
	1878, 507		1878, 573
	1878, 510	hernsheimi	1880, 577
	1878, 516	hugonianus	1878, 568
	1878, 520		1878, 569
	1878, 525	humeralis	1878, 505
	1878, 530		1878, 517
	1878, 532		1878, 521
	1878, 534		1878, 548
	1878, 535		1879, 63
	1878, 536	humeralis jobiensis	1877, 110
	1880, 577		1877, 196
	1880, 578		1878, 506
feliciae	1878, 504		1878, 548
fischeri	1878, 506		1878, 549

	Page		Page
<i>Ptilopus huttoni</i>	1878, 506	<i>Ptilopus leclancheri</i>	1878, 568
	1878, 515		1878, 569
	1878, 520		1878, 573
	1878, 538	<i>lettiensis</i>	1878, 506
<i>hyogaster</i>	1878, 502		1878, 508
<i>incognitus</i>	1877, 832		1878, 518
<i>insolitus</i>	1877, 110		1878, 523
	1877, 196		1878, 572
	1878, 505	<i>luteovirens</i>	1878, 503
	1878, 508		1878, 504
	1878, 512		1878, 505
	1878, 513		1878, 508
	1878, 516		1878, 511
	1878, 521		1878, 512
	1878, 549		1878, 516
<i>iogaster</i>	1878, 510		1878, 522
	1878, 513		1878, 565
	1878, 518		1878, 566
	1878, 522		1878, 567
	1878, 558	<i>maculatus</i>	1878, 503
	1878, 559	<i>magnificus</i>	1878, 502
<i>ionozonus</i>	1878, 99		1878, 510
	1878, 547		1878, 512
<i>iozonus</i>	1878, 99		1878, 513
	1878, 505		1878, 517
	1878, 517		1878, 518
	1878, 521		1878, 523
	1878, 547		1878, 573
	1879, 63		1878, 575
	1879, 64		1879, 66
<i>jambu</i>	1878, 503	<i>mariae</i>	1878, 504
	1878, 518		1878, 545
	1878, 521	<i>melanauchen</i>	1878, 552
	1878, 545		1879, 63
	1879, 348	<i>melanocephalus</i> ..	1878, 503
<i>jobiensis</i>	1877, 110		1878, 518
	1878, 506		1878, 519
	1878, 508		1878, 521
	1878, 517		1878, 551
	1878, 521		1878, 552
	1878, 548		1878, 553
	1878, 549		1878, 936
	1879, 63		1878, 951
	1879, 64		1879, 63
<i>johannis</i>	1877, 556		1879, 73
	1878, 506	<i>melanospilus</i>	1879, 316
	1878, 516		1878, 506
	1878, 522		1878, 518
	1878, 564		1878, 521
	1879, 66		1878, 552
<i>layardi</i>	1878, 506		1879, 63
	1878, 516	<i>mercieri</i>	1878, 504
	1878, 522		1878, 508
	1878, 566		1878, 515
	1878, 567		1878, 520
<i>leclancheri</i>	1878, 504		1878, 536
	1878, 518	<i>miqueli</i>	1878, 563
	1878, 522		1879, 65

	Page		Page
<i>Ptilopus miqueli</i>	1879, 66	<i>Ptilopus perlatus</i>	1878, 558
<i>monachus</i>	1878, 502		1878, 573
	1878, 503		1879, 64
	1878, 512		1879, 66
	1878, 518	<i>perousii</i>	1878, 503
	1878, 521		1878, 504
	1878, 550		1878, 515
	1879, 63		1878, 516
<i>musschenbroeki</i> ..	1878, 560		1878, 520
	1878, 561		1878, 545
	1879, 65	<i>pictiventris</i>	1878, 507
<i>nanus</i>	1878, 502		1878, 515
	1878, 517		1878, 516
	1878, 521		1878, 519
	1878, 549		1878, 530
	1878, 550		1879, 385
	1879, 63	<i>ponapensis</i>	1878, 501
<i>neglectus</i>	1878, 506		1878, 507
	1878, 516		1878, 536
	1878, 519		1880, 576
	1878, 524		1880, 578
<i>novæ-guineæ</i>	1878, 556	<i>porphyraceus</i>	1878, 504
<i>occipitalis</i>	1878, 503		1878, 505
	1878, 504		1878, 527
	1878, 509		1878, 529
	1878, 512		1878, 535
	1878, 518	<i>porphyreus</i>	1878, 502
	1878, 522		1878, 503
	1878, 569		1878, 519
	1878, 570		1878, 521
<i>ochrogaster</i>	1878, 573		1878, 553
<i>ornatus</i>	1878, 506		1878, 554
	1878, 508		1878, 570
	1878, 517		1879, 64
	1878, 518	<i>prasinorrhous</i>	1878, 505
	1878, 521		1878, 517
	1878, 556		1878, 518
	1878, 557		1878, 522
	1879, 64		1878, 562
<i>pectoralis</i>	1878, 502		1879, 65
	1878, 503		1879, 66
	1878, 508	<i>puella</i>	1878, 512
	1878, 517		1878, 516
	1878, 522		1878, 517
	1878, 559		1878, 573
	1879, 64		1878, 574
<i>pelewensis</i>	1878, 505		1878, 575
	1878, 516		1879, 66
	1878, 519		1879, 67
	1878, 531	<i>pulchellus</i>	1878, 502
<i>perlatus</i>	1878, 502		1878, 504
	1878, 509		1878, 517
	1878, 512		1878, 521
	1878, 513		1878, 551
	1878, 517	<i>pulcherrimus</i>	1878, 503
	1878, 518	<i>purpuratus</i>	1878, 502
	1878, 522		1878, 503
	1878, 557		1878, 504

	Page		Page
Ptilopus purpuratus	1878, 505	Ptilopus strophium	1878, 522
	1878, 507		1878, 563
	1878, 508		1879, 65
	1878, 512		1879, 66
	1878, 515	superbus	1877, 109
	1878, 516		1878, 121
	1878, 519		1878, 126
	1878, 523		1878, 502
	1878, 524		1878, 503
	1878, 525		1878, 504
	1878, 526		1878, 511
	1878, 527		1878, 512
	1878, 541		1878, 516
	1879, 385		1878, 517
purpureo - leucoce-			1878, 518
phalus	1878, 503		1878, 520
rarotongensis	1878, 506		1878, 542
	1878, 515		1878, 543
	1878, 520		1878, 544
	1878, 534		1878, 545
regina	1878, 502		1879, 62
	1878, 503		1879, 64
	1878, 504	swainsoni	1878, 503
	1878, 507		1878, 504
	1878, 512		1878, 532
	1878, 518		1878, 543
	1878, 519	taitensis	1878, 502
	1878, 531		1878, 503
	1878, 532		1878, 507
	1878, 542		1878, 508
rivolii	1877, 109		1878, 515
	1878, 503		1878, 520
	1878, 516		1878, 526
	1878, 522		1878, 527
	1878, 561		1878, 541
	1878, 562	temminckii	1878, 504
	1878, 563		1878, 505
	1879, 65		1878, 518
roseicapillus	1878, 503		1878, 520
	1878, 504		1878, 544
	1878, 516		1879, 62
	1878, 520	trigeminus	1878, 506
	1878, 537		1878, 517
roseicollis	1878, 503		1878, 520
	1879, 64		1878, 547
sganzini	1877, 300		1879, 62
solomonensis	1878, 562		1879, 63
	1879, 65	victor	1878, 506
speciosus	1877, 556		1878, 508
	1878, 506		1878, 511
	1878, 522		1878, 516
	1878, 564		1878, 522
	1878, 565		1878, 566
	1879, 66		1878, 568
strophium	1877, 110	virens	1878, 503
	1878, 503	viridis	1878, 506
	1878, 516		1878, 518
	1878, 517		1878, 522

	Page		Page
<i>Ptilopus viridis</i>	1878, 560	<i>Ptilotis carunculata</i>	1876, 491
	1878, 561		1876, 501
	1879, 64		1877, 724
	1879, 65		1877, 732
— <i>geelvinckia-</i>			1877, 770
<i>nus</i>	1878, 506		1877, 773
	1878, 560	<i>chrysops</i>	1875, 595
<i>viridissimus</i>	1878, 503		1875, 596
	1878, 504	<i>chrysotis</i>	1878, 124
	1878, 528	<i>cinerea</i>	1873, 693
	1878, 529		1873, 697
	1878, 532	<i>fasciogularis</i>	1875, 595
<i>wallacei</i>	1878, 505	<i>filigera</i>	1875, 596
	1878, 518		1878, 97
	1878, 521		1878, 124
	1878, 555	<i>flava</i>	1875, 594
<i>xanthogaster</i>	1878, 502		1875, 596
	1878, 504	<i>flavostriata</i>	1875, 315
	1878, 507	<i>frenata</i>	1874, 603
	1878, 518		1875, 596
	1878, 520	<i>fumata</i>	1879, 268
	1878, 540	<i>fusca</i>	1875, 596
	1878, 541	<i>lewini</i>	1875, 595
	1879, 62		1878, 124
<i>xanthorrhous</i>	1878, 506	<i>macleayana</i>	1875, 595
	1878, 508	<i>melanophrys</i>	1873, 693
	1878, 518		1873, 697
	1878, 521	<i>penicillata</i>	1875, 596
	1878, 553	<i>procerior</i>	1875, 27
	1878, 951		1875, 28
<i>zonurus</i>	1878, 506		1875, 29
	1878, 518		1875, 431
	1878, 522		1875, 432
	1878, 558		1877, 732
	1879, 64		1877, 733
<i>Ptiloris alberti</i>	1871, 581	<i>provocator</i>	1875, 28
	1871, 583		1875, 432
	1878, 123		1876, 505
<i>magnifica</i>	1871, 580		1877, 733
	1871, 581	<i>similis</i>	1877, 732
	1871, 583	<i>sonora</i>	1873, 693
	1875, 30		1877, 350
	1878, 123	<i>unicolor</i>	1873, 693
<i>paradisea</i>	1871, 582		1877, 350
	1875, 598	<i>versicolor</i>	1875, 595
	1875, 599	<i>xanthophrys</i>	1877, 733
<i>victoriæ</i>	1871, 582	<i>Ptinilopus mariæ</i>	1878, 545
	1875, 599	<i>Ptistes erythropterus</i> ..	1875, 602
<i>Ptilormis alberti</i>	1871, 583	<i>Ptyas korros</i>	1871, 151
<i>Ptilosclera versicolor</i> ..	1877, 351		1871, 174
<i>Ptilotis auricomis</i>	1875, 596		1872, 590
<i>auriculata</i>	1873, 693	<i>mucosa</i>	1872, 393
<i>carunculata</i>	1875, 27		1877, 686
	1875, 28	<i>Ptychobarbus coniros-</i>	
	1875, 431	<i>tris</i>	1876, 789
	1875, 432		1876, 790
	1875, 435		1876, 799

	Page		Page
<i>Ptychobarbus laticeps</i> ..	1876, 789	<i>Puffinus obscurus</i>	1872, 110
	1876, 790		1872, 111
	1876, 799		1872, 112
<i>longiceps</i>	1876, 790		1877, 782
	1876, 799		1877, 786
<i>Ptychopteryx bohemani</i>	1876, 127		1877, 787
<i>Ptychozoon homaloce-</i>			1879, 131
<i>phalum</i>	1872, 589		1879, 765
<i>Ptynx fulvescens</i>	1871, 344		1880, 577
<i>Ptyonoprogne rupestris</i> .	1871, 347	<i>opisthomelas</i>	1872, 108
<i>Pucrasia davidiana</i>	1871, 399		1872, 109
<i>darwini</i>	1872, 552		1872, 110
	1879, 365		1872, 112
<i>macrolopha</i>	1872, 552	<i>tenebrosus</i>	1877, 786
	1876, 464		1877, 787
<i>xanthospila</i>	1871, 399	<i>tenuirostris</i>	1879, 9
	1871, 700		1879, 16
	1872, 552	<i>yelkuan</i>	1872, 111
	1872, 553	<i>Pugettia gracilis</i>	1879, 23
	1873, 555	<i>incisa</i>	1879, 19
	1873, 650		1879, 23
<i>Pudu humilis</i>	1878, 887	<i>quadridens</i>	1879, 19
	1878, 927		1879, 23
<i>Pudua humilis</i>	1877, 18	<i>Pulsatrix torquata</i>	1873, 304
<i>Puffinuria garnoti</i>	1878, 739		1873, 466
<i>Puffinus, sp.</i>	1877, 786		1873, 635
	1877, 787		1879, 241
<i>anglorum</i>	1872, 110		1879, 539
	1872, 111		1879, 636
	1873, 642	<i>Pupa angusta</i>	1880, 128
	1877, 787	<i>auriformis</i>	1875, 321
<i>assimilis</i>	1872, 111	<i>bicolor</i>	1875, 320
	1872, 112		1875, 322
<i>auduboni</i>	1872, 111	<i>biplicata</i>	1880, 128
	1872, 112	<i>bourguignatiana</i> ..	1880, 128
	1877, 786	<i>cafaëicola</i>	1880, 215
	1877, 787		1880, 219
<i>baillonii</i>	1872, 110	<i>ferraria</i>	1880, 130
<i>dichrous</i>	1872, 90	<i>grimaldiensis</i>	1880, 129
	1872, 108	<i>micheli</i>	1880, 127
	1872, 109	<i>multidentata</i>	1880, 100
	1872, 110		1880, 126
	1872, 112	<i>obesa</i>	1880, 127
	1877, 786	<i>obliqua</i>	1880, 101
<i>floridanus</i>	1872, 112	<i>paredesii</i>	1879, 725
<i>l'herminieri</i>	1872, 112	<i>plagiostoma</i>	1880, 128
<i>leucomelas</i>	1873, 690		1880, 129
	1877, 688		1880, 142
	1879, 9	<i>plicidens</i>	1872, 515
	1879, 16		1872, 518
<i>minor</i>	1872, 108	<i>polita</i>	1880, 126
<i>nugax</i>	1872, 111	<i>præclara</i>	1880, 129
	1872, 112		1880, 142
	1875, 30	<i>præhistorica</i>	1880, 125
	1875, 441	<i>problematica</i>	1875, 443
	1876, 498	<i>quinquedentata</i> ...	1880, 98
	1876, 506		1880, 99
<i>obscurus</i>	1872, 108		1880, 100

	Page		Page
<i>Pupa ramsayi</i>	1872,	<i>Pupisoma</i> , sp. juv.	1879,
<i>ressmanni</i>	1880,		1879,
<i>speluncarum</i>	1880,	<i>Purpura alveolata</i>	1879,
<i>stenopylis</i>	1872,	<i>amygdala</i>	1877,
<i>toscanae</i>	1880,	<i>anomala</i>	1880,
<i>tumida</i>	1880,	<i>bronni</i>	1879,
<i>usambarica</i>	1880,	<i>callaoënsis</i>	1877,
	1880,	<i>clavigera</i>	1879,
<i>uvulifera</i>	1875,	<i>columellaris</i>	1877,
<i>vara</i>	1872,	<i>hæmastoma</i>	1871,
<i>variabilis</i>	1880,	<i>patula</i>	1877,
(<i>Ennea</i>) <i>bicolor</i> ..	1875,	(<i>Cronia</i>) <i>anomala</i> ..	1877,
(—) <i>blanfordiana</i> ..	1872,		1877,
(<i>Orcula</i>) <i>doliolum</i> ..	1880,		1877,
(<i>Pupilla</i>) <i>muscorum</i> ..	1880,	<i>Pusionella milleti</i>	1871,
(—) <i>umbilicata</i> ..	1880,	<i>Putorius larvatus</i>	1876,
(<i>Sphyradium</i>) <i>auste-</i>		<i>Pycina zamba</i>	1874,
<i>miana</i>	1880,	<i>Pycnarmon discinotalis</i> ..	1877,
	1880,		1877,
(—) <i>bourguigna-</i>		<i>obrinusalis</i>	1877,
<i>tiana</i>	1880,		1877,
	1880,	(<i>Zebronia</i>) <i>plutusalis</i> ..	1877,
(—) <i>jolyana</i>	1880,	<i>Pycnogonum littorale</i> ..	1879,
	1880,	<i>Pycnonotus analis</i>	1879,
(<i>Torquilla</i>) <i>avena-</i>		<i>arsinoë</i>	1871,
<i>cea</i>	1880,	<i>ashanteus</i>	1871,
(—) <i>grana</i>	1880,		1871,
(—) <i>multidentata</i> ..	1880,	<i>barbatus</i>	1871,
(—) <i>obliqua</i>	1880,		1878,
	1880,	<i>capensis</i>	1871,
(—) <i>psarolena</i> ..	1880,		1871,
(—) <i>quinqueden-</i>		<i>chryssorrhoides</i>	1871,
<i>tata</i>	1880,	<i>flavirictus</i>	1872,
	1880,	<i>gabonensis</i>	1871,
(—) <i>secale</i>	1880,		1871,
(<i>Vertigo</i>) <i>eyriesi</i> ..	1875,	<i>hæmorrhous</i>	1871,
(—) <i>macdonnelli</i> ..	1874,		1872,
	1874,	<i>inornatus</i>	1871,
(—) <i>minutissima</i> ..	1880,		1871,
(—) <i>scotti</i>	1874,	<i>jocosus</i>	1871,
	1874,	<i>nigricans</i>	1871,
(—) <i>sinistrorsa</i> ..	1880,		1871,
	1880,		1873,
<i>Pupina coxeni</i>	1875,		1878,
<i>difficilis</i>	1871,	<i>obscurus</i>	1871,
<i>grandis</i>	1873,		1871,
<i>intermedia</i>	1871,	<i>occipitalis</i>	1871,
<i>leucostoma</i>	1871,	<i>plumosus</i>	1879,
<i>meridionalis</i>	1871,	<i>sinensis</i>	1871,
<i>mouliinsiana</i>	1871,	<i>tricolor</i>	1871,
<i>planilabris</i>	1871,		1871,
<i>Pupinella macgillivraya</i> ..	1871,		1873,
<i>whartoni</i>	1871,	<i>xanthopygius</i>	1871,
<i>Pupinopsis angasi</i>	1875,		1871,
	1875,	<i>xanthopygos</i>	1871,
<i>grandis</i>	1875,		1875,
<i>morrisonia</i>	1872,	<i>xanthorrhous</i>	1871,
	1872,		1871,

	Page		Page
<i>Pyctorhis albirostris</i>	1873, 661	<i>Pyrranga rubra</i>	1880, 312
<i>sinensis</i>	1872, 446	<i>rubriceps</i>	1879, 502
<i>Pygarrhicus albigularis</i>	1878, 493	<i>saira</i>	1880, 195
<i>Pygmornis adolphi</i>	1878, 67	<i>testacea</i>	1879, 502
<i>amaura</i>	1878, 68	<i>versicolor</i>	1879, 601
<i>nigricincta</i>	1873, 287	<i>Pyrausta absistalis</i>	1879, 502
<i>pygmæus</i>	1876, 287	<i>Pyrazus gourmyi</i>	1879, 549
<i>Pygoptila maculipennis</i>	1879, 627	<i>Pyrenestes albifrons</i>	1879, 601
<i>margaritata</i>	1873, 273	<i>capitalbus</i>	1879, 601
<i>1873, 275</i>		<i>Pyresthesis cambridgii</i>	1880, 682
<i>Pygosceles papua</i>	1873, 275	<i>Pyrgilauda davidiana</i>	1871, 585
<i>tæniatus</i>	1875, 348	<i>Pyrgisoma cabanisi</i>	1873, 715
<i>1876, 261</i>		<i>leucote</i>	1878, 130
<i>1878, 653</i>		<i>Pyrgita cinnamomea</i>	1879, 733
<i>1879, 311</i>		<i>diffusa</i>	1879, 734
<i>wagleri</i>	1878, 653	<i>domestica</i>	1879, 688
<i>Pyralis, sp. inc.</i>	1880, 682	<i>motitensis</i>	1878, 38
<i>farinalis</i>	1880, 682	<i>petronia</i>	1878, 56
<i>ochrealis</i>	1877, 614	<i>simplex</i>	1878, 56
<i>tenuis</i>	1877, 629	<i>Pyrgus cashmirensis</i>	1871, 386
<i>thermusalis</i>	1880, 681	<i>colotes</i>	1880, 491
<i>trifascialis</i>	1880, 682	<i>diomus</i>	1875, 490
<i>1877, 614</i>		<i>dravira</i>	1880, 491
<i>1877, 629</i>		<i>marrubi</i>	1871, 385
<i>1877, 632</i>		<i>montivagus</i>	1875, 490
<i>Pyrameis callirhoë</i>	1877, 813	<i>omrina</i>	1871, 385
<i>cardui</i>	1877, 813	<i>syrichtus</i>	1875, 490
<i>1874, 269</i>		<i>thestia</i>	1875, 490
<i>1874, 346</i>		<i>Pyriglena atra</i>	1876, 249
<i>1877, 584</i>		<i>leucoptera</i>	1874, 369
<i>1877, 624</i>		<i>picea</i>	1874, 369
<i>1877, 813</i>		<i>serva</i>	1876, 249
<i>1880, 406</i>		<i>1873, 275</i>	
<i>carye</i>	1874, 170	<i>Pyrisitia gundlachia</i>	1871, 540
<i>1874, 346</i>		<i>1871, 541</i>	
<i>cordelia</i>	1874, 284	<i>1874, 359</i>	
<i>indica</i>	1874, 269	<i>longicauda</i>	1871, 541
<i>tammeamea</i>	1874, 284	<i>proterpia</i>	1871, 541
<i>Pyramidella canaliculata</i>	1873, 720	<i>1874, 359</i>	
<i>1873, 722</i>		<i>Pyrocephalus albigularis</i>	1877, 332
<i>Pyrranga æstiva</i>	1879, 227	<i>nanus</i>	1871, 125
<i>1879, 502</i>		<i>1877, 66</i>	
<i>albicollis</i>	1879, 601	<i>rubineus</i>	1872, 540
<i>azaræ</i>	1874, 514	<i>1872, 808</i>	
<i>1877, 332</i>		<i>1873, 186</i>	
<i>1879, 227</i>		<i>1873, 281</i>	
<i>1879, 601</i>		<i>1874, 538</i>	
<i>1880, 195</i>		<i>1877, 326</i>	
<i>bidentata</i>	1878, 55	<i>1877, 332</i>	
<i>erythromelæna</i>	1878, 55	<i>1877, 752</i>	
<i>1880, 146</i>			
<i>luctuosa</i>	1879, 601		
<i>mississipensis</i>	1879, 601		
<i>rubica</i>	1879, 601		
<i>rubra</i>	1874, 514		
<i>1878, 55</i>			
<i>1879, 501</i>			
<i>1879, 601</i>			

	Page		Page
Pyrocephalus rubineus ..	1879, 235	Pyrrhula bicolor	1879, 605
	1879, 515	cinerea	1879, 605
	1880, 203	erithacus	1873, 666
Pyroderus orenocensis ..	1879, 520	erythrocephala	1871, 387
	1879, 550	griseiventris	1871, 386
Pyromelana capensis ..	1878, 358	incarnata	1871, 480
nigriventris	1873, 715	lineola	1879, 604
	1878, 358	melanocephala	1879, 604
Pyrops candelaria	1874, 97	minuta	1879, 604
gemmatus	1874, 101	nigrorufa	1879, 604
guttulata	1874, 101	orientalis	1871, 386
virescens	1874, 102	ornata	1879, 604
viridirostris	1874, 98	vulgaris	1873, 462
Pyrotrogon diardi	1875, 102	Pyrrhulauda australis ..	1874, 635
duvaucelii	1875, 102	grisea	1872, 465
Pyrrha saturata	1871, 387		1876, 314
Pyrrhocentor melanops ..	1877, 823		1876, 779
	1878, 108	leucotis	1874, 635
	1878, 946	Pyrrhulopsis atrigularis.	1876, 307
	1879, 70		1876, 308
Pyrrhocorax alpinus ...	1880, 312	personata	1873, 683
Pyrrhogyra edocla	1874, 348		1875, 62
lysantias	1876, 229		1876, 308
neærea	1876, 229		1879, 169
neis	1874, 348	splendens	1873, 683
otolais	1874, 348		1874, 587
Pyrrhophæna riefferi ..	1878, 38		1876, 308
	1878, 70		1877, 307
	1878, 71		1879, 169
Pyrrhopyga acastus....	1876, 247	tabuensis	1873, 683
ærata	1879, 152		1875, 62
	1879, 155		1876, 307
azeta	1876, 248		1876, 308
erythrostickta	1879, 153	taviunensis	1876, 307
eupheme	1879, 152		1876, 308
	1879, 155	Pyrrhura leucotis.....	1874, 587
gnetus	1876, 247	vittata	1874, 587
hadassa	1876, 247	(Conurus) cruentata	1873, 634
iphinous	1879, 153	Pytelia cinereigula	1880, 476
jamina	1876, 248		1880, 477
leucoloma	1876, 247	citerior	1880, 477
maculosa	1879, 153	melba.....	1878, 358
malis	1879, 153		1880, 477
	1879, 155	wieneri	1880, 476
minthe	1879, 152		1880, 477
	1879, 155	Pythia acuta.....	1871, 477
nurscia	1879, 153	pantherina.....	1871, 477
pityusa	1876, 248	—, var. uveana..	1871, 477
rufinucha	1879, 151	savaiensis	1871, 477
rufipectus	1879, 152	Python molurus	1874, 151
scylla	1876, 247	regius.....	1875, 487
thasus	1874, 367	reticulatus	1872, 591
	1876, 247	sabæ	1875, 487
variegaticeps.....	1879, 152	tigris	1875, 487
zimra	1876, 248		1875, 495
Pyrrhosticta letitia....	1874, 366	Pythonides salléi.....	1874, 369
vulnerata	1874, 366	tryxus	1874, 369
Pyrrhula aurantiaca ..	1873, 655	Pythopsis borneensis	1872, 590

	Page		Page
<i>Pythonopsis punctata</i> ..	1872,	<i>Querquedula cyanoptera</i> .	1876,
<i>Pyxicephalus breviceps</i>	1871,		411
	1871,		412
<i>fodiens</i>	1871,		523
<i>pluvialis</i>	1875,		746
<i>Pyxis arachnoides</i>	1873,		522
	1873,	<i>discors</i>	1876,
			383
			384
			410
<i>Quelea occidentalis</i>	1873,		411
<i>sanguinirostris</i>	1880,		543
<i>Querquedula acuta</i>	1875,		521
<i>andium</i>	1875,		521
	1875,	<i>eatoni</i>	1878,
	1876,		578
	1876,		310
	1876,		523
	1876,	<i>erythrorhyncha</i>	1876,
	1876,	<i>falcata</i>	390
	1876,		152
	1880,		521
<i>angustirostris</i>	1876,	<i>flavirostris</i>	1872,
<i>brasiliensis</i>	1872,		367
	1872,		167
	1876,		383
	1876,		386
	1876,		387
	1876,		411
	1876,		412
	1876,		412
	1876,		310
	1876,		522
	1880,	<i>formosa</i>	1880,
<i>cæruleata</i>	1876,	<i>gibberifrons</i>	521
<i>carolinensis</i>	1876,		519
	1876,		1871,
	1876,	<i>hartlaubi</i>	534
	1876,	<i>hottentotta</i>	1880,
	1876,		522
	1880,		649
	1880,		69
	1880,		522
<i>circia</i>	1871,	<i>ipicutiri</i>	1876,
	1872,	<i>maculirostris</i>	391
	1872,		367
	1872,		370
	1875,		388
	1876,	<i>marmorata</i>	1872,
	1880,	<i>multicolor</i>	605
	1880,	<i>oxyptera</i>	1871,
	1880,		419
	1880,		554
<i>crecca</i>	1871,		1876,
	1872,		383
	1872,		385
	1872,		386
	1873,		387
	1873,		411
	1873,		412
	1875,		412
	1880,		1880,
	1880,		212
	1880,		522
	1880,	<i>puna</i>	1874,
	1880,		554
<i>creccoides</i>	1871,		1876,
	1876,		383
	1876,		388
	1876,		389
<i>cyanoptera</i>	1874,		1876,
	1876,		411
	1876,		412
	1876,		412
	1876,		1880,
	1876,		522
	1876,	<i>punctata</i>	1880,
	1876,		522
	1876,		534
	1876,	<i>torquata</i>	1872,
	1876,		367

	Page		Page
<i>Querquedula torquata</i> ..	1872, 368	<i>Rallina euryzonoides</i> ..	1878, 288
	1876, 383		1878, 345
	1876, 389	<i>fasciata</i>	1872, 89
	1876, 390		1872, 106
	1876, 411		1872, 107
	1876, 412		1875, 111
	1880, 522		1878, 288
<i>versicolor</i>	1876, 383		1879, 352
	1876, 389	<i>kioloides</i>	1872, 868
	1876, 411	<i>mandarina</i>	1871, 415
	1876, 412	<i>pœcilopectera</i>	1875, 438
	1880, 522		1879, 108
<i>Querula cineracea</i>	1879, 618	<i>tricolor</i>	1875, 603
<i>cinerea</i>	1879, 618		1877, 113
<i>cruenta</i>	1873, 285		1877, 345
	1879, 520	<i>Rallus antarcticus</i>	1878, 437
<i>Quiscalus æquatorialis</i> ..	1877, 523	<i>aquaticus</i>	1871, 415
<i>assimilis</i>	1877, 323		1872, 476
	1877, 751		1873, 469
<i>barita</i>	1871, 271		1873, 641
<i>crassirostris</i>	1871, 271		1876, 275
<i>fortirostris</i>	1874, 175		1879, 772
<i>inflexirostris</i>	1871, 271	<i>cæsius</i>	1874, 559
	1874, 175		1880, 213
<i>lugubris</i>	1871, 271	<i>capensis</i>	1877, 767
	1872, 650	<i>cayennensis</i>	1874, 559
	1875, 175	<i>celebensis</i>	1880, 66
	1880, 311	<i>cypereti</i>	1877, 747
<i>Rachia plumosa</i>	1879, 405	<i>forsteri</i>	1871, 25
	1879, 417	<i>gigas</i>	1876, 275
<i>Raclitia indica</i>	1872, 590	<i>hypoleucus</i>	1871, 25
<i>Racoma chrysochlora</i> ..	1876, 784	<i>indicus</i>	1871, 415
<i>gobioides</i>	1876, 787		1872, 476
<i>nobilis</i>	1876, 785	<i>insignis</i>	1880, 65
<i>Radula angulata</i>	1871, 101		1880, 66
(Mantellum) <i>orien-</i>		<i>longirostris</i>	1877, 747
<i>talis</i>	1871, 101	<i>nigricans</i>	1879, 244
<i>Raeta grayi</i>	1872, 13		1879, 245
	1872, 15	<i>oculeus</i>	1871, 614
<i>Rafetus euphraticus</i> ...	1873, 65		1871, 615
	1873, 66		1874, 205
<i>Ragadia crisis</i>	1873, 339	<i>pectoralis</i>	1871, 25
<i>Raia batis</i>	1875, 487		1872, 89
	1879, 763		1872, 107
<i>clavata</i>	1875, 487		1875, 439
	1876, 699		1876, 496
	1879, 763		1878, 120
<i>maculata</i>	1876, 699		1878, 127
<i>Rajendra lativitta</i>	1879, 396		1880, 65
<i>pannosa</i>	1879, 397	<i>philippensis</i>	1872, 107
	1879, 416		1875, 488
<i>vittata</i>	1879, 396		1877, 785
	1879, 417	<i>rhytirhynchus</i>	1874, 559
<i>Rallina amauroptera</i> ..	1872, 476		1876, 104
<i>ceylonica</i>	1872, 476		1880, 213
<i>euryzonoides</i>	1877, 756	<i>striatus</i>	1871, 415
	1877, 757		1872, 476
		<i>sulcirostris</i>	1880, 66

	Page		Page
Rallus virginianus	1877, 523	Ramphocelus ictero-	
zeylanicus	1877, 776	notus	1877, 332
	1877, 768	passerinii	1878, 55
Ramadasa pavo	1877, 603	Ramphocœlus atroseri-	
	1877, 627	ceus	1873, 185
	1877, 632		1876, 16
Ramphastos ambiguus . .	1873, 297	brasilius	1880, 146
	1880, 356		1880, 312
ariel	1872, 862	jacapa	1880, 146
	1873, 186	Ramphocœnus semitor-	
	1873, 465	quatus	1878, 61
	1873, 633	Ramphomicron micro-	
	1875, 346	rhynchum	1873, 190
	1878, 933		1874, 544
	1879, 663		1874, 677
	1880, 313		1880, 207
carinatus	1872, 862	olivaceum	1874, 544
	1873, 465	ruficeps	1874, 677
	1873, 633		1880, 207
	1879, 663	stanleyi	1874, 544
citreolæmus	1879, 537	Rana agricola	1875, 567
culminatus	1873, 186	bufo	1880, 569
	1873, 297	crassa	1871, 153
	1879, 633		1871, 199
cuvieri	1872, 23		1875, 567
	1873, 297	conspicillata	1872, 591
	1873, 465		1872, 597
	1873, 633		1872, 600
	1874, 548	cyanophlyctis	1871, 153
	1876, 518		1871, 200
	1879, 663		1872, 402
dicolorus	1880, 314		1873, 710
erythrorhynchus . .	1879, 663	esculenta	1872, 402
inea	1873, 297		1873, 164
	1879, 633		1874, 202
jacapa	1873, 262		1874, 203
nigrigularis	1873, 260		1874, 204
	1873, 262		1875, 487
piscivorus	1880, 314		1879, 741
tocard	1878, 46		1880, 571
	1879, 537		1880, 621
	1880, 356	flavescens	1875, 569
toco	1872, 862	fusca	1871, 153
	1878, 933		1871, 197
	1879, 663		1871, 198
vitellinus	1872, 862	gracilis	1871, 153
	1879, 663		1871, 200
Ramphiculus jambu . .	1878, 554		1872, 402
occipitalis	1877, 764		1872, 591
	1877, 832		1875, 567
	1878, 569	hexadactyla	1875, 568
	1878, 952	kuhlii	1871, 153
	1879, 73		1871, 197
Ramphocœnus cinerei-			1871, 198
ventris	1879, 525		1871, 199
	1879, 549		1872, 598
rufiventris	1879, 525		1875, 568
semitorquatus	1879, 525	liebighii	1871, 153

	Page		Page
<i>Rana liebighii</i>	1871,	<i>Raphiodesma radiosa</i> ..	1876,
	1875,	<i>Raphipterus chilensis</i> ..	1876,
<i>macrodon</i>	1872,	<i>Ratarda marmorata</i>	1879,
	1879,		1879,
<i>macularia</i>	1871,	<i>Realia producta</i>	1871,
<i>marmorata</i>	1880,	<i>Recluzia hargreavesi</i> ..	1877,
<i>mosaica</i>	1880,	<i>Rectes aruënsis</i>	1878,
	1880,	<i>bennetti</i>	1873,
<i>nilgirica</i>	1875,		1873,
<i>pygmæa</i>	1875,		1874,
<i>rubeta</i>	1880,	<i>cirrhocephalus</i>	1873,
<i>sikkimensis</i>	1875,	<i>dichrous</i>	1873,
<i>temporaria</i>	1873,		1878,
	1874,	— <i>ceramensis</i>	1878,
	1875,	<i>draschi</i>	1878,
<i>tigrina</i>	1871,	<i>nigrescens</i>	1874,
	1871,	<i>strepitans</i>	1873,
	1871,	<i>tenebrosus</i>	1872,
	1871,		1872,
	1872,	<i>uropygialis</i>	1878,
	1873,	<i>Recurvirostra avocetta</i> .	1871,
	1875,		1872,
	1879,		1877,
<i>variabilis</i>	1880,		1880,
<i>verrucosa</i>	1875,	<i>himantopus</i>	1873,
<i>vittata</i>	1875,	<i>rubricollis</i>	1877,
<i>Ranella granifera</i>	1877,	<i>sinensis</i>	1871,
<i>pusilla</i>	1871,	<i>Redamia olivacea</i>	1872,
	1878,	<i>Redoa</i> , sp.....	1877,
	1878,	<i>cygna</i>	1879,
<i>rosea</i>	1878,	<i>flavescens</i>	1877,
	1878,		1877,
<i>venustula</i>	1877,	<i>sericea</i>	1877,
<i>Ranghana punctata</i>	1878,		1877,
	1878,	<i>Regerhinus megarhyn-</i>	
<i>Rangifer caribou</i>	1878,	<i>chus</i>	1874,
<i>grœnlandicus</i>	1878,	<i>Registoma complana-</i>	
<i>tarandus</i>	1877,	<i>tum</i>	1871,
	1877,	<i>Reguloides chloronotus</i> . 1871,	475
	1877,	<i>occipitalis</i>	1872,
	1877,	<i>proregulus</i>	1871,
	1877,		1872,
	1878,	<i>subviridis</i>	1876,
	1878,	<i>superciliosus</i>	1871,
	1878,		1871,
	1880,		1871,
<i>Raniceps trifurcatus</i> ..	1879,		1872,
<i>Ranina dentata</i>	1879,	<i>Regulus cristatus</i>	1872,
<i>serrata</i>	1879,		1873,
	1879,		1875,
<i>Raphignathus falcatus</i> .	1875,	<i>himalayensis</i>	1871,
	1875,		1873,
<i>spinifrons</i>	1877,	<i>japonicus</i>	1871,
	1877,		1873,
<i>Raphiodesma lingua</i> ..	1875,	<i>omnicolor</i>	1874,
	1876,	<i>Reithrodon alstoni</i>	1880,
<i>parishii</i>	1875,		1880,
<i>radiosa</i>	1876,		1880,

	Page		Page
Reithrodon alstoni	1880, 694	Rhamphococyx calo-	
	1880, 695	rhynchus	1873, 605
	1880, 696		1877, 195
chinchilloides	1880, 691	erythrognathus	1879, 246
	1880, 692	Rhamphocelus atroseri-	
	1880, 694	ceus	1874, 512
	1880, 695		1879, 600
	1880, 696	chrysonotus	1879, 501
cuniculoides	1880, 691	dimidiatus	1879, 501
	1880, 692	flammigerus	1879, 501
	1880, 694		1879, 550
	1880, 695	icteronotus	1879, 501
mexicana	1876, 756	jacapa	1874, 513
typicus	1880, 691	Rhamphocorys clot-bey.	1874, 630
	1880, 694	Rhampholeon spectrum.	1874, 443
	1880, 695		1876, 487
Remigia archesia	1877, 611		1876, 488
	1877, 629	Rhamphomicron oliva-	
	1880, 680	ceum	1879, 628
bifasciata	1877, 611	ruficeps	1879, 628
disseverans	1878, 489	Rhamses arouensis	1877, 157
frugalis	1880, 680	Rhaphidognatha hai-	
gregalis	1877, 611	nana	1878, 704
	1877, 629		1878, 708
	1880, 680	Rhapsa scotosialis	1877, 388
optativa	1880, 680	Rhea americana	1871, 105
persubtilis	1878, 489		1871, 106
virbia	1877, 611		1871, 107
	1880, 680		1871, 108
Remipes pacificus	1877, 74		1871, 109
testudinarius	1877, 74		1871, 110
Renea bourguignatiana .	1880, 138		1872, 535
	1880, 142		1873, 470
Retina rubrivitta	1878, 846		1873, 644
	1878, 857		1875, 478
Reussia lamellosa	1871, 283		1875, 488
Rhabdammina abysso-			1877, 160
rum	1879, 567		1877, 306
Rhabdion borneensis . .	1872, 590		1877, 307
Rhabdornis mystacalis .	1878, 113		1880, 315
	1878, 951	darwini	1871, 105
Rhabdosoma leporinum	1873, 169		1871, 106
modestum	1879, 77		1871, 107
oxycephalum	1873, 168		1871, 108
Rhacodia rureana	1877, 403		1871, 109
Rhacophorus maculatus .	1871, 210		1871, 110
	1872, 403		1872, 534
maximus	1871, 153		1872, 535
	1871, 207	macrorhyncha	1871, 105
	1871, 210		1877, 160
pardalis	1872, 591	Rhescipha elegans	1878, 489
	1879, 79	servia	1878, 489
reinwardtii	1872, 403	Rhina squatina	1871, 673
Rhamphastos [see Ramphastos].		Rhinoceros africanus . .	1871, 146
Rhamphocinclus bra-			1876, 454
chyurus	1871, 266		1876, 455
	1871, 268	antiquitatis	1876, 456
	1872, 648	bicornis	1872, 791

	Page		Page
Rhinoceros bicornis	1874, 183	Rhinoceros lasiotis	1874, 183
	1876, 113		1876, 450
	1876, 280		1876, 451
	1876, 291		1876, 452
	1876, 452		1877, 269
	1876, 453		1877, 270
	1876, 454		1878, 634
	1876, 455		1878, 636
	1876, 456		1879, 303
	1880, 420	leptorhinus	1876, 457
— major	1876, 109	nasalis	1876, 450
	1876, 111		1876, 454
	1876, 112	niger	1876, 452
	1876, 113	oswellii	1871, 10
	1876, 179		1876, 109
— minor	1876, 109		1876, 110
	1876, 110		1876, 111
	1876, 111		1876, 112
	1876, 112		1876, 280
	1876, 113	pachygnathus	1876, 457
crossii	1871, 10	schleiermacheri	1876, 456
deccanensis	1876, 443	simus	1871, 10
	1876, 457		1874, 152
etruscus	1876, 457		1876, 109
floweri	1876, 450		1876, 110
	1876, 454		1876, 111
hemitœchus	1876, 457		1876, 112
indicus	1873, 92		1876, 113
	1875, 492		1876, 179
	1875, 494		1876, 280
	1876, 444		1876, 281
	1876, 448		1876, 291
	1876, 454		1876, 448
	1877, 711		1876, 452
	1878, 634		1876, 453
inermis	1877, 708		1876, 456
javanicus	1874, 182	sondaicus	1872, 132
	1874, 183		1874, 182
	1876, 444		1874, 183
	1876, 454		1874, 499
keitloa	1876, 109		1876, 444
	1876, 110		1876, 445
	1876, 111		1876, 447
	1876, 112		1876, 448
	1876, 113		1876, 449
	1876, 179		1876, 450
	1876, 280		1876, 453
	1876, 281		1876, 454
	1876, 291		1876, 751
	1876, 453		1877, 270
	1876, 455		1877, 707
	1876, 456		1877, 708
	1880, 490		1877, 709
lasiotis	1872, 493		1877, 710
	1872, 790		1877, 711
	1872, 791		1877, 788
	1872, 792		1878, 634
	1872, 794		1880, 420

	Page		Page
Rhinoceros stenocephalus	1876, 450	Rhinolophus acuminatus	1878, 878
	1876, 454	aethiops	1879, 718
sumatranus	1871, 10	affinis	1872, 696
sumatrensis	1872, 129		1872, 701
	1872, 132		1873, 249
	1872, 185		1878, 878
	1872, 493	armiger	1872, 700
	1872, 790	bicolor	1872, 702
	1872, 791	eudouxii	1873, 250
	1872, 793	ferrum-equinum ..	1872, 698
	1872, 794		1874, 500
	1873, 104	fulgens	1871, 513
	1873, 474	fulvidus	1873, 249
	1874, 499	luctus	1872, 694
	1875, 528		1872, 695
	1876, 444		1872, 701
	1876, 449		1872, 714
	1876, 450		1873, 249
	1876, 451		1873, 250
	1876, 456	macrotis	1872, 699
	1876, 694		1872, 708
	1877, 270	minor	1872, 698
	1878, 634		1872, 714
	1878, 635	murinus	1871, 513
	1878, 636	nippon	1874, 500
	1878, 790	perniger	1872, 694
	1879, 308		1872, 695
	1880, 69		1873, 250
	1880, 188	petersi	1872, 700
tichorbinus	1876, 456		1880, 462
	1876, 457	rouxii	1872, 697
unicornis	1871, 8		1872, 698
	1872, 791	rubidus	1873, 249
	1874, 2	tragatus	1872, 697
	1874, 182		1872, 698
	1874, 183	tricuspidatus	1877, 121
	1876, 444	Rhinopalpa algina	1877, 143
	1876, 446		1878, 645
	1876, 447		1879, 157
	1876, 448	amelia	1877, 143
	1876, 449		1878, 645
	1876, 450	polynice	1873, 342
	1876, 451	sabina	1877, 144
	1876, 454	Rhinopithecus roxellana	1873, 663
	1876, 456	Rhinopoma carolinense .	1876, 731
	1877, 707	Rhinortha chlorophæa..	1873, 603
	1877, 709		1875, 104
	1877, 710		1879, 328
	1877, 711	Rhipidura albicollis....	1876, 493
	1877, 788		1880, 16
Rhinochetus jubatus ..	1871, 647	albiscapa	1875, 585
	1873, 469		1875, 586
	1873, 640		1877, 194
Rhinoclemmys mexicana	1871, 296	albogularis	1875, 29
Rhinocrypta lanceolata .	1872, 543		1875, 434
	1872, 548		1876, 20
	1872, 549	assimilis	1878, 87
		atrata	1880, 16

	Page		Page		
<i>Rhipidura fuscescens</i> ..	1877,	194	<i>Rhodostethia rosea</i>	1878,	157
<i>fusciventris</i>	1880,	16		1878,	208
<i>griseicauda</i>	1878,	84		1878,	210
<i>gularis</i>	1873,	696	<i>rossi</i>	1875,	349
	1877,	99		1878,	208
	1877,	194	<i>Rhoicus maculicollis</i> ..	1880,	600
<i>hyperythra</i>	1873,	696		1880,	609
<i>isura</i>	1875,	585	<i>trifasciatus</i>	1880,	600
	1878,	87	<i>Rhombodera tectifor-</i>		
<i>javanica</i>	1879,	237	<i>mis</i>	1878,	580
<i>kubaryi</i>	1875,	644	<i>Rhombus lævis</i>	1879,	755
	1877,	779	<i>maximus</i>	1879,	754
<i>lepida</i>	1872,	89	<i>megastoma</i>	1879,	755
	1872,	97	<i>punctatus</i>	1879,	755
<i>nebulosa</i>	1871,	23	<i>Rhopalopsyche bifasci-</i>		
	1872,	97	<i>ata</i>	1875,	239
	1875,	29		1875,	261
	1876,	493	<i>nycteris</i>	1875,	230
<i>personata</i>	1876,	493	<i>Rhopodytes æneicaudus</i>	1873,	604
<i>rufifrons</i>	1875,	585	<i>borneensis</i>	1873,	604
	1877,	552	<i>diardi</i>	1873,	604
	1878,	84		1873,	606
<i>semirubra</i>	1877,	552	<i>erythrognathus</i>	1873,	604
<i>setosa</i>	1877,	99		1875,	104
	1878,	87		1879,	246
	1878,	289		1879,	328
	1878,	671	<i>sumatranus</i>	1875,	104
	1879,	11	<i>tristis</i>	1873,	604
<i>superciliosa</i>	1874,	604	<i>viridirostris</i>	1873,	604
	1875,	585	<i>Rhopophilus pekinensis</i> .	1871,	352
<i>squamata</i>	1878,	84		1873,	555
<i>torrida</i>	1872,	97	<i>Rhyacophilus glareola</i> ..	1877,	703
<i>tricolor</i>	1879,	11		1878,	711
<i>versicolor</i>	1872,	89	<i>solitarius</i>	1873,	309
	1872,	96		1879,	547
<i>Rhizochilus</i> (<i>Corallio-</i>			<i>Rhynchæa australis</i>	1877,	339
<i>phila</i>) <i>parvus</i> ..	1877,	70		1878,	747
	1877,	93		1878,	750
<i>Rhizomys badius</i>	1876,	274	<i>bengalensis</i>	1871,	408
<i>Rhizothera longirostris</i>	1871,	544		1872,	473
<i>Rhodia newara</i>	1872,	578		1878,	746
<i>Rhodonessa caryophyl-</i>				1878,	747
<i>lacea</i>	1875,	152	<i>capensis</i>	1871,	408
	1875,	153		1875,	68
	1875,	154		1877,	537
	1880,	520		1877,	551
	1880,	534		1877,	688
<i>Rhodoneura bastialis</i> ..	1877,	617		1877,	703
<i>marmorealis</i>	1877,	617		1877,	834
	1877,	630		1878,	345
<i>puralis</i>	1877,	617		1878,	745
<i>reticulalis</i>	1877,	616		1878,	746
	1877,	630		1878,	747
<i>tetraonalis</i>	1877,	617		1878,	748
	1877,	630		1878,	750
	1877,	632		1878,	953
<i>Rhodopis vesper</i>	1871,	498		1880,	15
	1877,	523	<i>orientalis</i>	1871,	408

	Page		Page
Rhynchaea sinensis	1871, 408	Rhynchops melanura ..	1874, 562
Rhynchaspis capensis ..	1880, 523	nigra	1871, 565
clypeata	1871, 418		1871, 566
maculatus	1876, 396		1873, 310
	1876, 397		1874, 562
mexicana	1876, 397	sinensis	1871, 408
Rhynchobates djedden- sis	1878, 117	Rhynchotus maculicollis	1879, 642
Rhynchobdella aculeata	1874, 318	ornatus	1879, 642
	1874, 319	pentlandi	1879, 642
	1874, 321	rufescens	1872, 546
Rhynchocyclus fulvi- pectus	1874, 537		1873, 470
megacephalus	1879, 513		1873, 642
	1873, 185		1875, 357
mucronatus	1873, 280		1875, 361
peruvianus	1879, 55		1877, 307
planirostris	1874, 501	Rhyparia strigatula ..	1879, 398
	1874, 537	tigrina	1879, 398
ruficauda	1879, 22		1879, 416
sulphurescens	1879, 55	Rhyparida costatipennis	1877, 513
	1879, 56	madagascariensis ..	1878, 152
viridiceps	1873, 280	nigricollis	1877, 512
Rhyncholophus hispi- dus	1873, 279		1878, 152
	1877, 326		1877, 513
	1878, 63		1878, 153
	1873, 280	Rhysota hogoleuensis ..	1871, 474
Rhynchonella bipartita .	1877, 25	pachistoma	1871, 474
grayi	1877, 27	sowerbyana	1871, 474
lucida	1871, 310	Rhyticeros narcondami .	1873, 663
nigricans	1871, 309	plicatus	1873, 661
psittacea	1871, 300	ruficollis	1873, 663
	1871, 309	Ricinula stricta	1878, 807
	1871, 312	fiscellum	1879, 213
rostrum-psittaci ..	1878, 413	(Sistrum) adelai- densis	1877, 180
sacula	1878, 413	Ringicula arctata	1871, 98
	1878, 414	caron	1871, 98
woodwardi	1878, 414	denticulata	1871, 98
Rhynchonycteris naso ..	1878, 880	exserta	1871, 98
Rhynchops albicollis ..	1877, 807	grandinosa	1871, 733
borealis	1871, 566	minuta	1872, 11
brevirostris	1871, 566		1872, 15
cinerascens	1871, 566	melanictera	1872, 405
melanura	1871, 566		1872, 451
1873, 310		propinquans	1871, 733
		someri	1871, 733
		suturalis	1871, 733
			1871, 739
		Riodina lysippus	1876, 238
		Riopa anguina	1871, 150
		lineolata	1871, 159
		Rissa borealis	1878, 164
		brachyrhynchus ..	1878, 164
		brevirostris	1878, 164
		brunnichii	1878, 158
			1878, 164
		gregaria	1878, 164
		kotzebui	1878, 164

	Page		Page
<i>Rissa nivea</i>	1878,	<i>Rissoa glabrata</i>	1873,
	1878,		1873,
<i>septentrionalis</i>	1878,		1873,
<i>tridactyla</i>	1878,	<i>inconspicua</i>	1873,
	1878,		1873,
	1878,	<i>leacocki</i>	1873,
	1878,		1873,
	1878,	<i>levis</i>	1873,
<i>Rissoa abjecta</i>	1873,		1873,
	1873,	<i>lincta</i>	1873,
<i>albugo</i>	1873,		1873,
	1873,		1873,
<i>aurantiaca</i>	1873,	<i>macandreae</i>	1873,
	1873,	<i>macandrewi</i>	1873,
	1873,		1873,
	1873,		1873,
<i>balteata</i>	1873,	<i>moniziana</i>	1873,
<i>calathus</i>	1873,		1873,
<i>callosa</i>	1873,		1873,
	1873,	<i>montagui</i>	1873,
<i>canariensis</i>	1873,	<i>novarensis</i>	1873,
	1873,		1873,
	1873,		1873,
	1873,	<i>parva</i>	1873,
	1873,	<i>perminima</i>	1873,
<i>cancellata</i>	1873,		1873,
	1873,		1873,
<i>candida</i>	1873,	<i>philippiana</i>	1873,
<i>cingillus</i>	1873,	<i>picta</i>	1873,
	1873,		1873,
	1873,		1873,
<i>concinna</i>	1873,	<i>pulcherrima</i>	1873,
	1873,		1873,
	1873,		1873,
<i>coriacea</i>	1873,		1873,
	1873,	<i>punctifera</i>	1873,
	1873,		1873,
<i>coronata</i>	1873,	<i>punctura</i>	1873,
<i>cossuræ</i>	1873,	<i>purpurea</i>	1873,
<i>costata</i>	1873,	<i>sabulum</i>	1873,
	1873,		1873,
	1873,	<i>semistriata</i>	1873,
	1873,	<i>similis</i>	1873,
<i>costulata</i>	1873,		1873,
	1873,	<i>spretæ</i>	1873,
	1873,		1873,
	1873,	<i>striata</i>	1873,
<i>crispa</i>	1873,		1873,
	1873,		1873,
	1873,		1873,
	1873,		1873,
<i>depicta</i>	1873,		1873,
	1873,		1873,
	1873,		1873,
<i>frauenfeldi</i>	1877,		1873,
<i>fulgida</i>	1873,		1873,
<i>gibbera</i>	1873,		1873,
	1873,		1873,
<i>glabrata</i>	1873,		1873,

	Page		Page
<i>Rissoa subcarinata</i>	1873, 374	<i>Romaleosoma inanum</i>	1879, 706
<i>tenera</i>	1873, 375	<i>janetta</i>	1871, 80
<i>tenuisculpta</i>	1873, 388	<i>lakuma</i>	1879, 705
	1873, 389		1879, 706
	1873, 391	<i>losinga</i>	1875, 411
<i>violacea</i>	1873, 378		1879, 705
	1873, 391		1879, 706
<i>watsoni</i>	1873, 375	<i>medon</i>	1875, 411
	1873, 377		1871, 723
	1873, 391	<i>pratinas</i>	1879, 705
<i>zetlandica</i>	1873, 370	<i>rupina</i>	1875, 411
(<i>Cingula</i>) <i>balteata</i>	1873, 386	<i>spatiosum</i>	1879, 706
<i>Rissoina angasi</i>	1877, 187	<i>themis</i>	1875, 411
<i>crassa</i>	1871, 17	<i>wardi</i>	1879, 705
	1871, 95		1879, 706
	1880, 416	<i>xypete</i>	1875, 411
<i>elegantula</i>	1880, 417	<i>Rosema costalis</i>	1878, 387
	1880, 420	<i>dorsalis</i>	1878, 387
<i>fasciata</i>	1877, 187	<i>fulvipennis</i>	1878, 387
<i>hanleyi</i>	1877, 187	<i>myops</i>	1878, 387
<i>lirata</i>	1880, 417	<i>zelica</i>	1878, 387
	1880, 450	<i>Rossella philippensis</i>	1877, 462
<i>nivea</i>	1878, 867	<i>Rossia rosea</i>	1878, 208
<i>smithi</i>	1877, 187	<i>Rostellaria luteostoma</i>	1878, 313
<i>stricta</i>	1877, 71	<i>Rostrhamus hamatus</i>	1879, 541
<i>turricula</i>	1877, 187	<i>sociabilis</i>	1879, 541
<i>Ristella rurkii</i>	1875, 225	<i>Rubigula atricapilla</i>	1879, 248
<i>travancorica</i>	1875, 225	<i>flaviventris</i>	1879, 247
<i>Rita buchani</i>	1880, 231		1879, 248
<i>crucigera</i>	1871, 288	<i>montis</i>	1879, 247
	1871, 707	<i>Rucervus duvaucelli</i>	1877, 17
<i>kuturnee</i>	1871, 288		1877, 18
<i>Rivula bioculalis</i>	1877, 614	<i>eldi</i>	1877, 17
	1877, 629	<i>schomburgki</i>	1872, 798
<i>oculalis</i>	1877, 614		1877, 17
	1877, 629	<i>Rumina decollata</i>	1880, 98
<i>Robsonia marina</i>	1879, 682		1880, 100
	1879, 687		1880, 101
	1879, 702	(<i>Stenogyra</i>) <i>pairen-</i>	
<i>submarina</i>	1879, 687	<i>sis</i>	1872, 685
	1879, 688		1872, 687
<i>Rocinela dannoniensis</i>	1879, 748	<i>Rupela degenerella</i>	1880, 690
<i>Rohtee bakeri</i>	1873, 240	<i>Rupicapra tragus</i>	1877, 12
<i>neilli</i>	1873, 239		1879, 666
<i>Rollulus coronatus</i>	1871, 544		1879, 802
	1873, 468		1880, 307
	1873, 639	<i>Rupicola crocea</i>	1873, 255
	1879, 362		1873, 463
<i>Romaleosoma cato</i>	1871, 80		1875, 558
<i>ceres</i>	1871, 723		1876, 517
	1879, 706		1877, 447
<i>coprates</i>	1875, 411	<i>peruana</i>	1874, 540
<i>edwardsi</i>	1879, 705	<i>peruviana</i>	1873, 255
<i>eleius</i>	1875, 411		1873, 285
<i>eupalus</i>	1875, 411		1874, 540
	1879, 706		1875, 237
<i>harpalyce</i>	1879, 706		1875, 238
<i>inanum</i>	1875, 411		1879, 519

	Page		Page
Rupicola peruviana	1879, 549	Saimiris cerstedti	1873, 434
	1879, 618		1874, 495
sanguinea	1879, 549	sciurea	1872, 3
sanguinolenta	1879, 519		1872, 664
	1879, 618		1872, 688
saturata	1879, 618		1872, 689
Rusa alfredi	1877, 17		1872, 689
aristotelis	1877, 17	usta	1879, 123
equina	1877, 17		1871, 219
hippelaphus	1877, 17		1872, 688
kuhlii	1877, 17		1872, 689
lepada	1878, 902	Sais zitella	1876, 208
mariana	1877, 17	Salamis anacardii	1875, 409
moluccensis	1877, 17	Salarias lineatus	1873, 111
peroni	1877, 17	unicolor	1873, 110
swinhoii	1877, 17	Salda aberrans	1878, 462
	1878, 901		1878, 470
Rusticus (adolescens)			1878, 471
minyas	1874, 354		1878, 477
Ruticilla, sp. nov. ?	1871, 360	Salicaria cantans	1871, 353
aureora	1871, 103	cantillans	1871, 353
	1871, 104		1871, 354
	1871, 358	magnirostris	1873, 473
	1873, 556	Salix humboldti	1880, 189
erythrogastra	1873, 659	Salmacis bicolor	1880, 427
frontalis	1871, 358		1880, 428
	1873, 665		1880, 431
fuliginosa	1871, 358	conica	1880, 431
	1873, 556	dussumieri	1880, 427
	1873, 665		1880, 429
hodgsoni	1871, 358	globator	1880, 427
	1873, 556		1880, 431
	1873, 665		1880, 432
leucocephala	1873, 556		1880, 440
mesoleuca	1878, 979	rarisпина	1880, 427
phoenicura	1873, 462		1880, 429
	1878, 979	sulcata	1880, 427
rufiventris	1871, 358		1880, 430
			1880, 431
Sabella alticollis	1874, 329	Salmo alipes	1877, 476
fusco-tæniata	1874, 328	arcturus	1877, 294
phæotænia	1874, 329	fario	1872, 834
Sabinæa flaminea	1877, 187		1875, 486
incidata	1877, 187	ferox	1872, 834
Saccobranchus fossilis	1871, 712		1872, 836
singio	1874, 314		1875, 486
	1874, 321	fontinalis	1872, 834
Saccolaimus brevicauda-			1872, 836
tus	1873, 246		1875, 486
cantori	1873, 246		1875, 495
fulvidus	1873, 246	leucomænis	1874, 307
Saccophorus guochil	1877, 446	levenensis	1876, 802
Sacculina	1871, 144	naresii	1877, 476
Saiga tatarica	1872, 643	nitidus	1877, 477
	1877, 11	orientalis	1876, 802
		oxianus	1876, 802
Saimiris entomophaga	1872, 3	salar	1872, 834
	1872, 9		1872, 836
	1873, 434		1874, 206

	Page		Page
Salmo salar	1875, 478	Saltator riefferi.....	1874, 518
	1875, 486	rubicus	1879, 601
	1879, 757	rufiventris.....	1879, 603
Salpinx crassa	1878, 822	superciliaris	1873, 263
	1878, 823	validus	1879, 604
	1878, 853	Salticus adansonii	1872, 324
hobsoni	1877, 811		1872, 333
	1878, 695		1873, 211
klugi	1878, 695	aeratus	1872, 339
	1878, 823	affinis.....	1872, 322
margarita	1878, 823	albobimaculatus ..	1872, 322
	1878, 853	approximans	1872, 337
masoni	1878, 823		1872, 338
	1878, 853	arenicolor	1872, 322
minorata	1878, 695	bresnieri	1872, 323
	1878, 706		1872, 350
rhadamanthus	1878, 822	candidus	1872, 322
	1878, 853	canescens	1872, 323
vestigiata	1877, 811		1876, 612
Salpornis spilonota	1873, 674	castaneus	1872, 321
Saltator albicollis.....	1874, 517	capreolus	1872, 322
	1879, 229	cephalotes.....	1872, 321
	1879, 505	citus	1871, 617
	1879, 550	clemens.....	1872, 335
	1880, 198	cognatus	1872, 337
atra	1879, 604	collingwoodii	1871, 617
atricollis	1879, 604		1871, 621
atripennis	1879, 505		1871, 622
	1879, 549	congener	1872, 332
aurantiistrostris	1879, 603		1876, 610
azaræ.....	1873, 263	conveniens	1872, 336
bicolor	1879, 603		1872, 337
cærulescens	1879, 603	cupreus	1876, 624
elegans	1874, 518	curvidens	1872, 345
grandis	1878, 38	delectus	1872, 326
	1878, 56		1872, 328
guadelupensis	1871, 270		1872, 329
	1872, 649	dentatidens	1872, 346
laticlavus	1873, 780	devorans	1872, 327
	1874, 517	diagonalis.....	1872, 321
	1879, 603	dumicolus	1872, 341
	1880, 198	epularis.....	1872, 329
magnoides.....	1878, 56	facetus	1872, 344
magnus	1873, 185		1872, 345
	1873, 263	fasciatus	1872, 322
	1874, 517	flavescens	1872, 343
	1874, 518	frontalis	1872, 336
	1875, 237	fulgens	1872, 340
	1876, 16		1872, 352
	1877, 332		1876, 611
	1879, 505	fulvaster	1872, 322
	1879, 603	furcatus.....	1872, 346
	1880, 146	gambosus	1872, 323
martinicensis.....	1871, 267		1872, 352
	1871, 270	hæmorrhœicus	1872, 321
melanopsis	1879, 604	heliophanoïdes	1872, 328
mutus	1873, 263	illigeri	1873, 211
olivaceus	1874, 517		1873, 226
olivascens	1877, 320		1873, 227

	Page		Page
<i>Salticus indistinctus</i> ...	1872,	<i>Salticus (Attus) æratus</i> ..	1872,
<i>inexcultus</i>	1873,	(—) <i>affinis</i>	1872,
	1873,	(—) <i>albobimacu-</i>	
	1873,	<i>latus</i>	1872,
<i>infimus</i>	1872,	(—) <i>approximans</i> ..	1872,
<i>lævigatus</i>	1872,	(—) <i>arenicolor</i> ..	1872,
<i>latifasciatus</i>	1872,	(—) <i>bresnieri</i> ..	1872,
<i>lineatus</i>	1872,	(—) <i>candidus</i> ..	1852,
<i>melinus</i>	1872,	(—) <i>canescens</i> ..	1872,
<i>monardi</i>	1872,	(—) <i>capreolus</i> ..	1872,
	1876,	(—) <i>castaneus</i> ..	1872,
<i>mordax</i>	1872,	(—) <i>cephalotes</i> ..	1872,
	1872,	(—) <i>clemens</i>	1872,
<i>mouffettii</i>	1876,	(—) <i>cognatus</i> ..	1872,
<i>multipunctatus</i>	1872,	(—) <i>congener</i> ..	1872,
<i>nepos</i>	1872,	(—) <i>conveniens</i> ..	1872,
<i>nigrolimbatus</i>	1873,	(—) <i>delectus</i>	1872,
<i>obscurus</i>	1876,	(—) <i>devorans</i> ..	1872,
<i>ostrinus</i>	1872,	(—) <i>diagonalis</i> ..	1872,
<i>paludivagus</i>	1876,	(—) <i>epularis</i>	1872,
<i>particeps</i>	1872,	(—) <i>fasciatus</i> ..	1872,
<i>pascualis</i>	1872,	(—) <i>fulgens</i>	1872,
<i>patagiatus</i>	1872,	(—) <i>fulvaster</i> ..	1872,
<i>paykullii</i>	1872,	(—) <i>gambosus</i> ..	1872,
	1872,	(—) <i>hæmorrhoi-</i>	
<i>politiventris</i>	1872,	<i>cus</i>	1872,
	1872,	(—) <i>heliophanoi-</i>	
	1872,	<i>des</i>	1872,
<i>putus</i>	1872,	(—) <i>lævigatus</i> ..	1872,
<i>quinquepartitus</i> ..	1872,	(—) <i>latifasciatus</i> ..	1872,
<i>regillus</i>	1872,	(—) <i>lineatus</i>	1872,
<i>repudiatus</i>	1876,	(—) <i>monardi</i> ...	1872,
	1876,	(—) <i>multipunc-</i>	
	1876,	<i>tatus</i>	1872,
<i>reticulatus</i>	1872,	(—) <i>nepos</i>	1872,
<i>sanguinolentus</i>	1872,	(—) <i>ostrinus</i>	1872,
<i>semiater</i>	1872,	(—) <i>particeps</i> ..	1872,
<i>simonii</i>	1872,	(—) <i>pascualis</i> ..	1872,
<i>soldanii</i>	1876,	(—) <i>patagiatus</i> ..	1872,
<i>spiniger</i>	1872,	(—) <i>paykullii</i> ...	1872,
	1876,	(—) <i>politiventris</i> ..	1872,
<i>staintonii</i>	1872,	(—) <i>putus</i>	1872,
	1872,	(—) <i>quinquepar-</i>	
	1872,	<i>titus</i>	1872,
	1876,	(—) <i>regillus</i>	1872,
<i>subinstructus</i>	1873,	(—) <i>sanguino-</i>	
	1873,	<i>lentus</i>	1872,
	1873,	(—) <i>semiater</i> ..	1872,
<i>tenerus</i>	1872,	(—) <i>simonii</i>	1872,
<i>todillus</i>	1872,	(—) <i>spiniger</i>	1872,
	1872,	(—) <i>staintonii</i> ..	1872,
	1876,	(—) <i>vallantii</i> ..	1872,
	1876,	(Callietherus) <i>in-</i>	
<i>tricinctus</i>	1872,	<i>fimus</i>	1872,
<i>vallantii</i>	1872,	(—) <i>tenerus</i>	1872,
	1872,	(—) <i>tricinctus</i> ..	1872,
	1876,	(Dendryphantes) <i>du-</i>	
<i>vigoratus</i>	1872,	<i>micolus</i>	1872,
<i>viridifasciatus</i>	1871,		351

	Page		Page
<i>Salticus (Heliophanus)</i>		<i>Sarcophanops steerii</i> ..	1878, 110
<i>curvidens</i>	1872, 351		1879, 70
(—) <i>dentatidens</i> ..	1872, 351	<i>Sarcops calvus</i>	1877, 699
(—) <i>facetus</i>	1872, 351		1877, 764
(—) <i>furcatus</i>	1872, 351		1877, 831
(—) <i>melinus</i>	1872, 351		1878, 113
(—) <i>mordax</i>	1872, 351		1878, 287
(—) <i>todillus</i>	1872, 351		1878, 343
(<i>Menemerus</i>) <i>fla-</i>			1878, 951
<i>vescens</i>	1872, 351		1879, 72
(—) <i>indistinctus</i> ..	1872, 351		1879, 315
(—) <i>vigoratus</i> ..	1872, 351	<i>lowii</i>	1879, 315
(<i>Plexippus</i>) <i>adan-</i>		<i>Sarcorhamphus gry-</i>	
<i>sonii</i>	1872, 351	<i>phus</i>	1875, 344
(<i>Rhanis</i>) <i>insignis</i> ..	1872, 324		1875, 491
	1872, 351		1879, 639
<i>Samana acutata</i>	1877, 401		1880, 308
<i>Samea chlorophasma</i> ..	1878, 493	<i>Sargus unimaculatus</i> ..	1877, 67
<i>cuprinalis</i>	1877, 615		1877, 68
	1877, 629	<i>Sarkidiornis jubata</i>	1876, 369
<i>dives</i>	1880, 682	<i>melanonotus</i>	1872, 479
<i>purpurascens</i>	1877, 615		1872, 480
	1877, 629	<i>Sarotes vulpinus</i>	1877, 286
<i>Sapajou geoffroii</i>	1871, 225	<i>Sarothropyga rhodo-</i>	
<i>Sapphironia boucardi</i> ..	1878, 71	<i>pepla</i>	1878, 387
<i>Sappho phaon</i>	1879, 628	<i>Sasia abnormis</i>	1875, 103
<i>sparganura</i>	1879, 628		1879, 327
<i>Sarberia frenata</i>	1873, 57	<i>Satarupa affinis</i>	1873, 360
	1873, 58		1873, 361
	1873, 60	<i>Sataspes infernalis</i>	1875, 3
<i>Sarcidiornis africana</i> ..	1875, 69	<i>uniformis</i>	1875, 3
	1876, 695		1875, 239
	1880, 510	<i>ventralis</i>	1875, 3
	1880, 534		1875, 239
<i>carunculata</i>	1876, 377	<i>xylocoparis</i>	1875, 239
	1876, 410		1875, 261
	1876, 695	<i>Satyrus brahminus</i>	1880, 147
	1880, 510	<i>dorycus</i>	1878, 645
	1880, 511	<i>duponcheli</i>	1878, 645
<i>jubata</i>	1876, 369	<i>parisatis</i>	1880, 405
<i>melanonota</i>	1876, 377	<i>verma</i>	1878, 824
	1876, 410	<i>Saucerottia sophiæ</i>	1878, 38
	1876, 694		1878, 70
	1876, 695		1878, 71
	1877, 683	<i>typica</i>	1879, 530
	1880, 510	<i>warszewiezi</i>	1879, 530
	1880, 511	<i>Sauloprocta melaleuca</i> .	1877, 99
<i>melanota</i>	1871, 678		1878, 671
	1875, 152		1879, 11
	1880, 534	<i>melanoleuca</i>	1873, 3
<i>regia</i>	1872, 365		1877, 99
	1872, 370	<i>motacilloides</i>	1875, 585
	1876, 377	<i>tricolor</i>	1877, 99
<i>Sarciophorus bilobus</i> ..	1872, 472	<i>Sauris ranata</i>	1877, 398
<i>malabaricus</i>	1872, 472	<i>Sauromartis gaudi-</i>	
	1875, 376	<i>chaudi</i>	1878, 94
<i>pectoralis</i>	1874, 458	<i>tyro</i>	1878, 94
	1877, 336	<i>Sauropatis chloris</i>	1877, 536

	Page		Page
Sauropatis chloris	1877, 538	Saxicola chrysopygia ..	1874, 218
	1877, 541		1874, 230
	1877, 690		1874, 241
	1877, 758	cinerea	1874, 214
	1877, 823		1874, 217
	1878, 83		1874, 219
	1878, 94	cursoria	1874, 228
	1878, 108	deserti	1874, 218
	1878, 282		1874, 222
	1878, 341		1874, 224
	1878, 709		1874, 227
	1878, 937		1874, 240
	1879, 69	diluta	1874, 217
	1879, 246		1874, 234
	1879, 332	erythraea	1874, 217
sancta	1878, 94		1874, 222
sordida	1878, 94		1874, 240
Saxicava rugosa	1873, 387		1874, 241
Saxicola albicans	1874, 218	erythropygia	1874, 223
	1874, 236	eurymelæna	1874, 222
	1874, 240		1874, 240
albicilla	1874, 222	familiaris	1874, 237
albicollis	1874, 240		1874, 238
albifrons	1873, 735	ferruginea	1874, 230
albipileata	1874, 233	finschii	1874, 222
albomarginata	1874, 224	frenata	1874, 230
alboniger	1874, 227	galtoni	1874, 218
albonigra	1874, 216		1874, 237
	1874, 226		1874, 238
alpina	1874, 233	gracilis	1874, 227
amphileuca	1874, 219	grisea	1874, 219
	1874, 240	griseiceps	1874, 217
arnotti	1874, 217		1874, 233
	1874, 233	gutturalis	1874, 224
	1874, 241		1874, 240
atmori	1874, 216	halophila	1874, 222
	1874, 231		1874, 240
	1874, 241	hendersoni	1874, 222
atricollis	1874, 225	heuglini	1874, 218
atrogularis	1874, 224		1874, 230
	1874, 240		1874, 231
aurita	1874, 219	homochroa	1874, 224
bifasciata	1874, 218		1874, 225
	1874, 239		1874, 240
	1874, 241	infuscatus	1874, 214
bottæ	1874, 218	intermedia	1874, 230
	1874, 230	isabellina	1871, 360
	1874, 241		1874, 218
brehmii	1874, 231		1874, 224
cachinnans	1874, 228		1874, 225
capistrata	1874, 225		1874, 227
	1874, 227		1874, 229
	1874, 240		1874, 240
castor	1874, 217	kingi	1874, 230
	1874, 232	leucolæma	1874, 220
	1874, 233	leucomela	1871, 360
	1874, 235		1874, 216
	1874, 241		1874, 225

	Page		Page
<i>Saxicola leucomela</i>	1874, 226	<i>Saxicola monticola</i>	1874, 214
	1874, 240		1874, 217
<i>leucomelæna</i>	1874, 217		1874, 232
	1874, 232		1874, 234
	1874, 233		1874, 241
	1874, 234	<i>morio</i>	1874, 216
	1874, 235		1874, 221
	1874, 241		1874, 225
<i>leucopyga</i>	1874, 216		1874, 226
	1874, 228		1874, 227
	1874, 241		1874, 240
<i>leucorhoides</i>	1874, 231	<i>cœnanthe</i>	1871, 360
<i>leucorrhœa</i>	1874, 219		1874, 214
	1874, 241		1874, 215
<i>leucura</i>	1871, 358		1874, 217
	1874, 216		1874, 218
	1874, 228		1874, 229
	1874, 229		1874, 240
	1874, 241		1874, 241
<i>leucuroides</i>	1874, 228	<i>cœnanthoides</i>	1874, 219
	1874, 229		1874, 240
	1874, 231	<i>opistholeuca</i>	1874, 217
	1874, 241		1874, 229
<i>levillantii</i>	1874, 235		1874, 231
<i>libanotica</i>	1874, 219		1874, 241
	1874, 222	<i>pallida</i>	1874, 224
	1874, 240		1874, 225
<i>livingstonii</i>	1874, 239		1874, 227
<i>lugens</i>	1874, 225		1874, 228
	1874, 226		1874, 240
	1874, 240	<i>philothamna</i>	1874, 223
<i>lugubris</i>	1874, 216		1874, 240
	1874, 231	<i>picata</i>	1874, 216
	1874, 240		1874, 226
	1874, 241		1874, 227
<i>melanogenys</i>	1874, 220		1874, 241
<i>melanoleuca</i>	1874, 217	<i>pileata</i>	1874, 214
	1874, 221		1874, 215
	1874, 222		1874, 218
	1874, 240		1874, 235
<i>melanotis</i>	1874, 220		1874, 239
<i>melanura</i>	1874, 214		1874, 241
<i>minor</i>	1874, 237	<i>pollux</i>	1874, 217
<i>modesta</i>	1874, 236		1874, 235
	1874, 241		1874, 241
<i>mœsta</i>	1874, 216	<i>rostrata</i>	1874, 218
	1874, 223		1874, 241
	1874, 224	<i>rubetra</i>	1874, 214
	1874, 240		1874, 215
	1874, 241	<i>rubicola</i>	1874, 215
<i>monacha</i>	1874, 216	<i>rufa</i>	1874, 217
	1874, 225		1874, 220
	1874, 227		1874, 221
	1874, 228		1874, 222
	1874, 240		1874, 240
	1874, 241		1878, 881
<i>montana</i>	1874, 224	<i>rufocinerea</i>	1874, 240
	1874, 240	<i>saltator</i>	1874, 229

	Page		Page
<i>Saxicola saltatrix</i>	1871, 360	<i>Scalaria crassilabrum</i> ..	1873, 391
	1874, 229	<i>friabilis</i>	1878, 866
<i>schlegeli</i>	1874, 218	<i>macandrewi</i>	1873, 391
	1874, 236	<i>scacchi</i>	1873, 391
	1874, 237	<i>Scalidoneura hermina</i> ..	1871, 251
	1874, 241	<i>Scalinella costata</i>	1871, 476
<i>septentrionalis</i>	1874, 219	<i>scalariformis</i>	1871, 476
<i>sinuata</i>	1874, 218	<i>tahitensis</i>	1871, 476
	1874, 238	<i>Scapanes australis</i>	1877, 153
<i>sordida</i>	1874, 240	<i>Scapha deshayesii</i>	1872, 23
<i>spectabilis</i>	1874, 239	<i>mamilla</i>	1872, 23
<i>sperata</i>	1874, 237		1877, 181
	1874, 238	<i>punctata</i>	1872, 23
<i>squalida</i>	1874, 229	<i>Scaphander scaber</i>	1871, 738
<i>stapazina</i>	1874, 217	<i>Scapharca pertusa</i>	1871, 729
	1874, 219	<i>pygmæa</i>	1872, 11
	1874, 220		1872, 15
	1874, 221	<i>Scaphella marmorata</i> ..	1872, 23
	1874, 224	<i>Scaphiodon aculeatus</i> ..	1880, 227
	1874, 240		1880, 231
	1878, 881	<i>irregularis</i>	1880, 225
	1878, 976		1880, 226
<i>stricklandii</i>	1874, 236		1880, 230
	1874, 240	<i>microphthalmus</i> ..	1880, 231
<i>syenitica</i>	1874, 228		1880, 225
<i>talas</i>	1874, 222		1880, 227
<i>tractrac</i>	1874, 214		1880, 231
	1874, 236	<i>watsoni</i>	1880, 229
<i>valida</i>	1874, 229		1880, 230
<i>vittata</i>	1874, 216		1880, 231
	1874, 220	<i>Scaphirhynchus fedt-</i>	
<i>xanthomelæna</i>	1874, 222	<i>schenkoi</i>	1876, 802
<i>xanthoprymna</i>	1874, 218	<i>Scaphula bensoni</i>	1872, 14
	1874, 223		1872, 15
	1874, 224	<i>Scapia falconeri</i>	1871, 425
<i>Saxinis guatemalensis</i> ..	1876, 810		1871, 428
<i>omogera</i>	1876, 810		1871, 515
<i>propinqua</i>	1876, 810		1871, 516
<i>quadrina</i>	1876, 810		1872, 139
<i>Saya superciliaris</i>	1871, 212	<i>gigantea</i>	1873, 725
<i>Sayornis aquatica</i>	1878, 62	<i>Scardamia metallaria</i> ..	1880, 686
<i>cineracea</i>	1879, 511	<i>Scelida balyi</i>	1878, 993
<i>latirostris</i>	1879, 511		1879, 787
<i>pallida</i>	1871, 749	<i>elegans</i>	1879, 787
<i>Scada eurimedia</i>	1874, 334	<i>viridis</i>	1879, 787
<i>theaphia</i>	1876, 208	<i>Scelodonta viridimacu-</i>	
<i>xanthina</i>	1874, 334	<i>lata</i>	1877, 514
<i>Scala bairdii</i>	1871, 734	<i>Sceloglaux albifacies</i> ..	1874, 497
	1871, 739		1874, 498
<i>clathrus</i>	1877, 183		1875, 530
<i>delicatula</i>	1873, 209	<i>Scelospizias pusillus</i>	1877, 296
<i>friabilis</i>	1878, 866		1879, 674
<i>miranda</i>	1871, 734	<i>Scelostrix candida</i>	1877, 757
	1871, 739	<i>Scelotes hipes</i>	1871, 241
(<i>Cirsotrema</i>) <i>mörchi</i> 1871, 15		<i>fierinensis</i>	1871, 241
	1871, 90	<i>linnaei</i>	1871, 241
(<i>Opalia</i>) <i>australis</i>	1878, 866	<i>Scenopœus dentirostris</i>	1875, 591
<i>Scalaria australis</i>	1878, 866	<i>Schasicchila pannucea</i> ..	1875, 649

	Page		Page
Schiffornis major	1873,	Sciæna aquila	1871,
Schismaderma carens ..	1880,	Sciaphila spoliatana....	1877,
lateralis	1880,	Scintilla incerta	1874,
Schismope atkinsoni ..	1878,		1874,
Schistes geoffroyi.....	1874,	Sciocoris galapagoënsis .	1877,
Schistochlamys speculi-		Scirpophaga degenerella	1880,
gera	1880,	præolata	1880,
Schistosoma longisetosum	1877,	Scissirostrum pagei	1874,
Schistura rupicola	1876,	Scissurella atkinsoni ..	1878,
Schizœaca palpebralis ..	1874,	paumotuensis	1872,
	1874,	Sciurocheirus allenii ..	1872,
	1874,		1872,
	1874,	Sciuropterus alboniger..	1873,
Schizopygopsis stoliczkæ	1876,	layardi	1877,
	1876,	pulverulentus	1873,
Schizorhis africana	1873,	volucella	1880,
	1873,	Sciurus adolpheï	1878,
	1874,		1878,
	1875,	æstuans	1878,
concolor	1871,		1878,
Schizostoma behni	1878,		1878,
brachyote	1878,		1878,
megalote	1878,		1880,
	1880,		1880,
Schizothorax affinis....	1876,	—, var. hoffmanni .	1880,
aksaiensis	1876,	affinis.....	1871,
biddulphi	1876,		1878,
	1876,	albipes	1878,
chrysochlorus	1876,	arizonensis	1878,
	1876,	atricapillus	1871,
	1876,	aureogaster	1878,
	1876,		1878,
curvifrons	1876,		1878,
edeniana	1876,		1878,
	1876,	berdmorii	1871,
esocinus.....	1876,	bicolor	1871,
	1876,	blanfordi	1875,
	1876,		1875,
eurystomus	1876,	boothiæ	1878,
fedtschenkoi	1876,		1878,
huegelii	1876,		1878,
intermedius	1876,		1878,
	1876,		1878,
	1876,		1878,
irregularis	1876,	brunneo-niger	1878,
	1876,		1878,
longipinnis	1876,		1878,
microcephalus	1876,		1878,
micropogon	1876,	capistratus	1875,
nasus	1876,	carolinensis	1878,
	1876,		1878,
	1876,		1878,
niger	1876,		1878,
orientalis	1876,	castaneiventris	1872,
planifrons	1876,	castanonotus.....	1871,
punctatus	1876,	cepapi	1880,
Schœniclus australis ..	1877,	chinensis	1872,
magnus	1871,	chrysosurus	1878,
Schœnicola pallasii	1871,		669

	Page		Page
<i>Sciurus cinereus</i>	1875, 492	<i>Sciurus insignis</i>	1871, 141
	1875, 494	<i>intermedius</i>	1878, 662
	1880, 304		1878, 663
<i>colliaei</i>	1878, 657		1878, 664
	1878, 659	<i>langsdorffi</i>	1878, 665
	1878, 662		1878, 666
	1878, 663	<i>layardii</i>	1871, 141
	1878, 664	<i>leucogaster</i>	1878, 660
<i>deppei</i>	1878, 668	<i>leucops</i>	1878, 657
	1878, 669		1878, 658
<i>dorsalis</i>	1871, 625		1878, 660
	1878, 662		1878, 661
	1878, 663		1878, 662
	1878, 664	<i>leucotis</i>	1878, 658
<i>europæus</i>	1876, 633	<i>listeri</i>	1875, 492
<i>exilis</i>	1871, 139	<i>lokriah</i>	1871, 139
	1876, 735	<i>lokrioides</i>	1871, 139
<i>ferruginiventris</i> ..	1878, 660	<i>ludovicianus</i>	1878, 660
<i>fulvus</i>	1877, 277	<i>maclellandi</i>	1871, 139
<i>fumigatus</i>	1878, 665		1871, 141
	1878, 667		1872, 818
<i>fuscovariegatus</i> ...	1878, 662	<i>maximus</i>	1875, 492
	1878, 664	<i>melania</i>	1878, 664
<i>gerrardi</i>	1876, 694	<i>melanotis</i>	1871, 139
	1878, 657		1871, 141
	1878, 658	<i>modestus</i>	1871, 139
	1878, 665	<i>morio</i>	1878, 665
	1878, 666		1878, 666
<i>gilvularis</i>	1878, 668		1878, 667
<i>gordoni</i>	1871, 140	<i>nebouxii</i>	1878, 441
	1871, 141		1878, 664
<i>griseipectus</i>	1872, 818	<i>nicoyanus</i>	1878, 663
<i>griseocaudatus</i> ...	1878, 662	<i>niger</i>	1875, 492
	1878, 663		1878, 661
	1878, 664	<i>nigrescens</i>	1878, 662
<i>griseoflavus</i>	1878, 658		1878, 663
	1878, 660		1878, 664
<i>griseogenys</i>	1878, 658	<i>nigrovittatus</i>	1871, 141
	1878, 667	<i>oculatus</i>	1878, 662
	1878, 669		1878, 663
	1880, 393		1878, 664
	1880, 400	<i>pallidus</i>	1876, 260
	1880, 401		1876, 265
<i>griseopectus</i>	1871, 141	<i>palmarum</i>	1871, 139
<i>hoffmanni</i>	1878, 667		1871, 141
	1878, 668		1875, 492
	1880, 401	<i>penicillatus</i>	1871, 141
<i>hudsonius</i>	1880, 304	<i>philippensis</i>	1871, 139
<i>hypopyrrhus</i>	1878, 441	<i>plantani</i>	1871, 141
	1878, 657	<i>pusillus</i>	1878, 658
	1878, 658		1878, 668
	1878, 662		1878, 670
	1878, 663		1878, 954
	1878, 664	<i>pyladei</i>	1878, 663
	1878, 665		1878, 664
	1878, 666	<i>pyrrhonotus</i>	1878, 665
<i>hyporrhodus</i>	1878, 667	<i>quinqvestriatus</i> ...	1871, 141
<i>igniventris</i>	1878, 665		1871, 142

	Page		Page		
<i>Sciurus rafflesii</i>	1871,	141	<i>Sclerohelia hirtella</i>	1876,	437
<i>richardsoni</i>	1878,	662		1876,	442
	1878,	664	<i>Sclerurus caudacutus</i> ..	1873,	269
<i>rigidus</i>	1878,	662		1877,	449
	1878,	663		1879,	520
	1878,	664	<i>mexicanus</i>	1873,	269
<i>rufogularis</i>	1871,	141	<i>olivascens</i>	1874,	130
<i>rufoniger</i>	1871,	141		1874,	526
	1878,	657	<i>Scolecophagus ferrugi-</i>		
	1878,	658	<i>neus</i>	1871,	114
	1878,	666	<i>niger</i>	1871,	114
	1878,	667	<i>Scolitantides cashmiren-</i>		
	1878,	669	<i>sis</i>	1874,	272
	1878,	954		1880,	408
<i>sarawakensis</i>	1871,	141	<i>cleotas</i>	1875,	616
<i>similis</i>	1871,	139		1877,	146
<i>sladeni</i>	1871,	139		1879,	159
<i>socialis</i>	1878,	660	<i>excellens</i>	1875,	616
	1878,	662		1875,	619
<i>steerii</i>	1876,	735		1877,	146
<i>stramineus</i>	1878,	441		1879,	159
	1878,	658	<i>hylas</i>	1874,	272
	1878,	664	<i>vicrama</i>	1874,	272
	1878,	665	<i>Scolopax ægocephalus</i> ..	1878,	288
	1880,	400	<i>alba</i>	1877,	508
<i>sublineatus</i>	1871,	141	<i>capensis</i>	1877,	551
<i>syriacus</i>	1877,	277	<i>caudatus</i>	1877,	478
	1880,	59		1877,	498
<i>tephrogaster</i>	1878,	657		1877,	499
	1878,	665	<i>cinereus</i>	1878,	711
	1878,	668	<i>frenata</i>	1875,	627
<i>tricolor</i>	1878,	665	<i>gallinago</i>	1875,	488
	1878,	667	<i>guarauna</i>	1877,	478
<i>variabilis</i>	1878,	657		1877,	479
	1878,	658		1877,	505
	1878,	665		1877,	506
	1878,	666	<i>incanus</i>	1877,	550
	1878,	668		1877,	768
	1878,	954		1878,	345
<i>variegatoides</i>	1878,	662		1878,	711
	1878,	663	<i>phæopus</i>	1877,	550
	1878,	664	<i>rusticula</i>	1871,	407
<i>variegatus</i>	1878,	660		1872,	472
	1878,	663		1873,	469
	1880,	305		1873,	641
<i>varius</i>	1878,	660	<i>sabini</i>	1871,	39
	1878,	662	<i>stenura</i>	1877,	550
<i>vittatus</i>	1871,	141	<i>stenurus</i>	1878,	83
<i>vulgaris</i>	1875,	492	<i>Scolopendra complanata</i>	1877,	75
	1877,	277	<i>Scomber scomber</i>	1875,	486
	1878,	662		1879,	748
	1880,	304	<i>Scomberesox saurus</i>	1879,	757
<i>vulpinus</i>	1880,	305	<i>Scoparia diptheralis</i>	1877,	388
<i>yucatanensis</i>	1878,	657	<i>ejuncida</i>	1877,	389
	1878,	658	<i>feredayi</i>	1877,	389
	1878,	659	<i>rakaiensis</i>	1877,	389
	1878,	659	<i>submarginalis</i>	1877,	389
<i>Sclerohelia hirtella</i>	1876,	429	<i>Scopophorus montanus</i> .	1871,	589
	1876,	430			

	Page		Page
Scops — ?	1871, 344	Scotophilus serotinus ..	1872, 706
aldrovandri	1872, 81	temminckii	1872, 705
bakkamoena	1871, 343		1872, 706
brasilianus	1873, 304		1875, 370
	1878, 45		1875, 371
	1879, 241		1878, 876
	1879, 539		1878, 879
	1879, 636	tuberculatus	1875, 381
choliba	1873, 304	variegatus	1875, 382
	1879, 636		1875, 388
everetti	1878, 936	Scotopteryx maoriata ..	1877, 390
	1878, 942	Scotosia catocalaria	1878, 492
	1879, 69	denotata	1877, 396
japonicus	1871, 343	humeralia	1877, 396
	1871, 344	panagrata	1877, 396
latipennis	1871, 148	stigmaticata	1877, 390
lempiiji	1871, 344	Scotozous dormeri	1875, 373
	1878, 942	Scutellina cinnamomea .	1871, 97
leucospilus	1878, 942	ferruginea	1871, 97
leucotis	1878, 128	Scutigera sikkimensis..	1871, 204
madagascariensis ..	1872, 868	Scyllarus antarcticus ..	1877, 138
mantis	1879, 314	Scyllium canicula	1875, 487
menadensis	1877, 302		1876, 48
morotensis	1878, 78		1876, 699
rufescens	1879, 314		1876, 700
rutila	1879, 770		1878, 116
rutilus	1872, 868		1878, 117
semitorques	1871, 343		1879, 763
senegalensis	1871, 148	stellaris	1875, 487
sunia	1871, 343	Scymnus galapagoënsis .	1877, 82
umbratilis	1878, 942	Scytalopus griseicollis..	1874, 138
usta	1873, 304		1875, 235
zorca	1873, 466	indigoticus	1877, 523
	1873, 635	magellanicus	1878, 433
Scopula dipsasalis	1877, 388		1879, 528
flavidalis	1877, 388		1880, 202
paronalis	1877, 388	sylvestris	1874, 138
quadralis	1877, 388		1874, 531
Scopus umbretta	1875, 68		1879, 626
	1880, 537	Scytaster variolatus ...	1877, 139
Scotophilus borbonicus .	1875, 370	Scythrops australis	1875, 531
discolor	1872, 706	novæ-hollandiæ ..	1875, 601
emarginatus	1875, 371		1879, 9
fulvus	1872, 705		1879, 13
gouldii	1875, 382		1879, 447
	1875, 383	Scytodes immaculata ..	1876, 564
greyii	1875, 371		1876, 628
	1875, 372	kochii	1876, 564
kuhlii	1875, 368		1876, 626
leisleri	1872, 706	major	1879, 729
lobatus	1872, 706	rufescens	1876, 564
morio	1875, 381	thoracica	1872, 276
murinus	1872, 706		1872, 348
nigrogriseus	1875, 382		1873, 210
	1875, 385		1873, 211
ornatus	1875, 371		1873, 218
poensis	1875, 382		1876, 564
rueppellii	1875, 371		1876, 626

	Page		Page
<i>Sebastes rhodochrous</i> ..	1871, 653	<i>Semicassis pila</i>	1877, 183
	1871, 659	<i>saburon</i>	1872, 837
<i>Secretarius reptilivorus</i> .	1871, 2		1877, 183
<i>Secusio annulata</i>	1877, 380	<i>sophiæ</i>	1877, 183
<i>distincta</i>	1880, 672	<i>torquata</i>	1877, 183
<i>mundipicta</i>	1880, 672	(<i>Casmaria</i>) <i>achatina</i>	1872, 838
	1880, 673	(—) <i>paucirugis</i> ..	1872, 838
<i>strigata</i>	1880, 673	(—) <i>pyrum</i>	1872, 838
<i>Seena aurantia</i>	1872, 480	(—) <i>sophiæ</i>	1872, 838
	1876, 645	(—) <i>torquata</i> ..	1872, 838
	1877, 807	(<i>Phalium</i>) <i>areola</i> ..	1872, 837
<i>Segestria perfida</i>	1872, 223	(—) <i>coronulata</i> ..	1872, 838
	1872, 347	<i>Semiplotus brevidor-</i>	
	1873, 210	<i>salis</i>	1873, 239
<i>senoculata</i>	1873, 210	<i>Semnopithecus leuco-</i>	
	1873, 212	<i>prymnus</i>	1879, 123
<i>Seisura inquieta</i>	1875, 585		1879, 125
<i>Selasphorus flammula</i> ..	1878, 40	<i>maurus</i>	1875, 493
	1878, 70	<i>mona</i>	1875, 493
<i>scintilla</i>	1878, 40	<i>nasalis</i>	1880, 69
	1878, 70	<i>nasica</i>	1879, 319
<i>Selenia gallaria</i>	1877, 389	<i>obscurus</i>	1874, 110
<i>Selenidera langsdorfi</i> ..	1873, 297	<i>Senira bicolor</i>	1879, 76
	1873, 298	<i>Separatista blainvilleana</i>	1872, 878
<i>maculirostris</i> .. .	1879, 663	<i>quadricarinata</i>	1872, 878
<i>reinwardti</i>	1873, 297	<i>stellaris</i>	1872, 878
	1873, 298	<i>Sepia inermis</i>	1880, 354
	1874, 548	<i>officinalis</i>	1880, 354
<i>spectabilis</i>	1878, 47	<i>Seps capensis</i>	1871, 241
<i>Selenophorus amblyde-</i>			1871, 242
<i>rus</i>	1878, 591	<i>igneocaudatus</i>	1871, 241
<i>callistichus</i>	1878, 591	<i>mauritanicus</i>	1871, 241
<i>galapagoënsis</i>	1877, 77		1871, 242
	1877, 82	<i>monodactylus</i>	1871, 241
<i>mitis</i>	1878, 591		1871, 242
<i>tenuistriatus</i>	1878, 591		1871, 244
<i>Selenops ægyptiaca</i>	1876, 585	<i>ocellatus</i>	1871, 241
	1876, 627	<i>polleni</i>	1871, 241
	1876, 630	<i>tridactylus</i>	1871, 241
<i>omalosoma</i>	1872, 314		1871, 242
	1872, 350		1871, 244
	1876, 587	<i>viridanus</i>	1871, 241
<i>Seleucides alba</i>	1873, 697	(<i>Gongylus</i>) <i>capensis</i>	1871, 242
	1874, 486	(—) <i>viridanus</i> ..	1871, 243
	1875, 30	<i>Sepsina angolensis</i>	1871, 242
<i>Selidosema fragosata</i> ..	1877, 394	<i>grammica</i>	1871, 242
<i>Semele aphrodite</i>	1878, 859	<i>Sericornis brevisrostris</i> ..	1875, 590
	1878, 864	<i>citreogularis</i>	1875, 590
<i>aspasia</i>	1878, 860	<i>frontalis</i>	1875, 589
	1878, 864	<i>magnirostris</i>	1875, 590
<i>hanleyi</i>	1878, 859	<i>Sericosomus</i>	1879, 771
	1878, 864	<i>cæruleus</i>	1873, 608
<i>phryne</i>	1878, 860		1873, 612
	1878, 864		1873, 616
<i>scabra</i>	1877, 191	<i>coquerelli</i>	1873, 612
<i>Semicassis areola</i>	1877, 183		1873, 614
<i>coronulata</i>	1877, 183	<i>cristatus</i>	1873, 612
<i>paucirugis</i>	1877, 183		1873, 613

	Page		Page
Sericosomus cursor	1873, 612	Serresius galeatus	1877, 407
	1873, 613	Serrirostrum carbona-	
gigas	1873, 612	rium	1879, 596
	1873, 613	sittoides	1879, 596
	1873, 614	Sesamia tranquillaris . .	1880, 674
olivaceiceps	1873, 612	Sesapa andamana	1877, 597
	1873, 615		1877, 626
pyropygus	1873, 612	undulosa	1877, 597
	1873, 613	Sesara infrendens	1880, 289
reynaudi	1873, 612	Sesarma rotundata	1877, 133
	1873, 615		1877, 136
	1873, 616	tæniolata	1877, 133
ruficeps	1873, 612		1877, 137
	1873, 614	tetragona	1877, 137
	1873, 615	(Holometopus) au-	
serrianus	1873, 612	bryi	1877, 137
	1873, 615	(Pachysoma) hæma-	
	1879, 771	tocheir	1877, 137
verreauxi	1873, 612	Sestra flexata	1877, 389
Sericulus aureus	1875, 531	fusipectinata	1877, 389
chrysocephalus	1875, 69	humeralia	1877, 390
melinus	1875, 112	obtruncata	1877, 389
Serilophus lunatus	1873, 662	obtusaria	1877, 390
rubropygius	1878, 143	Setaria affinis	1875, 105
	1880, 381		1879, 340
Serisomus cristatus	1873, 608	ruficauda	1879, 70
	1873, 612	Setia atropurpurea	1877, 187
delalandii	1873, 617	nitens	1877, 187
Seronia tithia	1874, 344	Setiger variegatus	1871, 58
Serpentarius reptilivorus	1873, 466	Setina dharmia	1879, 394
	1873, 634	discisigna	1878, 35
	1877, 307	irrorella	1878, 35
	1878, 790	nebulosa	1878, 35
Serphophaga, sp.	1872, 542	punctilinea	1878, 34
	1872, 543	Setinochroa aurantiaca .	1878, 35
albogrisea	1880, 156		1878, 37
cinerea	1873, 185	infumata	1878, 35
	1874, 535		1878, 36
	1878, 62	pallida	1878, 35
	1878, 63	postica	1878, 36
	1879, 223	Setophaga aurantiaca . .	1878, 39
	1879, 512		1878, 53
	1879, 613	bairdi	1879, 224
	1880, 156		1880, 192
	1880, 203	brunneiceps	1879, 594
hypoleuca	1873, 277	budytoides	1879, 613
	1873, 278	chrysops	1879, 487
	1879, 613		1879, 495
nigricans	1872, 543	flaveola	1879, 495
pœcilocerca	1879, 233	melanocephala	1879, 594
ruficeps	1874, 535	rusicilla	1876, 14
subcristata	1879, 613		1878, 52
Serranus albomaculatus .	1871, 654		1879, 494
	1877, 68	torquata	1878, 39
horridus	1871, 635		1878, 53
humeralis	1871, 654	verticalis	1873, 185
	1877, 68		1876, 16
lanceolatus	1871, 635		1879, 223
olfax	1877, 67		

	Page		Page
Setophaga verticalis	1879,	Silybura dupeni	1878,
	495	elliotti	1875,
	594	grandis	1875,
Seodyra venosa	1879,	guentheri	1878,
Sialia wilsoni	1873,	levingii	1878,
	462	liura	1875,
	1880,		228
	311	macrolepis	1878,
Sibia auricularis	1871,	macrorhyncha	1877,
	370	maculata	1878,
	667	madurensis	1878,
capistrata	1873,	melanogaster	1875,
	667		1878,
	1877,		155
	303		155
Sicyonia furcata	1878,		167
ocellata	1878,		154
Siderone thebais	1874,		802
	340		227
	1876,		155
	235		1878,
Sidyma albifinis	1878,		801
apicalis	1878,		801
	9		154
	1878,		154
	36		228
Sieboldia maxima	1873,		228
	163		1875,
	1875,		229
	487		154
	1875,		228
	495		228
	1880,		1875,
	544		155
Sigmodon hispidus	1880,		801
	692		154
	1880,		154
	693		229
	1880,		229
	696		228
Sigmodus caniceps	1873,		229
graculinus	1878,		228
Silicula fragilis	1879,		229
	573		228
	1879,		228
	587		229
	1879,		229
	588		229
ovata	1879,		687
	573		14
Silundia gangetica	1871,		36
	287		394
	1871,		228
	712		722
Silurichthys berdmorei	1876,		645
	805		228
Silurus anastomus	1880,		228
cochinchinensis	1871,		228
	711		628
	1876,		303
	805		789
dukai	1873,		123
	239		124
	1876,		301
	805		1880,
glanis	1871,		494
	711		219
	1876,		151
	801		170
	1876,		590
	804		590
kuggur	1880,		151
	225		169
	1880,		151
	231		169
langhur	1880,		392
	225		595
punctatus	1871,		231
	719		590
	1873,		595
	237		606
singio	1871,		1872,
	712		1872,
wynaadensis	1873,		1872,
	237		1872,
	1876,		1872,
	805		1872,
Silybura articeps	1875,		1872,
	229		1875,
beddomii	1875,		231
	228		590
bicatenata	1875,		595
	229		606
brevis	1875,		1872,
	229		1872,
broughami	1878,		1872,
	800		1872,
canarica	1875,		1872,
	229		1872,
	1878,		1872,
	155		1872,
ceylonica	1875,		1872,
	228		1872,
	1877,		1872,
	167		1872,
dindigalensis	1877,		1872,
	167		1872,

	Page		Page
Simotes venustus	1877, 685	Sithon areca	1877, 625
vertebralis	1872, 590	aurea	1873, 352
Simpulopsis corrugatus	1875, 321	estella	1873, 361
mastersi	1872, 619	freja	1873, 352
Singa affinis	1876, 575	jalindra	1874, 107
albovittata	1876, 627	kamorta	1873, 352
hamata	1876, 575	lapithis	1877, 589
lucina	1876, 575	maneia	1877, 625
	1876, 627	martina	1873, 351
Siphia banyumas	1879, 337	micea	1873, 351
erithacus	1871, 381	orpheus	1873, 351
hodgsoni	1873, 665	pallida	1873, 352
innexa	1873, 689	ravindra	1873, 361
rubrocyanea	1871, 381	scopula	1873, 351
strophciata	1871, 381	sugriva	1873, 352
	1873, 665	tharis	1873, 361
Siphonalia cassidariæfor-		travana	1873, 351
mis	1879, 205	valida	1873, 352
	1879, 206		1873, 361
spadicea	1879, 205	Sitta amurensis	1871, 350
	1879, 217	cæsia	1871, 350
Siphonaria albida	1878, 314	canadensis	1871, 350
lineata	1878, 869	corallirostris	1871, 318
venosa	1875, 322	europæa	1873, 462
Siphonia elastica	1871, 738	leucopsis	1875, 489
Siphonostoma typhle	1878, 38	magna	1873, 655
Siptornis flammulata	1879, 761	nagaensis	1876, 677
	1874, 19	neglecta	1874, 44
	1874, 20	pekinensis	1873, 661
Sipunculus johnstoni	1877, 387	roseilia	1871, 350
Siredon humboldtii	1873, 163	sinensis	1873, 652
	1875, 487		1871, 350
lichenoides	1871, 41		1873, 556
mexicanus	1871, 41		1873, 689
	1871, 42	syriaca	1873, 647
Siren lacertina	1873, 163	villosa	1871, 350
	1875, 487	Sittace auricollis	1879, 634
	1875, 495	chloroptera	1878, 77
	1876, 333		1879, 634
	1880, 544	lafresnayi	1879, 634
Sirystes albogriseus	1873, 280	leari	1879, 551
	1880, 156	maracana	1876, 255
sibilator	1873, 280	militaris	1879, 538
Siseme caudalis	1876, 238		1879, 634
lucilius	1876, 238	severa	1879, 538
militaris	1876, 238	spixi	1878, 976
pallas	1876, 238	Sittasomus amazonus	1873, 270
Sisopygis icterophrys	1879, 611		1874, 529
Sistrum margariticola	1878, 812	erithacus	1879, 622
undatum	1879, 213	flammulata	1874, 19
Sisyrphophora pfeifferæ	1878, 850		1874, 20
	1878, 858	olivaceus	1873, 270
Sitana minor	1871, 150		
	1871, 166		
Sithon areca	1877, 589		

	Page		Page
<i>Sittasomus olivaceus</i> ..	1874, 529	<i>Sorex indicus</i>	1875, 484
	1877, 323		1875, 493
	1877, 332	<i>leucopus</i>	1873, 228
	1879, 523	<i>macropus</i>	1873, 228
<i>stictolæmus</i>	1873, 270	<i>macrurus</i>	1873, 228
<i>Sittella albata</i>	1877, 351	<i>melanodon</i>	1873, 228
<i>chrysoptera</i>	1875, 600	<i>micrurus</i>	1877, 446
<i>leucocephala</i>	1875, 600	<i>montanus</i>	1873, 228
	1877, 351	<i>myosurus</i>	1872, 818
<i>leucoptera</i>	1875, 599	<i>oligurus</i>	1873, 228
<i>striata</i>	1875, 599	<i>purpurascens</i>	1873, 228
<i>Siurus aurocapillus</i>	1878, 51	<i>pygmæus</i>	1873, 234
<i>noveboracensis</i>	1878, 51	<i>russulus</i>	1877, 272
	1879, 493	<i>saturator</i>	1873, 228
<i>Siva cinereicapilla</i>	1873, 555	<i>sikimensis</i>	1873, 228
<i>cinereiceps</i>	1873, 689	<i>soccatus</i>	1873, 228
<i>rugicapilla</i>	1873, 689		1873, 229
<i>striaticollis</i>	1873, 689	<i>tetragonurus</i>	1875, 493
<i>torqueola</i>	1871, 373		1875, 494
<i>Smerinthus decoratus</i> ..	1872, 568	<i>tytleri</i>	1873, 228
<i>dyras</i>	1875, 255	<i>veræ-pacis</i>	1877, 445
<i>kindermanni</i>	1880, 413		1877, 446
<i>ocellatus</i>	1880, 414	<i>Sospita lydda</i>	1878, 701
<i>Smyrna blomfieldia</i>	1874, 348	<i>neophron</i>	1878, 833
	1876, 233	<i>saturata</i>	1878, 701
<i>Solariella canaliculata</i> ..	1871, 736		1878, 707
	1871, 739	<i>Spalax typhlus</i>	1877, 281
<i>Solarium hybridum</i>	1871, 92		1880, 64
<i>Solea minuta</i>	1879, 757	<i>Spalgis epius</i>	1879, 137
<i>variegata</i>	1879, 757	<i>Sparassus argelasius</i>	1876, 629
<i>vulgaris</i>	1875, 486	<i>clerckii</i>	1876, 629
	1879, 756	<i>cognatus</i>	1876, 588
	1879, 757		1876, 627
<i>Solen (Cultellus) tenuis</i> .	1871, 728	<i>linnæi</i>	1872, 312
<i>Solenocera philippii</i>	1878, 302		1872, 350
<i>siphonocera</i>	1878, 301		1876, 588
	1879, 22		1876, 589
<i>Solidula affinis</i>	1871, 19		1876, 590
<i>Somateria mollissima</i> ..	1871, 118	<i>ornatus</i>	1872, 312
	1875, 488		1872, 350
	1877, 29	<i>smaragdulus</i>	1872, 312
	1880, 528		1872, 350
<i>spectabilis</i>	1871, 118	<i>suavis</i>	1876, 588
	1877, 30		1876, 627
	1877, 32	<i>walckenaërius</i>	1872, 311
	1880, 528		1872, 350
<i>v-nigrum</i>	1871, 58		1876, 587
	1880, 528		1876, 588
<i>Sorex araneus</i>	1877, 272		1876, 627
<i>atratus</i>	1873, 228	<i>Sparus centrodontus</i> ...	1875, 486
<i>concolor</i>	1880, 490	<i>Spatha alata</i>	1877, 719
<i>ferrugineus</i>	1873, 228		1880, 351
<i>heterodon</i>	1873, 228	<i>nyassaënsis</i>	1877, 719
	1873, 234	<i>tanganyicensis</i>	1880, 350
<i>hodgsoni</i>	1873, 228		1880, 352
	1873, 234	<i>Spathilepia clonius</i>	1874, 367
<i>homurus</i>	1873, 228	<i>terranea</i>	1874, 367
<i>horsfieldi</i>	1873, 228	<i>Spathodactylus mutilatus</i>	1872, 594

	Page		Page
Spathura peruana	1873, 784	Spermophila lineola	1875, 349
	1874, 677		1879, 604
rufocaligata	1879, 628	luctuosa	1873, 264
Spatula capensis	1880, 523		1874, 519
	1880, 534		1879, 507
clypeata	1871, 418		1879, 605
	1872, 479	minuta	1879, 506
	1873, 205	moreleti	1878, 58
	1876, 396	nigrorufa	1879, 604
	1876, 410	obscura	1874, 501
	1876, 411		1874, 519
	1879, 543		1880, 199
	1880, 523	ocellata	1873, 264
	1880, 534	ornata	1874, 158
platalea	1872, 368	plumbea	1879, 605
	1872, 370	semicollaris	1878, 58
	1876, 17	simplex	1874, 132
	1876, 396		1874, 329
	1876, 411		1874, 519
	1876, 412		1880, 199
	1878, 436	telasco	1871, 497
	1880, 523		1874, 329
rhynchotis	1880, 523		1874, 519
	1880, 535		1877, 320
variegata	1880, 523	Spermophilus citillus	1877, 278
	1880, 535		1880, 59
Spreidonia conspicua	1877, 608		1880, 305
	1877, 628	concolor	1877, 278
helicina	1878, 849	erythrogonoides	1874, 465
retrahens	1877, 608	fulvus	1877, 278
	1877, 628	mongolicus	1873, 762
Speirops melanocephalus	1871, 615	musicus	1877, 278
Spermestes bicolor	1874, 306	xanthopyrnus	1877, 277
cucullatus	1873, 715		1880, 59
	1873, 717	Spermospiza hæmatina	1878, 130
	1877, 299	Sphænia elliptica	1871, 99
	1877, 302	Sphænogona angulata	1871, 528
	1879, 677	arbela	1871, 528
fringilloides	1871, 258	bogotana	1871, 528
Spermolegus mongolicus	1871, 360	constantia	1871, 527
Spermophila aurantia	1875, 349		1874, 359
aurita	1878, 58		1876, 242
bicolor	1879, 605	damaris	1871, 528
cærulescens	1875, 348	ecuadora	1871, 527
	1879, 604	fabiola	1871, 528
castaneiventris	1873, 185		1874, 359
	1873, 264	gratiosa	1871, 527
collaria	1879, 604	ingrata	1871, 527
corvina	1878, 58	jamapa	1871, 527
grisea	1879, 507	limonea	1874, 358
gutturalis	1874, 519	limoneus	1871, 527
	1876, 16	mexicana	1871, 528
	1879, 229		1874, 358
	1879, 506	salome	1871, 527
	1879, 507		1871, 528
	1880, 199		1876, 242
hypoleuca	1875, 349	theodes	1871, 528
hypoxantha	1879, 604	theona	1871, 528

	Page		Page
<i>Sphænogona xanthochlora</i>	1871, 527	<i>Spheniscus demersus</i> ..	1878, 653
<i>zelia</i>	1871, 528	<i>humboldti</i>	1878, 654
<i>Sphærodon grandoculus</i>	1871, 658	1872, 604
<i>Sphæropœus brandtii</i> ..	1873, 178	1873, 470
<i>hercules</i>	1873, 180	1873, 642
<i>inermis</i>	1873, 179	1878, 116
<i>insignis</i>	1873, 180	1879, 6
<i>Sphærotherium actæon</i>	1873, 176	1879, 7
<i>compressum</i>	1873, 175	1879, 8
<i>convexum</i>	1873, 176	<i>magellanicus</i>	1878, 653
<i>de lacyi</i>	1873, 177	1879, 311
<i>dorsale</i>	1873, 174	<i>mendiculus</i>	1871, 126
<i>elongatum</i>	1873, 176	1871, 129
<i>fraternum</i>	1873, 177	<i>minor</i>	1872, 636
.....	1873, 182	<i>Sphenocercus formosæ</i> ..	1871, 396
<i>glabrum</i>	1873, 173	<i>sororius</i>	1871, 396
.....	1873, 182	1873, 667
<i>gronovii</i>	1873, 178	<i>Sphenodon guentheri</i> ..	1879, 663
<i>grossum</i>	1873, 173	<i>punctatus</i>	1879, 663
<i>hippocastanum</i>	1873, 176	<i>Sphencæacus galactodes</i>	1875, 590
<i>javanicum</i>	1873, 175	1880, 65
.....	1873, 180	<i>Sphenophorus</i> , sp.	1877, 155
<i>klugii</i>	1873, 176	<i>Sphenoproctus curvi-</i>	
<i>kochii</i>	1873, 177	<i>pennis</i>	1878, 68
<i>kutorgæ</i>	1873, 175	<i>Sphenops meridionalis</i> ..	1871, 241
<i>latum</i>	1873, 176	1871, 242
<i>lichtensteinii</i>	1873, 174	1871, 244
<i>microstictum</i>	1873, 177	<i>sepoides</i>	1871, 241
<i>neptunus</i>	1873, 177	1871, 242
.....	1873, 178	1871, 244
<i>nigrum</i>	1873, 173	<i>Sphenopyga rufigularis</i>	1874, 25
<i>obtusum</i>	1873, 173	<i>Sphenura mentalis</i>	1874, 13
<i>ovale</i>	1873, 178	<i>ruficeps</i>	1874, 7
<i>punctatum</i>	1873, 174	<i>ruticilla</i>	1874, 21
.....	1873, 177	<i>Sphetta apicalis</i>	1879, 405
<i>punctulatum</i>	1873, 173	1879, 417
<i>retusum</i>	1873, 174	<i>biocellata</i>	1879, 405
<i>rotundatum</i>	1873, 172	<i>Sphingnotus dunningi</i> ..	1877, 157
.....	1873, 173	<i>Sphinx alecto</i>	1880, 670
<i>rugulosum</i>	1873, 175	<i>carolina</i>	1871, 82
<i>sinuatum</i>	1873, 174	<i>convolvuli</i>	1877, 596
<i>stigmaticum</i>	1873, 178	—, var. <i>distans</i> ..	1877, 380
.....	1873, 182	<i>diffusa</i>	1871, 82
<i>testaceum</i>	1873, 179	<i>iris</i>	1877, 473
<i>titanus</i>	1873, 176	<i>jasmini</i>	1877, 168
.....	1873, 177	<i>lachesis</i>	1877, 595
.....	1873, 178	<i>leachii</i>	1875, 258
<i>Sphargis coriacea</i>	1873, 411	<i>lucetius</i>	1871, 82
<i>pseudostracion</i>	1873, 411	<i>nicobarensis</i>	1877, 595
<i>Sphasus alexandrinus</i> ..	1876, 609	<i>oldenlandiæ</i>	1880, 670
<i>lucasiai</i>	1875, 148	<i>pagana</i>	1877, 595
<i>Sphecothes flaviventris</i>	1875, 593	<i>theylia</i>	1880, 670
.....	1878, 124	<i>tipuliformis</i>	1877, 380
<i>maxillaris</i>	1875, 593	<i>vates</i>	1875, 13
<i>Spheniscus demersus</i> ..	1871, 129	<i>Spiloglaux boobook</i>	1873, 580
.....	1873, 470	<i>marmoratus</i>	1878, 121
.....	1873, 642	<i>Spilopelia tigrina</i>	1879, 349
		<i>Spilornis bacha</i>	1871, 495

	Page		Page
<i>Spilornis bacha</i>	1872, 412	<i>Spizaëtus orientalis</i>	1871, 339
	1873, 204		1880, 67
<i>cheela</i>	1871, 340	<i>ornatus</i>	1873, 302
	1871, 495		1879, 540
	1871, 625	<i>tyrannus</i>	1873, 302
	1872, 77	<i>Spizalauda deva</i>	1874, 651
	1873, 466	<i>Spizixus cinereica-</i>	
	1873, 634	<i>pillus</i>	1871, 370
<i>holospilus</i>	1877, 689		1873, 667
	1877, 757	<i>semitorques</i>	1871, 370
	1877, 821		1873, 667
	1878, 340	<i>Spizocorys conirostris</i> . .	1874, 631
	1878, 939	<i>Spodoptera cilium</i>	1877, 604
	1879, 69		1877, 627
<i>hoya</i>	1871, 340	<i>erica</i>	1880, 675
<i>rutherfordi</i>	1871, 340	<i>infecta</i>	1877, 604
<i>spilogaster</i>	1872, 412	<i>insulsa</i>	1877, 604
<i>Spilosoma brunnea</i>	1872, 574	<i>nubes</i>	1877, 604
<i>dentilinea</i>	1872, 573		1877, 627
<i>menthastri</i>	1878, 382	<i>Spondylus gæderopus</i> . .	1879, 556
<i>obscurum</i>	1878, 382	<i>gussoni</i>	1879, 556
<i>submacula</i>	1878, 382	<i>spathuliferus</i>	1873, 283
<i>todara</i>	1872, 574	<i>varius</i>	1878, 967
<i>transiens</i>	1880, 670		1878, 968
<i>Spilotes melanurus</i>	1879, 78	<i>Spongia otahitica</i>	1874, 301
<i>Spinachia vulgaris</i>	1878, 330		1874, 303
<i>Spinax acanthias</i>	1873, 487	<i>spinosa</i>	1873, 20
<i>niger</i>	1878, 117	<i>Spongionella holds-</i>	
<i>Spintherops phantasma</i>	1880, 414	<i>worthii</i>	1873, 25
<i>Spirama cohærens</i>	1877, 608		1873, 31
	1877, 628		1873, 32
<i>helicina</i>	1878, 849	<i>pulchella</i>	1877, 459
	1878, 857	<i>Spongus townsendi</i>	1874, 304
<i>rectifasciata</i>	1877, 816	<i>Sporophila alaudina</i> . . .	1874, 521
<i>Spiraxis simplex</i>	1873, 321	<i>othello</i>	1878, 136
<i>Spirobolus cinctipes</i>	1877, 283	<i>Spratelloides malabaricus</i>	1873, 240
<i>gaimardi</i>	1877, 283	<i>Squalus acanthias</i>	1875, 495
<i>Spiroptera dilatata</i>	1876, 295	<i>centrina</i>	1875, 487
<i>muriei</i>	1876, 296	<i>Squatarola helvetica</i> . . .	1871, 115
	1876, 298		1871, 117
<i>turgida</i>	1874, 125		1871, 403
	1874, 128		1874, 457
<i>Spirula australis</i>	1878, 971		1875, 566
	1878, 973		1877, 330
	1880, 352		1877, 833
	1880, 354	<i>Squatina angelus</i>	1875, 487
<i>reticulata</i>	1880, 352		1878, 117
<i>Spiza jacarina</i>	1874, 520	<i>vulgaris</i>	1877, 318
<i>Spizaëtus caligatus</i>	1879, 322	<i>Squilla maculata</i>	1877, 138
<i>cirratus</i>	1876, 780	<i>Stachyris larvata</i>	1873, 679
	1879, 322	<i>præcognitus</i>	1871, 373
<i>coronatus</i>	1877, 307	<i>ruficeps</i>	1871, 373
<i>isidorii</i>	1879, 540	<i>Stalactis calliope</i>	1876, 239
<i>limnaëtus</i>	1872, 411	<i>euterpe</i>	1876, 239
	1879, 322	<i>phlegia</i>	1876, 239
<i>nipalensis</i>	1871, 339	<i>Staphida torqueola</i>	1871, 373
	1876, 780	<i>Starnoenas cyanocephala</i>	1873, 639
	1880, 67		1874, 250

	Page		Page
Starnœnas cyanoce-		Stenele lutescens	1878, 386
phala	1874, 256	Stenia, sp. inc.	1880, 683
	1880, 314	ornatalis	1880, 683
Stauropus albescens	1879, 408	Stenodoris rubra	1877, 235
indicus	1879, 404	Stenognathus modestus .	1873, 169
vinaceus	1879, 404	Stenogyra beckianus . .	1871, 473
	1879, 417	caracasensis	1875, 320
virescens	1879, 404		1879, 485
Steatoda mandibularis . .	1876, 568	contracta	1879, 485
	1876, 626	coronata	1875, 321
signata	1876, 568	decollata	1880, 121
	1876, 626	gabbiana	1879, 485
Steatornis caripensis . .	1873, 463		1879, 486
	1873, 526	junceus	1871, 473
	1873, 630	octona	1875, 320
	1875, 344		1879, 485
	1878, 139		1879, 486
	1879, 532	octonoides	1879, 485
	1880, 208	oparanus	1871, 473
Steganoptycha dealbana	1877, 404	oryza	1871, 473
negligens	1877, 404	plicatella	1875, 320
	1877, 407	pyrgiscus	1871, 473
Steganura addæ	1876, 16	trochlea	1879, 485
	1879, 628	tuckeri	1871, 473
cissura	1873, 433	upolensis	1871, 473
peruviana	1879, 238	vitreus	1871, 473
underwoodi	1873, 433	(Rumina) decollata	1880, 133
	1875, 235	Stenohelia maderensis . .	1871, 277
	1879, 529		1871, 286
Steganurus peruanus . .	1874, 544	Stenopsis æquicaudata .	1873, 780
Stegnolæma montagnii .	1875, 235		1874, 545
Stegosoma nasutum . . .	1873, 127		1879, 626
	1873, 128	bifasciatus	1874, 545
	1873, 129	cayennensis	1879, 531
quadratum	1879, 698	ruficervix	1879, 531
	1879, 702	Stenopus guildingi . . .	1879, 484
	1879, 703		1879, 486
testudo	1873, 126	hispidus	1878, 779
	1873, 127	lividus	1879, 484
	1873, 128	micans	1879, 485
	1873, 129		1877, 486
Stelgidopteryx fulvi-		Stenorhynchus leptonyx	1873, 143
gula	1878, 67		1873, 751
fulvipennis	1878, 67		1875, 658
ruficollis	1873, 185	Stenous olivaceus	1878, 589
	1873, 258	Stepnaya kuritza	1878, 261
	1873, 259	Stercorarius antarcticus .	1871, 580
	1874, 510		1876, 317
	1879, 596		1876, 318
uropygialis	1877, 744		1876, 321
	1879, 496		1876, 322
	1879, 596		1876, 324
Stellio caucasicus	1880, 620		1877, 799
cordylina	1879, 741		1879, 310
himalayensis	1872, 384	asiaticus	1876, 327
persicus	1872, 382		1876, 329
Stemmatopus crista-		buffoni	1876, 331
tus	1873, 741	catarrhactes	1871, 580

	Page		Page
<i>Stercorarius catarrhactes</i>	1876,		1876,
	317		665
	1876,		1876,
	318		666
	1876,		1877,
	319		43
	1876,		1878,
	320		273
	1876,		1871,
	321		565
	1876,		1871,
	322		572
	1876,		1876,
	323		644
	1876,		1876,
	324		645
	1877,		1871,
	347		570
	1876,		1876,
	331		646
1876,		1876,	
331		647	
1876,		1876,	
323		648	
1877,		1876,	
800		664	
1876,		1877,	
318		795	
1876,		1871,	
324		571	
1876,		1871,	
326		572	
1876,		1876,	
328		661	
1876,		1876,	
329		662	
1876,		1876,	
330		663	
1876,		1871,	
331		565	
1876,		1871,	
331		572	
1877,		1876,	
30		644	
1877,		1871,	
31		123	
1876,		1876,	
330		650	
1876,		1877,	
322		749	
1876,		1871,	
327		565	
1876,		1871,	
330		571	
1876,		1876,	
319		661	
1876,		1876,	
318		659	
1876,		1871,	
320		580	
1876,		1876,	
324		672	
1876,		1876,	
325		645	
1877,		1876,	
800		664	
1876,		1875,	
327		374	
1876,		1875,	
329		379	
1876,		1876,	
324		655	
1876,		1875,	
325		30	
1876,		1875,	
328		440	
1876,		1876,	
327		497	
1876,		1876,	
327		503	
1879,		1876,	
310		656	
1871,		1876,	
569		657	
1876,		1876,	
653		658	
1876,		1876,	
645		659	
1871,		1877,	
580		537	
1876,		1877,	
672		551	
1876,		1877,	
644		557	
1876,		1877,	
655		776	
1876,		1877,	
679		781	
1879,		1877,	
679		796	
1876,		1878,	
653		346	
1876,		1878,	
663		712	
1876,		1878,	
667		937	
1876,		1878,	
643		976	
1876,		1879,	
659		9	
1876,		1879,	
648		15	
1876,		1879,	
664		353	
1877,		1880,	
754		577	
1876,			
639			
1876,			
664			

	Page		Page
<i>Sterna bernsteini</i>	1876, 657	<i>Sterna elegans</i>	1876, 653
<i>boysii</i>	1876, 653	1876, 655
<i>brachypus</i>	1876, 650	<i>erythrorhynchos</i> ..	1871, 567
<i>brevirostris</i>	1876, 645	1871, 568
<i>cærulea</i>	1876, 671	1876, 655
.....	1878, 211	<i>eurygnatha</i>	1876, 654
.....	1878, 272	<i>exilis</i>	1871, 571
.....	1879, 129	1871, 572
<i>cæsia</i>	1876, 643	1876, 663
<i>camtschatica</i>	1876, 664	1876, 672
<i>candida</i>	1871, 422	<i>fissipes</i>	1871, 573
.....	1876, 667	1871, 614
.....	1877, 797	1871, 615
<i>canescens</i>	1876, 653	1876, 641
<i>cantiaca</i>	1871, 565	1876, 642
.....	1871, 569	<i>fluviatilis</i>	1876, 639
.....	1876, 653	1876, 647
.....	1876, 657	1876, 649
.....	1876, 660	1876, 651
.....	1878, 193	1876, 653
<i>caspia</i>	1871, 421	1877, 796
.....	1876, 644	<i>forsteri</i>	1871, 569
.....	1876, 656	1876, 651
.....	1876, 656	1876, 660
<i>caspica</i>	1876, 656	<i>frenata</i>	1871, 571
<i>cassini</i>	1871, 565	1876, 661
.....	1871, 570	<i>frobeni</i>	1871, 570
.....	1876, 647	1876, 660
.....	1876, 648	<i>frontalis</i>	1872, 113
.....	1877, 795	1876, 658
<i>cayana</i>	1871, 567	1876, 659
.....	1876, 655	1876, 660
<i>cayanensis</i>	1876, 655	1876, 660
<i>cayennensis</i>	1871, 565	<i>fuliginosa</i>	1871, 572
.....	1871, 567	1875, 30
.....	1876, 655	1876, 639
.....	1871, 567	1876, 664
<i>chloripoda</i>	1871, 567	1876, 665
.....	1871, 570	1877, 113
<i>cinerea</i>	1876, 646	1877, 781
.....	1876, 671	1877, 796
.....	1878, 212	1879, 15
.....	1878, 273	1879, 310
<i>comata</i>	1871, 568	1879, 447
.....	1871, 569	<i>fusca</i>	1876, 669
.....	1876, 654	<i>galericulata</i>	1871, 565
<i>cristata</i>	1871, 422	1871, 568
.....	1875, 111	1871, 569
.....	1876, 655	1876, 654
.....	1876, 657	1876, 655
.....	1879, 353	1876, 656
<i>delamottei</i>	1876, 640	1876, 666
<i>dougalli</i>	1871, 571	<i>gouldii</i>	1876, 666
.....	1876, 649	<i>gracilis</i>	1872, 406
.....	1876, 651	1872, 409
.....	1876, 652	1872, 481
.....	1876, 660	1876, 503
<i>douglasii</i>	1876, 652	1876, 652
<i>elegans</i>	1871, 568	<i>grisea</i>	1876, 640
.....	1871, 569	<i>guttata</i>	1876, 666

	Page		Page
<i>Sterna havelli</i>	1876,		651
<i>hirundinacea</i>	1876,		647
	1876,		648
	1877,		795
	1877,		796
	1879,		310
<i>hirundo</i>	1871,		422
	1871,		569
	1871,		570
	1871,		571
	1872,		481
	1873,		469
	1873,		641
	1876,		648
	1876,		649
	1876,		650
	1876,		651
	1877,		417
	1877,		418
<i>hybrida</i>	1876,		640
	1877,		551
	1877,		794
<i>inca</i>	1871,		567
	1876,		667
<i>infuscata</i>	1876,		664
	1876,		666
<i>innotata</i>	1876,		641
<i>javanica</i>	1876,		640
	1876,		645
	1876,		646
<i>leucocapilla</i>	1872,		114
	1876,		671
<i>leucopareia</i>	1871,		421
	1876,		640
<i>leucoptera</i>	1872,		481
	1876,		641
<i>longipennis</i>	1872,		90
	1872,		112
	1872,		113
	1875,		440
	1876,		649
	1876,		650
	1876,		659
	1879,		9
	1879,		15
<i>longirostris</i>	1876,		658
<i>lorata</i>	1871,		572
	1876,		663
<i>luctuosa</i>	1871,		572
	1876,		666
<i>lunata</i>	1872,		90
	1872,		113
	1876,		639
	1876,		665
<i>macrodactyla</i>	1876,		649
<i>macroptera</i>	1876,		649
<i>macrotarsa</i>	1876,		644
<i>macrura</i>	1871,		123
<i>Sterna macrura</i>	1876,		647
	1876,		650
	1876,		651
	1877,		29
	1877,		30
	1877,		31
	1877,		749
	1877,		796
	1880,		163
<i>magnirostris</i>	1871,		565
	1871,		567
	1873,		310
	1876,		643
	1876,		645
<i>major</i>	1876,		657
<i>marginata</i>	1876,		661
<i>maxima</i>	1871,		565
	1871,		567
	1871,		568
	1871,		569
	1876,		654
	1876,		655
	1876,		656
	1876,		657
	1877,		749
<i>media</i>	1876,		655
	1878,		193
	1879,		679
<i>megarhynchus</i>	1876,		656
<i>melanauchen</i>	1872,		89
	1872,		90
	1872,		113
	1875,		440
	1876,		461
	1876,		497
	1876,		503
	1876,		505
	1876,		661
	1877,		770
	1879,		354
	1880,		577
<i>melanogaster</i>	1872,		481
	1876,		645
<i>melanogastra</i>	1876,		645
<i>melanoptera</i>	1876,		665
<i>melanorhyncha</i>	1876,		659
	1876,		660
	1877,		347
<i>melanotis</i>	1871,		421
	1876,		657
<i>meridionalis</i>	1871,		570
	1876,		648
<i>minuta</i>	1871,		422
	1876,		661
	1876,		662
	1876,		663
<i>nævia</i>	1876,		641
	1876,		642

	Page		Page
<i>Sterna naevia</i>	1876,	<i>Sterna striata</i>	1876,
<i>nereis</i>	1876,	<i>sumatrana</i>	1876,
<i>nigra</i>	1872,	<i>superciliaris</i>	1871,
	1876,		1871,
	1876,		1871,
	1876,		1873,
<i>nilotica</i>	1876,		1876,
<i>nivea</i>	1876,	<i>surinamensis</i>	1876,
<i>novæ-hollandiæ</i> ..	1876,	<i>tenuirostris</i>	1871,
<i>nubilosa</i>	1871,		1872,
<i>oahuensis</i>	1876,		1872,
<i>panaya</i>	1875,		1876,
	1875,		1876,
	1876,	<i>tereticollis</i>	1878,
	1876,	<i>teretirostris</i>	1878,
	1876,	<i>tibetana</i>	1876,
	1877,		1876,
<i>panayensis</i>	1871,	<i>trudeauii</i>	1871,
	1871,		1876,
	1876,		1876,
<i>paradisea</i>	1871,	<i>tschegrava</i>	1876,
	1876,	<i>unicolor</i>	1876,
	1876,	<i>velox</i>	1871,
	1876,		1876,
<i>parva</i>	1876,		1876,
<i>pelecanoides</i>	1875,	<i>virgata</i>	1876,
	1875,		1877,
	1876,		1877,
<i>philadelphia</i>	1878,		1880,
<i>pikai</i>	1876,	<i>vittata</i>	1876,
	1876,		1876,
<i>pileata</i>	1876,		1877,
<i>plumbea</i>	1871,		1877,
	1876,		1877,
<i>poliocerca</i>	1876,	<i>wilsoni</i>	1880,
<i>portlandica</i>	1876,		1871,
	1876,		1876,
<i>pusilla</i>	1876,		1876,
<i>rectirostris</i>	1876,	<i>Sternoclyta cyaneipec-</i>	
<i>regia</i>	1871,	<i>tus</i>	1875,
	1871,	<i>Sternotherus derbia-</i>	237
	1871,	<i>nus</i>	1871,
	1876,	<i>niger</i>	1875,
<i>roseata</i>	1876,	<i>nigricans</i>	1871,
<i>seena</i>	1876,	<i>subniger</i>	1871,
<i>senegalensis</i>	1876,		1874,
	1876,	<i>Sternula antarctica</i>	1876,
	1876,	<i>jerdoni</i>	1876,
<i>senex</i>	1872,	<i>loricata</i>	1876,
	1876,	<i>melanauchen</i>	1876,
<i>serrata</i>	1876,	<i>melanogastra</i>	1876,
<i>similis</i>	1876,	<i>minuta</i>	1871,
<i>sinensis</i>	1876,		1872,
	1876,		1875,
<i>speculifera</i>	1876,		1876,
<i>stolida</i>	1871,		1876,
	1876,	<i>nereis</i>	1876,
	1877,		663

	Page		Page
<i>Sternula nereis</i>	1877,	<i>Stonasla consors</i>	1878,
<i>placens</i>	1876,		462
	1877,	<i>undulata</i>	1878,
<i>sinensis</i>	1871,		472
	1872,		472
	1875,		477
	1876,	<i>Stoparola melanops</i>	1871,
<i>sumatrana</i>	1872,	<i>Strebloceras subannu-</i>	381
<i>Steroma andensis</i>	1876,	<i>latum</i>	1879,
<i>bega</i>	1876,	<i>Strepera anaphonensis</i> ..	807
<i>superba</i>	1876,	<i>graculina</i>	1875,
<i>umbracina</i>	1876,	<i>Strepsiceros</i> , sp.	584
<i>Sthenurus atlas</i>	1877,	<i>angasii</i>	1863,
	1877,	<i>euryceros</i>	463
	1877,	<i>imberbis</i>	1871,
<i>brehus</i>	1877,		485
	1877,	<i>kudu</i>	1871,
	1877,		487
<i>minor</i>	1877,		489
	1877,		1875,
	1877,		470
	1877,		1878,
	1877,		441
	1877,		1873,
	1877,		474
	1877,		1876,
	1877,		284
	1877,		1876,
	1877,		291
	1877,		1876,
	1877,		293
	1877,		1877,
	1877,		4
	1877,		1877,
	1877,		454
	1877,		1878,
	1877,		745
	1877,		1880,
	1877,	<i>Strepsilas collaris</i>	538
	1877,	<i>interpres</i>	1874,
	1877,		560
	1877,		1871,
	1877,		114
	1877,		1871,
	1877,		408
	1877,		1872,
	1877,		89
	1877,		1872,
	1877,		104
	1877,		1872,
	1877,		472
	1877,		1873,
	1877,		469
	1877,		1873,
	1877,		641
	1877,		1874,
	1877,		560
	1877,		1875,
	1877,		440
	1877,		1876,
	1877,		497
	1877,		1876,
	1877,		503
	1877,		1876,
	1877,		505
	1877,		1877,
	1877,		29
	1877,		1877,
	1877,		30
	1877,		1877,
	1877,		31
	1877,		1877,
	1877,		301
	1877,		1877,
	1877,		302
	1877,		1877,
	1877,		338
	1877,		1877,
	1877,		757
	1877,		1877,
	1877,		770
	1877,		1877,
	1877,		781
	1877,		1877,
	1877,		784
	1877,		1878,
	1877,		120
	1877,		1878,
	1877,		127
	1877,		1878,
	1877,		708
	1877,		1878,
	1877,		711
	1877,		1879,
	1877,		9
	1877,		1879,
	1877,		14
	1877,		1879,
	1877,		351
	1877,		1880,
	1877,		576
	1877,	<i>Streptaxis deformis</i>	1875,
	1877,	<i>Streptostyla bocourti</i> ..	320
	1877,	<i>boucardi</i>	1875,
	1877,	<i>cylindracea</i>	648
	1877,		1879,
	1877,		482
	1877,		1879,
	1877,		482

	Page		Page
<i>Streptostyla delattrei</i> ..	1875, 648	<i>Strix lugubris</i>	1878, 940
<i>flavescens</i>	1880, 135	<i>mexicana</i>	1877, 159
<i>nigricans</i>	1875, 647	<i>novæ-hollandiæ</i> ..	1875, 580
<i>viridula</i>	1879, 482	<i>nyctea</i>	1879, 296
<i>Strigops habroptilus</i> ..	1879, 486	1871, 112
<i>Stringonyx anderssoni</i> ..	1871, 102	1871, 739
.....	1871, 500	<i>otus</i>	1871, 739
.....	1871, 501	1871, 741
.....	1871, 502	1871, 742
<i>Stringops habroptilus</i> ..	1872, 185	<i>oustaleti</i>	1879, 295
.....	1872, 788	1879, 296
.....	1873, 465	<i>passerina</i>	1871, 739
.....	1873, 633	1875, 490
.....	1874, 263	<i>perlata</i>	1873, 303
.....	1874, 587	1874, 553
.....	1874, 596	1879, 636
.....	1874, 598	1880, 212
.....	1874, 665	<i>personata</i>	1879, 295
.....	1876, 1	1879, 296
.....	1877, 307	<i>pithecops</i>	1871, 344
.....	1879, 112	<i>psilodactyla</i>	1871, 741
<i>Strix acadica</i>	1871, 743	<i>richardsoni</i>	1871, 743
<i>aluco</i>	1871, 739	<i>sandwichensis</i>	1878, 348
.....	1871, 742	<i>tenebricosa</i>	1875, 339
<i>bakkamuna</i>	1872, 417	1875, 580
<i>brachyotus</i>	1871, 739	<i>tengmalmi</i>	1871, 739
.....	1871, 741	1871, 740
.....	1871, 742	1871, 741
<i>bubo</i>	1871, 739	1871, 742
<i>candida</i>	1871, 344	1871, 743
.....	1872, 415	<i>Strobilophaga burtoni</i> ..	1871, 615
.....	1879, 295	<i>Strombus pacificus</i>	1871, 585
<i>castanops</i>	1879, 295	<i>robustus</i>	1874, 599
<i>delicatula</i>	1871, 22	1874, 600
.....	1875, 424	<i>samar</i>	1871, 585
.....	1875, 580	<i>septimus</i>	1874, 600
.....	1876, 490	<i>succinctus</i>	1874, 600
.....	1876, 500	<i>thersites</i>	1871, 585
.....	1877, 771	(<i>Canarium</i>) <i>elegans</i>	1877, 185
.....	1877, 782	(—) <i>plicatus</i>	1877, 185
.....	1879, 295	(<i>Gallinula</i>) <i>camp-</i>	
.....	1879, 296	<i>belli</i>	1877, 185
<i>flammea</i>	1871, 739	<i>Strongylus hemicolor</i> ..	1876, 294
.....	1871, 742	1876, 295
.....	1873, 466	1876, 298
.....	1873, 530	<i>tubæformis</i>	1876, 298
.....	1873, 635	<i>Strophidia astheniata</i> ..	1879, 165
.....	1875, 65	<i>bifasciata</i>	1879, 165
.....	1875, 490	<i>caudata</i>	1879, 165
.....	1877, 307	<i>clarissima</i>	1879, 166
.....	1879, 538	<i>pannata</i>	1879, 166
.....	1879, 636	<i>phantasmah</i>	1879, 165
.....	1879, 674	<i>urapterina</i>	1879, 165
<i>funerea</i>	1871, 741	<i>Struthidea cinerea</i>	1872, 603
<i>indica</i>	1872, 80	1873, 462
.....	1872, 415	<i>Struthio camelus</i>	1872, 356
.....	1872, 415	1872, 361
<i>javanica</i>	1872, 415	1873, 470
<i>lapponica</i>	1871, 741		
<i>liturata</i>	1871, 741		

	Page		Page
<i>Struthio camelus</i>	1873,	<i>Stylifer brazieri</i>	1877,
	1873,	<i>Styliola subulata</i>	1877,
	1875,	<i>Styloceros muntjacus</i> ..	1874,
	1875,	<i>Stylodonta semicerina</i> ..	1872,
	1876,	(<i>Erepta</i>) <i>bewsheri</i> ..	1872,
	1877,		1872,
	1877,		1873,
	1878,	(<i>Rotula</i>) <i>cernica</i> ..	1873,
	1880,	<i>Suana bimaculata</i>	1879,
<i>Strymon agricolor</i>	1874,	<i>cervina</i>	1879,
<i>coelicolor</i>	1874,	<i>Sublegatus glaber</i>	1876,
<i>pastor</i>	1874,	<i>griseocularis</i>	1876,
<i>Sturnella bellicosa</i>	1874,		1876,
<i>ludoviciana</i>	1878,	<i>Succinea aperta</i>	1871,
<i>militaris</i>	1872,	<i>approximans</i>	1875,
	1872,	<i>bernardia</i>	1871,
	1874,	<i>bettei</i>	1877,
<i>Sturnoides atrifusca</i>	1871,		1877,
	1876,	<i>caduca</i>	1871,
<i>Sturnopastor contra</i>	1874,	<i>canella</i>	1871,
<i>Sturnus ambiguus</i>	1878,	<i>cepulla</i>	1871,
<i>cineraceus</i>	1871,	<i>costulosa</i>	1871,
<i>cinerascens</i>	1873,	<i>crocata</i>	1871,
<i>cinereus</i>	1871,	<i>delalandi</i>	1880,
<i>contra</i>	1871,	<i>elongata</i>	1871,
<i>dauricus</i>	1871,	<i>explanata</i>	1871,
<i>humei</i>	1878,	<i>fragilis</i>	1871,
	1878,	<i>gouldiana</i>	1871,
<i>indicus</i>	1878,	<i>guamensis</i>	1871,
<i>nigricollis</i>	1873,	<i>humerosa</i>	1871,
<i>nitens</i>	1878,	<i>infundibuliformis</i> ..	1871,
<i>poltaratskyi</i>	1878,	<i>labiata</i>	1871,
<i>prædatorius</i>	1875,	<i>lumbalis</i>	1871,
<i>purpurascens</i>	1878,	<i>mamillata</i>	1871,
<i>pyrrhogenys</i>	1871,		1871,
<i>sericeus</i>	1871,	<i>manuana</i>	1871,
<i>unicolor</i>	1873,	<i>modesta</i>	1871,
	1878,	<i>newcombiana</i>	1871,
	1880,	<i>pacifica</i>	1871,
<i>vulgaris</i>	1873,	<i>pallida</i>	1871,
	1874,	<i>papillata</i>	1871,
	1874,	<i>patula</i>	1871,
	1875,	<i>peruviana</i>	1879,
	1875,	<i>picta</i>	1871,
	1878,	<i>procera</i>	1871,
	1878,	<i>pudorina</i>	1871,
	1880,	<i>punctata</i>	1871,
<i>Stylaster amphiheloides</i>	1871,	<i>putamen</i>	1871,
	1871,	<i>rotundata</i>	1871,
<i>asper</i>	1871,	<i>rubella</i>	1871,
	1871,		1871,
<i>elegans</i>	1871,	<i>rubicunda</i>	1877,
<i>erubescens</i>	1871,		1877,
	1871,	<i>tahitensis</i>	1871,
<i>eximius</i>	1871,	<i>undulata</i>	1879,
<i>gemmaescens</i>	1871,	<i>venusta</i>	1871,
<i>gracilis</i>	1871,	<i>vesicalis</i>	1871,
<i>sanguineus</i>	1871,	<i>Suiriri icterophrys</i>	1879,

	Page		Page
Suiriri suiriri	1879, 614	Sus scrofa	1875, 492
Sula, sp.	1879, 310		1877, 275
australis	1877, 349		1877, 358
bassana	1873, 467		1880, 54
	1873, 637		1880, 306
	1876, 335	Suthora alphonsiana ..	1873, 665
	1876, 345		1873, 689
	1877, 307	brunnea	1871, 211
	1877, 312		1871, 373
	1879, 112	bulomachus	1871, 212
cyanops	1878, 652		1871, 372
	1879, 310		1873, 667
fiber	1871, 420	conspicillata	1873, 690
	1872, 482	gularis	1871, 373
	1877, 349		1873, 665
fusca	1871, 420		1873, 688
	1875, 529	suffusa	1871, 372
	1876, 335	webbiana	1871, 212
	1876, 340		1871, 372
	1877, 451		1873, 650
	1879, 16	Suya striata	1871, 351
leucogastra	1878, 651		1873, 556
	1879, 310		1873, 666
piscator	1878, 651	superciliaris	1871, 351
	1879, 310	Swanka maculata	1871, 745
	1880, 163	Sycalis chloris	1874, 522
piscatrix	1879, 353	chloropsis	1874, 172
sinicadvena	1871, 420	flaveola	1877, 322
variegata	1874, 554		1877, 750
Sura chalybea	1876, 309		1879, 244
Surendra discalis	1879, 142		1879, 607
latimargo	1879, 142		1880, 199
quercetorum	1878, 836	lutea	1879, 607
	1878, 855	luteiventris	1874, 133
	1879, 142		1874, 522
vivarna	1879, 142		1879, 230
Surnia funerea	1873, 466	luteocephala	1879, 607
	1873, 635	luteola	1874, 522
	1876, 334		1879, 607
nyctea	1875, 491	raimondi	1874, 133
	1875, 494		1874, 522
ulula	1876, 334	uropygialis	1874, 522
	1876, 335	Sycobrotus kersteni ...	1873, 715
Surniculus dicruroides ..	1871, 394	Sycotypus reticulatus ..	1877, 182
	1872, 431	Sydella australis	1872, 747
	1873, 607	Sylochelidon balthica ..	1876, 657
lugubris	1878, 613	caspia	1871, 421
	1879, 328		1872, 480
nigricans	1873, 588		1876, 657
rubiculus	1873, 583		1877, 347
velutinus	1877, 823		1876, 644
	1878, 945	magnirostris	1876, 657
	1879, 69	melanotis	1876, 658
Sus africanus	1871, 237	polyocerca	1876, 657
babyrussa	1875, 492	schillingii	1876, 657
papuensis	1875, 531	strenuus	1876, 657
pliciceps	1880, 306	Sylphitron perlatum ..	1878, 558
scrofa	1873, 790	Sylvia affinis	1872, 457
		aureola	1871, 124

	Page		Page
<i>Sylvia blanfordi</i>	1878,	<i>Symphædra teuta</i>	1877,
<i>curruca</i>	1871,	<i>teutoïdes</i>	1877,
	1877,		1877,
	1878,	<i>Symphemia semipalmata</i>	1877,
<i>flavescens</i>	1871,	<i>Sympis turbida</i>	1877,
<i>hippolais</i>	1873,		1877,
<i>hottentotta</i>	1874,	<i>Synallaxis ægithaloides</i>	1872,
<i>leucomela</i>	1874,		1874,
<i>melanocephala</i>	1878,		1874,
	1878,		1874,
<i>melanopogon</i>	1876,		1879,
<i>nisoria</i>	1879,	<i>albescens</i>	1874,
<i>obsoleta</i>	1874,		1874,
<i>orphea</i>	1877,		1874,
<i>phragmites</i>	1875,		1874,
<i>phryganophila</i>	1874,		1874,
<i>rubescens</i>	1878,		1874,
<i>rubrigastra</i>	1874,		1874,
<i>ruficeps</i>	1879,		1879,
<i>russeola</i>	1874,	<i>albicapilla</i>	1874,
<i>stapazina</i>	1874,		1874,
<i>swainsoni</i>	1879,		1874,
<i>velata</i>	1879,		1874,
<i>venusta</i>	1879,		1874,
<i>venustula</i>	1879,		1874,
(Phyllopneuste) evers-			1874,
<i>manni</i>	1871,		1874,
<i>Sylviparus modestus</i> ..	1871,	<i>albiceps</i>	1874,
<i>Syma torotoro</i>	1873,		1874,
<i>Symbrenthia asthala</i> ..	1874,		1874,
	1874,		1879,
<i>brabera</i>	1872,	<i>albigularis</i>	1873,
<i>cotanda</i>	1874,		1874,
	1874,		1874,
<i>daruka</i>	1874,		1874,
	1874,	<i>albilora</i>	1874,
<i>hyppocla</i>	1874,		1874,
	1874,	<i>alopecias</i>	1874,
	1874,		1874,
<i>hypselis</i>	1872,	<i>anthoides</i>	1873,
	1874,		1874,
	1874,		1874,
	1874,		1874,
<i>hysudra</i>	1874,	<i>antisiensis</i>	1874,
	1874,		1874,
<i>khasiana</i>	1874,		1874,
<i>niphanda</i>	1872,		1879,
<i>Syme orbicularis</i>	1877,		1880,
	1877,	<i>arequipæ</i>	1874,
<i>Symmachia domitianus</i>	1878,		1874,
<i>rhacotis</i>	1878,		1874,
<i>Symphædra canescens</i> ..	1873,	<i>azaræ</i>	1874,
<i>cyanipardus</i>	1873,		1874,
<i>dirtea</i>	1873,	<i>bitorquata</i>	1874,
	1878,		1879,
	1878,	<i>brachyura</i>	1874,
<i>pardalis</i>	1878,		1874,
	1878,	<i>brunnea</i>	1874,
	1878,		1874,

	Page		Page
<i>Synallaxis brunnea</i>	1874, 24	<i>Synallaxis flammulata</i> ..	1874, 527
<i>brunneicauda</i>	1874, 6	<i>flavogularis</i>	1874, 4
	1874, 8		1874, 6
	1874, 27		1874, 23
	1874, 446		1874, 24
	1874, 527	<i>frontalis</i>	1874, 4
<i>brunneicaudalis</i> ..	1874, 8		1874, 5
	1874, 10		1874, 6
	1874, 527		1874, 8
<i>candæi</i>	1871, 85		1874, 27
	1874, 7		1874, 446
	1874, 15		1874, 527
	1874, 28		1877, 449
<i>caniceps</i>	1874, 5		1879, 230
	1874, 12		1879, 520
<i>castanea</i>	1874, 5		1879, 620
	1874, 15		1879, 670
	1874, 28		1880, 200
<i>caudacutus</i>	1874, 4	<i>fruticicola</i>	1879, 670
	1874, 13		1880, 200
<i>cinerascens</i>	1874, 4	<i>fugax</i>	1879, 461
	1874, 11		1879, 621
	1874, 29	<i>fuliginiceps</i>	1874, 4
	1879, 230		1874, 6
<i>cinereus</i>	1874, 4		1879, 620
	1874, 7	<i>fuliginosa</i>	1874, 5
<i>cinnamomea</i>	1874, 4		1874, 16
	1874, 5		1874, 28
	1874, 11	<i>graminicola</i>	1874, 446
	1874, 13		1874, 447
	1874, 14		1874, 527
	1874, 15	<i>guianensis</i>	1874, 3
	1874, 28		1874, 11
<i>crassirostris</i>	1874, 22		1874, 27
<i>curtata</i>	1874, 6	<i>gularis</i>	1874, 5
	1874, 19		1874, 16
	1874, 28		1874, 28
	1874, 447	<i>hudsoni</i>	1874, 25
	1874, 527		1874, 28
<i>dorsomaculatus</i>	1874, 4		1879, 461
<i>elegans</i>	1874, 5	<i>humicola</i>	1874, 4
	1874, 8		1874, 6
<i>erythropros</i>	1874, 6		1874, 22
	1874, 19		1874, 28
	1874, 27		1879, 621
	1874, 28	<i>humilis</i>	1874, 7
	1878, 59		1874, 23
	1879, 521		1874, 28
	1879, 549		1874, 130
<i>erythrothorax</i>	1874, 5		1874, 447
	1874, 17		1874, 527
	1874, 28	<i>hypospodia</i>	1874, 10
<i>fitis</i>	1874, 21		1874, 27
<i>flammulata</i>	1874, 5	<i>hyposticta</i>	1874, 6
	1874, 26		1874, 20
	1874, 28		1874, 28
	1874, 446		1879, 620
	1874, 447	<i>inornata</i>	1874, 11

	Page		Page
<i>Synallaxis inornata</i>	1874, 20	<i>Synallaxis pallida</i>	1874, 21
<i>kollari</i>	1871, 85		1874, 28
	1874, 15	<i>palpebralis</i>	1874, 16
	1874, 28		1874, 28
<i>laemosticta</i>	1874, 5		1874, 447
	1874, 15		1874, 527
	1874, 28	<i>patagonica</i>	1872, 544
<i>leucocephalus</i>	1874, 4		1872, 548
	1874, 26		1872, 549
<i>maculata</i>	1874, 7		1874, 4
	1874, 12		1874, 24
<i>major</i>	1874, 4		1874, 28
<i>maluroides</i>	1874, 4	<i>phryganophila</i>	1874, 4
	1874, 26		1874, 6
	1874, 28		1874, 17
<i>maranonica</i>	1879, 230		1874, 18
<i>maximiliani</i>	1874, 4		1874, 28
	1874, 5	<i>phryganophilus</i>	1874, 4
	1874, 17	<i>poliophrys</i>	1874, 8
	1874, 28	<i>propinqua</i>	1874, 6
	1879, 620		1874, 12
<i>melanops</i>	1874, 6		1874, 27
	1877, 32	<i>pudibunda</i>	1874, 445
<i>mentalis</i>	1874, 5		1874, 447
	1874, 13		1874, 527
<i>modesta</i>	1872, 544	<i>pudica</i>	1874, 6
	1872, 548		1874, 10
	1872, 549		1874, 27
	1874, 5		1878, 59
	1874, 11		1879, 521
	1874, 23	<i>pusilla</i>	1874, 18
	1874, 24	<i>rufa</i>	1874, 24
	1874, 28	<i>ruficapilla</i>	1874, 3
	1874, 173		1874, 4
<i>mcesta</i>	1874, 5		1874, 5
	1874, 8		1874, 6
	1874, 9		1874, 7
	1874, 26		1874, 8
	1874, 27		1874, 9
<i>multostriata</i>	1874, 5		1874, 27
	1874, 26		1874, 527
<i>mustelina</i>	1874, 14		1879, 620
	1874, 28		1879, 670
<i>nigrifumosa</i>	1874, 10	<i>ruficauda</i>	1874, 3
	1878, 59		1874, 4
<i>olivascens</i>	1874, 5		1874, 5
	1874, 7		1874, 13
<i>orbignii</i>	1874, 4		1874, 14
	1874, 6	<i>rufigenis</i>	1874, 3
	1874, 22		1874, 6
	1874, 23		1874, 19
	1874, 28		1874, 27
	1879, 461		1874, 28
	1879, 621	<i>rufipennis</i>	1879, 589
<i>pallida</i>	1874, 4		1879, 620
	1874, 5	<i>rufogularis</i>	1874, 4
	1874, 18		1874, 25
	1874, 19	<i>ruticilla</i>	1874, 6

	Page		Page
Synallaxis ruticilla	1874, 20	Synallaxis tecellata	1874, 18
	1874, 21	terrestris	1874, 5
	1874, 28		1874, 16
rutilans	1873, 269		1874, 28
	1874, 4	terricolor	1873, 269
	1874, 18		1874, 6
	1874, 28		1874, 12
sclateri	1879, 461	tithys	1877, 323
scutata	1874, 3	torquata	1874, 4
	1874, 6		1874, 5
	1874, 13		1874, 17
	1874, 28		1879, 620
semicinerea	1874, 3	troglodytoides	1874, 4
	1874, 12		1874, 27
	1874, 13	unirufa	1874, 5
	1874, 28		1874, 14
	1879, 620		1874, 28
setaria	1874, 4		1879, 521
sordida	1872, 543	virgata	1874, 446
	1872, 548		1874, 447
	1874, 4		1874, 527
	1874, 6	vulpecula	1873, 269
	1874, 23		1874, 6
	1874, 28		1874, 14
spixi	1874, 3	vulpina	1874, 6
	1874, 5		1874, 14
	1874, 6		1874, 28
	1874, 9	wyatti	1874, 7
	1874, 27		1874, 25
	1874, 158		1874, 28
stictothorax	1874, 3		1874, 446
	1874, 6	Synapta tenera	1871, 690
	1874, 7		1871, 691
	1874, 12	Synaptomys cooperi . . .	1878, 633
	1874, 27	Synchloë aglaope	1872, 65
	1877, 323	ajaka	1872, 63
	1877, 751	autodice	1872, 67
	1879, 231	brassicæ	1872, 65
striata	1874, 27		1873, 156
striaticeps	1872, 544		1873, 160
	1874, 4	brassicoides	1872, 64
	1874, 6	callidice	1872, 62
	1874, 21	canace	1872, 63
	1874, 28	canidia	1872, 66
	1879, 620		1878, 701
	1879, 621		1878, 707
striaticollis	1874, 19	castoria	1872, 66
	1874, 28	cheiranthi	1872, 65
subcristata	1874, 20	chloridice	1872, 62
	1874, 28	cleomes	1872, 66
subpudica	1874, 10	cruciferarum	1872, 63
	1874, 27	crucivora	1872, 65
sulphurifera	1872, 544	daplidice	1872, 62
	1872, 548		1880, 410
	1874, 6	ergane	1872, 65
	1874, 24	erodyle	1874, 349
	1874, 28	frigida	1872, 64
tecellata	1874, 4	gaudialis	1874, 349

	Page		Page
<i>Synchlœ glauconome</i> ..	1872, 62	<i>Syntomis disrupta</i>	1878, 857
<i>hellica</i>	1872, 62		1878, 858
<i>hulda</i>	1872, 63	<i>divisa</i>	1878, 845
<i>iranica</i>	1880, 410	<i>fenestrata</i>	1878, 845
	1880, 415	<i>fytchei</i>	1871, 246
<i>joppe</i>	1872, 66		1871, 249
	1878, 481	<i>grotei</i>	1871, 245
<i>krueperi</i>	1872, 65		1871, 249
<i>leucodice</i>	1872, 62		1878, 844
<i>marginalis</i>	1872, 64	<i>libera</i>	1878, 857
<i>melete</i>	1872, 64		1878, 845
<i>monusta</i>	1876, 244	<i>marsdeni</i>	1877, 473
<i>monuste</i>	1872, 66	<i>masoni</i>	1878, 845
	1874, 362		1878, 857
<i>napi</i>	1872, 63		1878, 858
<i>nasturtii</i>	1872, 63	<i>melas</i>	1878, 845
<i>nepalensis</i>	1872, 65	<i>sladeni</i>	1871, 245
<i>occidentalis</i>	1872, 64		1871, 249
<i>oleracea</i>	1872, 63		1878, 844
<i>pallida</i>	1872, 64		1878, 857
<i>protodyce</i>	1872, 62	<i>vitreata</i>	1878, 845
<i>rapæ</i>	1872, 65	<i>Sypheotides auritus</i>	1873, 672
	1872, 66	<i>bengalensis</i>	1879, 459
	1873, 156	<i>Syristes albocinereus</i> ..	1880, 156
<i>saundersii</i>	1876, 222	<i>Syrmaticus reevesii</i>	1871, 398
<i>sisymbrii</i>	1872, 63	<i>Syrnea nyctea</i>	1876, 480
<i>suasa</i>	1872, 66		1875, 481
	1876, 165	<i>Syrnium aluco</i>	1873, 466
<i>venosa</i>	1872, 64		1873, 635
<i>vernalis</i>	1872, 64		1875, 343
<i>virginia</i>	1872, 67		1875, 491
<i>virginiensis</i>	1872, 63		1877, 533
<i>Synclera cæsalis</i>	1877, 618		1880, 309
	1877, 630	<i>hylophilum</i>	1879, 539
<i>Syneda limbolaris</i>	1878, 487	<i>indranee</i>	1872, 415
<i>Syngamia florella</i>	1878, 492	<i>nebulosum</i>	1873, 466
<i>Syngnathus acus</i>	1879, 761		1873, 635
<i>typhle</i>	1872, 834		1875, 491
	1872, 836	<i>nivicolum</i>	1871, 344
	1875, 487		1873, 665
<i>Synoecus cervinus</i>	1878, 121	<i>nuchale</i>	1871, 613
	1878, 127		1871, 615
<i>Synoicus australis</i>	1876, 119	<i>virgatum</i>	1873, 304
<i>Syntomis albifrons</i>	1878, 845	<i>woodfordi</i>	1875, 529
	1878, 857	<i>zonocercum</i>	1873, 304
	1878, 859	<i>Syrnola brunnea</i>	1878, 866
<i>andersoni</i>	1871, 244	<i>tincta</i>	1871, 15
	1871, 249		1871, 91
<i>atkinsoni</i>	1871, 245		1878, 866
	1871, 249	<i>Syrphus albomaculatus</i> .	1877, 84
	1878, 845	<i>Syrrhaptis heteroclita</i> ..	1878, 261
	1878, 857	<i>pallasii</i>	1878, 234
<i>austeni</i>	1879, 389		1878, 261
<i>berinda</i>	1878, 845	<i>paradoxus</i>	1871, 398
	1878, 857		1873, 650
	1878, 859		1878, 233
<i>diaphana</i>	1878, 845		1878, 236
<i>disrupta</i>	1878, 845		

	Page		Page
Syrrhaptus paradoxus ..	1878, 238	Tachyphonus flavinucha	1874, 513
	1878, 246		1879, 600
	1878, 260	luctuosus	1877, 332
	1878, 261		1878, 55
	1880, 314		1879, 503
thibetanus	1878, 234		1879, 601
	1878, 236	melaleucus	1876, 16
	1878, 238		1879, 503
	1878, 260		1879, 550
	1878, 263		1880, 143
Systolosoma breve	1874, 53		1880, 145
brevis	1874, 50		1880, 146
Systomus bimaculatus ..	1880, 225	phoeniceus	1873, 260
canis	1880, 225		1873, 262
Systropha aureola	1878, 18	ruficollis	1879, 601
auriflua	1878, 18	rufiventris	1873, 185
	1878, 37		1873, 260
	1880, 671		1873, 262
dorsalis	1878, 18		1874, 513
			1879, 601
Taccocua infusata	1873, 601	surinamus	1873, 262
leschenaulti	1872, 433	versicolor	1879, 601
	1873, 601	xanthopygius	1879, 503
	1873, 602	Tachyptilia atychioides.	1877, 405
Tachybaptus dominicus.	1879, 548		1877, 407
Tachydromus haughto-		Tachyris abnormis	1872, 48
nianus	1871, 150	albina	1874, 107
	1871, 156	alope	1872, 43
sexlineatus	1871, 150	amarella	1872, 44
	1871, 156		1874, 287
	1872, 588	bouruensis	1872, 46
Tachyeres brachypterus.	1876, 402	cardena	1873, 355
cinereus	1876, 402	clavis	1872, 47
	1876, 411	corinna	1872, 45
	1876, 412	cynisca	1872, 45
	1878, 437	enarete	1873, 355
	1879, 310	galba	1872, 46
	1880, 529	jacquinotii	1872, 44
Tachypetes aquila	1875, 29	leptis	1873, 355
	1875, 441	lucasii	1872, 50
	1877, 770	nathalia	1873, 355
	1879, 353	neombo	1873, 355
	1880, 577	nero	1873, 355
aquilus	1871, 125	panthea	1872, 48
	1876, 499	urania	1872, 44
	1876, 504	Tachys diploharpinus ..	1878, 602
minor	1871, 423	hydrophilus	1874, 66
	1872, 87	Tadorna cana	1880, 512
	1872, 90		1880, 534
	1879, 353	cornuta	1871, 418
Tachyphonus cassini ..	1879, 503		1880, 511
coronatus	1880, 146	radjah	1877, 346
crisatellus	1873, 262		1880, 511
crisatus	1873, 262		1880, 535
	1880, 146	rutila	1873, 467
delatruü	1878, 55		1873, 639
	1879, 503		1877, 307
	1879, 549		1877, 312

	Page		Page
<i>Tadorna rutila</i>	1880, 317	<i>Taheitia clathrata</i>	1871, 467
	1880, 511	<i>pallida</i>	1871, 467
	1880, 533		1871, 477
	1880, 534	<i>porrecta</i>	1871, 468
<i>scutulata</i>	1880, 512		1871, 477
	1880, 534	<i>scalariformis</i>	1871, 468
<i>tadornoides</i>	1880, 512		1871, 477
	1880, 535	<i>vitiana</i>	1871, 477
<i>variegata</i>	1880, 512	<i>wallacei</i>	1871, 467
	1880, 535	<i>Talegalla cuvieri</i>	1874, 607
<i>vulpanser</i>	1871, 418	<i>lathamii</i>	1873, 469
	1875, 488		1873, 640
	1880, 317		1874, 607
	1880, 511		1878, 127
	1880, 534		1880, 315
<i>Tænia gigantea</i>	1871, 146	<i>Talegallus lathamii</i>	1876, 116
	1877, 788	<i>Talides athenion</i>	1874, 369
<i>lata</i>	1871, 147	<i>Talpa europæa</i>	1875, 493
<i>magna</i>	1871, 146	<i>mizura</i>	1880, 441
	1877, 788	<i>wogura</i>	1880, 441
<i>Tæniadestes antarctica</i> .	1876, 368	<i>Talpacotia godina</i>	1874, 555
<i>Tænioptera coronata</i> ..	1871, 262		1879, 243
	1872, 548	<i>Tamandua longicaudata</i> .	1880, 403
<i>irupero</i>	1879, 610	<i>tetradactyla</i>	1871, 546
<i>murina</i>	1872, 541		1871, 624
	1872, 548		1871, 625
	1872, 549	<i>Tamias striatus</i>	1880, 305
	1879, 460	<i>Tamoya alata</i>	1879, 798
<i>nengeta</i>	1879, 610	<i>haplonema</i>	1879, 793
<i>obscura</i>	1878, 347		1879, 794
<i>pyrope</i>	1878, 433		1879, 795
<i>rubetra</i>	1872, 541		1879, 798
	1872, 548		1879, 799
<i>striaticollis</i>	1879, 610	<i>quadrumana</i>	1879, 793
<i>variegata</i>	1871, 260		1879, 794
<i>velata</i>	1879, 610		1879, 795
<i>Tagiades, sp.</i>	1879, 160		1879, 798
<i>adrastus</i>	1874, 109		1879, 800
<i>alica</i>	1877, 593	<i>Tamyris agathon</i>	1879, 153
	1877, 625	<i>Tanaëcia acontius</i>	1877, 586
	1877, 631		1877, 624
<i>helferi</i>	1877, 593	<i>cibaritis</i>	1877, 586
	1877, 625		1877, 624
<i>hereus</i>	1875, 417	<i>flora</i>	1873, 235
<i>japetus</i>	1873, 360	<i>leverna</i>	1873, 345
	1877, 149	<i>lutala</i>	1873, 345
<i>meetana</i>	1878, 842	<i>valmikio</i>	1873, 345
	1878, 856	<i>violaria</i>	1873, 345
	1878, 858	<i>Tanagra abbas</i>	1880, 146
<i>menaka</i>	1874, 273	<i>auricissa</i>	1879, 501
<i>obscurus</i>	1877, 593	<i>cana</i>	1873, 462
	1878, 842		1878, 54
<i>pralaya</i>	1878, 842		1879, 500
	1878, 856	<i>cœlestis</i>	1873, 261
<i>ravi</i>	1874, 109		1874, 513
<i>striata</i>	1873, 360		1876, 16
<i>Taheitia arcticostata</i> ..	1871, 477		1879, 227
<i>aurantia</i>	1871, 467		1880, 195

	Page		Page
Tanagra cyaneicollis ..	1879, 599	Tantalus albus	1877, 482
cyanocephala	1874, 513		1877, 508
	1879, 227	bengalensis	1877, 505
	1879, 501	calvus	1877, 478
	1879, 600		1877, 482
cyanoptera.....	1877, 320		1877, 494
darwinii	1874, 513	cayanensis.....	1877, 478
	1876, 16		1877, 479
	1879, 600		1877, 482
	1880, 195		1877, 502
diaconus.....	1878, 54	chalcopterus	1877, 478
episcopus	1873, 185	coco	1877, 508
	1879, 600	cristatus.....	1877, 478
	1880, 146		1877, 482
flaviventris	1879, 599		1877, 499
frugilegus	1874, 513	falcinellus	1877, 478
gyrola	1879, 599		1877, 482
igniventris.....	1879, 600		1877, 503
maximiliani	1879, 501	fuscus.....	1877, 509
	1879, 600	griseus	1877, 504
melanoptera	1873, 262	hagedash	1877, 478
	1874, 513		1877, 482
	1878, 55		1877, 500
montana	1879, 600	ibis.....	1875, 297
olivascens	1874, 513		1875, 298
	1879, 600		1877, 485
olivina	1873, 185		1877, 501
	1873, 186		1877, 711
	1876, 16		1878, 625
ornata	1880, 146		1878, 627
	1880, 312	igneus	1877, 478
palmarum.....	1873, 185		1877, 504
	1873, 262	leucocephalus	1871, 411
	1878, 55		1872, 478
	1879, 500	loculata	1873, 305
	1879, 600		1877, 681
	1880, 146		1878, 625
palpebrosa.....	1879, 500		1878, 626
sayaca	1879, 600		1878, 627
	1880, 146		1878, 629
striata	1872, 537	longimembris	1871, 411
	1879, 600	melanocephalus ..	1877, 478
subcinerea.....	1879, 501		1877, 488
vittata	1880, 146	melanopsis	1877, 478
yeni	1879, 598		1877, 498
Tanagrella viridina	1873, 261	mexicanus.....	1877, 504
Tantalides falcinellus ..	1877, 479	minutus.....	1877, 509
	1877, 504	niger	1877, 494
guarauna	1877, 479		1877, 504
	1877, 506	ruber	1877, 478
Tantalus æthiopicus....	1877, 478		1877, 482
	1877, 479		1877, 509
	1877, 481	viridis.....	1877, 504
	1877, 482	Tanygnathus albirostris.	1871, 494
	1877, 485		1876, 692
albicollis	1877, 498		1877, 818
albus	1877, 478	burbidgii	1879, 313
	1877, 479		1879, 314

	Page		Page
<i>Tanygnathus everetti</i> ..	1877, 817	<i>Taphozous longimanus</i>	1875, 553
	1879, 314	<i>mauritanus</i>	1875, 63
<i>lucionensis</i>	1877, 536		1875, 548
	1877, 538		1875, 553
	1879, 313	<i>melanopogon</i>	1873, 246
<i>luconensis</i>	1871, 479		1873, 251
	1877, 817		1875, 547
	1879, 68		1875, 548
<i>luzonensis</i>	1877, 755		1875, 549
	1877, 756		1875, 550
	1878, 281		1875, 5 1
	1878, 340		1878, 879
	1878, 612	<i>nudiventer</i>	1873, 194
	1878, 937	<i>nudiventris</i>	1875, 548
<i>macrorhynchus</i>	1875, 489		1875, 550
<i>megalorhynchus</i> ..	1878, 78		1875, 553
<i>muelleri</i>	1871, 494		1875, 554
	1873, 634		1875, 556
	1874, 587	<i>peli</i>	1875, 548
	1877, 307		1875, 556
	1877, 818	<i>perforatus</i>	1875, 548
	1879, 313		1875, 551
	1880, 310		1875, 553
<i>sumatranus</i>	1877, 817	<i>philippinensis</i>	1875, 548
	1877, 818	<i>pulcher</i>	1875, 555
<i>Tanysiptera dea</i>	1876, 752	<i>saccolæmus</i>	1873, 245
<i>galatea</i>	1876, 752		1875, 548
<i>nigriceps</i>	1877, 105		1875, 550
	1879, 10		1878, 552
<i>nympha</i>	1873, 697		1878, 555
<i>riedeli</i>	1872, 1		1878, 556
<i>sylvia</i>	1875, 583	<i>theobaldi</i>	1875, 548
	1877, 105		1875, 550
<i>Tapes flabagella</i>	1877, 192	<i>Taphrometopum lineo-</i>	
	1878, 870	<i>latum</i>	1880, 620
(<i>Cuneus</i>) <i>galactites</i>	1877, 192	<i>Tapirus ænigmaticus</i> ..	1872, 489
<i>Taphozous affinis</i>	1875, 548		1872, 490
	1875, 555	<i>americanus</i>	1872, 625
<i>australis</i>	1875, 548	<i>bairdi</i>	1872, 605
	1875, 550		1871, 626
	1875, 551		1872, 635
<i>bicolor</i>	1873, 246		1874, 89
	1875, 552		1879, 666
<i>brevicaudus</i>	1875, 552		1880, 187
<i>cantori</i>	1875, 552	<i>dowi</i>	1879, 666
<i>crassus</i>	1875, 555		1880, 187
<i>flaviventris</i>	1875, 551	<i>ecuadorensis</i>	1872, 492
<i>fulvidus</i>	1875, 552		1872, 625
<i>kachhensis</i>	1873, 245		1880, 400
	1875, 554	<i>indicus</i>	1875, 492
<i>lepturus</i>	1875, 546		1875, 494
<i>leucopterus</i>	1875, 553		1880, 420
<i>longimanus</i>	1871, 514	<i>leucogenys</i>	1872, 483
	1873, 245		1872, 484
	1873, 246		1872, 487
	1875, 547		1872, 488
	1875, 548		1872, 489
	1875, 549		1872, 490
	1875, 551		1872, 491

	Page		Page
Tapirus leucogenys	1872, 492	Tatochila microdice	1872, 67
	1878, 632	theodice	1872, 67
peruvianus	1872, 624	xanthodice	1872, 67
	1872, 625	Tatosoma lestevata	1877, 398
pinchacus	1872, 484	Tatusia boliviensis	1874, 246
	1872, 485	brevirostris	1874, 246
	1872, 486	granadiana	1874, 246
	1872, 487	hybrida	1874, 244
	1872, 488		1874, 246
	1872, 489		1878, 228
	1872, 491		1878, 229
roulini	1872, 487	kapleri	1880, 402
	1872, 488	leptocephala	1874, 246
	1872, 604	leptorhinus	1874, 246
	1872, 605	mexicana	1874, 246
	1878, 631	novemcincta	1880, 402
	1880, 393	peba	1874, 245
	1880, 400		1874, 246
terrestris	1872, 484		1878, 226
	1872, 487		1878, 228
	1872, 489		1878, 229
	1872, 491		1880, 402
	1872, 492	Tavia substruens	1877, 608
	1872, 604		1877, 628
	1872, 624	Taxidea americana	1874, 666
	1872, 625	Taxila drupadi	1878, 832
	1872, 636	fasciata	1878, 832
	1873, 193		1878, 855
	1878, 632		1878, 858
villosus	1872, 487	ophna	1873, 347
	1872, 488	tanita	1873, 347
Taractrocera lineata	1874, 103	telesia	1873, 347
	1874, 109	teneta	1873, 347
sagara	1873, 360	thuisto	1873, 347
Tarandia australis	1875, 619	zemara	1873, 347
Tarantula miniata	1876, 607	Taygetis chrysogone	1874, 335
tarentulina	1876, 601		1876, 215
	1876, 627	incerta	1874, 335
tremens	1876, 602	leuctra	1874, 335
	1876, 627	marpessa	1876, 216
truculenta	1876, 601	mermeria	1874, 335
	1876, 627		1876, 215
Tarentola borneensis	1872, 589	penelea	1876, 216
Tarika nivea	1878, 15	satyrina	1874, 335
varana	1878, 15	thamyra	1874, 335
	1878, 36		1876, 216
Tarsiger chrysæus	1871, 359	umbracea	1874, 335
	1873, 666	Tchitreia affinis	1873, 650
superciliaris	1871, 359	cæruleocephala	1871, 331
Tatare longirostris	1876, 492	corvina	1877, 298
	1876, 501	cristata	1871, 133
	1877, 409	incei	1871, 331
viridis	1875, 150	mutata	1875, 66
	1875, 432		1877, 298
Tatobotys argillacea	1880, 686	paradisi	1872, 440
Tatochila autodice	1872, 67	pretiosa	1877, 298
demodice	1872, 67		1877, 302
mercedis	1872, 67	princeps	1871, 381

	Page		Page
<i>Tchitreia principalis</i>	1871, 381	<i>Teleopus luxatus</i>	1871, 517
	1873, 652		1872, 140
<i>viridis</i>	1871, 133	<i>Telephonus erythro-</i>	
<i>vulpina</i>	1877, 298	<i>pterus</i>	1873, 714
	1877, 302		1873, 717
	1879, 677		1878, 357
<i>Tebennophorus costari-</i>		<i>Tellidora pellyana</i>	1873, 208
<i>censis</i>	1879, 475		1873, 209
<i>Tectura conoidea</i>	1877, 189	<i>Tellina opalina</i>	1877, 720
<i>Tegenaria annulipes</i>	1872, 275	<i>planissima</i>	1877, 720
	1872, 348	<i>wroblewskyi</i>	1878, 727
<i>atrica</i>	1873, 211		1878, 732
	1873, 217	(<i>Acropagia</i>) <i>decus-</i>	
	1873, 218	<i>sata</i>	1877, 191
<i>civilis</i>	1873, 210	(<i>Angulus</i>) <i>brazieri</i> . 1871,	100
	1873, 211	(<i>Macoma</i>) <i>umbo-</i>	
	1873, 217	<i>nella</i>	1871, 727
	1873, 218	(<i>Peronæoderma</i>) <i>al-</i>	
<i>derhamii</i>	1876, 559	<i>binella</i>	1871, 100
<i>domestica</i>	1872, 275	<i>Tellinides rosea</i>	1877, 720
<i>familiaris</i>	1876, 628	<i>Telmessus acutidens</i>	1879, 20
<i>guyoni</i>	1880, 420		1879, 23
<i>intricata</i>	1872, 274		1879, 36
	1872, 348	<i>cheiragonus</i>	1879, 36
<i>pagana</i>	1876, 628	<i>serratus</i>	1879, 36
<i>proxima</i>	1873, 211	<i>Temenis ariadne</i>	1874, 347
	1873, 217		1876, 225
	1876, 559	<i>pulchra</i>	1876, 225
	1876, 626	<i>sylphis</i>	1877, 63
<i>testacea</i>	1873, 218	<i>Temenuchus albofron-</i>	
<i>Tegulata basistriga</i>	1878, 22	<i>tatus</i>	1872, 462
	1878, 36	<i>burmannicus</i>	1873, 661
<i>protuberans</i>	1878, 23	<i>cineraceus</i>	1871, 384
	1878, 36	<i>dauricus</i>	1871, 384
<i>tumida</i>	1878, 22		1873, 650
<i>Teinostoma solida</i>	1871, 737	<i>nemicola</i>	1873, 661
	1871, 739	<i>pagodarum</i>	1871, 682
<i>Teius rufescens</i>	1871, 545		1872, 462
	1880, 546	<i>senex</i>	1872, 405
	1880, 648		1872, 462
<i>teguexin</i>	1875, 487	<i>sericeus</i>	1871, 384
<i>Tejus nigropunctatus</i>	1871, 541	<i>sinensis</i>	1871, 384
<i>rufescens</i>	1871, 541	<i>turdiformis</i>	1871, 384
	1871, 542	<i>Temnopleurus granu-</i>	
	1871, 543	<i>losus</i>	1880, 423
<i>teguexin</i>	1871, 541		1880, 424
	1871, 542		1880, 425
<i>Telegonus alardus</i>	1874, 367	<i>hardwickii</i>	1880, 424
<i>anaphus</i>	1874, 367		1880, 426
<i>creteus</i>	1874, 367	<i>reevesi</i>	1880, 423
<i>fulgurator</i>	1874, 366		1880, 424
<i>imalena</i>	1874, 367	<i>reynaudi</i>	1880, 423
<i>lacydus</i>	1876, 247		1880, 424
	1876, 250		1880, 425
<i>naxos</i>	1876, 247	<i>toreumaticus</i>	1880, 423
<i>ramusis</i>	1876, 247		1880, 424
<i>thyrsis</i>	1877, 594		1880, 425
	1877, 625		

	age		Page
<i>Temnopleurus toreumaticus</i>	1880,	426	156
	1880,	429	157
	1880,	430	162
<i>Temora velox</i>	1878,	330	128
<i>Tenaris anableps</i>	1874,	280	138
<i>catops</i>	1874,	279	144
<i>chionides</i>	1880,	611	144
<i>jamesi</i>	1876,	767	153
	1880,	611	157
<i>mylœcha</i>	1874,	279	158
	1876,	767	156
<i>onesimus</i>	1877,	466	157
	1877,	468	148
<i>phorcas</i>	1874,	279	152
	1874,	280	162
<i>Tenthaca pelvica</i>	1871,	377	157
<i>Tephras finschi</i>	1872,	96	165
<i>Tephrocorys cinerea</i> ...	1874,	633	157
<i>spleniata</i>	1874,	634	165
<i>Tephrodornis affinis</i> ...	1872,	437	138
<i>hirundinacea</i>	1873,	678	138
<i>pelvica</i>	1871,	377	139
<i>pondiceriana</i>	1872,	437	153
<i>Tephrosia scriptaria</i> ..	1877,	390	158
<i>Teracolus acaste</i>	1876,	156	158
<i>achine</i>	1876,	149	165
	1876,	150	154
<i>amata</i>	1876,	137	154
	1876,	138	127
	1879,	139	160
<i>amelia</i>	1876,	128	161
<i>amina</i>	1876,	129	126
<i>angolensis</i>	1876,	154	126
<i>anteupompe</i>	1876,	156	132
<i>antevippe</i>	1876,	149	126
	1876,	156	133
<i>antigone</i>	1876,	143	155
<i>arethusa</i>	1876,	154	155
	1876,	155	157
<i>auxo</i>	1876,	163	162
<i>bimbura</i>	1876,	161	165
	1876,	165	163
<i>buxtoni</i>	1876,	130	164
<i>calais</i>	1876,	126	150
	1876,	138	126
	1876,	139	154
<i>carnifer</i>	1876,	138	155
	1876,	165	151
<i>casimirus</i>	1876,	161	159
	1876,	165	165
<i>castus</i>	1876,	148	150
<i>cebrene</i>	1876,	155	128
<i>celimene</i>	1876,	129	126
<i>chrysomela</i>	1876,	133	128
<i>chrysonome</i>	1876,	129	133
<i>cinerescens</i>	1876,	155	134
<i>Teracolus cinerescens</i> ..	1876,		156
	1876,		157
<i>citreus</i>	1876,		162
<i>coliagenes</i>	1876,		128
<i>cypræa</i>	1876,		138
<i>daira</i>	1876,		144
<i>dalila</i>	1876,		144
<i>danaë</i>	1876,		153
	1876,		157
<i>dedecora</i>	1876,		158
	1876,		156
<i>deidamia</i>	1876,		157
<i>delphine</i>	1876,		148
<i>demagore</i>	1876,		152
<i>dirus</i>	1876,		162
	1876,		157
<i>dulcis</i>	1876,		165
	1876,		165
<i>dynamene</i>	1876,		138
<i>eborea</i>	1876,		138
	1876,		139
<i>eboreoides</i>	1876,		153
	1876,		158
<i>eione</i>	1876,		158
	1876,		165
<i>ephyia</i>	1876,		144
<i>epigone</i>	1876,		145
	1876,		152
	1876,		153
	1876,		154
<i>eris</i>	1876,		127
<i>etrida</i>	1876,		160
<i>eucharis</i>	1876,		161
	1876,		126
<i>eunoma</i>	1876,		164
<i>eupompe</i>	1876,		132
	1876,		126
	1876,		133
	1876,		155
<i>evagore</i>	1876,		156
<i>evanthe</i>	1876,		157
<i>evarne</i>	1876,		162
	1876,		165
	1876,		163
<i>eveninus</i>	1876,		164
<i>evippe</i>	1876,		150
	1876,		126
	1876,		154
	1876,		155
<i>exole</i>	1876,		151
<i>farrinus</i>	1876,		159
	1876,		165
	1880,		150
<i>fatma</i>	1876,		128
<i>fausta</i>	1876,		126
	1876,		128
	1876,		133
	1876,		134

	Page		Page		
Teracolus fausta	1876,	135	Teracolus lucullus	1876,	143
faustina	1876,	134	1876,	165
faustus	1880,	409	lyæus	1876,	141
flaminia	1876,	140	1876,	165
.....	1876,	165	lycoris	1876,	140
friga	1876,	142	1876,	165
.....	1876,	165	mananhari	1876,	133
fulvia	1876,	135	modestus	1876,	137
.....	1880,	149	nouna	1876,	145
galathinus	1876,	142	ocale	1876,	154
gavisa	1876,	150	ochreipennis	1876,	136
.....	1876,	151	omphale	1876,	151
.....	1876,	153	1876,	152
.....	1876,	155	omphaloides	1876,	151
gelasinus	1876,	143	1876,	152
glycera	1876,	144	1876,	153
halimede	1876,	126	oriens	1876,	134
.....	1876,	133	1876,	165
.....	1876,	134	pallene	1876,	145
.....	1876,	156	pernotatus	1876,	159
halyattes	1876,	145	1876,	160
.....	1876,	148	1876,	165
.....	1876,	165	phisadia	1876,	136
harmonides	1876,	146	1876,	137
helle	1876,	149	phlegyas	1876,	130
hero	1876,	150	pholoë	1876,	129
.....	1876,	165	pleione	1876,	133
hetæra	1875,	130	1876,	156
hewitsonii	1876,	128	procne	1876,	153
hippocrene	1876,	147	protomedia	1876,	128
hybridus	1876,	152	protractus	1876,	137
hyperides	1876,	149	pseudacaste	1876,	156
ignifer	1876,	147	1876,	157
imperator	1876,	132	1876,	165
interruptus	1871,	724	pseudevanthe	1876,	164
.....	1876,	126	1876,	165
.....	1876,	139	pseudocale	1876,	154
.....	1876,	142	1876,	165
.....	1876,	143	puellaris	1876,	136
ione	1876,	126	purus	1876,	160
.....	1876,	130	1876,	165
.....	1876,	132	regina	1876,	129
.....	1876,	133	1876,	130
isaura	1876,	144	rosaceus	1876,	134
ithonus	1876,	146	1876,	165
.....	1876,	147	sanguinalis	1876,	158
.....	1876,	165	simplex	1876,	148
jalone	1876,	131	solaris	1876,	135
jobina	1876,	131	stygia	1876,	144
.....	1876,	132	subfasciatus	1876,	126
keiskamma	1876,	163	1876,	127
.....	1876,	164	subfumosus	1876,	139
lais	1876,	145	1876,	140
liagore	1876,	145	1876,	165
limbatus	1876,	161	suffusus	1876,	152
loandicus	1871,	724	1876,	165
.....	1876,	143	syrtinus	1876,	163
.....	1876,	153	theogone	1876,	152

	Page		Page
<i>Teracolus topha</i>	1876,		163
<i>trimeni</i>	1876,		150
<i>tripunctatus</i>	1880,		149
<i>velleda</i>	1880,		152
<i>velleda</i>	1876,		128
<i>vesta</i>	1876,		128
<i>vestalis</i>	1876,		135
<i>wallengrenii</i>	1876,		165
<i>wallengrenii</i>	1876,		157
<i>xanthevarne</i>	1876,		163
<i>zera</i>	1876,		149
<i>zoë</i>	1876,		137
<i>Teracotona roseata</i>	1878,		382
<i>submacula</i>	1878,		382
<i>Teras ænea</i>	1877,		402
<i>boscana</i>	1877,		402
<i>contractana</i>	1877,		402
<i>excessana</i>	1877,		403
<i>flavescens</i>	1877,		402
<i>inaptana</i>	1877,		402
<i>oblongana</i>	1877,		402
<i>priscana</i>	1877,		402
<i>punctilineana</i>	1877,		389
<i>servana</i>	1877,		402
<i>Terebra affinis</i>	1878,		805
<i>albozonata</i>	1879,		185
<i>alveolata</i>	1879,		217
<i>alveolata</i>	1879,		184
<i>brazieri</i>	1878,		866
<i>evoluta</i>	1879,		183
<i>exigua</i>	1878,		805
<i>fenestrata</i>	1879,		184
<i>festiva</i>	1871,		730
<i>gotoensis</i>	1879,		183
<i>gotoensis</i>	1879,		217
<i>granulosa</i>	1879,		186
<i>gunni</i>	1877,		185
<i>jeffreysii</i>	1879,		184
<i>jeffreysii</i>	1879,		217
<i>mariesi</i>	1880,		480
<i>mariesi</i>	1880,		485
<i>marmorata</i>	1877,		185
<i>micans</i>	1871,		731
<i>polygyrata</i>	1879,		185
<i>pustulosa</i>	1879,		186
<i>subtextilis</i>	1879,		185
<i>subtextilis</i>	1879,		217
<i>tantilla</i>	1879,		185
<i>tantilla</i>	1879,		217
<i>textilis</i>	1879,		184
<i>textilis</i>	1879,		185
<i>torquata</i>	1879,		184
<i>ustulata</i>	1878,		866
(<i>Abretia</i>) <i>knock-</i>			
<i>eri</i>	1871,		730
<i>eri</i>	1871,		739
(<i>Hastula</i>) <i>brazieri</i> .	1871,		16
<i>brazieri</i>	1871,		92
<i>Terebra (Myurella) mar-</i>			
<i>ginata</i>	1871,		730
(—) <i>sowerbyana</i> .	1871,		730
<i>Terebratella bouchardii</i> .	1871,		304
<i>buckmanni</i>	1878,		405
<i>californica</i>	1871,		306
<i>caurina</i>	1871,		304
<i>coreanica</i>	1871,		300
<i>coreanica</i>	1871,		304
<i>coreanica</i>	1871,		305
<i>coreanica</i>	1871,		308
<i>coreanica</i>	1871,		312
<i>cruenta</i>	1871,		304
<i>dorsata</i>	1871,		301
<i>dorsata</i>	1871,		304
<i>evansi</i>	1871,		301
<i>frontalis</i>	1871,		301
<i>frontalis</i>	1871,		304
<i>frontalis</i>	1878,		406
<i>frontalis</i>	1878,		407
<i>labradorensis</i>	1871,		304
<i>magellanica</i>	1871,		304
<i>mariae</i>	1871,		300
<i>mariae</i>	1871,		304
<i>mariae</i>	1871,		305
<i>mariae</i>	1871,		312
<i>mariae</i>	1878,		407
<i>miniata</i>	1871,		304
<i>miniata</i>	1871,		308
<i>patagonica</i>	1871,		302
<i>pulvinata</i>	1871,		304
<i>pulvinata</i>	1871,		305
<i>rubicunda</i>	1871,		304
<i>sanguinea</i>	1871,		101
<i>septata</i>	1871,		305
<i>spitzbergensis</i>	1871,		301
<i>spitzbergensis</i>	1871,		303
<i>spitzbergensis</i>	1871,		305
<i>spitzbergensis</i>	1871,		312
<i>spitzbergensis</i>	1878,		399
<i>spitzbergensis</i>	1878,		406
<i>spitzbergensis</i>	1878,		407
<i>spitzbergensis</i>	1878,		408
<i>spitzbergensis</i>	1878,		409
<i>spitzbergensis</i>	1878,		415
<i>zelandica</i>	1871,		304
<i>Terebratula affinis</i>	1871,		302
<i>ampulla</i>	1878,		404
<i>ampulla</i>	1878,		403
<i>aperta</i>	1878,		409
<i>appressa</i>	1878,		411
<i>arctica</i>	1878,		404
<i>benoitiana</i>	1878,		404
<i>buckmanni</i>	1878,		405
<i>capsula</i>	1878,		410
<i>caput-serpentis</i>	1871,		303
<i>caput-serpentis</i>	1871,		306
<i>caput-serpentis</i>	1878,		399

	Page		Page
<i>Terebratula caput-ser-</i>		<i>Terebratula scobinata</i> ..	1878, 410
<i>pentis</i>	1878, 401	<i>seminulum</i>	1878, 409
	1878, 402		1878, 411
	1878, 404	<i>septata</i>	1878, 399
	1878, 410		1878, 405
	1878, 415		1878, 406
—, var. <i>septentrio-</i>			1878, 407
<i>nalis</i>	1879, 588		1878, 408
<i>cardita</i>	1878, 409		1878, 412
<i>cernica</i>	1878, 404		1878, 415
<i>cistellula</i>	1878, 410		1879, 588
<i>cordata</i>	1878, 409	<i>septentrionalis</i>	1878, 401
<i>coreanica</i>	1871, 303	<i>septigera</i>	1878, 405
<i>cranium</i>	1878, 397		1878, 408
	1878, 399		1879, 588
	1878, 405	<i>soldaniana</i>	1878, 410
	1878, 406	<i>sphæroidea</i>	1871, 302
	1878, 407	<i>sphenoidea</i>	1878, 399
	1878, 408		1878, 403
	1878, 410		1878, 404
<i>cubensis</i>	1871, 302		1878, 415
	1878, 404		1878, 416
	1878, 408	<i>subquadrata</i>	1878, 399
			1878, 400
<i>cumingii</i>	1871, 303		1878, 402
<i>cuneata</i>	1878, 410		1878, 403
<i>davidsoni</i>	1871, 300		1878, 415
	1871, 302	<i>subvitrea</i>	1878, 407
	1871, 304	<i>tenera</i>	1878, 399
	1871, 312		1878, 400
	1878, 404		1878, 405
<i>dimidiata</i>	1878, 409		1878, 415
<i>erythroleuca</i>	1871, 308	<i>transversa</i>	1871, 304
<i>euthyra</i>	1878, 407	<i>trigona</i>	1878, 399
	1878, 408		1878, 402
<i>glabra</i>	1878, 407		1878, 415
<i>grandis</i>	1878, 403		1879, 588
	1878, 404	<i>tuberata</i>	1878, 399
<i>grayi</i>	1871, 304		1878, 401
<i>irregularis</i>	1878, 405		1878, 415
<i>japonica</i>	1871, 303	<i>unguiculus</i>	1871, 302
<i>jeffreysii</i>	1878, 406	<i>ungula</i>	1878, 409
<i>manticula</i>	1878, 404	<i>urna-antiqua</i>	1878, 409
<i>micelottiana</i>	1878, 404	<i>uva</i>	1871, 302
<i>minor</i>	1871, 302	<i>vitrea</i>	1871, 302
	1871, 304		1871, 309
	1871, 312		1878, 399
	1878, 399		1878, 403
	1878, 404		1878, 404
<i>miocenica</i>	1878, 404		1878, 406
<i>monstruosa</i>	1878, 412		1878, 407
<i>orbiculata</i>	1878, 403		1878, 410
	1878, 404		1878, 415
<i>pectiniformis</i>	1878, 409		1878, 416
<i>plicata</i>	1878, 407	—, var. <i>minor</i>	1871, 302
<i>pulchella</i>	1871, 303	<i>Terebratulina abyssicola</i>	1871, 302
<i>rubella</i>	1871, 306	<i>angusta</i>	1871, 302
	1871, 307		
<i>sanguinea</i>	1871, 308		

	Page		Page
<i>Terebratulina cailletti</i> ..	1871, 303	<i>Terias bogotana</i>	1871, 528
<i>cancellata</i>	1871, 302	<i>boisduvaliana</i>	1871, 528
<i>caput-serpentis</i>	1871, 300	<i>brenda</i>	1871, 535
	1871, 302	<i>brigitta</i>	1871, 534
	1871, 312		1875, 414
<i>cumingii</i>	1871, 300	<i>bulæa</i>	1871, 530
	1871, 302	<i>caffra</i>	1871, 535
<i>japonica</i>	1871, 300	<i>calceolaria</i>	1874, 359
	1871, 302	<i>candace</i>	1871, 536
<i>radiata</i>	1871, 303	<i>candida</i>	1871, 537
<i>septentrionalis</i>	1871, 302		1877, 146
<i>unguiculus</i>	1871, 303		1879, 159
—, var. <i>cumingii</i>	1871, 312	<i>celata</i>	1871, 530
—, var. <i>japonica</i>	1871, 312	<i>celebensis</i>	1871, 537
<i>Terekia cinerea</i>	1871, 406	<i>chilensis</i>	1871, 540
	1872, 474	<i>chloë</i>	1871, 527
	1874, 454	<i>circumcincta</i>	1871, 539
	1875, 77	<i>citrina</i>	1871, 540
	1878, 579	<i>clara</i>	1871, 529
	1878, 708	<i>columbia</i>	1871, 531
	1878, 711	<i>conjungens</i>	1871, 531
<i>javanica</i>	1871, 406	<i>constantia</i>	1871, 527
<i>Terenura callinota</i>	1874, 530		1871, 528
	1880, 159		1874, 359
<i>humeralis</i>	1880, 159	<i>cubana</i>	1871, 531
<i>Tergipes pulcher</i>	1877, 230	<i>damaris</i>	1871, 528
<i>Terias æquatorialis</i>	1871, 538	<i>deflorata</i>	1871, 530
	1876, 242	<i>delia</i>	1871, 533
<i>æsiopæ</i>	1871, 536	<i>depusseti</i>	1871, 528
	1875, 617	<i>desjardinsii</i>	1871, 533
	1877, 813	<i>deva</i>	1871, 539
	1878, 699		1871, 540
	1878, 700	<i>dina</i>	1871, 251
	1878, 707		1871, 540
<i>agave</i>	1871, 530	<i>diversa</i>	1871, 536
	1871, 539	<i>drona</i>	1871, 534
<i>agavoides</i>	1871, 539		1871, 535
<i>albina</i>	1871, 532		1874, 273
<i>albula</i>	1871, 529		1878, 700
	1871, 530	<i>ebriola</i>	1871, 531
	1874, 359	<i>ecuadora</i>	1871, 527
	1876, 242	<i>elatheæ</i>	1871, 532
<i>alitha</i>	1871, 537		1876, 242
<i>amelia</i>	1871, 530		1878, 481
	1871, 531	<i>elvina</i>	1871, 529
<i>anemone</i>	1871, 536	<i>eugenia</i>	1871, 531
	1880, 669		1874, 359
<i>angulata</i>	1871, 528	<i>eumide</i>	1871, 537
<i>angulipennis</i>	1871, 526	<i>euterpe</i>	1871, 533
<i>arabella</i>	1871, 531		1874, 359
<i>arcuata</i>	1878, 700		1878, 481
	1878, 707	<i>fabiola</i>	1871, 528
<i>athalia</i>	1871, 538		1874, 359
<i>attenuata</i>	1878, 700	<i>fabricia</i>	1871, 539
	1878, 707	<i>fimbriata</i>	1871, 536
<i>australis</i>	1871, 534	<i>flavescens</i>	1871, 539
<i>blanda</i>	1871, 535	<i>flavilla</i>	1871, 539
<i>bogotana</i>	1871, 527		1876, 242

	Page		Page
<i>Terias floricola</i>	1871,	<i>Terias leuce</i>	1871,
<i>formosa</i>	1877,	<i>leucilla</i>	1871,
	1877,	<i>leucoma</i>	1871,
	1878,	<i>libythea</i>	1871,
	1878,	<i>limbia</i>	1871,
<i>fornsi</i>	1871,	<i>limoneus</i>	1871,
<i>gangamela</i>	1871,		1874,
<i>gentilis</i>	1871,	<i>lirina</i>	1871,
<i>gnathene</i>	1871,	<i>lisa</i>	1871,
	1878,	<i>lorquini</i>	1871,
<i>gratiosa</i>	1871,	<i>lucina</i>	1871,
<i>gundlachia</i>	1871,	<i>lydia</i>	1871,
	1874,	<i>mana</i>	1871,
<i>hainana</i>	1878,	<i>mandarina</i>	1871,
	1878,	<i>marginella</i>	1871,
<i>harina</i>	1871,		1874,
	1873,	<i>medutina</i>	1871,
<i>hebridina</i>	1875,	<i>memulus</i>	1871,
	1875,		1871,
	1879,	<i>messalina</i>	1871,
<i>hecabe</i>	1871,	<i>mexicana</i>	1871,
	1871,		1874,
	1873,	<i>midea</i>	1871,
	1874,	<i>musa</i>	1871,
	1874,		1871,
	1874,	<i>mycale</i>	1871,
	1875,	<i>neda</i>	1871,
	1875,	<i>nelphe</i>	1871,
	1877,	<i>nicippe</i>	1871,
	1877,	<i>nicobariensis</i>	1871,
	1878,		1877,
	1878,		1877,
	1878,	<i>nise</i>	1871,
	1878,	<i>nisella</i>	1871,
	1880,	<i>pallida</i>	1871,
	1880,	<i>palmira</i>	1871,
<i>hecabeoides</i>	1871,		1871,
	1871,	<i>palmyra</i>	1874,
<i>herla</i>	1871,	<i>parvula</i>	1871,
<i>hobsoni</i>	1880,	<i>pasiphaë</i>	1871,
	1880,	<i>paulina</i>	1871,
	1880,	<i>perimede</i>	1871,
<i>hyona</i>	1871,	<i>persistens</i>	1874,
<i>impura</i>	1871,	<i>phanospila</i>	1871,
<i>inanata</i>	1875,	<i>phiale</i>	1871,
<i>ingana</i>	1871,	<i>phœnicia</i>	1871,
<i>ingrata</i>	1871,	<i>platea</i>	1871,
<i>iradia</i>	1871,		1871,
<i>jægeri</i>	1871,	<i>pleione</i>	1876,
<i>jamapa</i>	1871,	<i>puella</i>	1871,
<i>jucunda</i>	1871,	<i>pulchella</i>	1871,
<i>læta</i>	1871,		1871,
	1871,		1875,
	1878,	<i>pumilaris</i>	1875,
	1878,		1875,
<i>laræ</i>	1871,	<i>pyro</i>	1871,
<i>lemnia</i>	1871,	<i>rahel</i>	1871,
<i>lerna</i>	1871,		1871,
<i>leuce</i>	1871,		537

	Page		Page
Terias rama	1872,	566	
reticulata	1871,	539	
	1876,	242	
rhodia	1871,	532	
rubella	1871,	535	
salome	1871,	527	
sana	1877,	466	
	1877,	470	
santana	1871,	535	
sari	1873,	354	
saxi	1871,	537	
senegalensis	1871,	535	
	1871,	724	
	1875,	414	
	1875,	617	
senna	1871,	535	
sidonia	1871,	532	
silhetana	1871,	536	
	1873,	354	
	1878,	836	
	1878,	855	
sinensis	1871,	537	
sinoë	1871,	530	
	1874,	359	
sinta	1871,	535	
smilacina	1871,	535	
	1871,	538	
smilax	1871,	535	
solana	1871,	538	
stygma	1871,	540	
stygmula	1871,	533	
	1874,	359	
suava	1871,	536	
	1878,	836	
subdecorata	1878,	699	
	1878,	700	
	1878,	707	
sulphurata	1875,	617	
sulphurina	1871,	533	
tapeina	1871,	531	
tegea	1871,	532	
tenella	1871,	538	
theodes	1871,	528	
theona	1871,	528	
tilaha	1871,	537	
	1873,	354	
tominia	1871,	537	
tondana	1871,	537	
unduligera	1880,	668	
	1880,	669	
vagans	1871,	534	
	1878,	700	
variata	1875,	617	
venata	1871,	535	
	1872,	566	
	1877,	470	
venusta	1871,	538	
virgo	1871,	538	
Terias vitellina	1871,	532	
westwoodii	1871,	540	
	1874,	359	
xanthomelæna	1879,	159	
xantochlora	1871,	527	
zama	1871,	537	
zehia	1871,	528	
zita	1871,	537	
zoë	1871,	534	
zoraide	1871,	534	
	1877,	470	
Terinos alurgis	1880,	612	
clarissa	1873,	341	
fulminans	1873,	342	
nympha	1873,	341	
sinha	1878,	828	
terpander	1880,	612	
Terpone longiceps	1871,	589	
	1871,	592	
Terpsichrois midamus ..	1877,	810	
Terpsiphone melampyra ..	1871,	610	
	1871,	615	
	1873,	717	
mutata	1872,	867	
	1879,	677	
nigriceps	1874,	306	
tricolor	1871,	610	
	1871,	615	
viridis	1871,	133	
vulpina	1879,	677	
Terrapene carinata	1871,	744	
Tersina cærulea	1879,	597	
torsa	1879,	597	
Testacella bisulcata	1880,	101	
williamsiana	1880,	101	
	1880,	142	
Testudinella horsfieldi ..	1873,	726	
Testudo abingdonii	1877,	66	
argentina	1871,	480	
	1871,	744	
carbonaria	1871,	743	
	1871,	744	
caspica	1873,	761	
chilensis	1871,	480	
	1871,	744	
chitra	1873,	41	
dura	1873,	71	
elegans	1872,	862	
elephantina	1876,	526	
elephantopus	1873,	722	
	1876,	526	
	1876,	693	
elongata	1871,	517	
	1871,	518	
	1872,	615	
	1876,	297	
emydoides	1871,	518	
emys	1871,	517	

	Page		Page
Testudo emys	1871, 518	Testudo semiserrata....	1872, 184
	1872, 133	stellata	1871, 744
	1872, 135	sulcata	1871, 744
	1872, 138	tabulata.....	1871, 743
	1872, 139		1871, 744
	1872, 140		1873, 724
ephippium.....	1876, 526		1875, 488
euphraticus	1873, 65	tabulata vera	1871, 744
falconeri	1871, 515	triunguis	1873, 64
ferox	1873, 58	(Scapia) falconeri .	1871, 515
forstenii.....	1872, 615		1872, 140
	1872, 616		1873, 725
gataghol	1873, 67	Tethea cliftoni	1873, 16
græca	1875, 488		1873, 24
	1878, 976	cranium.....	1873, 15
granosa	1873, 72		1873, 16
granulata	1873, 72	hispidata	1873, 330
hololissa	1876, 526		1873, 333
horsfieldi	1878, 975	ingalli	1872, 115
	1878, 976		1872, 119
hurum	1873, 49		1872, 128
indica	1871, 428		1873, 17
	1871, 515	lyncurium	1872, 115
	1871, 517		1872, 117
	1872, 140		1873, 11
	1873, 722		1873, 329
	1873, 724	muricata	1872, 115
	1874, 496		1872, 116
	1875, 528		1872, 127
mauritanica	1875, 488	norvagica	1872, 128
microphyes	1877, 66		1872, 121
ocellatus	1873, 51		1872, 128
pardalis	1872, 184		1873, 17
	1878, 790	robusta	1873, 10
phayrei	1871, 425		1873, 17
	1871, 426		1873, 23
	1871, 427	simillima	1873, 15
	1871, 428		1873, 16
	1871, 515		1873, 24
	1871, 516	unca	1872, 118
	1871, 517		1872, 128
	1872, 132	Tetramblemma mediocu-	
	1872, 133	latum.....	1873, 114
	1872, 134		1873, 128
	1872, 135	Tetraceros quadricornis .	1873, 313
	1872, 136		1875, 527
	1872, 138	subquadricornutus .	1875, 527
	1872, 139		1877, 3
	1872, 140		1877, 4
	1872, 143		1877, 8
planiceps	1873, 722	Tetracha chilensis	1874, 52
	1873, 724	ignea	1878, 587
punctata	1873, 71	Tetragnatha decora....	1872, 296
	1873, 72	digna	1873, 222
radiata	1873, 724		1873, 223
	1875, 488	extensa	1872, 295
rafeht	1873, 65		1872, 296
scabra	1873, 71		1872, 297

	Page		Page
<i>Tetragnatha filiformis</i> ..	1876, 576	<i>Tetrao subtridactylus</i> ..	1878, 246
	1876, 626	<i>tetrix</i>	1871, 400
<i>flava</i>	1876, 574		1873, 468
	1876, 626		1873, 639
<i>indigna</i>	1873, 222		1873, 649
<i>minitabunda</i>	1872, 296		1873, 650
	1872, 349		1875, 266
<i>molesta</i>	1872, 295		1875, 268
	1872, 296		1875, 488
	1872, 349		1876, 345
	1876, 574		1879, 368
	1876, 626		1879, 369
<i>nepæformis</i>	1871, 617		1879, 370
<i>nitens</i>	1876, 574		1879, 371
	1876, 626		1880, 314
<i>pelusia</i>	1873, 210	<i>urogalloïdes</i>	1873, 649
	1873, 211		1875, 266
	1873, 222	<i>urogallus</i>	1873, 468
	1876, 575		1873, 639
	1876, 626		1875, 266
<i>perlongipes</i>	1872, 296		1875, 488
	1872, 349		1877, 307
<i>Tetragonops frantzii</i> ..	1878, 39		1877, 308
	1878, 47		1878, 746
<i>ramphastinus</i>	1878, 932		1879, 368
<i>Tetragonosoma effrene</i> .	1872, 591		1879, 370
<i>Tetrao alchata</i>	1878, 233		1879, 371
	1878, 234		1880, 314
	1878, 237	<i>Tetraodes lævis</i>	1874, 56
	1878, 250	<i>Tetraogallus caspius</i> ..	1876, 676
<i>arenarius</i>	1878, 233	<i>caucasicus</i>	1873, 647
	1878, 245		1873, 648
	1878, 261		1876, 675
<i>betulina</i>	1873, 649		1876, 676
<i>bonasia</i>	1873, 650		1876, 677
<i>caucasicus</i>	1875, 488	<i>tauricus</i>	1876, 675
<i>chata</i>	1878, 251	<i>tibetanus</i>	1874, 324
<i>cupido</i>	1879, 370	<i>Tetraonyx lessoni</i>	1871, 517
<i>falcipennis</i>	1873, 649	<i>Tetraophasis obscurus</i> ..	1871, 399
<i>fasciatus</i>	1878, 233		1873, 664
	1878, 234		1873, 665
	1878, 245	<i>Tetrastes betulina</i>	1875, 266
<i>indicus</i>	1878, 233	<i>bonasia</i>	1871, 400
	1878, 254	<i>Tetrathyra baikii</i>	1873, 70
<i>mlokosiewiczzi</i>	1875, 267	<i>Tetrax campestris</i>	1874, 473
	1875, 268	<i>Tetrodon heraldi</i>	1877, 69
<i>namaqua</i>	1878, 233	<i>lagocephalus</i>	1879, 761
	1878, 234	<i>nigropunctatus</i>	1878, 133
	1878, 252	<i>pennantii</i>	1879, 761
<i>paradoxus</i>	1878, 233	<i>pleurostictus</i>	1871, 653
	1878, 234		1871, 674
	1878, 237	<i>Tettigonia elvina</i>	1874, 673
	1878, 260	<i>Teulisna plagiata</i>	1878, 24
<i>rupestris</i>	1871, 111	<i>tenuisigna</i>	1878, 24
	1871, 117		1878, 37
<i>saliceti</i>	1871, 118	<i>tetragona</i>	1878, 24
<i>senegalus</i>	1878, 233	<i>Textrix coarctata</i>	1876, 559
	1878, 243		1876, 626

	Page		Page
<i>Textrix inornata</i>	1872, 274	<i>Thalassidroma wilsoni</i> ..	1880, 164
	1872, 348	<i>Thalassina scorpioides</i> ..	1878, 778
<i>lycosina</i>	1872, 274	<i>Thalassipora infuscata</i> ..	1876, 666
<i>moggridgii</i>	1876, 559	<i>Thalassites melanotis</i> ..	1876, 657
<i>puta</i>	1872, 274	<i>Thalassobius testaceus</i> ..	1874, 65
	1872, 348	<i>Thalassochelys corti-</i>	
<i>Thaduka multicaudata</i> ..	1878, 836	<i>cata</i>	1873, 395
	1878, 855	<i>olivacea</i>	1873, 407
	1878, 858	<i>Thalassodes caelataria</i> ..	1877, 621
<i>Thalamita callianassa</i> ..	1879, 33		1877, 631
<i>crenata</i>	1871, 144	<i>Thalassoecca antarctica</i> ..	1878, 737
<i>sima</i>	1879, 20	<i>glacialoides</i>	1878, 736
	1879, 32	<i>Thalassornis leuconota</i>	1880, 529
<i>Thalassarachna verrillii</i>	1875, 303		1880, 534
<i>Thalasseus acuffavidus</i> ..	1871, 569	<i>Thalotia woodsiana</i>	1872, 611
	1876, 653		1872, 614
<i>affinis</i>	1876, 655	<i>Thalophila cuprea</i>	1877, 604
<i>anglicus</i>	1876, 644		1877, 627
<i>bengalensis</i>	1872, 482		1877, 632
	1876, 655	<i>Thalurania columbica</i> ..	1875, 237
<i>bergii</i>	1876, 658		1878, 69
<i>bernsteini</i>	1876, 657	<i>jelskii</i>	1874, 138
<i>canescens</i>	1876, 653		1874, 542
<i>cantiacus</i>	1876, 653	<i>nigrofasciata</i>	1873, 287
<i>caspius</i>	1876, 656		1879, 627
<i>cayanus</i>	1871, 567	<i>tshudii</i>	1873, 287
	1876, 655		1874, 138
<i>cayennensis</i>	1876, 656		1874, 542
<i>cristatus</i>	1871, 422	<i>Thamala miniata</i>	1878, 834
	1872, 481		1878, 855
	1876, 658		1878, 858
<i>elegans</i>	1871, 568	<i>Thamnistes rufescens</i> ..	1874, 129
	1876, 654		1874, 530
<i>galericulatus</i>	1870, 656	<i>Thamnobia fulvicata</i>	1872, 454
<i>imperator</i>	1876, 656	<i>lugubris</i>	1878, 803
<i>magnirostris</i>	1873, 310	<i>niveiventris</i>	1871, 380
<i>medius</i>	1872, 482	<i>Thamnolea albiscapu-</i>	
<i>pelecanoides</i>	1871, 422	<i>lata</i>	1871, 148
	1876, 658		1871, 149
<i>poliocercus</i>	1876, 658	<i>cinnamomeiventris</i>	1871, 148
	1877, 347		1874, 215
<i>regius</i>	1871, 567	<i>Thamnomanes caesius</i> ..	1879, 624
	1876, 656	<i>glaucus</i>	1873, 274
	1877, 347		1877, 450
<i>torresii</i>	1876, 655	<i>Thamnophilus affinis</i> ..	1879, 644
<i>Thalassidroma</i> — ? ..	1872, 480	<i>albinuchalis</i>	1877, 324
<i>albogularis</i>	1879, 130		1880, 201
<i>bulweri</i>	1873, 470	<i>amazonicus</i>	1873, 273
<i>fregata</i>	1873, 470	<i>argentinus</i>	1876, 357
<i>gracilis</i>	1878, 736	<i>asperiventris</i>	1876, 18
<i>leucogastra</i>	1878, 735		1879, 623
<i>lineata</i>	1876, 498	<i>aterrimus</i>	1879, 625
<i>macgillivrayi</i>	1875, 441	<i>atricapillus</i>	1873, 273
<i>melanogastra</i>	1878, 736	<i>atropileus</i>	1879, 623
	1880, 164	<i>axillaris</i>	1879, 624
<i>monorhis</i>	1871, 422	<i>caesius</i>	1877, 332
<i>pelagica</i>	1873, 470	<i>corvinus</i>	1873, 272
<i>segethi</i>	1878, 736	<i>doliatus</i>	1874, 529
<i>tropica</i>	1878, 736		

	Page		Page
Thamnophilus doliatus	1877, 450	Thanatus albini	1876, 591
	1878, 60		1876, 627
	1879, 524	fabricii	1876, 629
	1879, 623	flavescens	1876, 592
domicella	1879, 625		1876, 627
fuliginosus	1873, 272	flavus	1876, 592
	1879, 624		1876, 627
guttatus	1879, 625	lineatipes	1876, 591
hyperythrus	1873, 273		1876, 592
lafresnayanus	1879, 644		1876, 627
leuconotus	1873, 272	oblongus	1876, 591
luctuosus	1874, 529		1876, 592
major	1879, 623	rhombiferens	1876, 629
melanchrous	1876, 16	Tharops coruscans	1878, 366
	1876, 18	isthmica	1878, 366
melanoceps	1873, 272	menander	1878, 366
melanurus	1873, 272	nitida	1878, 366
mentalis	1879, 624	purpurata	1878, 365
minutus	1879, 624	splendida	1878, 366
multistriatus	1879, 524	Thatcheria mirabilis	1877, 529
murinus	1873, 273		1877, 530
	1877, 450	Thaumalea amherstiae	1871, 298
nævius	1873, 273		1871, 398
	1879, 232		1873, 468
	1879, 524		1873, 640
	1879, 623		1873, 664
	1878, 60		1879, 365
nigricristatus	1878, 60	picta	1871, 398
olivaceus	1874, 530		1873, 468
palliatus	1874, 530		1873, 640
	1879, 623		1879, 365
pileatus	1879, 624		1879, 366
plumbeus	1873, 273	Thaumantias albiventris	1879, 630
punctatus	1878, 60	bartletti	1873, 286
radiatus	1873, 273		1873, 288
	1874, 529	fluviatilis	1873, 286
	1876, 16		1873, 288
rufater	1879, 624	neglectus	1879, 630
simplex	1879, 139	Thaumantis howqua	1878, 827
strenuus	1873, 285	louisa	1878, 827
striathorax	1879, 624		1878, 854
subfasciatus	1876, 357	lucipor	1873, 341
	1879, 589	noureddia	1873, 341
	1879, 623	odana	1873, 341
	1880, 201	Thaumasius albiventris	1879, 630
torquatus	1879, 623	neglectus	1879, 630
transandeanus	1877, 324	taczanowskii	1879, 146
	1879, 524		1879, 239
unduliger	1873, 272		1880, 208
Thamnotettix sanctæ-		viridiceps	1879, 146
helenæ	1878, 462	Thaumastura cora	1871, 498
	1878, 476		1874, 543
Thanaos funeralis	1874, 369		1877, 523
indistincta	1878, 694		1880, 206
invisus	1874, 369	francescæ	1871, 498
obsoleta	1878, 694	Thaumatias cupreiceps	1878, 71
stigmata	1878, 694	Thaumatibis gigantea	1877, 480
tristis	1874, 369		1877, 484

	Page		Page
<i>Thaumatibis gigantea</i> ..	1877, 489	<i>Theridion apicatum</i>	1872, 348
	1877, 491	<i>carolinum</i>	1877, 75
<i>Thecacera capitata</i>	1877, 231		1877, 93
<i>pennigera</i>	1877, 231	<i>conspicuum</i>	1872, 285
<i>virescens</i>	1877, 231		1872, 349
<i>Thecidea mediterranea</i> .	1878, 400		1872, 352
	1878, 412	<i>curassavicum</i>	1875, 141
	1879, 588	<i>denticulatum</i>	1872, 280
<i>spondylea</i>	1878, 412		1872, 348
<i>testudinaria</i>	1878, 412		1876, 570
<i>Thecla beon</i>	1876, 240	<i>erigoniforme</i>	1872, 284
<i>betulae</i>	1873, 155		1872, 349
<i>birapa</i>	1880, 149	<i>fictilium</i>	1872, 278
<i>calesia</i>	1874, 356	<i>flavomaculatum</i> ..	1872, 281
<i>deria</i>	1874, 272		1872, 348
<i>desdemona</i>	1874, 356	<i>fulvolunulatum</i> ...	1873, 211
<i>gauna</i>	1874, 355	<i>guttatum</i>	1872, 285
<i>gibberosa</i>	1876, 240	<i>inscriptum</i>	1872, 284
<i>icana</i>	1880, 149		1872, 349
<i>luxurina</i>	1876, 240	<i>lutipes</i>	1872, 280
<i>marsyas</i>	1876, 240		1872, 348
<i>meton</i>	1876, 240	<i>mandibulare</i>	1872, 285
<i>ocrisia</i>	1876, 240		1876, 568
<i>odata</i>	1880, 149	<i>melanostictum</i>	1876, 570
<i>paphlagon</i>	1876, 240		1876, 626
<i>sito</i>	1874, 356	<i>particeps</i>	1872, 282
<i>strephon</i>	1876, 240		1872, 284
<i>syla</i>	1880, 149		1872, 349
<i>talayra</i>	1874, 355	<i>pulchellum</i>	1872, 280
<i>temesa</i>	1874, 355	<i>4-punctatum</i>	1872, 285
<i>thara</i>	1874, 356	<i>punicum</i>	1873, 211
<i>togarna</i>	1874, 356	<i>rufolineatum</i>	1872, 280
<i>Thelphusa depressa</i>	1878, 755		1876, 569
<i>perlata</i>	1878, 755		1876, 626
<i>Themiscyra mactata</i> ..	1877, 473	<i>scriptum</i>	1872, 283
<i>varicosa</i>	1877, 474		1872, 349
<i>Themisto flava</i>	1877, 239		1876, 569
<i>quadrilineata</i>	1877, 239	<i>sexalbomaculatum</i> .	1872, 282
<i>Theope aureonitens</i>	1878, 369	<i>simile</i>	1872, 281
<i>barea</i>	1878, 369		1872, 348
<i>caenina</i>	1878, 369	<i>spinitarsis</i>	1876, 570
<i>decorata</i>	1878, 369		1876, 626
<i>eudocia</i>	1878, 368	<i>spirifer</i>	1872, 280
<i>hypoxanthe</i>	1878, 368		1872, 348
<i>isia</i>	1878, 368		1876, 569
<i>janus</i>	1878, 369	<i>stictum</i>	1872, 285
<i>Theophila huttoni</i>	1872, 576	<i>tepidariorum</i>	1873, 210
<i>mandarina</i>	1872, 576		1873, 211
	1872, 582		1873, 219
<i>Therates labiatus</i>	1877, 152	<i>triangulosum</i>	1876, 628
<i>Theridion acuminatum</i> .	1872, 281	<i>uncinatum</i>	1872, 281
	1872, 282	<i>vagulans</i>	1876, 628
	1872, 283	<i>varians</i>	1872, 280
	1872, 348		1872, 348
	1876, 569		1876, 570
<i>albocinctum</i>	1872, 281		1876, 626
	1872, 348	<i>venustum</i>	1872, 281
<i>apicatum</i>	1872, 281		1872, 348

	Page		Page
<i>Theristicus albicollis</i> ..	1877, 498	<i>Thomisus claveatus</i>	1872, 306
<i>caudatus</i>	1877, 478	<i>claviger</i>	1872, 306
	1877, 485		1872, 349
	1877, 498	<i>confluens</i>	1872, 305
<i>melanopis</i>	1871, 56		1872, 349
	1871, 58	<i>cristatus</i>	1872, 303
	1874, 562		1872, 349
	1877, 479	<i>diana</i>	1871, 617
	1877, 498		1872, 306
	1877, 499		1872, 349
	1878, 436	<i>edax</i>	1876, 580
<i>melanops</i>	1877, 498		1872, 303
<i>Thermesia gemmatalis</i> ..	1878, 489		1872, 349
<i>reticulata</i>	1877, 611	<i>foka</i>	1875, 144
	1877, 629	<i>græcus</i>	1872, 303
	1880, 680		1872, 305
<i>Thermone pais</i>	1876, 236		1872, 349
<i>Thestias annæ</i>	1871, 254	<i>hirtus</i>	1872, 308
<i>balice</i>	1871, 253		1876, 581
	1871, 254	<i>lateralis</i>	1872, 308
<i>crenis</i>	1871, 254		1872, 349
<i>ludekingii</i>	1871, 252		1876, 580
<i>pirenassa</i>	1871, 253		1876, 627
<i>reinwardtii</i>	1871, 254	<i>martyni</i>	1876, 629
<i>rhexia</i>	1871, 252	<i>opportunus</i>	1873, 120
<i>sesia</i>	1878, 700		1873, 128
	1878, 707		1873, 129
<i>venatrix</i>	1871, 254	<i>peronii</i>	1872, 308
<i>vollenhovii</i>	1871, 254		1872, 350
<i>Thetis cerina</i>	1879, 131		1876, 629
<i>parva</i>	1879, 131	<i>plorator</i>	1872, 306
<i>Thinocorus eschscholtzii</i>	1874, 557		1872, 349
<i>ingæ</i>	1874, 556	<i>prosper</i>	1873, 119
<i>orbignianus</i>	1879, 641		1873, 128
<i>rumicivorus</i>	1871, 261		1873, 129
	1874, 557	<i>rectilineus</i>	1872, 306
	1877, 413		1872, 349
	1877, 414	<i>rhomboicus</i>	1872, 309
	1877, 416	<i>rigidus</i>	1872, 305
<i>Thinotretis capensis</i> ...	1874, 615		1872, 306
<i>Thlaosoma atkinsonii</i> ..	1879, 699		1872, 349
	1879, 700	<i>rotundatus</i>	1872, 306
	1879, 702		1872, 307
<i>hectori</i>	1879, 700		1872, 349
	1879, 702	<i>sabulosus</i>	1872, 304
<i>Thomisoides rubripes</i> ..	1877, 77	<i>setiger</i>	1872, 215
<i>utriformis</i>	1877, 77		1872, 307
	1877, 93		1872, 349
<i>Thomisus abbreviatus</i> ..	1872, 308		1872, 352
	1872, 309	<i>simplex</i>	1872, 305
	1872, 350	<i>spinifer</i>	1872, 308
<i>audax</i>	1872, 303		1872, 350
	1872, 304		1872, 352
	1872, 305		1876, 380
<i>buffonii</i>	1872, 307		1876, 627
	1872, 308	<i>tripunctatus</i>	1875, 148
	1872, 349	<i>tristrami</i>	1872, 304
<i>claveatus</i>	1872, 305		1872, 305

	Page		Page
<i>Thomisus tristrami</i>	1872,	<i>Thryophilus fulvus</i>	1873,
	1872,		1873,
<i>trux</i>	1872,		1879,
<i>varius</i>	1872,	<i>leucotis</i>	1873,
	1872,	<i>modestus</i>	1878,
<i>versutus</i>	1872,	<i>nigricapillus</i>	1879,
<i>viaticus</i>	1872,	<i>pleurostictus</i>	1878,
<i>Thouarella antarctica</i> . .	1872,	<i>thoracicus</i>	1878,
	1872,	<i>Thyothorus cantator</i> . .	1874,
	1872,		1874,
<i>Thouarsitreron diade-</i>		<i>coraya</i>	1873,
<i>mata</i>	1878,		1874,
<i>dupetit-thouarsi</i> . .	1878,		1874,
<i>leucocephala</i>	1878,		1875,
<i>Thracia alciope</i>	1872,		1879,
	1872,	<i>fasciiventris</i>	1879,
<i>angasiana</i>	1877,	<i>maculipectus</i>	1879,
<i>jacksoniensis</i>	1877,		1879,
<i>speciosa</i>	1871,	<i>martinicensis</i>	1871,
<i>Thracides aristoteles</i> . .	1876,		1876,
<i>Thrasaëtus harpyia</i>	1873,	<i>melanops</i>	1879,
	1873,	<i>melanos</i>	1879,
	1873,	<i>mesoleucus</i>	1876,
	1878,	<i>modulator</i>	1879,
	1879,	<i>mystacalis</i>	1879,
<i>Thraupis sayaca</i>	1879,	<i>nigricapillus</i>	1879,
<i>Threnetes cervinicauda</i> . .	1873,		1879,
<i>leucurus</i>	1879,	<i>sclateri</i>	1879,
<i>Thresciornis religiosa</i> . .	1877,		1880,
<i>Threskiornis æthiopicus</i> .	1877,	<i>superciliaris</i>	1877,
<i>leucocephalus</i>	1872,		1877,
<i>melanocephalus</i> . .	1871,	<i>Thyca belladonna</i>	1874,
	1872,	<i>berinda</i>	1872,
	1877,	<i>devaca</i>	1872,
<i>strictipennis</i>	1877,	<i>echo</i>	1872,
	1877,	<i>ennia</i>	1872,
<i>Thrinacodus albicauda</i> . .	1879,	<i>eucharis</i>	1874,
<i>Thripadectes flammula-</i>		<i>fragalactea</i>	1872,
<i>tus</i>	1874,	<i>hierte</i>	1872,
	1875,	—, var. <i>indica</i>	1872,
	1879,	<i>hippodamia</i>	1872,
<i>scrutator</i>	1874,	<i>horsfieldi</i>	1872,
	1874,		1874,
<i>Thriponax crawfurdi</i> . .	1879,	<i>indica</i>	1878,
	1879,	<i>ithiela</i>	1872,
<i>hodgsoni</i>	1879,	<i>lucerna</i>	1872,
	1879,	<i>ninus</i>	1872,
<i>javensis</i>	1875,	<i>ochreopicta</i>	1872,
	1877,	<i>pandemia</i>	1872,
	1877,	<i>parthenope</i>	1872,
	1878,	<i>pasithoë</i>	1878,
	1878,		1878,
	1879,	<i>philotis</i>	1872,
	1879,	<i>pyramus</i>	1872,
<i>pectoralis</i>	1878,	<i>singhapura</i>	1872,
	1878,	<i>Thyella hargravesi</i>	1873,
<i>Thryophilus albipectus</i> . .	1873,		1873,
<i>castaneus</i>	1878,	<i>lamellosa</i>	1873,

	Page		Page
<i>Thyella lamellosa</i>	1873,	<i>Tiga javensis</i>	1873,
<i>Thylacinus cynocephalus</i>	1872,	<i>Tigridoptera inter-</i>	463
<i>Thymallus vulgaris</i>	1872,	<i>rupta</i>	1879,
	1875,	<i>matutinata</i>	1879,
<i>Thymara caudata</i>	1879,	<i>Tigrisoma brasiliense</i>	1873,
	1879,		39
<i>Thymele catillus</i>	1876,	<i>cabanisi</i>	1875,
<i>dirpha</i>	1874,	<i>fasciatum</i>	1875,
<i>eurycles</i>	1876,		39
<i>exadeus</i>	1876,	<i>salmoni</i>	1875,
<i>orion</i>	1876,		38
<i>proteus</i>	1876,		39
<i>simplicius</i>	1876,		38
<i>vibex</i>	1874,		39
<i>Thynnus communis</i>	1875,		541
<i>pylamides</i>	1875,		1879,
<i>Thyridia ino</i>	1876,		242
<i>melantho</i>	1874,		487
<i>psidii</i>	1874,		542
<i>Thyroptera tricolor</i>	1875,		542
	1876,		212
	1876,	<i>tigrinum</i>	1873,
	1876,	<i>Tiliqua multicaarinata</i>	1879,
	1876,	<i>præornata</i>	1872,
	1876,	<i>rufescens</i>	1872,
	1876,		588
	1876,	<i>Timalia bicolor</i>	1875,
	1876,	<i>chataræa</i>	1877,
	1876,		694
	1876,	<i>thoracica</i>	1877,
	1876,	<i>Timandra aventiaria</i>	1873,
	1876,	<i>maculosa</i>	1878,
	1878,	<i>Timelia maculata</i>	1875,
	1878,	<i>maculosa</i>	1879,
	1880,	<i>Timetes berania</i>	1874,
	1871,	<i>coresia</i>	1876,
<i>Thyrus boyeri</i>	1871,	<i>corinna</i>	1876,
	1871,	<i>corita</i>	1874,
<i>Thysania zenobia</i>	1878,		345
<i>Tiaris bellii</i>	1872,		270
<i>borneensis</i>	1872,	<i>crethon</i>	1876,
<i>dilophus</i>	1872,	<i>egina</i>	1876,
<i>elliotti</i>	1871,	<i>hermione</i>	1876,
<i>liogaster</i>	1872,	<i>livius</i>	1876,
	1872,	<i>marcella</i>	1876,
	1872,	<i>norica</i>	1876,
	1872,	<i>phiale</i>	1878,
<i>miotympanum</i>	1872,	<i>tutelina</i>	1876,
	1872,	<i>Tinamotis pentlandi</i>	1874,
	1872,		564
	1872,		642
	1872,	<i>Tinamus frantzii</i>	1878,
<i>petersii</i>	1872,	<i>guttatus</i>	1873,
<i>sophiæ</i>	1872,	<i>kleei</i>	1874,
	1872,	<i>major</i>	1874,
<i>subcristata</i>	1871,	<i>parvirostris</i>	1873,
	1871,		310
<i>tuberculatus</i>	1872,		311
	1872,	<i>radiatus</i>	1879,
<i>Tichodroma muraria</i>	1871,	<i>robustus</i>	1875,
<i>Tichornis cenchris</i>	1871,	<i>rufescens</i>	1875,
<i>pekinensis</i>	1871,	<i>ruficeps</i>	1879,
<i>Tiga everetti</i>	1878,	<i>solitarius</i>	1875,
	1878,	<i>Tinca vulgaris</i>	1873,
<i>javanensis</i>	1875,		708
	1878,		495
	1879,	<i>Tindaria solida</i>	1879,
	326	<i>Tinea palæstrica</i>	1877,
			404

	Page		Page
<i>Tinea praelata</i>	1880, 690	<i>Tityra cayana</i>	1873, 284
<i>pulchella</i>	1878, 298		1879, 617
	1880, 414	<i>inquisitrix</i>	1879, 617
	1880, 671	<i>personata</i>	1873, 284
<i>rectella</i>	1877, 404		1876, 517
<i>tapetzella</i>	1877, 404		1878, 65
	1880, 691		1879, 517
<i>vinculella</i>	1880, 92	<i>semifasciata</i>	1874, 540
<i>Tinnunculus alaudarius</i> .	1871, 340		1879, 617
	1871, 682	<i>Tivela dolabella</i>	1877, 720
	1872, 410	<i>undulosa</i>	1878, 870
	1873, 466	<i>Tmolus charichlorus</i> ..	1874, 355
	1873, 634	<i>columella</i>	1878, 481
	1875, 342	<i>crolinus</i>	1874, 355
	1875, 343	<i>denarius</i>	1874, 356
	1875, 348	<i>gauna</i>	1874, 355
	1879, 311	<i>halciones</i>	1874, 355
	1880, 308	<i>invisus</i>	1874, 355
—, var. <i>japonicus</i> ..	1871, 340	<i>isobea</i>	1874, 355
<i>cenchris</i>	1871, 679	<i>pan</i>	1878, 481
<i>cinnamominus</i>	1874, 550	<i>talayra</i>	1874, 355
	1878, 435	<i>temesa</i>	1874, 355
	1879, 242	<i>vespasianus</i>	1874, 355
<i>dominicensis</i>	1878, 435	<i>vesulus</i>	1874, 356
<i>isabellinus</i>	1878, 435	<i>Toccus erythrorhynchus</i>	1880, 313
<i>japonicus</i>	1871, 340	<i>melanoleucus</i>	1872, 16
<i>leucophrys</i>	1878, 435		1873, 464
<i>newtoni</i>	1875, 64		1873, 632
<i>sparverioides</i>	1878, 435		1875, 490
<i>sparverius</i>	1871, 260	<i>Tockus gingalensis</i>	1872, 405
	1871, 273		1872, 425
	1872, 536	<i>griseus</i>	1872, 425
	1872, 652		1873, 204
	1874, 550	<i>melanoleucus</i>	1878, 358
	1876, 17	<i>pulchrirostris</i>	1871, 604
	1878, 434		1871, 614
	1879, 541	<i>Todirhamphus pyrrho-</i>	
	1879, 638	<i>pygius</i>	1875, 582
	1879, 765	<i>sanctus</i>	1875, 582
<i>Tinoleus eburneigutta</i> ..	1878, 851		1878, 121
	1878, 858	<i>sordidus</i>	1875, 582
<i>Tipanæa bipunctifera</i> ..	1880, 690	<i>vitiensis</i>	1877, 731
<i>Tiphobia horei</i>	1880, 344	<i>Todirostrum</i> , sp. ?	1871, 498
	1880, 348	<i>calopteryx</i>	1873, 782
	1880, 352	<i>chrysocrotaphum</i> ..	1873, 277
<i>Tisiphone hercyna</i>	1874, 338		1873, 278
<i>Titaneca albo-maculata</i> .	1876, 557	<i>cinereum</i>	1874, 534
<i>distincta</i>	1876, 557		1876, 16
	1876, 626		1877, 325
<i>Tithorea duenna</i>	1874, 335		1877, 333
<i>egaensis</i>	1873, 775		1878, 62
<i>harmonia</i>	1876, 211		1879, 512
<i>irene</i>	1874, 335		1879, 612
<i>megara</i>	1873, 774		1880, 202
	1875, 36	<i>ecaudatum</i>	1879, 613
<i>neitha</i>	1876, 211	<i>gulare</i>	1879, 612
<i>Tityra albitorques</i>	1873, 284	<i>maculatum</i>	1873, 278
	1879, 517	<i>margaritaceiventris</i> .	1879, 612

	Page		Page
<i>Todirostrum pulchellum</i>	1873, 780	<i>Tornatellina gracilis</i>	1871, 473
	1873, 781	<i>hidalgoi</i>	1871, 473
<i>ruficeps</i>	1877, 522	<i>inconspicua</i>	1872, 619
<i>rufigene</i>	1879, 512	<i>interstriata</i>	1879, 485
<i>Todopsis cyanocephala</i>	1877, 522	<i>jacksonensis</i>	1872, 807
<i>Todus viridis</i>	1873, 696	<i>newcombii</i>	1871, 473
	1872, 665	<i>nitida</i>	1871, 473
	1872, 671	<i>oblonga</i>	1871, 473
	1872, 673	<i>ovata</i>	1871, 473
	1872, 674	<i>pellucida</i>	1871, 473
	1872, 675	<i>peponum</i>	1871, 473
	1872, 676	<i>philippii</i>	1871, 473
	1872, 680	<i>pusilla</i>	1871, 473
	1876, 511	<i>simplex</i>	1871, 473
	1878, 101	<i>striata</i>	1871, 460
<i>Tolypeutes conurus</i>	1878, 222	<i>subulata</i>	1871, 473
	1878, 223	<i>trochlearis</i>	1871, 473
	1878, 224	<i>turrita</i>	1871, 473
	1878, 225	<i>Tornatina brenchleyi</i>	1877, 40
	1878, 228		1877, 189
<i>muriei</i>	1878, 223		1880, 416
	1878, 224	<i>fusiformis</i>	1878, 869
	1878, 225	<i>hofmani</i>	1877, 39
<i>tricinctus</i>	1878, 222		1877, 40
	1878, 223		1877, 189
	1878, 224	<i>inconspicua</i>	1872, 11
	1878, 225		1872, 15
	1878, 226	<i>knockeri</i>	1871, 738
	1878, 227		1871, 739
	1878, 228	<i>Torpedo oculata</i>	1875, 487
<i>Tomistoma krefftii</i>	1873, 334	<i>Torquilla avenacea</i>	1880, 101
	1874, 177	<i>secale</i>	1880, 101
	1874, 178	<i>Tortrix taipana</i>	1877, 403
<i>Torcula parva</i>	1877, 174	<i>Torynophora serrata</i>	1876, 259
	1877, 177		1876, 265
	1877, 188	<i>Totanus acuminatus</i>	1877, 834
<i>Toreumatica concava</i>	1880, 427	<i>affinis</i>	1871, 406
	1880, 429	<i>brevipes</i>	1871, 406
<i>granulosa</i>	1880, 425	<i>calidris</i>	1871, 56
<i>Torinia infundibulifor-</i>			1871, 406
<i>mis</i>	1877, 184		1872, 475
<i>perspectiviunculus</i>	1878, 816		1873, 203
	1878, 821		1873, 469
<i>planulata</i>	1878, 816		1873, 641
<i>straminea</i>	1871, 92		1879, 68
	1877, 184		1879, 73
<i>Tornatella alba</i>	1873, 720		1879, 351
	1873, 722	<i>chloropygius</i>	1874, 560
<i>Tornatellina achatino-</i>			1877, 330
<i>ides</i>	1871, 473	<i>crassirostris</i>	1871, 408
<i>antonii</i>	1871, 473	<i>flavipes</i>	1874, 560
<i>aperta</i>	1871, 473	<i>fuscus</i>	1871, 406
<i>archimedes</i>	1871, 473		1872, 475
<i>conica</i>	1871, 473		1873, 203
<i>dentata</i>	1871, 460	<i>glareola</i>	1871, 406
	1871, 473		1878, 80
<i>globosa</i>	1871, 473		1879, 351
<i>gracilis</i>	1871, 460	<i>glottis</i>	1871, 405

	Page		Page
Totanus glottis.....	1871, 678	Tragelaphus albovirga-	
	1872, 475	tus	1871, 489
glottoides	1871, 405	albovittatus	1871, 593
griseopygius	1878, 127	altifrons.....	1871, 589
hypoleucos	1877, 834	angasi	1871, 483
incanus	1871, 406		1871, 484
	1877, 113		1871, 485
	1877, 536		1871, 486
	1877, 537		1871, 487
	1877, 550		1876, 285
	1877, 557		1876, 292
	1877, 768		1876, 293
	1878, 121		1878, 884
	1878, 127	decula	1875, 186
	1878, 345		1878, 884
	1878, 351	euryceros	1871, 483
	1878, 711		1871, 484
	1879, 351		1871, 485
	1879, 447		1871, 486
melanoleucos.....	1874, 560		1871, 488
ochropus	1871, 406		1871, 489
	1874, 556	gratus	1880, 452
pulverulentus	1871, 406	imberbis	1875, 470
solitarius	1873, 309	scriptus	1875, 186
	1873, 469		1877, 4
	1873, 641		1877, 9
	1874, 560		1877, 11
stagnatilis	1871, 405		1877, 12
	1872, 475		1877, 289
Toxopneustes semituber-		spekii.....	1871, 482
culatus	1877, 91		1871, 483
Trabala vishnu.....	1878, 848		1871, 484
	1878, 857		1871, 485
Trachelas minor	1872, 256		1871, 486
	1872, 348		1878, 884
	1872, 354		1880, 452
Trachidosaurus rugosus .	1875, 488	strepsiceros	1873, 195
Trachinus draco	1875, 486		1874, 323
	1879, 748		1875, 470
vipera	1879, 748	sylvaticus	1875, 186
Trachischium fuscum ..	1871, 151		1878, 884
	1871, 171	Tragops bennettii.....	1873, 544
Trachonitis punctigera .	1880, 688		1873, 545
Trachurus trachurus ..	1871, 673	prasinus.....	1871, 152
Trachycephalus ceylani-			1871, 185
cus	1875, 568		1872, 590
Trachycomus ochroce-			1879, 78
phalus	1879, 247	Tragulus javanicus	1872, 640
Trachyphonus goffini ..	1871, 607		1875, 492
purpuratus	1871, 606		1875, 494
	1871, 615	kanchil	1878, 882
	1871, 617	meminna	1875, 492
Trachypora aspera	1871, 284		1875, 494
lacera.....	1871, 284	stanleyanus	1875, 492
Trachysarus antarcticus	1874, 63		1875, 494
pallipes	1874, 50		1878, 682
	1874, 63	Tramea, sp.	1877, 84
	1874, 70	Trapelus ruderatus	1872, 384

	Page		Page
<i>Trechus angustatus</i>	1874, 65	<i>Trevelyana morosa</i>	1877, 235
<i>antarcticus</i>	1874, 65	<i>picta</i>	1877, 235
<i>axillaris</i>	1874, 65	<i>rubra</i>	1877, 235
<i>chloroticus</i>	1874, 64	<i>zeylanica</i>	1877, 234
<i>cyclopterus</i>	1874, 64	<i>Triænops afer</i>	1879, 717
<i>depressicollis</i>	1874, 65	<i>persicus</i>	1879, 717
<i>depressus</i>	1874, 65	—, var. <i>afer</i>	1879, 717
<i>femoralis</i>	1874, 50	<i>Tribonyx gouldi</i>	1872, 861
.	1874, 65	<i>mortieri</i>	1872, 861
<i>ferrugineus</i>	1874, 64	<i>ventralis</i>	1877, 344
<i>hololissus</i>	1874, 65	<i>Tribura luteiventris</i>	1871, 355
<i>lævissimus</i>	1874, 65	1873, 666
<i>monolcus</i>	1874, 65	<i>squamiceps</i>	1871, 355
<i>nitidus</i>	1874, 65	<i>Trichas nigricristata</i>	1879, 494
<i>obscuricornis</i>	1874, 64	<i>Trichechus rosmarus</i>	1874, 580
<i>parvicollis</i>	1874, 65	1875, 493
<i>politus</i>	1874, 65	1875, 494
<i>proximus</i>	1874, 65	<i>Trichocarcinus affinis</i>	1879, 20
<i>punctiventris</i>	1874, 65	1879, 35
<i>ruficollis</i>	1874, 64	<i>dentatus</i>	1879, 20
<i>Trephrosia patularia</i>	1877, 390	1879, 34
<i>Trepsichrois midamus</i>	1878, 823	<i>gibbosulus</i>	1879, 35
.	1878, 853	<i>oregonensis</i>	1879, 34
<i>thoosa</i>	1878, 638	1879, 35
<i>Trerolæma leclancheri</i>	1878, 504	<i>Trichogaster fasciatus</i>	1874, 317
.	1878, 568	1874, 319
.	1878, 569	1874, 320
<i>Treron australis</i>	1873, 715	1874, 321
.	1875, 67	<i>Trichoglossus aureocinc-</i>	
<i>axillaris</i>	1877, 549	<i>tus</i>	1876, 505
<i>calva</i>	1873, 468	<i>capistratus</i>	1875, 489
.	1873, 639	<i>concinus</i>	1873, 465
.	1873, 715	1873, 634
.	1874, 256	1874, 587
.	1874, 257	1879, 170
.	1874, 306	1879, 171
<i>chæroboatis</i>	1871, 396	1879, 172
<i>delalandii</i>	1873, 715	1879, 174
.	1878, 359	<i>cyanogrammus</i>	1873, 697
<i>formosæ</i>	1871, 396	1877, 554
.	1873, 667	1878, 93
<i>nasica</i>	1873, 680	1878, 579
.	1878, 623	<i>flavicans</i>	1877, 108
<i>olax</i>	1879, 348	<i>hæmatodes</i>	1879, 170
<i>pulverulentus</i>	1873, 679	<i>massenæ</i>	1877, 108
<i>sieboldii</i>	1871, 396	1878, 93
.	1873, 667	1879, 447
<i>sphenura</i>	1876, 464	<i>mittelli</i>	1871, 499
<i>vernans</i>	1875, 110	1871, 544
.	1879, 348	1880, 420
<i>wakefieldii</i>	1873, 715	<i>moesschenbroeckii</i>	1875, 641
<i>Trevelyana</i> , sp.	1877, 235	<i>multicolor</i>	1875, 602
<i>bicolor</i>	1877, 235	1878, 126
<i>ceylonica</i>	1877, 234	<i>musschenbroeckii</i>	1873, 697
<i>concinna</i>	1877, 235	<i>nigricularis</i>	1878, 93
<i>impudica</i>	1877, 235	<i>nigrogularis</i>	1873, 697
<i>limacina</i>	1877, 235	<i>novæ-hollandiæ</i>	1874, 587
<i>maculata</i>	1877, 235	<i>ornatus</i>	1879, 170

	Page		Page
<i>Trichoglossus placens</i> ..	1876, 520	<i>Trigla pœcilopectera</i>	1879, 180
	1877, 108		1879, 181
<i>pusillus</i>	1879, 170		1879, 747
<i>rubiginosus</i>	1877, 778	<i>Trigllops pingelii</i>	1877, 476
<i>rubritorquis</i>	1875, 602	<i>Trigona tripla</i>	1871, 727
<i>subplacens</i>	1876, 519	<i>Trigonella eximia</i>	1877, 191
	1877, 108	<i>Trigonia margaritacea</i> .	1877, 193
	1878, 671		1878, 871
	1879, 12	<i>Trigonocephalus lanceo-</i>	
<i>swainsoni</i>	1878, 126	<i>latus</i>	1871, 2
	1879, 170		1871, 479
<i>Tricholæma hirsuta</i>	1871, 605	<i>Trigonocœlia lævigata</i> .	1879, 585
	1871, 614	<i>Trigonodes hyppasia</i> ..	1880, 680
<i>Tricholais elegans</i>	1880, 624	<i>inacuta</i>	1880, 680
<i>flavotorquata</i>	1880, 624	<i>Trimeresurus anamal-</i>	
<i>Trichophorus flaviventer</i>	1871, 131	<i>lensis</i>	1875, 234
<i>Trichostoma abboti</i>	1878, 616	<i>andersoni</i>	1871, 194
<i>leucoproctum</i>	1877, 366		1871, 195
<i>rufifrons</i>	1878, 611	<i>carinatus</i>	1871, 152
	1878, 616		1871, 194
<i>Trichothraupis quadri-</i>		<i>convictus</i>	1871, 152
<i>color</i>	1874, 513		1871, 196
	1880, 146	<i>erythrurus</i>	1871, 152
<i>Trichys lipura</i>	1876, 739		1871, 194
	1876, 740	<i>flavomaculatus</i>	1879, 79
	1876, 741	<i>gramineus</i>	1871, 152
<i>Tricondyla aptera</i>	1877, 152		1871, 194
<i>Tridacophyllia alcornis</i>	1871, 283	<i>jerdonii</i>	1875, 233
	1871, 285	<i>monticola</i>	1871, 152
<i>echinata</i>	1871, 283		1871, 183
	1871, 285		1871, 194
<i>Triforis granulatus</i>	1871, 91		1871, 196
<i>maculosus</i>	1877, 184		1872, 401
<i>Trigla blochii</i>	1879, 747	<i>wagleri</i>	1872, 591
	1879, 748		1879, 78
<i>cuculus</i>	1875, 486	<i>Tringa, sp.</i>	1871, 409
	1879, 180	<i>acuminata</i>	1871, 409
	1879, 747		1872, 89
<i>gurnardus</i>	1875, 486		1872, 106
	1879, 180		1878, 289
	1879, 747		1878, 290
	1879, 748	<i>albescens</i>	1871, 409
<i>hirundo</i>	1872, 834		1878, 708
	1875, 486		1878, 712
	1879, 179	<i>alpina</i>	1871, 115
	1879, 180		1871, 408
	1879, 181		1874, 242
	1879, 747		1874, 243
<i>lineata</i>	1879, 180		1874, 244
	1879, 181	<i>americana</i>	1871, 115
	1879, 747		1874, 244
<i>lyra</i>	1879, 180	<i>autumnalis</i>	1877, 504
	1879, 748	<i>bairdi</i>	1873, 455
<i>obscura</i>	1879, 180		1879, 547
<i>pini</i>	1878, 218	<i>bonapartii</i>	1871, 262
	1879, 180		1873, 186
	1879, 747		1873, 455
<i>pœcilopectera</i>	1879, 179		1874, 560

	Page		Page
<i>Tringa canutus</i>	1871, 408	<i>Tringa pygmaea</i>	1871, 408
	1873, 456	<i>rufescens</i>	1871, 117
	1873, 469	<i>ruficollis</i>	1871, 409
	1874, 243	<i>salina</i>	1871, 409
	1877, 30		1872, 474
	1877, 31	<i>striata</i>	1871, 116
	1877, 748	<i>subarquata</i>	1871, 408
<i>cayennensis</i>	1874, 450		1871, 409
<i>chilensis</i>	1874, 452		1872, 474
<i>chinensis</i>	1871, 408		1879, 673
<i>cinclus</i>	1871, 115		1879, 679
	1871, 408	<i>subminuta</i>	1871, 409
	1873, 469		1872, 474
	1873, 641	<i>temminckii</i>	1871, 409
—, var. <i>americana</i> ..	1871, 408	<i>tenuirostris</i>	1871, 408
—, var. <i>chinensis</i> ..	1871, 408		1877, 338
<i>crassirostris</i>	1874, 242	<i>variabilis</i>	1871, 115
	1874, 243	<i>Tringites macularius</i> ..	1873, 309
<i>damacensis</i>	1871, 409	<i>rufescens</i>	1873, 309
<i>dorsalis</i>	1873, 455	<i>Tringoides hypoleucos</i> ..	1877, 536
<i>fasciata</i>	1878, 233		1877, 537
	1878, 254		1877, 538
<i>fulicaria</i>	1871, 113		1877, 550
<i>fuscicollis</i>	1874, 561		1877, 557
	1876, 14	<i>hypoleucus</i>	1871, 406
	1878, 438		1877, 113
<i>glareola</i>	1872, 106		1877, 301
<i>gracilis</i>	1874, 242		1877, 302
	1874, 243		1877, 703
	1874, 244		1877, 768
<i>hypoleucos</i>	1877, 550		1878, 83
<i>interpres</i>	1871, 114		1878, 90
	1878, 711		1878, 100
<i>lobata</i>	1871, 113		1878, 239
<i>longicauda</i>	1879, 547		1878, 345
<i>maculata</i>	1873, 309		1878, 624
	1873, 455		1878, 711
	1874, 560		1878, 937
	1874, 678		1879, 351
	1879, 641		1879, 447
<i>maritima</i>	1871, 111	<i>macularius</i>	1872, 653
	1871, 116		1878, 44
	1874, 243		1879, 547
<i>melanotus</i>	1873, 455	<i>Trinophylum cribratum</i> ..	1878, 720
<i>minuta</i>	1871, 409	<i>Trionyx aegyptiacus</i>	1873, 41
	1872, 89		1873, 64
	1872, 166	<i>annulatus</i>	1873, 60
	1872, 474	<i>argus</i>	1873, 60
	1875, 566	<i>bellii</i>	1873, 51
	1877, 806	<i>bibronii</i>	1873, 41
<i>minutilla</i>	1873, 456	<i>cariniferus</i>	1873, 67
	1874, 561	<i>coromandelicus</i>	1873, 72
	1877, 330	<i>euphraticus</i>	1873, 65
<i>pectoralis</i>	1871, 409	<i>ferox</i>	1873, 59
<i>platyrhyncha</i>	1871, 408		1873, 60
	1872, 474		1874, 494
	1878, 712	<i>formosus</i>	1873, 45
<i>ptilocnemis</i>	1874, 244	<i>frenatus</i>	1873, 57

	Page		Page
Trionyx frenatus	1873, 59	Triphoris scitulus	1878, 867
	1873, 60	sculptus	1878, 817
gangeticus	1871, 155	Tripneustes angulo-	
	1873, 47	sus	1879, 658
	1873, 50		1879, 659
	1873, 51		1879, 660
	1873, 67		1879, 661
georgicus	1873, 59		1879, 662
granosus	1873, 72	depressus	1879, 657
güntheri	1873, 58		1879, 658
hurum	1873, 49		1879, 660
	1873, 50		1879, 661
indicus	1873, 41		1879, 662
japonicus	1873, 151	esculentus	1879, 657
javanicus	1872, 588		1879, 658
	1873, 47		1879, 659
	1873, 67		1879, 660
jeudi	1871, 154		1879, 661
	1871, 155		1879, 662
	1873, 47	saxatilis	1879, 657
	1873, 49	variegatus	1879, 657
labiatus	1873, 64	Triptera columnella	1877, 179
leithii	1873, 47	Triptogon albicans	1875, 254
	1873, 48	andamana	1877, 595
	1873, 49		1877, 626
muticus	1873, 62	ceylanica	1875, 255
ocellatus	1873, 51	cristata	1875, 253
	1873, 60	dissimilis	1875, 253
ornatus	1873, 55		1875, 254
peguensis	1873, 53	dyras	1875, 253
perocellatus	1873, 53		1875, 254
	1873, 54		1875, 255
	1879, 650		1875, 256
phayrei	1871, 150		1875, 257
	1871, 154	fuscescens	1875, 256
	1873, 50		1877, 595
rafeht	1873, 65		1879, 388
sewaare	1873, 47	gaschkwitschii	1875, 257
	1873, 50	gigas	1875, 253
spiniferus	1873, 60		1875, 254
stellatus	1873, 51	javanica	1875, 254
	1873, 67		1875, 256
subplanus	1872, 588	massurensis	1875, 256
	1873, 57	oriens	1875, 255
	1873, 58	rectilinea	1879, 388
tuberculatus	1873, 54	roseipennis	1875, 256
Triopa carpenteri	1877, 230	spectabilis	1875, 256
catalinae	1877, 230	silhetensis	1875, 255
clavigera	1877, 230		1875, 256
crocea	1877, 230	sinensis	1875, 254
gracilis	1877, 230		1875, 255
holbölli	1877, 230	sperchius	1875, 253
incisa	1877, 230		1875, 254
lacera	1877, 230	Tripura prasena	1878, 8
nothus	1877, 239	Trirammatius fulgidus	1874, 59
yatesii	1877, 231	unistriatus	1874, 59
Triphoris fusca	1871, 736	Triton bibronii	1873, 164
granulata	1871, 736		1875, 487

	Page		Page
<i>Triton canaliferus</i>	1877, 179	<i>Trochalopteron formo-</i>	
<i>clathratus</i>	1874, 599	<i>sum</i>	1873, 688
<i>convolutus</i>	1871, 13	<i>jerdoni</i>	1873, 671
	1871, 88	<i>lineatum</i>	1874, 46
<i>cristatus</i>	1873, 164	<i>melanostigma</i>	1873, 662
	1875, 487	<i>setiferum</i>	1874, 46
	1880, 544	<i>variegatum</i>	1873, 655
<i>labiosus</i>	1871, 87		1874, 46
<i>laciniatum</i>	1878, 815	<i>virgatum</i>	1874, 46
<i>lampas</i>	1877, 179	<i>Trochilus adela</i>	1879, 627
<i>samier</i>	1871, 733	<i>brasiliensis</i>	1879, 627
<i>sowerbyi</i>	1874, 599	<i>colubris</i>	1878, 70
<i>testaceus</i>	1874, 599	<i>estella</i>	1879, 627
(<i>Cumia</i>) <i>speciosa</i> ..	1871, 13	<i>furcatus</i>	1874, 542
	1871, 88	<i>leucurus</i>	1879, 627
(<i>Epidromus</i>) <i>bednalli</i>	1878, 864	<i>mango</i>	1879, 627
(—) <i>brazieri</i>	1871, 87	<i>platurus</i>	1874, 544
(—) <i>comptus</i> ...	1874, 598	<i>supercilius</i>	1879, 626
	1874, 600	<i>viridis</i>	1879, 629
(—) <i>coxi</i>	1872, 22	<i>Trochita calyptæformis</i>	1878, 867
	1872, 23	<i>chinensis</i>	1871, 736
(<i>Simpulum</i>) <i>strangei</i>	1878, 816	<i>Trochomorpha alta</i> ...	1871, 474
	1878, 821	<i>approximata</i>	1871, 474
<i>Tritonidea petterdi</i> ...	1872, 22	<i>congrua</i>	1871, 457
<i>rubiginosa</i>	1879, 206	<i>contigua</i>	1871, 457
<i>subrubiginosa</i> ...	1879, 206		1871, 474
	1879, 216	<i>cressida</i>	1871, 474
<i>Tritonium labiosum</i>	1871, 87	<i>entomostoma</i> ...	1871, 474
<i>rutilum</i>	1871, 87	<i>eurydice</i>	1871, 474
(<i>Epidromus</i>) <i>coxi</i> ..	1877, 179	<i>exclusa</i>	1871, 457
(<i>Gutturium</i>) <i>cau-</i>			1871, 474
<i>datum</i>	1877, 179	<i>goniomphala</i>	1871, 474
(<i>Simpulum</i>) <i>gem-</i>		<i>hapa</i>	1871, 474
<i>matum</i>	1877, 179	<i>kusteri</i>	1871, 474
<i>Trivia australis</i>	1872, 86	<i>marmorata</i>	1871, 474
	1878, 867	<i>navigantium</i>	1871, 474
<i>candidula</i>	1871, 94	<i>nigritella</i>	1871, 457
	1872, 86		1871, 474
<i>globosa</i>	1871, 94	—, var. <i>oppressa</i>	1871, 457
	1872, 86		1871, 474
<i>insecta</i>	1871, 94	<i>obconica</i>	1871, 474
	1872, 86	<i>rectangula</i>	1871, 474
<i>limacina</i>	1872, 86	<i>schmeltziana</i>	1871, 474
<i>staphylæa</i>	1872, 86	—, var. <i>usurpata</i>	1871, 474
<i>Trocaza meyeri</i>	1879, 3	<i>subtrochiformis</i> ..	1871, 474
<i>Trochalopteron affine</i> ..	1873, 659	<i>swainsoni</i>	1871, 474
<i>blythii</i>	1873, 665		1871, 457
	1873, 666	<i>tais</i>	1871, 474
	1873, 689	<i>tentoriolum</i>	1871, 474
<i>cachinnans</i>	1873, 671	<i>transarata</i>	1871, 322
<i>cineraceum</i>	1874, 45	<i>trochiformis</i>	1871, 456
<i>elliotti</i>	1873, 555		1871, 474
	1873, 665	—, var. <i>pallens</i> ..	1871, 457
	1873, 689		1871, 474
<i>erythrocephalum</i> ..	1873, 655	<i>troilus</i>	1871, 474
<i>fairbanki</i>	1873, 671	<i>tuber</i>	1871, 474
<i>formosum</i>	1871, 372	<i>vahine</i>	1871, 474
	1873, 665	<i>velata</i>	1871, 474

	Page		Page
<i>Trochosa annulipes</i>	1876, 629	<i>Troglodytes nipalensis</i>	1873, 659
<i>depuncta</i>	1876, 600	<i>parvulus</i>	1873, 462
<i>effera</i>	1876, 601	<i>platensis</i>	1879, 593
<i>lynx</i>	1876, 600	<i>solstitialis</i>	1873, 780
<i>nilotica</i>	1876, 629	<i>tessellatus</i>	1873, 257
<i>partita</i>	1876, 599	<i>viridis</i>	1874, 505
<i>pelliona</i>	1876, 629	<i>ardens</i>	1879, 493
<i>picta</i>	1876, 600	<i>atricollis</i>	1879, 593
<i>pilipes</i>	1876, 600	<i>caligatus</i>	1873, 780
<i>urbana</i>	1876, 601	<i>chionurus</i>	1879, 493
<i>virulenta</i>	1876, 600	<i>Trogon antisianus</i>	1879, 633
<i>Trochus calyptræfo-</i>		<i>antisiensis</i>	1879, 633
<i>mis</i>	1878, 867	<i>ardens</i>	1877, 540
<i>occultus</i>	1877, 71	<i>atricollis</i>	1873, 293
(<i>Clanculus</i>) <i>micro-</i>		<i>caligatus</i>	1879, 535
<i>don</i>	1878, 818	<i>chionurus</i>	1877, 328
(<i>Forskåhlia</i>) <i>pul-</i>	1878, 821	<i>collaris</i>	1879, 535
<i>cherrimus</i>	1878, 818	<i>heliothrix</i>	1879, 549
(<i>Monilea</i>) <i>calyculus</i>	1878, 818	<i>macrurus</i>	1873, 293
(—) <i>masoni</i>	1878, 818	<i>massena</i>	1880, 210
(<i>Omphalius</i>) <i>cook-</i>		<i>melanurus</i>	1874, 547
<i>soni</i>	1877, 71	<i>meridionalis</i>	1879, 535
(<i>Polyodonta</i>) <i>macu-</i>	1877, 93	<i>mexicanus</i>	1873, 464
<i>latus</i>	1878, 730	<i>narina</i>	1873, 631
(—) <i>mirabilis</i>	1875, 126	<i>personatus</i>	1874, 176
(<i>Thalotia</i>) <i>yokoha-</i>	1875, 129	<i>puella</i>	1876, 511
<i>mensis</i>	1878, 727	<i>ramonianus</i>	1871, 134
<i>Troglodytes aëdon</i>	1878, 732	<i>variegatus</i>	1879, 632
<i>arada</i>	1879, 493	<i>viridis</i>	1873, 293
<i>audax</i>	1879, 592	<i>Trombidium fucicolum</i>	1875, 302
<i>coraya</i>	1874, 505	<i>fuscum</i>	1875, 303
<i>europæus</i>	1880, 191	<i>madagascariensis</i>	1875, 304
<i>fumigatus</i>	1879, 593	<i>riensis</i>	1877, 26
<i>furvus</i>	1874, 526	<i>triphon</i>	1877, 24
<i>gorilla</i>	1875, 490	<i>triphon</i>	1877, 26
<i>guarayanus</i>	1871, 351	<i>Tropæa madagasca-</i>	
<i>hypaëdon</i>	1873, 257	<i>riensis</i>	1873, 336
<i>intermedius</i>	1879, 593	<i>Trophon</i> , sp.	1879, 201
<i>niger</i>	1877, 303		
<i>guarayanus</i>	1879, 593		
<i>hypaëdon</i>	1878, 51		
<i>intermedius</i>	1878, 51		
<i>niger</i>	1871, 544		
<i>guarayanus</i>	1875, 529		
<i>hypaëdon</i>	1880, 420		

	Page		Page
<i>Trophon fimbriatulum</i> ..	1879, 201	<i>Tropopsis unicolor</i>	1874, 55
<i>hanleyi</i>	1879, 202	<i>Tropopterus dupon-</i>	
<i>paivæ</i>	1879, 202	<i>cheli</i>	1874, 58
<i>strangei</i>	1879, 201	<i>giraudyi</i>	1874, 58
<i>stuarti</i>	1880, 481	<i>montagnei</i>	1874, 58
	1880, 485	<i>nitidus</i>	1874, 58
<i>Tropidonotus callistus</i> ..	1873, 170	<i>Truella elongata</i>	1871, 472
<i>conspicillatus</i>	1872, 590	<i>infundibuliformis</i> ..	1871, 472
	1872, 596	<i>procera</i>	1871, 472
<i>flaviceps</i>	1872, 590	<i>Truncaria australis</i>	1877, 172
<i>himalayanus</i>	1871, 151		1877, 177
	1871, 178		1877, 180
<i>hydrus</i>	1872, 394	<i>Truncatella arcticostata</i> .	1871, 468
<i>hypomelas</i>	1877, 128	<i>concinna</i>	1871, 468
	1877, 130		1871, 477
<i>leucomelas</i>	1872, 590	<i>costellifera</i>	1871, 468
<i>macrophthalmus</i> ..	1871, 151	<i>pacifica</i>	1871, 467
	1871, 177		1871, 477
	1871, 200	<i>pulchella</i>	1875, 322
<i>maculatus</i>	1872, 590	<i>valida</i>	1871, 477
	1872, 596	<i>Trupialis loyca</i>	1877, 323
<i>manadensis</i>	1873, 170		1880, 200
<i>modestus</i>	1875, 232	<i>Trygodes divisaria</i>	1877, 621
<i>natrix</i>	1872, 393		1877, 631
	1879, 741	<i>Trygon dupetit-thouarsi</i>	1878, 539
<i>platyceps</i>	1871, 151	<i>Trygonorhina fasciata</i> ..	1878, 117
	1871, 176	<i>Tryngites rufescens</i>	1879, 547
<i>plumbicola</i>	1871, 151	<i>Trypheromera plagifera</i>	1880, 673
	1871, 176	<i>Tubipora hemprichii</i> ..	1880, 24
<i>quincunciatus</i>	1871, 151		1880, 25
	1871, 176	<i>Tubulipora nivalis</i>	1872, 745
	1872, 590		1872, 747
<i>rhodomelas</i>	1872, 590	<i>Tudicla spirilla</i>	1874, 584
<i>sarawacensis</i>	1872, 590		1874, 585
	1872, 596		1874, 586
<i>stolatus</i>	1871, 151	(<i>Murex</i>) <i>spirillus</i> ..	1878, 611
	1871, 176	<i>Tudicula armigera</i>	1878, 610
	1872, 393	<i>inermis</i>	1878, 610
	1872, 590	<i>spinosa</i>	1878, 610
	1873, 170	<i>Tupaia belangeri</i>	1876, 426
<i>subminiatus</i>	1871, 151		1879, 301
	1871, 177		1879, 303
<i>sundanensis</i>	1872, 590		1879, 304
<i>trianguligerus</i>	1872, 590	<i>chrysur</i>	1876, 427
<i>Tropidophora cuvieri-</i>		<i>elliotti</i>	1876, 426
<i>ana</i>	1874, 670	<i>ferruginea</i>	1876, 425
<i>tricarinata</i>	1874, 670		1876, 426
<i>Tropidophorus grayi</i> ..	1873, 165		1879, 301
<i>Tropidorhynchus buce-</i>			1879, 302
<i>roides</i>	1878, 124		1879, 303
<i>citreogularis</i>	1875, 597	<i>frenata</i>	1876, 427
<i>corniculatus</i>	1875, 596	<i>javanica</i>	1876, 426
	1875, 597		1876, 735
<i>gilolensis</i>	1877, 195	<i>minor</i>	1876, 426
<i>plumigenys</i>	1878, 88	<i>murina</i>	1876, 427
	1878, 289	<i>nicobarica</i>	1876, 427
<i>Tropisternus lateralis</i> ..	1877, 78	<i>peguana</i>	1875, 82
	1877, 82		1875, 156

	Page		Page
<i>Tupaia peguana</i>	1876,	<i>Turdus bewsheri</i>	1877,
<i>speciosa</i>	1876,		302
<i>splendidula</i>	1876,		677
	1879,	<i>bicolor</i>	1876,
<i>tana</i>	1876,		420
	1879,		492
<i>Turacoena crassirostris</i> ..	1878,		505
<i>Turacus cristatus</i>	1871,	<i>campbelli</i>	1879,
	1871,		804
	1871,	<i>canorus</i>	1879,
<i>giganteus</i>	1871,	<i>cardis</i>	1875,
<i>Turbinaria cinerascens</i> ..	1871,		490
<i>parvistella</i>	1871,		367
<i>Turbinella fastigium</i> ..	1878,		1879,
<i>incarnatus</i>	1878,		805
<i>Turbo exquisitus</i>	1877,	<i>chiguanco</i>	1874,
	1877,		503
	1877,	<i>chinensis</i>	1879,
<i>gemmatus</i>	1877,		591
<i>imperialis</i>	1871,	<i>chrysolaus</i>	1871,
<i>petholatus</i>	1877,		371
<i>tridens</i>	1880,		367
(<i>Pomaulax</i> ^p) <i>taylori-</i>			1878,
<i>anus</i>	1880,	<i>chrysopleurus</i>	1879,
	1880,		804
<i>Turbonilla acicularis</i> ..	1878,	<i>crossleyi</i>	1871,
<i>angasi</i>	1878,		607
<i>costifera</i>	1871,		1871,
	1871,	<i>crotopezus</i>	1874,
<i>festiva</i>	1877,		503
	1877,		1879,
	1877,	<i>daulias</i>	1871,
<i>fusca</i>	1878,		366
<i>hofmani</i>	1877,	<i>davidianus</i>	1871,
	1878,		367
<i>nitida</i>	1877,	<i>dissimilis</i>	1879,
	1878,		804
<i>Turdinus brevicaudatus</i> ..	1873,		1879,
<i>crispifrons</i>	1873,		805
<i>guttatus</i>	1873,		1879,
<i>marmoratus</i>	1880,		806
<i>Turdulus wardii</i>	1872,	<i>dominicus</i>	1877,
<i>Turdus</i> — ?	1871,	<i>falklandicus</i>	1872,
	1871,		545
	1871,		1872,
<i>sp.</i>	1879,		550
<i>advena</i>	1871,		171
<i>aëdon</i>	1871,		1878,
<i>albiceps</i>	1871,		431
	1873,		1879,
<i>amaurochalinus</i> ..	1873,	<i>fumigatus</i>	1873,
<i>armillaris</i>	1878,		255
<i>atrogularis</i>	1871,	<i>fuscatus</i>	1871,
	1876,		103
	1877,		1871,
<i>atrosericeus</i>	1874,		366
<i>auritus</i>	1873,		1877,
	1873,	<i>gigantodes</i>	1879,
<i>bewsheri</i>	1877,		591
	299		1874,
			503
		<i>gigas</i>	1874,
			677
			1879,
			591
		<i>grayi</i>	1873,
			462
			1880,
			190
		<i>gurneyi</i>	1875,
			234
		<i>hauxwelli</i>	1879,
			491
		<i>herminieri</i>	1879,
			591
		<i>hortulorum</i>	1873,
			462
			1878,
			38
			1878,
			50
		<i>hudsonicus</i>	1871,
			608
			1873,
			255
			1871,
			268
			1871,
			367
			1879,
			804
			1879,
			805
			1879,
			806
			114

	Page		Page
<i>Turdus icterorhynchus</i> ..	1878, 129	<i>Turdus pallens</i>	1879, 338
	1879, 804	<i>pallidus</i>	1871, 366
<i>ignobilis</i>	1874, 503		1871, 367
	1879, 491		1872, 96
<i>iliacus</i>	1876, 202		1879, 804
	1877, 45	<i>pelios</i>	1878, 129
	1877, 806		1879, 804
<i>leucauchen</i>	1878, 50		1879, 805
<i>leucocephalus</i>	1871, 369	<i>perspicillatus</i>	1871, 371
<i>leucomelas</i>	1873, 256	<i>phaeopygus</i>	1873, 255
	1874, 503		1873, 256
	1879, 491	<i>philippinensis</i>	1877, 546
	1879, 591	<i>pilaris</i>	1871, 104
<i>leucops</i>	1877, 331		1877, 806
	1879, 221		1880, 311
<i>leucurus</i>	1874, 228	<i>plebeius</i>	1878, 50
<i>mandarinus</i>	1871, 367	<i>pœciloptyerus</i>	1872, 24
	1878, 578		1876, 464
<i>maranonicus</i>	1880, 189	<i>reevei</i>	1874, 503
<i>melaleucus</i>	1871, 369	<i>ruficollis</i>	1871, 366
<i>merula</i>	1873, 462	<i>rufiventris</i>	1874, 171
	1877, 306		1879, 591
	1877, 749	<i>rufulus</i>	1871, 367
	1879, 492	<i>serranus</i>	1873, 780
<i>migratorius</i>	1875, 490		1874, 504
	1876, 421		1877, 331
<i>modestus</i>	1871, 367		1879, 221
	1879, 338		1879, 491
	1879, 804		1879, 591
<i>mollissimus</i>	1871, 368	<i>shanhu</i>	1871, 371
<i>moluccensis</i>	1871, 374	<i>sibiricus</i>	1871, 367
<i>montanus</i>	1871, 268		1880, 14
<i>musicus</i>	1871, 366		1880, 15
	1873, 638	<i>sinensis</i>	1871, 371
	1875, 490	<i>subcinereus</i>	1873, 555
	1880, 311	<i>swainsoni</i>	1873, 255
<i>mystacinus</i>	1871, 480		1874, 503
	1871, 481		1879, 221
<i>naumanni</i>	1871, 366		1879, 491
<i>nigrescens</i>	1878, 40	<i>tempesti</i>	1876, 420
	1878, 50		1876, 492
<i>nigriceps</i>	1874, 503		1876, 505
<i>nitidus</i>	1871, 368	<i>tricolor</i>	1879, 804
<i>noveboracensis</i>	1871, 114	<i>unicolor</i>	1876, 778
<i>obscurus</i>	1871, 367		1879, 803
	1872, 89		1879, 804
	1872, 96	<i>vanicorensis</i>	1876, 420
	1878, 429		1876, 492
	1879, 804		1876, 505
	1880, 15	<i>varius</i>	1871, 367
<i>obsoletus</i>	1878, 40		1878, 429
	1878, 50	<i>violaceus</i>	1871, 368
<i>olivaceus</i>	1879, 591	<i>viscivorus</i>	1875, 490
<i>olivater</i>	1873, 511		1880, 190
<i>pallens</i>	1871, 367	<i>vitiensis</i>	1876, 420
	1872, 96		1876, 492
	1877, 806		1876, 505
	1879, 249	<i>Turnix blanfordi</i>	1871, 402

	Page		Page
Typhis expansus	1873,	Tyrannus aurantio-atro-	
	1873,	cristatus	1879, 616
		caesius	1879, 624
Typhlocalamus gracilli-	1872,	carolinensis	1880, 28
mus	589	cinchoneti	1871, 755
Typhlocarcinus villosus.	1879,		1871, 756
	40	dominicensis.	1871, 272
Typhlogeophis brevis ..	1879,		1880, 28
Typhlops bothriorhynchus	1871,	fumigatus	1879, 644
	151	griseus	1871, 272
braminus	1871,		1880, 28
eschrichtii	1872,	inca	1879, 616
	442	intrepidus	1879, 616
	1876,	luggeri	1880, 28
horsfieldii	679	melancholicus	1873, 281
	1871,		1874, 539
	1871,		1876, 16
	168		1876, 517
Typophorus humeralis..	1876,		1877, 326
melanocephalus ..	815		1878, 64
mexicanus.	1876,		1879, 236
minutus.	814		1879, 516
quadriplagatus	1876,		1879, 616
	814		1879, 671
Tyranniscus chrysops ..	1876,		1880, 28
	815		1880, 29
	1875,		1880, 30
	234	niveigularis	1877, 326
cinereiceps	1875,		1877, 753
gracilipes	513		1880, 28
	1874,		1880, 29
	536		1880, 30
	1873,	pipiri	1873, 277
	185		1873, 282
	1873,		1879, 515
	279		1879, 616
	1873,		1880, 28
	782	rostratus	1871, 266
	1879,		1871, 272
	614		1872, 651
nigricapillus	1874,	rufescens	1879, 644
	536	rufiventris	1874, 532
	1875,		1879, 610
	234	rufus	1879, 618
	1880,	savana	1879, 616
	203	satrapa	1873, 463
parvus	1878,	sulphuratus	1879, 614
vilissimus	63		
viridiflavus	1876,	Tyrse argus	1873, 60
viridissimus	517	nilotica	1873, 43
	1874,		1873, 64
	536	rafeht.	1873, 65
	1873,		
	780	Uloborus borbonicus ..	1879, 729
	1873,	flavus.	1876, 574
	782	plumipes	1872, 303
	1879,		1872, 349
	614	signatus.	1876, 579
	1879,		1876, 627
	614		
Tyrannula ardesiaca. . . .	1874,		
barbirostris	539		
	1871,		
	84		
	1871,		
	85		
cayennensis	1871,		
cooperi	753		
erythroptera	1871,		
martinica	84		
mexicana	1871,		
	271		
	1871,		
	84		
	1871,		
	85		
peruviana	1871,		
similis	754		
superciliosa	1871,		
	753		
	1871,		
	755		
Tyrannulus elatus	1871,		
	755		
	1873,		
	279		
	1879,		
	512		
nigricapillus	1879,		
	512		
Tyrannus albigularis ..	1880,		
	28		
	1880,		
	29		
animosus	1879,		
apolites	616		
audax.	1880,		
aurantio-atrocrista-	28		
tus	1879,		
	615		
	1873,		
	277		
	1873,		
	282		

	Page		Page
Uloborus walckenaërius	1872, 302	Upupa varia	1874, 479
	1872, 349	Uragus sanguinolentus	1873, 651
williamsii	1873, 211	sibiricus	1871, 387
	1873, 223		1873, 649
(Orithya) williamsii	1871, 617		1873, 650
Unio aferula	1877, 719	Uraneis hyalina	1876, 239
burtoni	1880, 344	Urania sloanus	1878, 490
caffer	1880, 618	Uranomitra cyanicollis	1880, 208
flavidens	1875, 607	Urapteryx crocopterata	1877, 620
kirkii	1877, 719		1877, 630
niloticus	1880, 345	podaliriata	1878, 850
	1880, 351		1878, 858
nyassæ	1877, 719	Urax mitu	1874, 558
nyassaënsis	1877, 719	Urbanus vetus phalæ-	
parreyssii	1880, 351	noides	1874, 370
tanganyicensis	1880, 351	Uria brünnichii	1871, 120
	1880, 352	grylle	1871, 120
tavoyensis	1875, 607		1877, 29
vulcanus	1875, 606		1877, 30
Upucerthia andecola	1879, 644		1877, 31
atacamensis	1873, 782	troile	1871, 120
	1874, 526		1873, 470
dumetoria	1871, 259		1873, 642
	1872, 544		1877, 307
	1872, 548		1877, 310
jelskii	1874, 526		1877, 314
montana	1879, 619	Urochroma hueti	1873, 301
nigrifumosus	1879, 619	melanonota	1874, 91
ruficauda	1879, 619	surda	1874, 91
rupestris	1879, 619	Urocissa brevivexilla	1873, 688
serrana	1874, 501	cærulea	1871, 382
	1874, 525		1873, 667
	1880, 200	sinensis	1871, 382
vulgaris	1879, 619		1873, 650
Upupa capensis	1874, 475		1873, 688
	1874, 476	Uroctea durandi	1876, 547
	1874, 479		1876, 628
ceylonensis	1871, 349	goudoti	1876, 628
epops	1871, 348	limbata	1876, 546
	1872, 436		1876, 626
	1873, 464	Urodera chevrolatii	1879, 775
	1873, 633	godmani	1879, 775
	1874, 480	Urogalba paradisea	1873, 464
	1875, 348		1873, 631
	1876, 511		1875, 346
	1876, 518		1876, 510
	1877, 447		1876, 518
	1879, 329	Urolampra eupogon	1874, 544
	1879, 771	jelskii	1874, 544
longirostris	1871, 349	Urolophus chilensis	1871, 653
madagascariensis	1874, 476	Uromastix acanthinura	1874, 660
	1879, 771	acanthinurus	1880, 445
marginata	1874, 480	fasciatus	1880, 445
	1879, 771	hardwickii	1871, 151
nigripennis	1872, 435		1871, 167
	1872, 436		1874, 658
senegalensis	1872, 435		1874, 660
varia	1874, 475		1875, 1

	Page		Page
<i>Uromastix microlepis</i> ..	1874, 495	<i>Ursus isabellinus</i>	1876, 633
	1874, 658		1878, 378
	1874, 660	<i>japonicus</i>	1880, 442
	1880, 445	<i>labiatus</i>	1875, 493
<i>ornatus</i>	1880, 445		1875, 494
<i>princeps</i>	1880, 445		1875, 674
<i>spinipes</i>	1874, 657	<i>malayanus</i>	1878, 378
	1874, 658	<i>marinus</i>	1875, 675
	1874, 660	<i>maritimus</i>	1875, 493
	1880, 445		1878, 378
<i>Uromys aruensis</i>	1877, 125		1880, 304
<i>bruijini</i>	1877, 125		1880, 538
<i>macropus</i>	1877, 125	<i>nasutus</i>	1871, 232
<i>muscivora</i>	1879, 646	<i>ornatus</i>	1871, 700
<i>papuanus</i>	1877, 125		1878, 378
<i>rufescens</i>	1877, 124		1880, 442
	1877, 743		1880, 443
	1878, 274	<i>piscator</i>	1878, 378
	1879, 646	<i>syriacus</i>	1877, 275
<i>Urosalpinx innotabilis</i> ..	1879, 201		1878, 378
	1879, 217		1880, 54
<i>Urospatha martii</i>	1878, 39		1880, 304
	1878, 49	<i>tibetanus</i>	1876, 463
	1879, 534		1878, 378
	1879, 632	<i>Urubitinga anthracina</i> ..	1877, 329
<i>Urospiza poliocephala</i> ..	1878, 91	<i>ghiesbreghti</i>	1878, 44
	1878, 92	<i>meridionalis</i>	1879, 241
<i>Urospizias etorques</i>	1877, 109		1879, 637
<i>iogaster</i>	1878, 80	<i>schistacea</i>	1873, 302
<i>poliocephalus</i>	1878, 91		1877, 745
<i>radiatus</i>	1875, 337	<i>unicincta</i>	1877, 329
<i>spilothorax</i>	1878, 92		1879, 637
<i>Urotrichus gibbsii</i>	1880, 440		1880, 211
	1880, 441	<i>zonura</i>	1873, 302
	1880, 440		1879, 637
	1880, 441	<i>Urva cancrivora</i>	1872, 817
	1880, 443	<i>Utethesia pulchella</i>	1878, 704
<i>Urotriorchis macrurus</i> ..	1875, 73		1878, 708
<i>Urrua coromanda</i>	1871, 686	<i>Vacca marina</i>	1873, 301
<i>Ursus americanus</i>	1871, 232	<i>Valvata cristata</i>	1873, 390
	1875, 493	<i>piscinalis</i>	1873, 390
	1878, 378	<i>Vamuna bipars</i>	1878, 10
	1880, 442		1878, 36
<i>arctos</i>	1875, 493	<i>maculata</i>	1878, 10
	1876, 695		1878, 36
	1877, 275	<i>remelana</i>	1878, 10
	1878, 378	<i>Vanellus cayennensis</i> ..	1871, 6
	1880, 54		1874, 167
	1880, 304		1874, 449
	1880, 441		1874, 450
	1880, 442		1874, 457
<i>cancrivorus</i>	1875, 421		1878, 437
<i>ferox</i>	1875, 493		1878, 625
	1876, 695		1878, 627
	1878, 378		1878, 628
<i>gularis</i>	1871, 232		1879, 546
<i>horribilis</i>	1873, 563	<i>chilensis</i>	1874, 451
	1880, 442		

	Page		Page
<i>Vanellus cristatus</i>	1871, 403	<i>Velifera gabbi</i>	1879, 475
	1873, 469	<i>Ventriculites radiatus</i> ..	1874, 302
	1873, 641		1874, 303
	1874, 449		1874, 304
	1874, 450	<i>Venus casina</i>	1871, 727
	1874, 452	<i>declivis</i>	1871, 727
	1874, 455	<i>gladstonensis</i>	1872, 612
	1874, 457		1872, 614
	1875, 488	<i>lævigata</i>	1878, 870
<i>minor</i>	1874, 449	<i>laqueata</i>	1872, 612
<i>occidentalis</i>	1874, 450	<i>undulosa</i>	1878, 870
	1874, 451	<i>variabilis</i>	1878, 870
	1878, 437	<i>Vermetus gigas</i>	1878, 966
<i>ptilosceles</i>	1874, 450		1878, 967
<i>resplendens</i>	1874, 450	<i>Vernonia wollastoniana</i>	1878, 462
	1874, 560		1878, 470
<i>Vanessa algina</i>	1877, 143		1878, 477
<i>amelia</i>	1878, 645	<i>Veronicella lævis</i>	1875, 320
<i>angelica</i>	1877, 813	<i>Vertigo admodesta</i>	1871, 474
<i>arsinoë</i>	1874, 284	<i>armata</i>	1871, 461
<i>cashmirensis</i>	1872, 559		1871, 474
	1874, 269	<i>bacca</i>	1871, 462
<i>charonia</i>	1874, 269		1871, 474
	1879, 137	<i>costata</i>	1871, 461
<i>epaphus</i>	1874, 345		1871, 474
<i>haronica</i>	1879, 137	<i>costulosa</i>	1871, 461
<i>juliana</i>	1874, 284		1871, 462
<i>polychloros</i>	1873, 156		1871, 463
<i>rizana</i>	1872, 559		1871, 474
<i>tamneamea</i>	1874, 284	<i>dentifera</i>	1871, 462
<i>xanthomelas</i>	1874, 269		1871, 474
<i>Vanga curvirostris</i>	1871, 318	<i>dunkeri</i>	1871, 474
	1875, 66	<i>hyalina</i>	1871, 474
<i>dami</i>	1875, 66	<i>lyrata</i>	1871, 461
<i>destructor</i>	1875, 490		1871, 474
	1875, 494	<i>nacca</i>	1871, 463
<i>polleni</i>	1872, 867		1871, 474
<i>rufa</i>	1871, 319	<i>newcombii</i>	1871, 474
<i>Varanus cumingii</i>	1872, 145	<i>nitens</i>	1871, 461
<i>dracæna</i>	1871, 150		1871, 463
	1871, 155		1871, 474
	1871, 156	<i>paivæ</i>	1871, 474
<i>flavescens</i>	1871, 150	<i>pediculus</i>	1871, 463
	1871, 153		1871, 474
<i>lunatus</i>	1871, 150	—, var. <i>somoensis</i>	1871, 474
	1871, 155	<i>perlonga</i>	1871, 462
<i>Varecia leucocephala</i> ..	1872, 853		1871, 474
<i>leucomystax</i>	1871, 229	<i>pleurophora</i>	1871, 474
<i>nigra</i>	1871, 229	<i>simplaria</i>	1871, 461
	1872, 853		1871, 474
<i>rubra</i>	1871, 297	<i>striatula</i>	1871, 461
<i>Variopalpus brevicollis</i> .	1874, 69		1871, 474
<i>crusoei</i>	1874, 50	<i>tantilla</i>	1871, 460
	1874, 69		1871, 463
<i>humeralis</i>	1874, 69		1871, 474
<i>Vates</i> , sp.	1877, 88	<i>Vespa basalis</i>	1871, 248
<i>ashmolianus</i>	1878, 584	<i>bellona</i>	1871, 248
<i>Veleda lineata</i>	1872, 303		1871, 249

	Page		Page
<i>Vespa magnifica</i>	1871,	<i>Vesperugo nanus</i>	1878,
<i>Vespertilio adversus</i>	1872,	<i>noctula</i>	1875,
	1878,		1875,
<i>alcythoë</i>	1880,		1875,
<i>aristippe</i>	1880,	<i>pachypus</i>	1876,
<i>auritus</i>	1872,		1876,
<i>barbastellus</i>	1872,		1876,
<i>belangeri</i>	1875,		1878,
<i>blythii</i>	1872,		1878,
	1872,	<i>pipistrellus</i>	1878,
	1872,		1875,
<i>castaneus</i>	1875,		1875,
<i>emarginatus</i>	1875,		1879,
<i>formosa</i>	1872,	<i>pulcher</i>	1875,
<i>goudoti</i>	1879,	<i>serotinus</i>	1877,
<i>hardwickii</i>	1877,		1880,
<i>hispidus</i>	1879,		1880,
<i>leucippe</i>	1880,	<i>stenopterus</i>	1875,
<i>madagascariensis</i> ..	1879,	<i>temminckii</i>	1875,
<i>marginatus</i>	1872,	<i>tylopus</i>	1875,
<i>minor</i>	1872,		1876,
<i>muricola</i>	1872,		1876,
	1878,	<i>Victorina epaphus</i>	1876,
	1878,	<i>steneles</i>	1874,
<i>murinus</i>	1875,		1876,
	1878,	<i>sulpitia</i>	1876,
	1879,	<i>Vidua hypocherina</i>	1871,
<i>nattereri</i>	1872,		1880,
<i>nigricans</i>	1880,	<i>nigerrima</i>	1880,
<i>noctula</i>	1875,	<i>nitens</i>	1880,
	1875,	<i>paradisea</i>	1875,
<i>noctulinus</i>	1875,	<i>principalis</i>	1878,
<i>pipistrellus</i>	1875,		1880,
	1875,		1880,
	1872,	<i>splendens</i>	1880,
<i>plicatus</i>	1876,		1880,
<i>savii</i>	1880,	<i>superciliosa</i> ..	1880,
<i>semicaudatus</i>	1874,	(<i>Hypocheira</i>) <i>nitens</i>	1880,
<i>serotinus</i>	1875,	<i>Villiersia scutigera</i>	1877,
<i>temminckii</i>	1878,	<i>Vinago sieboldi</i>	1873,
<i>tuberculatus</i>	1875,	<i>Vipera arietans</i>	1871,
(<i>Alobus</i>) <i>temminckii</i>	1875,	<i>euphratica</i>	1879,
<i>Vesperugo abramus</i>	1878,	<i>lebetina</i>	1879,
<i>austenianus</i>	1880,	<i>mauritanica</i>	1879,
<i>imbricatus</i>	1872,	<i>nasicornis</i>	1871,
<i>kuhli</i>	1879,		1871,
	1880,		1871,
<i>leisleri</i>	1872,	<i>rhinoceros</i>	1871,
	1875,		1871,
<i>maurus</i>	1880,		1871,
	1880,	<i>russelli</i>	1871,
	1880,	<i>Viralva anglica</i>	1876,
<i>micropus</i>	1872,	<i>indica</i>	1876,
	1872,	<i>leucopareia</i>	1876,
<i>mordax</i>	1880,		1876,
<i>nanus</i>	1875,	<i>nigra</i>	1876,
	1875,	<i>Vireo olivaceus</i>	1879,
	1876,	<i>virescens</i>	1879,
	1876,		595
	1876,		534

	Page		Page
<i>Vireolanius dubusii</i>	1874, 509	<i>Viverra tangalunga</i>	1876, 427
<i>Vireosylva agilis</i>	1873, 258		1876, 428
<i>altiloqua</i>	1871, 269		1876, 735
<i>calidris</i>	1871, 269	<i>tigrina</i>	1875, 493
	1872, 649	<i>zibetha</i>	1872, 817
	1875, 234	<i>Viverricula indica</i>	1872, 862
<i>chlorogaster</i>	1874, 509		1876, 463
<i>flavifrons</i>	1878, 53	<i>malaccensis</i>	1872, 817
<i>flavoviridis</i>	1874, 509	<i>schlegeli</i>	1872, 862
	1878, 53		1875, 63
<i>josephæ</i>	1874, 509	<i>Viverriceps rubiginosa</i>	1871, 760
	1878, 53	<i>Vivia innominata</i>	1873, 665
	1879, 224		1873, 690
	1879, 495	<i>Vivipara capillata</i>	1877, 717
<i>olivacea</i>	1873, 258	<i>jeffreysii</i>	1877, 716
	1876, 16	<i>Vola fusca</i>	1877, 193
	1878, 53	<i>Volatinia jacarina</i>	1873, 264
	1879, 224		1874, 520
	1879, 495		1878, 57
	1879, 595		1879, 507
	1880, 192		1879, 605
<i>philadelphica</i>	1878, 53		1880, 199
<i>Vitiflora assimilis</i>	1874, 219	<i>Voluta angasi</i>	1871, 324
<i>leucomela</i>	1874, 225	<i>bullata</i>	1877, 181
<i>leucopyga</i>	1874, 228	<i>coniformis</i>	1871, 324
<i>leucuros</i>	1874, 228		1871, 325
<i>major</i>	1874, 219		1877, 181
<i>oenanthe</i>	1874, 219	<i>fulgetrum</i>	1877, 181
<i>paradoxa</i>	1874, 221	<i>fusiformis</i>	1871, 88
<i>rufa</i>	1874, 219	<i>innexa</i>	1873, 568
	1874, 221	<i>kingi</i>	1871, 324
<i>rupicola</i>	1874, 232		1871, 325
<i>stapazina</i>	1874, 221	<i>lineata</i>	1871, 88
<i>Vitrina fusca</i>	1871, 472	<i>macgillivrayi</i>	1873, 568
<i>gigas</i>	1880, 292		1878, 569
	1880, 294	<i>nucleus</i>	1871, 89
<i>magnifica</i>	1871, 54	<i>papillaris</i>	1877, 181
<i>poepigii</i>	1880, 615	<i>papillosa</i>	1877, 179
<i>strangei</i>	1876, 100	<i>piperata</i>	1873, 568
<i>subviridis</i>	1871, 472	<i>punctata</i>	1871, 88
<i>superba</i>	1871, 54		1871, 324
<i>transvaalensis</i>	1880, 615		1871, 325
	1880, 619	<i>thatcheri</i>	1871, 585
<i>vandenbroeckii</i>	1880, 615	<i>undulata</i>	1871, 13
	1880, 619	<i>zebra</i>	1871, 88
(<i>Oligolimax</i>) n. sp.	1880, 102	(<i>Amoria</i>) <i>australiae</i>	1871, 643
<i>Viverra civetta</i>	1871, 299		1871, 647
	1875, 493	(<i>Aulica</i>) <i>bednalli</i>	1880, 418
	1876, 413		1880, 419
<i>fasciata</i>	1879, 666	(—) <i>hargreavesi</i>	1872, 613
<i>fossa</i>	1872, 872		1872, 614
<i>ichneumon</i>	1874, 662	(<i>Callipara</i>) <i>brazieri</i>	1873, 568
<i>megaspila</i>	1876, 428		1873, 569
<i>mungo</i>	1874, 662	<i>Volutella papillosa</i>	1877, 181
<i>poortmanni</i>	1871, 299	<i>Volva philippinarum</i>	1877, 186
<i>prehensilis</i>	1877, 681	<i>volva</i>	1877, 186
<i>rasse</i>	1872, 872	<i>Volvocivora caeruleascens</i>	1877, 693
<i>sarmatica</i>	1877, 275		1877, 756

	Page		Page
<i>Volvocivora cærulescens</i>	1877, 759	<i>Walckenaëra ignobilis</i> ..	1872, 293
	1878, 283		1872, 755
	1878, 284	<i>implana</i>	1872, 765
<i>insperata</i>	1875, 643	<i>latifrons</i>	1872, 762
	1877, 779		1872, 777
<i>lugubris</i>	1871, 378	<i>minima</i>	1872, 763
	1873, 668	<i>nemoralis</i>	1872, 293
<i>melaschista</i>	1871, 378		1872, 765
<i>mindanensis</i>	1878, 936	<i>picina</i>	1872, 763
	1878, 947	<i>pusilla</i>	1872, 763
<i>monacha</i>	1875, 643	<i>unicornis</i>	1872, 759
<i>morio</i>	1878, 948	<i>Waldheimia cranium</i> ..	1871, 300
<i>saturata</i>	1871, 378		1871, 303
	1873, 668		1871, 306
<i>sykesii</i>	1872, 437		1878, 399
<i>Volvula cylindrica</i>	1871, 738		1878, 407
	1871, 739	<i>dauidsoniana</i>	1878, 407
<i>rostrata</i>	1878, 869	<i>flavescens</i>	1871, 303
<i>Vulpes bengalensis</i>	1880, 286	<i>floridana</i>	1871, 303
<i>caama</i>	1880, 286		1878, 307
<i>cana</i>	1878, 392		1878, 401
<i>cinereo-argentata</i> ..	1880, 286	<i>grayi</i>	1871, 300
<i>corsac</i>	1880, 287		1871, 303
<i>flavescens</i>	1877, 274		1871, 304
<i>fulva</i>	1880, 286		1871, 305
<i>lagopus</i>	1880, 286		1871, 312
<i>leucopus</i>	1876, 778	<i>kerghuelensis</i>	1878, 411
<i>littoralis</i>	1880, 286	<i>lenticularis</i>	1871, 303
<i>velox</i>	1880, 286	<i>peloritana</i>	1878, 408
<i>zerda</i>	1880, 286	<i>picta</i>	1871, 300
<i>Vultur angolensis</i>	1875, 491		1871, 303
<i>atratus</i>	1878, 435		1871, 304
<i>aura</i>	1878, 435		1871, 312
<i>auricularis</i>	1873, 634	<i>raphaelis</i>	1871, 303
	1875, 491		1871, 312
	1880, 308		1878, 407
<i>calvus</i>	1871, 676	<i>septigera</i>	1871, 300
	1875, 17		1871, 303
	1876, 310	<i>venosa</i>	1871, 303
<i>fulvus</i>	1875, 491		1871, 305
<i>kolbii</i>	1875, 491	<i>Wallago attu</i>	1880, 230
<i>leuconotus</i>	1875, 491	<i>Watsonia elegans</i>	1879, 808
<i>monachus</i>	1871, 338	<i>Westermannia superba</i>	1877, 606
	1871, 675	<i>triangularis</i>	1877, 605
	1875, 17		1877, 628
	1880, 308	<i>Xanthidia desjardinsii</i> ..	1871, 533
<i>papa</i>	1878, 435	<i>floricola</i>	1871, 535
<i>Walckenaëra aggeris</i> ..	1872, 293	<i>lisa</i>	1871, 533
	1872, 753	<i>pulchella</i>	1871, 534
	1872, 755		1871, 724
<i>cristata</i>	1872, 767	<i>Xantho affinis</i>	1879, 31
	1874, 438	<i>Xanthodes impellens</i> ..	1880, 676
	1879, 682	<i>transversa</i>	1877, 605
	1879, 693		1877, 627
	1879, 702	<i>Xantholæma hæmace-</i>	
<i>hardii</i>	1873, 444	<i>phala</i>	1873, 526
<i>humilis</i>	1872, 751		1877, 690

	Page		Page
<i>Xantholæma hæmacephala</i>	1877, 758	<i>Xema melanocephala</i> ..	1878, 199
	1877, 823	<i>minuta</i>	1878, 206
	1878, 944	<i>phæocephala</i>	1878, 204
<i>indica</i>	1872, 430	<i>pileata</i>	1878, 200
	1873, 674	<i>pipixcan</i>	1878, 195
<i>rosea</i>	1873, 526	<i>ridibunda</i>	1878, 200
	1877, 756	<i>sabinii</i>	1871, 57
	1877, 758		1871, 58
	1878, 282		1878, 141
<i>rubricapilla</i>	1872, 405		1878, 158
	1872, 430		1878, 209
<i>Xanthopygia cyanomelæna</i>	1879, 337		1878, 211
	1880, 14	<i>Xenelaphis hexahonotus</i>	1872, 590
<i>leucophrys</i>	1871, 380	<i>Xenelaphus anomalocera</i>	1875, 46
	1873, 650	<i>chilensis</i>	1878, 924
<i>narcissina</i>	1871, 380		1875, 46
<i>tricolor</i>	1871, 380	<i>huamel</i>	1878, 924
<i>Xanthosomus icteroccephalus</i>	1873, 266	<i>leucotis</i>	1871, 601
<i>Xanthotænia busiris</i> ..	1878, 827		1873, 518
	1878, 854		1875, 46
<i>Xanthotis chrysotis</i>	1878, 97		1878, 924
<i>filigera</i>	1878, 97	<i>Xenocichla syndactyla</i>	1871, 314
<i>Xanthura incas</i>	1879, 510	<i>Xenodacnis parina</i>	1874, 130
	1879, 609		1874, 510
<i>peruviana</i>	1874, 524	<i>Xenogenys (Oreas) azurea</i>	1873, 678
	1879, 230	<i>Xenopeltis unicolor</i>	1872, 589
<i>yncas</i>	1879, 510	<i>Xenophora solarioides</i> ..	1878, 818
<i>Xema atricilla</i>	1871, 577	<i>Xenophrys gigas</i>	1871, 200
	1878, 194		1871, 201
<i>bonapartii</i>	1878, 207		1875, 568
<i>brunnicephala</i>	1872, 480	<i>monticola</i>	1871, 153
	1878, 197		1871, 200
	1878, 198		1875, 568
<i>caniceps</i>	1878, 200	<i>Xenopirostris polleni</i> ..	1872, 867
<i>capistrata</i>	1878, 200	<i>Xenops approximans</i> ..	1873, 270
<i>cirrhocephala</i>	1878, 196	<i>genibarbis</i>	1873, 270
	1878, 197		1879, 523
	1878, 201	<i>heterurus</i>	1873, 279
	1878, 202		1879, 522
	1878, 203	<i>littoralis</i>	1874, 529
<i>collaris</i>	1878, 209		1879, 523
	1878, 210	<i>mexicanus</i>	1879, 523
<i>crassirostris</i>	1878, 193	<i>rufosuperciliatus</i> ..	1879, 621
<i>franklini</i>	1878, 195	<i>rutilus</i>	1873, 270
<i>furcata</i>	1878, 157		1874, 529
	1878, 210		1879, 231
<i>gælastes</i>	1878, 192		1879, 522
<i>genei</i>	1878, 192	<i>Xenorhynchus australis</i>	1877, 307
<i>glaucodes</i>	1878, 203		1877, 340
<i>ichthyaetus</i>	1878, 198		1877, 711
<i>jamesoni</i>	1877, 347	<i>senegalensis</i>	1877, 712
	1878, 185		1877, 711
<i>kittlitzii</i>	1878, 205		1877, 712
<i>lambruschinii</i>	1878, 192		1880, 316
<i>leucophthalma</i>	1878, 193	<i>Xenospongia patelliformis</i>	1873, 32


	Page		Page
<i>Xenotreron incognita</i> ..	1877,	<i>Xylophis indicus</i>	1878,
<i>Xenurus lugubris</i>	1880,	<i>Xylotrupes gideon</i>	1877,
<i>unicinctus</i>	1873,	<i>Xylurgus subrufinus</i> ..	1871,
	1878,	<i>Xysticus audax</i>	1876,
	1878,		1876,
<i>Xerobates berlandieri</i> ..	1873,		1876,
<i>carolinus</i>	1873,	<i>bifasciatus</i>	1876,
<i>gopher</i>	1873,	<i>clerckii</i>	1876,
	1873,	<i>cristatus</i>	1876,
<i>Xerophila cespitum</i>	1880,		1876,
<i>terveri</i>	1880,	<i>ferus</i>	1876,
	1880,		1876,
<i>Xyphias gladius</i>	1875,	<i>grammicus</i>	1873,
	1879,		1873,
<i>Xiphocolaptes albicollis</i>	1879,		1873,
<i>major</i>	1879,	<i>hirtus</i>	1876,
	1879,		1876,
<i>procerus</i>	1879,	<i>lalandi</i>	1876,
<i>promeropirhynchus</i>	1873,	<i>peccans</i>	1876,
<i>chus</i>	1879,		1876,
	1879,	<i>promiscuus</i>	1876,
	1879,		1876,
	1879,	<i>subclavatus</i>	1876,
<i>simpliceps</i>	1879,		1876,
<i>Xiphodon gracilis</i>	1876,	<i>Xystosomus belti</i>	1878,
<i>platyceps</i>	1876,	<i>olivaceus</i>	1878,
<i>Xiphopeneus harttii</i> ..	1878,		
<i>Xiphorhynchus lafres-</i>		<i>Yllenus insignitus</i>	1876,
<i>nayanus</i>	1879,	<i>saliens</i>	1876,
<i>pusillus</i>	1878,		1876,
	1879,		1876,
<i>thoracicus</i>	1877,	<i>Yoldia abyssicola</i>	1879,
<i>trochilirostris</i>	1879,		1879,
	1879,		1879,
<i>Xixuthrus microcerus</i> ..	1877,	<i>frigida</i>	1879,
<i>Xois sesara</i>	1874,	<i>intermedia</i>	1879,
	1875,	<i>limatula</i>	1880,
<i>Xylina atristriga</i>	1877,	<i>lucida</i>	1879,
<i>canescens</i>	1877,	<i>minima</i>	1879,
<i>defigurata</i>	1877,	<i>nana</i>	1879,
<i>inceptura</i>	1877,	<i>obtusa</i>	1879,
<i>lignisecta</i>	1877,	<i>striolata</i>	1879,
<i>provida</i>	1877,	<i>Ypthima ariaspæ</i>	1874,
<i>stipata</i>	1877,	<i>avanta</i>	1874,
<i>turbida</i>	1877,	<i>nareda</i>	1874,
<i>ustistriga</i>	1877,		1874,
<i>vexata</i>	1877,	<i>newara</i>	1874,
<i>Xylobucco duchailloi</i> ..	1871,	<i>nikæa</i>	1874,
	1871,	<i>sakra</i>	1874,
<i>Xylocampa cucullina</i> ..	1877,	<i>Ypsipetes anomala</i>	1878,
<i>dceptura</i>	1877,	<i>Ypthima arctous</i>	1877,
<i>inceptura</i>	1877,	<i>asterope</i>	1875,
<i>Xylocopa æstuans</i>	1875,	<i>baldus</i>	1878,
<i>flavonigrescens</i>	1875,		1878,
<i>mordax</i>	1877,	<i>fasciata</i>	1873,
<i>Xylolepes validus</i>	1879,	<i>lisandra</i>	1880,
<i>Xylophasia stipata</i>	1877,	<i>methora</i>	1878,


	Page		Page
<i>Ypthima methora</i>	1878, 853	<i>Zamenis persicus</i>	1872, 393
<i>ordinata</i>	1880, 148	<i>Zamenophis australis</i> ..	1877, 130
	1880, 152	<i>Zanclopteryx fragilis</i> ..	1880, 687
<i>pandocus</i>	1873, 340	<i>saponaria</i>	1877, 622
	1878, 696		1877, 631
	1878, 706	<i>Zanclostoma flavirostris</i>	1871, 605
<i>philomela</i>	1875, 406		1871, 614
<i>zodiaca</i>	1878, 696	<i>Zanclostomus æreus</i> ..	1873, 609
	1878, 706		1873, 610
<i>Yuhina diademata</i>	1871, 373	<i>flavirostris</i>	1873, 610
	1873, 665	<i>javanicus</i>	1873, 606
	1873, 688	<i>tristis</i>	1871, 393
<i>gularis</i>	1873, 666	<i>viridirostris</i>	1872, 432
<i>nigrimentum</i>	1871, 373	<i>Zaocys carinatus</i>	1872, 590
	1873, 666	<i>fuscus</i>	1872, 590
<i>Yungipicus aurantiiven-</i>		<i>luzonensis</i>	1873, 169
<i>tris</i>	1878, 943	<i>Zapornia baillonii</i>	1879, 772
<i>fuscoalbidus</i>	1877, 689	<i>pygmæa</i>	1879, 772
	1878, 943	<i>watersi</i>	1879, 772
	1879, 326	<i>Zebronia abdicalis</i>	1880, 684
<i>gymnophthalmos</i> ..	1872, 427	<i>plutusalis</i>	1878, 849
<i>kaleënsis</i>	1871, 392		1878, 857
<i>maculatus</i>	1877, 689	<i>salomealis</i>	1877, 619
<i>scintilliceps</i>	1871, 392	<i>Zelotherses robusta</i>	1877, 403
<i>sondaicus</i>	1875, 102		1877, 407
	1879, 326	<i>Zemerus albipunctata</i> ..	1878, 701
<i>validirostris</i>	1878, 943	<i>confucius</i>	1878, 701
	1879, 69		1878, 707
<i>Yunx japonica</i>	1871, 393	<i>emesoides</i>	1873, 347
<i>torquilla</i>	1871, 393	<i>flegyas</i>	1878, 701
	1873, 463		1878, 832
	1873, 630		1878, 855
<i>Zadadra distorta</i>	1878, 25	<i>Zenaida auriculata</i>	1874, 555
	1878, 37		1880, 213
<i>Zafra mitriformis</i>	1879, 209	<i>aurita</i>	1874, 555
<i>pupoidea</i>	1872, 14	<i>maculata</i>	1874, 170
	1872, 15		1874, 678
<i>purpurea</i>	1873, 206		1879, 639
	1873, 209	<i>martinicana</i>	1874, 250
<i>subvitrea</i>	1879, 209		1874, 256
<i>Zalophus gillespii</i>	1872, 662		1879, 765
<i>lobatus</i>	1875, 676	<i>ruficauda</i>	1879, 543
	1875, 677	<i>Zenaidura carolinensis</i> ..	1874, 256
<i>Zamenis atrovirens, var.</i>			1878, 43
<i>carbonaria</i>	1879, 741		1880, 314
<i>brachyurus</i>	1871, 151	<i>marginata</i>	1874, 250
	1871, 176	<i>Zeocephus cinnamomeus</i>	1878, 616
<i>caudolineatus</i>	1872, 393	<i>cyanescens</i>	1878, 616
<i>cliffordi</i>	1872, 393	<i>rufus</i>	1877, 688
	1878, 977	<i>Zeonia sylphina</i>	1876, 237
	1878, 978	<i>Zephronia actæon</i>	1873, 176
<i>diadema</i>	1871, 151	<i>banksiana</i>	1873, 181
	1871, 174		1873, 182
<i>elegantissimus</i>	1878, 977	<i>brandtii</i>	1873, 178
<i>fasciolatus</i>	1871, 172	<i>castanea</i>	1873, 181
	1871, 173	<i>chitonoides</i>	1873, 178
<i>ladacensis</i>	1872, 393	<i>compressa</i>	1873, 175
		<i>corrugata</i>	1873, 180

	Page		Page
<i>Zephronia corrugata</i>	1873, 182	<i>Ziphius australis</i>	1876, 474
<i>dorsalis</i>	1873, 174		1876, 475
<i>elongata</i>	1873, 176		1876, 478
<i>glabrata</i>	1873, 179	<i>cavirostris</i>	1876, 477
<i>hercules</i>	1873, 180		1876, 478
<i>heterosticta</i>	1873, 179		1880, 237
<i>hippocastanum</i>	1873, 176	<i>chathamensis</i>	1876, 467
<i>ignobilis</i>	1873, 180		1876, 478
	1873, 182	<i>indicus</i>	1876, 478
<i>inermis</i>	1873, 179	<i>layardii</i>	1871, 631
<i>innominata</i>	1873, 178	<i>novæ-zealandiæ</i>	1876, 8
	1873, 181		1876, 13
<i>insignis</i>	1873, 180		1876, 466
<i>javanica</i>	1873, 175		1876, 467
<i>leopardina</i>	1873, 181		1876, 470
	1873, 182		1876, 474
<i>lichtensteinii</i>	1873, 174		1876, 477
<i>lutescens</i>	1873, 179		1876, 478
	1873, 182		1880, 232
<i>nigrinota</i>	1873, 179		1880, 236
<i>noticeps</i>	1873, 179		1880, 237
	1873, 182	(<i>Dolichodon</i>) <i>layardi</i>	1876, 479
<i>ovalis</i>	1873, 180	<i>Ziziphinus armillatus</i>	1877, 188
<i>pilifera</i>	1873, 180	<i>decoratus</i>	1877, 188
	1873, 182	<i>jucundus</i>	1878, 798
<i>pulverea</i>	1873, 174	<i>multiliratus</i>	1875, 127
<i>punctata</i>	1873, 174		1875, 129
<i>rotundata</i>	1873, 173	<i>speciosus</i>	1877, 188
<i>rugulosa</i>	1873, 179	<i>Zizyphinus comptus</i>	1871, 96
<i>sulcatula</i>	1873, 181	<i>Zomia pallida</i>	1877, 622
	1873, 182		1877, 631
<i>testacea</i>	1873, 179	<i>Zonites algirus</i>	1880, 101
<i>tigrina</i>	1873, 180		1880, 103
<i>versicolor</i>	1873, 181		1880, 104
<i>zebraica</i>	1873, 180	<i>guldingi</i>	1875, 320
	1873, 181	<i>impicans</i>	1875, 321
<i>Zeritis harpax</i>	1875, 413	<i>maceana</i>	1880, 106
<i>Zernizinga indociliaria</i>	1877, 394	<i>umbratilis</i>	1875, 321
<i>Zethera diademoides</i>	1878, 824	<i>Zonosoma interlectum</i>	1880, 673
	1878, 853	<i>Zonotrichia africana</i>	1880, 491
	1878, 858	<i>albicollis</i>	1872, 681
<i>Zeus faber</i>	1871, 673	<i>canicapilla</i>	1878, 432
	1875, 486	<i>matutina</i>	1874, 521
	1879, 749	<i>pileata</i>	1872, 548
<i>Zeuxidia amethystus</i>	1878, 826		1874, 329
<i>aurelius</i>	1873, 341		1874, 521
<i>horsfieldi</i>	1873, 340		1878, 38
	1878, 639		1878, 57
<i>masoni</i>	1878, 826		1878, 432
	1878, 854		1879, 230
<i>wallacei</i>	1873, 341		1879, 507
<i>Zeuzera signata</i>	1879, 164		1879, 606
<i>Ziphius australis</i>	1876, 12		1880, 199
	1876, 13	<i>vulcani</i>	1878, 40
	1876, 467		1878, 57
	1876, 469	<i>Zoothera imbricata</i>	1872, 446
	1876, 470	<i>monticola</i>	1877, 299
	1876, 471	<i>Zootoca danfordi</i>	1876, 818

	Page		Page
Zootoca lilfordi.....	1874,	Zosterops flaviceps	1877,
muralis	1876,	hypolais	1872,
vivipara.....	1875,	intermedia.....	1878,
	1875,	japonicus	1871,
Zophoëssa andersoni ..	1871,	kirkii	1879,
muirheadi	1878,	lateralis.....	1877,
	1878,	luteus	1878,
Zosterops, sp.	1871,	madagascariensis ..	1875,
albogularis	1873,	mayottensis	1877,
anjuanensis	1877,	meyeni	1872,
	1877,	nigrorum	1878,
	1879,	oleaginea	1872,
annulosus	1872,	palpebrosus	1872,
austeni	1878,	poliogastra	1877,
cærulescens	1875,	ponapensis.....	1875,
ceylonensis	1872,	semperi	1872,
	1872,	simplex	1880,
	1872,	subroseus	1871,
	1873,	westernensis.....	1877,
chloris	1878,	xanthochroa	1877,
chloronotus	1873,	(Tephros) finschi ..	1875,
cinerea	1872,	Zozymus tomentosus ..	1877,
conspicillata	1872,	malleus	1879,
erythropleura	1871,	Zygæna asoka	1879,
	1873,	zygogramma championi	1879,
everetti	1877,		781
	1877,		
	1877,		
	1878,		
	1878,		
explorator	1875,		
	1875,		
	1877,		
finschi	1872,		
	1872,		
flaviceps.....	1875,		
	1875,		
	1875,		
	1877,		

BRITISH MUSEUM


















1935/36

8

T

6/6.

